

RAINFALL

OXFORDSHIRE

1901-1910

ADDERBURY: (CROSS HILL)	1901-1910
ASSENDON:	1901-1910
BANBURY: (BODKOTE HOUSE)	1901-1910
BANBURY: (OAK HOUSE SCHOOL)	1901-1903
BANBURY: (WATER WORKS)	1901-1910
BICESTER:	1902-1907
BICESTER:	1905-1910
BICESTER: (LIVY COTTAGE)	1907-1909
BICESTER: (MIDDLETON PARK)	1901-1910
BLOXHAM GROVE:	1908-1910
CANE END: (HOUSE)	1901-1902
CAVERSHAM (ST BENNETS HOME)	1909-1910
CAVERSHAM: (10 HEMDEAN RD)	1908-1910
CAVERSHAM: (LOCK)	1901
CHARLBURY: (WYCHWOOD HOUSE)	1908-1910
CHADLINGTON: (CLANGSTON HOUSE)	1903-1910
CHIPPING NORTON: (HEYTHROP COLLEGE)	1902
CHIPPING NORTON:	1902
CHURCHILL:	1910
CLANSFIELD: (SCHOOL HOUSE)	1906-1910
CLIFTON HAMPTON: (THE MANOR HOUSE)	1904-1910
CULHAM:	1909
CULHAM: (COLLEGE)	1901-1902, 08-10
CULHAM: (THE SCHOOL HOUSE)	1905-08, 10
CULHAM: (THE VICARAGE)	1908-1910
DORCHESTER:	1901-1903
DORCHESTER: (BISHOPS COURT)	1901-1910
ELSFIELD: (HOME FARM)	1901-1910
FREELAND LODGE:	1906
GORING-ON-THAMES	1901-1910

RAINFALLOXFORDSHIRE1901-1910

HASELEY MANOR:	1907-08, 1910
HENLEY-ON-THAMES: (GREY'S GREEN)	1903-1910
HENLEY-ON-THAMES: (WATER WORKS)	1904-1910
HEADINGTON HILL:	1901-1910
HIGHMORE: (ST PAULS VICARAGE)	1901-1905
HORTON PARK:	1901-02, 10.
ISLIP:	1904, 1908-1910
KIDMORE END: (SCHOOL)	1909-10
KINGHAM:	1903-05
LEWKNOR:	1910
LYNEHAM:	1901-10
MAGDALEN: (COLLEGE)	1901-10
NETTLEBED: (SOYCE GROVE)	1910
NETTLEBED: (NO 1 SOYCE GROVE)	1909-10
NORHAM RD:	1901-07
OXFORD: (14, NORTHMOOR RD)	1908-10
OXFORD: (WATER WORKS AND PUMPING STATION)	1904-10
PEPPARD:	1906-10
PYRTON HILL:	1906-10
RADCHIFFE: (OBSERVATORY)	1908-10
RADCHIFFE: (OBSERVATORY)	1901-10
SARSDEN:	1904-10
SARSDEN: (GARDENS)	1907-10
SIRFORD FERRIS:	1901-10
STEEPLE ASTON: (THE GRANGE)	1902, 06, 08-10
SWERFORD:	1901-10
THAME: (TYTHROP HOUSE)	1902-03, 1909-10
TOOT BALDON: (POTLAND'S)	1901-05, 08-10
WATER STOCK	1901-10
WARNEFORD: (ASYLUM)	1908-10

RAINFALL

Oxfordshire

1901-1910

WATLINGTON; (PYRTON MANOR)	1902-10
WHEATLEY: (THE SCHOOL HOUSE)	1909-10
WITNEY: (RINGWOOD FARM)	1908-10
WOODSTOCK: (HAMPTON PYLE REC)	1908-10
WOOTTON: (THE RETORY)	1906-10

REGIS

Kept at *Adderbury*
in the County of *Oxford*
by *Genl H. H.*

ADDERBURY

CROSS HILL

OXON

1901-10

1° 1' N Lon. 1° 18' W

Observation *9 A.M.*

5 inches

top above Ground *1/222 in*

Sea Level *338 ft*

NOTE.—Full instructions respecting the
of the Rainfall," which is sent post-free on

the Systematic Observation and Record
Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	0.07	0.03	0.03	0.01	0.01	0.01			0.02			1
2		0.08	0.33	0.11		0.01	0.65						2
3	0.02		0.11	0.53		0.04		0.02		0.24			3
4		0.42	0.10								0.02		4
5		0.01	0.13	0.03		0.01	0.01	0.08				0.04	5
6			0.24	0.04	0.07			0.01		0.21	0.02	0.01	6
7	0.09	0.06	0.09	0.13	0.32					0.03		0.21	7
8	0.04	0.02	0.01	0.27	0.42				0.40	0.02		0.09	8
9	0.01	0.01		0.22	0.05				0.01			0.10	9
10				0.13				0.01	0.03				10
11	0.02			0.33				0.19	0.06		0.09		11
12	0.02			0.06		0.23		0.09		0.01	0.32	1.35	12
13				0.14		0.04		0.03			0.22	0.24	13
14		0.05		0.13		0.01	0.21	0.44				0.03	14
15				0.11				0.02				0.03	15
16	0.05			0.10		0.01			0.64		0.01	0.02	16
17	0.16								0.12	0.10		0.02	17
18	0.12	0.06	0.01			0.01				0.20		0.01	18
19	0.22	0.01	0.32			0.05			0.02	0.01			19
20	0.01					0.21			0.21		0.04		20
21		0.05				0.02			0.05		0.07		21
22	0.02					0.03	0.05		0.02	0.05	0.04		22
23						0.01	0.18					0.54	23
24	0.06		0.04				0.26			0.09		0.23	24
25	0.06		0.06		0.02		0.53	0.18			0.03	0.01	25
26	0.05	0.25	0.03	0.02			1.17	0.54					26
27	0.33	0.02		0.13			0.28	0.32			0.01	0.05	27
28	0.05	0.38	0.03					0.02				0.73	28
29	0.03		0.20		0.19			0.01		0.07		0.19	29
30			0.35		0.18	0.85		0.05				0.03	30
31			0.08					0.09				0.07	31
Totals	1.40	1.49	2.16	2.51	1.26	1.54	3.35	2.10	1.56	1.05	0.87	4.00	
Total from Jan. 1		2.89	5.05	7.56	8.82	10.36	13.71	15.81	17.37	18.42	19.29	23.29	

Total for 9 days on which more than 0.50 fell = 6.99 inches

REGISTER OF RAINFALL IN 1901

Kept at Accrington
in the County of Lancashire
by Geo. H. Morris

RAIN GAUGE.

Lat. 52° 1' N Lon. 1° 18' W
Time of Observation 9 A.M.
Diameter 5 inches
Height of top above Ground 1 ft 2 in
Sea Level 338 ft

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	0.07	0.03	0.03	0.01	0.01	0.01			0.02			1
2		0.08	0.33	0.11		0.01	0.65						2
3	0.02		0.11	0.53		0.04		0.02		0.24			3
4		0.42	0.10								0.02		4
5		0.01	0.13	0.03		0.01	0.01	0.08				0.04	5
6			0.24	0.04	0.07			0.01		0.21	0.02	0.01	6
7	0.09	0.06	0.09	0.13	0.32					0.03		0.21	7
8	0.04	0.02	0.01	0.27	0.42				0.40	0.02		0.09	8
9	0.01	0.01		0.22	0.05				0.01			0.10	9
10				0.13				0.01	0.03				10
11	0.02			0.33				0.19	0.06		0.09		11
12	0.02			0.06		0.23		0.09		0.01	0.32	1.35	12
13				0.14		0.04		0.03			0.22	0.24	13
14		0.05		0.13		0.01	0.21	0.44				0.03	14
15				0.11				0.02				0.03	15
16	0.05			0.10		0.01			0.64		0.01	0.02	16
17	0.16								0.12	0.10		0.02	17
18	0.12	0.06	0.01			0.01				0.20		0.01	18
19	0.22	0.01	0.32			0.05			0.02	0.01			19
20	0.01					0.21			0.21		0.04		20
21		0.05				0.02			0.05		0.07		21
22	0.02					0.03	0.05		0.02	0.05	0.04		22
23						0.01	0.18					0.54	23
24	0.06		0.04				0.26			0.09		0.23	24
25	0.06		0.06		0.02		0.53	0.18			0.03	0.01	25
26	0.05	0.25	0.03	0.02			1.17	0.54					26
27	0.03	0.02		0.13			0.28	0.32			0.01	0.05	27
28	0.05	0.38	0.03					0.02				0.73	28
29	0.03		0.20		0.19			0.01		0.07		0.19	29
30			0.35		0.18	0.85		0.05				0.03	30
31			0.08					0.09				0.07	31
Totals	1.40	1.49	2.16	2.51	1.26	1.54	3.35	2.10	1.56	1.05	0.87	4.00	
Total from Jan. 1		2.89	5.05	7.56	8.82	10.36	13.71	15.81	17.37	18.42	19.29	23.29	

REGISTER OF RAINFALL IN 1902

Kept at Adderbury W.
in the County of Oxford
by George H. Harris

RAIN GAUGE.

Lat. 52° 1' N. Long. 1° 18' W
Time of Observation 9 a.m.
Diameter 5 in
Height of top above Ground 1 ft. 2 in.
" " Sea Level 338

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.33		0.10		0.04	0.37	0.17	0.01	0.05	0.05		0.40	1
2	0.01	0.03	0.02		0.12			0.07	0.17		0.03		2
3		0.06		0.08	0.16	0.02			0.29			0.09	3
4	0.10		0.01	0.04	0.04	0.06		0.01					4
5				0.10	0.03	0.03		0.28			0.16	0.01	5
6					0.08	0.28		0.20		0.01	0.17		6
7		0.02	0.01		0.05	0.05		0.14		0.02			7
8		0.04			0.06	0.06		0.13			0.22	0.01	8
9	0.08		0.01		0.01		0.24	0.03	0.32	0.78	0.01		9
10							0.07	0.09	0.82	0.02			10
11	0.04			0.15		0.13		0.08	0.11	0.01	0.18		11
12			0.01			0.14		0.01	0.02	0.02		0.04	12
13						0.10		0.09		0.42		0.04	13
14			0.57	0.14	0.09	0.36			0.05	0.02		0.24	14
15				0.73	0.03	0.10				0.15		0.18	15
16					0.10	0.12	0.04	0.01		0.31		0.04	16
17					0.20		0.02	0.17				0.26	17
18		0.01			0.04			0.20		0.22			18
19		0.01	0.05	0.01	0.04	0.30	0.11	0.06				0.04	19
20		0.01	0.15			0.20	0.01			0.01			20
21			0.02	0.22									21
22		0.08		0.11	0.37	0.02	0.07	0.07	0.06				22
23	0.01	0.27		0.01				0.03	0.03				23
24	0.05	0.26	0.41							0.07	0.29		24
25		0.02					0.27			0.01	0.10		25
26	0.17	0.21	0.18				0.13				0.04		26
27	0.05	0.20					0.01			0.05	0.13	0.03	27
28		0.15						0.12			0.46	0.25	28
29		X	0.05		0.13			0.25			0.28		29
30		X	0.03	0.02	0.22	0.07		0.04	0.06		0.10	0.17	30
31		X			0.25			0.24		0.01			31
Totals	0.90	1.37	1.62	1.61	2.06	2.41	1.14	2.33	1.98	2.18	2.17	1.80	
Total from Jan. 1		2.27	3.89	5.50	7.56	9.97	11.11	13.44	15.42	17.60	19.77	21.57	

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at Adderbury
in the County of Oxford
by George H. Norris

Lat. 52° 1' N Long. 1° 18' W
Nearest Railway Station Adderbury
Time of Observation 9 A.M.
Diameter 5 in.
Height of top above Ground 1 ft. 2 in.
Sea Level 338 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.23	0.01	0.43	0.13	0.23	"	"	0.01	0.02	0.06	"	"	1
2	0.19	"	0.19	"	0.58	"	"	0.36	0.32	~~0.08~~ 0.23	"	"	2
3	0.22	"	"	0.07	0.48	"	"	"	0.29	0.18	"	0.16	3
4	0.85	"	0.17	0.03	0.16	"	"	"	0.18	0.40	"	"	4
5	0.18	"	0.01		0.32	"	"	"	"	0.02	0.02	0.01	5
6	0.04	"	"		0.02	"	"	"	"	0.19	"	0.04	6
7	0.02	0.01	0.08	0.02	0.05	"	"	"	"	0.10	"	0.21	7
8	0.10	"	"	"	"	0.25	"	"	0.16	0.31	0.01	0.26	8
9	0.01	"	0.20	"	0.45	0.28	"	0.04	0.05	~~0.01~~ 0.04	0.04	0.14	9
10	0.03	"	0.01	"	"	0.78	"	0.13	0.47	0.10	"	0.05	10
11	"	"	"	"	"	"	0.08	"	0.01	0.85	"	"	11
12	"	"	"	0.01	"	"	"	"	"	0.37	0.02	0.35	12
13	"	"	"	0.01	"	0.28	"	~~0.38~~ 0.38	"	0.09	0.06	0.03	13
14	"	"	0.37	0.07	"	1.28	0.09	0.14	"	0.56	0.02	"	14
15	"	0.02	0.01	"	0.11	0.62	0.11	"	"	0.01	"	"	15
16	"	"	"	"	0.20	0.05	"	0.28	"	0.19	"	0.01	16
17	0.07	"	0.43	"	0.08	0.03	0.10	0.21	"	"	0.09	0.01	17
18	0.08	"	0.01	"	"	"	0.68	0.43	"	0.23	"	0.02	18
19	0.04	"	"	"	"	0.75	1.41	"	"	0.01	"	0.02	19
20	0.01	"	"	"	"	"	0.03	0.38	"	0.01	0.02	0.01	20
21	"	0.04	"	"	"	"	0.31	"	0.04	0.06	0.02	"	21
22	0.13	0.09	"	"	"	"	0.20	0.04	0.01	0.07	0.01	~~0.01~~ 0.01	22
23	0.01	0.05	0.38	"	"	"	0.19	0.16	"	0.02	0.04	0.01	23
24	0.01	0.39	0.01	"	"	"	0.48	0.63	0.25	0.34	"	0.06	24
25	"	0.20	0.08	0.24	"	"	0.49	0.01	"	0.28	"	0.01	25
26	"	0.31	0.43	0.30	"	"	0.06	0.02	0.01	0.36	~~0.05~~ 0.05	0.01	26
27	0.28	"	0.05	0.30	0.05	"	0.11	0.04	0.01	0.98	~~0.08~~ 0.08	0.07	27
28	"	"	0.09	0.50	1.02	"	0.08	0.08	0.21	~~0.35~~ 0.25	0.25	0.01	28
29	"	~~X~~	0.13	0.16	0.11	"	0.50	"	0.26	0.01	"	"	29
30	"	~~X~~	0.19	0.17	0.65	"	"	0.01	"	"	"	"	30
31	0.06	~~X~~	"	~~X~~	"	~~X~~	"	"	~~X~~	0.20	~~X~~	"	31
Totals	2.56	1.12	3.27	2.01	4.51	4.32	4.92	3.35	2.29	6.44	1.70	1.50	
Total from Jan. 1		2.68	6.95	8.96	13.47	17.79	22.71	26.06	28.35	34.79	36.49	37.99	

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.

Kept at Adderbury

in the County of Oxford

by George H. Harris

Lat. 52° 1' N. Long. 1° 18' W.

Nearest Railway Station Adderbury

Time of Observation 9 A.M.

Diameter 5 in.

Height of top above Ground 1 ft. 2 in.

Sea Level 338 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	0.06	0.03	0.01	0.20	0.09	0.01	"	"	0.01	"	"	1
2	0.03	~~0.46~~	0.19	0.06	0.02	"	0.12	"	0.26	"	"	0.08	2
3	0.08	0.37	0.19	0.04	0.01	"	0.06	"	"	"	"	0.01	3
4	0.10	0.12	"	0.03	"	"	"	"	"	"	"	0.16	4
5	0.01	0.01	0.01	0.05	0.01	"	0.01	"	"	0.07	"	0.05	5
6	0.01	0.10	"	"	0.04	"	"	0.02	"	0.04	0.36	0.32	6
7	0.14	0.41	0.34	0.01	"	"	"	"	0.14	"	0.24	0.01	7
8	0.01	0.40	"	"	"	"	"	"	0.12	0.01	0.08	0.12	8
9	0.04	<u>0.68</u>	"	0.05	0.03	0.09	"	0.03	"	"	0.01	0.13	9
10	0.31	0.37	"	"	0.08	"	"	"	"	0.03	0.35	0.12	10
11	0.03	0.01	"	"	0.02	"	"	0.25	"	"	"	0.18	11
12	0.12	<u>0.79</u>	"	0.12	"	"	"	"	0.32	"	"	0.01	12
13	0.16	0.16	"	0.09	"	"	"	"	"	"	0.01	0.22	13
14	0.01	0.03	0.04	0.05	"	0.27	"	0.12	0.33	"	"	0.06	14
15	"	"	"	0.25	"	0.05	"	"	"	"	"	0.02	15
16	"	0.14	"	"	"	"	"	"	"	0.25	"	"	16
17	0.08	0.17	0.01	"	"	"	"	0.18	"	"	"	0.01	17
18	0.02	"	"	"	0.04	"	"	"	"	0.02	"	"	18
19	"	0.07	0.07	"	"	"	0.15	0.01	"	0.01	0.01	0.01	19
20	0.01	"	"	"	<u>0.50</u>	"	"	"	"	"	"	"	20
21	"	0.02	0.02	"	0.08	"	"	0.19	"	0.06	0.26	"	21
22	"	"	0.01	0.23	0.04	"	0.12	<u>0.65</u>	0.01	"	"	"	22
23	"	"	"	"	"	"	0.07	0.01	0.11	"	0.11	"	23
24	"	"	0.07	"	"	0.08	"	"	0.07	0.01	"	"	24
25	"	0.08	0.06	"	0.32	0.05	<u>1.55</u>	0.09	0.02	"	"	"	25
26	0.10	0.05	"	"	<u>1.04</u>	"	0.07	"	0.01	"	"	0.06	26
27	0.30	"	"	"	"	"	0.17	"	"	0.01	"	0.03	27
28	~~0.04~~	"	0.25	"	"	"	0.07	"	"	"	"	0.01	28
29	~~0.02~~	"	0.05	"	"	"	<u>0.55</u>	"	"	"	0.01	0.02	29
30	~~0.02~~	~~X~~	0.08	"	0.05	0.01	0.02	"	<u>0.58</u>	0.06	"	"	30
31	<u>0.88</u>	~~X~~	0.04	~~X~~	0.04	~~X~~	"	0.11	~~X~~	0.04	~~X~~	"	31
Totals	3.20	4.50	1.46	0.99	2.52	0.64	2.97	1.66	1.97	0.62	1.44	1.63	
Total from Jan. 1		7.70	9.16	10.15	12.67	13.31	16.28	17.94	19.91	20.53	21.97	23.60	

REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL.

Kept at Adderbury - near Banbury

in the County of Oxford

by Georg H. Morris

Lat. 52° 1' N Long. 1° 18' W

Nearest Railway Station Adderbury G.W.M.

Time of Observation 9 A.M.

Diameter 5 in.

Height of top above Ground 1 ft. 2 in.

" " Sea Level 338 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	"	0.04	"	0.09	0.02	0.08	"	0.05	"	0.50	0.02	1
2	0.06	"	0.06	"	0.07	"	0.01	0.36	"	0.10	0.01	0.01	2
3	"	"	0.01	0.01	"	"	"	0.50	"	0.02	0.13	0.04	3
4	0.09	"	0.02	0.12	"	0.01	"	0.14	"	0.15	0.33	0.01	4
5	0.01	"	0.09	0.01	"	0.21	"	0.26	0.05	"	0.02	0.12	5
6	"	0.06	0.01	0.11	"	0.56	"	0.02	0.09	"	"	0.07	6
7	"	0.04	0.09	0.11	"	0.20	"	0.07	0.07	0.03	"	0.23	7
8	0.19	"	0.18	0.05	"	0.01	"	"	0.09	"	0.01	0.03	8
9	0.08	"	"	0.22	"	"	0.99	"	0.19	"	"	"	9
10	"	0.02	0.40	0.16	"	0.04	0.04	"	"	"	0.77	"	10
11	0.05	"	0.20	0.22	0.01	0.14	"	"	"	"	0.12	"	11
12	"	0.01	0.36	"	"	"	"	"	"	"	0.20	0.01	12
13	"	"	0.46	0.12	"	"	"	"	0.04	"	0.03	"	13
14	"	"	0.20	0.04	0.03	"	"	"	"	"	0.01	"	14
15	"	"	0.47	"	"	"	0.01	0.35	"	0.13	0.02	"	15
16	0.17	0.01	0.04	0.12	"	0.09	"	"	"	"	"	"	16
17	"	"	0.05	"	"	0.37	"	0.22	"	"	"	0.04	17
18	"	0.01	"	"	"	0.03	"	0.09	"	"	"	0.05	18
19	"	0.07	"	0.08	"	0.02	"	0.02	0.03	"	"	"	19
20	"	"	"	0.01	"	0.13	"	"	"	0.01	"	"	20
21	"	"	"	"	"	0.01	"	0.18	"	"	"	"	21
22	"	"	"	"	"	"	0.06	0.19	"	"	0.16	"	22
23	"	0.04	0.13	0.18	"	"	0.01	0.01	"	"	"	"	23
24	0.04	"	0.02	"	"	"	"	"	0.01	0.02	"	"	24
25	"	0.26	0.07	0.36	"	"	"	0.14	0.26	"	0.18	0.01	25
26	"	0.17	0.06	0.07	"	"	"	0.23	0.01	0.09	0.70	"	26
27	0.01	"	0.05	"	"	0.12	"	0.28	0.02	"	"	0.14	27
28	"	0.01	"	0.04	"	"	"	1.04	0.04	0.08	0.17	0.16	28
29	"	~~X~~	0.04	"	0.05	0.21	0.01	0.20	0.10	0.14	0.01	0.10	29
30	0.02	~~X~~	0.05	0.18	0.43	0.77	"	0.01	"	0.01	0.14	"	30
31	0.02	~~X~~	"	~~X~~	0.01	~~X~~	"	"	~~X~~	0.22	~~X~~	"	31
Totals	0.76	0.70	3.40	2.21	0.69	2.94	1.21	4.31	1.05	1.00	3.51	1.01	
Total from Jan. 1	1.46	4.46	6.67	7.36	10.30	11.51	15.82	16.87	17.87	21.38	22.49	23.50	175

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.

Kept at Adderbury

in the County of Oxford

by George H. Lewis

Lat. 52° 1' N Long. 1° 18' W.

Nearest Railway Station Adderbury G.W.R.

Time of Observation 9 A.M.

Diameter 5 in.

Height of top above Ground 1 ft. 2 in.

" " Sea Level 338 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.08	0.03	0.06	"	"	0.25	"	0.01	"	0.23	"	0.01	1
2	0.54	0.07	0.01	"	0.10	0.01	"	0.12	"	1.08	0.01	0.05	2
3	0.10	0.01	"	"	0.10	"	"	0.09	"	"	0.08	0.01	3
4	0.24	"	"	"	"	"	"	0.41	"	0.66	0.15	0.01	4
5	0.72	"	"	"	0.20	"	"	"	"	"	"	0.17	5
6	0.04	"	"	"	"	"	0.02	"	"	0.02	0.68	0.03	6
7	0.33	"	0.05	"	0.01	"	"	"	"	0.38	0.44	"	7
8	0.03	0.78	0.11	"	"	"	"	"	"	0.17	1.10	0.07	8
9	0.13	0.16	"	"	0.02	"	"	0.03	"	0.69	0.01	0.07	9
10	"	0.09	0.33	"	"	"	0.02	"	"	0.01	"	"	10
11	0.23	0.08	0.17	"	"	"	"	0.08	0.01	"	"	0.10	11
12	0.42	"	0.07	"	"	"	"	"	"	0.14	"	0.03	12
13	0.03	0.07	"	0.17	"	0.01	0.27	"	0.32	"	"	0.15	13
14	"	0.11	0.04	"	"	0.05	"	0.12	0.37	"	"	0.01	14
15	0.15	0.15	0.05	"	0.04	0.42	"	0.06	0.01	"	0.12	0.40	15
16	0.25	0.19	"	"	0.12	0.71	"	0.02	0.26	0.09	0.27	0.06	16
17	0.26	"	0.04	0.14	"	"	"	0.07	0.02	0.10	0.14	"	17
18	0.12	0.10	0.02	"	"	"	0.05	"	0.02	0.77	"	0.06	18
19	0	0.11	"	"	"	"	"	"	0.03	"	0.10	"	19
20	0.09	"	0.04	"	0.35	"	"	"	0.02	0.03	0.41	"	20
21	0.01	"	0.02	0.05	0.01	0.03	0.02	"	"	0.01	"	"	21
22	"	0.01	0.11	0.16	"	"	"	"	"	0.04	"	"	22
23	"	"	"	0.09	0.24	0.40	0.02	0.01	"	"	"	"	23
24	0.24	0.07	0.09	"	0.02	"	"	0.15	"	"	0.01	0.06	24
25	0.01	"	0.03	"	0.10	"	"	"	"	0.01	"	0.28	25
26	"	0.14	0.02	"	0.37	"	0.12	"	"	0.02	"	0.01	26
27	"	0.34	0.01	0.15	0.05	0.15	0.02	"	"	0.01	"	0.02	27
28	"	0.03	"	"	"	1.39	0.28	"	"	0.16	0.01	0.06	28
29	0.01	~~X~~	"	"	"	0.03	"	"	"	0.06	0.02	"	29
30	"	~~X~~	"	0.02	0.17	"	"	"	"	0.15	0.04	0.11	30
31	"	~~X~~	"	~~X~~	0.25	~~X~~	0.01	"	~~X~~	"	~~X~~	0.01	31
Totals	4.03	1.94	1.27	0.78	2.15	3.46	0.83	0.87	1.06	4.83	3.59	1.78	
Total from Jan. 1		5.97	7.24	8.02	10.17	13.63	14.46	15.33	16.39	21.22	24.81	26.59	

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Kept at Adurbury
in the County of Oxford
by Geoff. H. Jones

Lat. 52° 1' N. Long. 1° 18' W.
Nearest Railway Station Adurbury G.W.R.
Time of Observation 9 A.M.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " Sea Level 338 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>0.50</u>				<u>0.14</u>	<u>0.81</u>			<u>0.03</u>	<u>0.33</u>	<u>0.01</u>		1
2	<u>0.13</u>			<u>0.01</u>	<u>0.14</u>	<u>0.01</u>	<u>0.09</u>	<u>0.69</u>	<u>0.27</u>			<u>0.41</u>	2
3		<u>0.01</u>			<u>0.11</u>		<u>0.58</u>	<u>0.01</u>	<u>0.03</u>				3
4		<u>0.02</u>				<u>0.11</u>	<u>0.28</u>		<u>0.23</u>		<u>0.01</u>	<u>0.75</u>	4
5		<u>0.01</u>	<u>0.09</u>	<u>0.11</u>	<u>0.01</u>	<u>0.05</u>	<u>0.09</u>	<u>0.01</u>	<u>0.06</u>	<u>0.25</u>			5
6				<u>0.24</u>		<u>0.08</u>		<u>0.39</u>	<u>0.01</u>	<u>0.31</u>		<u>0.12</u>	6
7			<u>0.06</u>	<u>0.04</u>	<u>0.27</u>				<u>0.02</u>		<u>0.01</u>	<u>0.35</u>	7
8		<u>0.18</u>	<u>0.05</u>	<u>0.17</u>	<u>0.08</u>		<u>0.03</u>			<u>0.12</u>	<u>0.03</u>	<u>0.15</u>	8
9		<u>0.10</u>	<u>0.23</u>		<u>0.01</u>		<u>0.08</u>	<u>0.07</u>		<u>0.05</u>		<u>0.13</u>	9
10	<u>0.12</u>	<u>0.22</u>	<u>0.04</u>	<u>0.02</u>		<u>0.08</u>	<u>0.23</u>			<u>0.65</u>		<u>0.03</u>	10
11		<u>0.14</u>		<u>0.01</u>		<u>0.44</u>		<u>0.05</u> <u>0.08</u>		<u>0.01</u>		<u>0.51</u>	11
12		<u>0.22</u>	<u>0.16</u>	<u>0.67</u>		<u>0.03</u>		<u>0.01</u>			<u>0.02</u>	<u>0.22</u>	12
13		"	<u>0.10</u>		<u>0.94</u>	<u>0.18</u>	<u>0.01</u>	<u>0.03</u>		<u>0.33</u>		<u>0.42</u>	13
14		<u>0.06</u>	<u>0.02</u>		<u>0.19</u>	<u>0.06</u>		<u>0.12</u>		<u>0.41</u>	<u>0.01</u>	<u>0.03</u>	14
15			<u>0.01</u>			<u>0.15</u>		<u>0.02</u>		<u>0.03</u>			15
16			<u>0.20</u>					<u>0.01</u>		<u>1.19</u>	<u>0.01</u>	<u>0.01</u>	16
17		<u>0.02</u>	<u>0.01</u>					<u>0.47</u>		<u>0.01</u>	<u>0.25</u>		17
18		<u>0.11</u>				<u>0.01</u>		<u>0.01</u>		<u>0.14</u>	<u>0.14</u>	<u>0.09</u>	18
19	<u>0.01</u>	<u>0.14</u>	<u>0.12</u>		<u>0.05</u>			<u>0.19</u>		<u>0.16</u>		<u>0.01</u>	19
20	<u>0.02</u>	<u>0.05</u>		<u>0.32</u>	<u>0.02</u>	<u>0.04</u>		<u>0.02</u>		<u>0.34</u>		<u>0.03</u>	20
21		<u>0.02</u>		<u>0.36</u>	<u>0.65</u>		<u>0.53</u>			<u>0.01</u>	<u>0.01</u>		21
22				"	<u>0.21</u>	<u>0.03</u>	<u>0.06</u>	<u>0.07</u>		<u>0.09</u>	<u>0.14</u>	<u>0.20</u>	22
23				<u>0.01</u>	<u>0.05</u>	<u>0.02</u>					<u>0.01</u>	<u>0.01</u>	23
24					<u>0.02</u>	<u>0.12</u>					<u>0.12</u>	<u>0.02</u>	24
25					<u>0.12</u>	<u>0.09</u>	<u>0.12</u>	<u>0.05</u>	<u>0.18</u>	<u>0.10</u>	<u>0.32</u>		25
26				<u>0.13</u>	<u>0.14</u>		<u>0.07</u>			<u>0.03</u>	<u>0.18</u>		26
27	<u>0.01</u>			<u>0.13</u>		<u>0.15</u>	<u>0.03</u>				<u>0.08</u>	<u>0.03</u>	27
28	<u>0.10</u>			<u>0.03</u>			<u>0.01</u>				<u>0.13</u>		28
29	<u>0.03</u>	~~X~~		<u>0.01</u>		<u>0.14</u>	<u>0.06</u>			<u>0.54</u>			29
30		~~X~~		<u>0.13</u>	<u>0.26</u>	<u>0.25</u>				<u>0.27</u>	<u>0.01</u>	<u>0.01</u>	30
31		~~X~~		~~X~~	<u>0.02</u>	~~X~~			~~X~~		~~X~~		31
Total	<u>0.92</u>	<u>1.30</u>	<u>1.09</u>	<u>2.39</u>	<u>3.43</u>	<u>2.90</u>	<u>2.27</u>	<u>2.25</u>	<u>0.83</u>	<u>5.37</u>	<u>1.75</u>	<u>3.53</u>	TOTAL for year
No. of I. in Days		<u>2.22</u>	<u>3.31</u>	<u>5.70</u>	<u>9.13</u>	<u>12.03</u>	<u>14.30</u>	<u>16.55</u>	<u>17.38</u>	<u>22.75</u>	<u>24.50</u>	<u>28.03</u>	

REGISTER OF RAINFALL IN 1908-

FORM A.
BRITISH RAINFALL.

Kept at Adderbury

in the County of Oxford

by Georg H. Lewis

Lat. 52° 1' N Long. 1° 18' W

Nearest Railway Station Adderbury

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " Sea Level 338 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	"	0.06	"	"	0.37	"	"	0.02	"	"	"	1
2	"	"	0.04	"	0.39	"	"	"	0.02	0.01	"	"	2
3	"	0.01	0.12	"	0.27	"	0.02	"	0.37	0.01	0.01	"	3
4	"	"	0.01	0.10	0.07	"	"	"	0.05	"	"	0.10	4
5	0.08	"	0.50	0.11	0.09	0.07	"	0.01	0.01	"	"	0.01	5
6	0.06	"	0.13	0.01	0.05	"	"	0.01	"	"	"	0.01	6
7	0.86	"	0.04	"	0.05	0.02	0.06	"	"	0.02	"	0.01	7
8	0.06	"	0.08	"	0.01	"	0.28	"	0.02	0.14	"	0.28	8
9	0.01	"	0.05	0.02	"	"	0.63	"	0.07	0.20	"	0.37	9
10	"	"	0.04	"	"	"	0.05	0.05	0.06	"	0.02	0.05	10
11	"	"	"	"	0.01	0.05	0.01	0.01	"	"	0.11	"	11
12	"	"	"	0.05	0.02	0.06	0.04	0.04	"	"	0.06	0.13	12
13	"	"	"	0.01	0.07	0.04	0.05	0.01	"	0.02	0.03	0.05	13
14	"	"	"	"	0.27	"	0.48	"	"	"	0.06	0.13	14
15	"	0.08	0.19	"	0.25	"	0.08	"	0.13	"	0.01	0.02	15
16	"	0.21	0.01	"	"	0.31	"	"	0.09	0.05	"	0.10	16
17	"	0.07	"	"	"	1.26	"	"	"	0.02	"	0.01	17
18	"	0.10	"	"	"	"	"	"	0.15	"	0.13	0.01	18
19	"	"	"	"	"	"	"	"	"	0.03	"	0.13	19
20	"	"	"	0.02	"	"	"	0.44	0.06	0.17	"	0.01	20
21	0.03	"	"	"	"	"	"	0.05	"	0.04	0.22	0.02	21
22	"	0.12	0.18	0.09	0.11	"	"	0.08	0.02	"	0.01	"	22
23	"	0.06	"	0.57	"	"	"	0.66	"	"	"	"	23
24	0.01	"	0.49	0.22	"	"	"	0.01	"	0.09	0.10	"	24
25	0.01	"	0.51	1.07	0.02	"	"	0.43	0.06	0.04	0.01	"	25
26	0.03	0.04	0.01	"	"	"	"	0.05	"	0.11	"	"	26
27	"	0.08	0.22	0.40	"	"	0.01	"	0.04	0.06	"	0.08	27
28	0.13	0.08	"	0.61	"	"	"	0.18	"	0.04	0.07	0.06	28
29	0.03	0.01	0.10	0.40	"	"	"	0.16	"	"	0.05	0.30	29
30	0.01	X	0.19	0.11	"	"	"	0.12	"	0.02	0.01	0.22	30
31	0.01	X	"	X	0.03	X	"	1.34	X	"	X	0.08	31
Total	1.33	0.86	2.97	3.79	1.71	2.18	1.71	3.65	1.17	0.07	0.90	2.26	TOTAL for year 23.60
No. of Rain Days	13	11	19	15	15	8	11	17	15	17	15	22	178

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL
8 JAN 1910

Kept at Cross Hill - Addisburys
in the County of Essex
by George H. Lewis

RAIN GAUGE Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 383 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Addisburys, G.W.R.
Distance 1 Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. "	in. "	in. "	in. "	in. <u>0.08</u>	in. <u>0.60</u>	in. "	in. <u>0.64</u>	in. <u>0.19</u>	in. <u>0.05</u>	in. "	in. <u>0.17</u>	1
2	<u>0.03</u>	<u>0.02</u>	<u>0.09</u>	"	"	<u>0.01</u>	"	"	"	<u>0.04</u>	<u>0.06</u>	<u>0.49</u>	2
3	"	"	<u>0.11</u>	"	"	"	<u>0.01</u>	"	"	<u>0.16</u>	"	<u>0.21</u>	3
4	"	"	"	"	"	<u>0.53</u>	"	"	<u>0.22</u>	<u>0.12</u>	<u>0.01</u>	<u>0.14</u>	4
5	<u>0.01</u>	"	<u>0.10</u>	"	"	<u>0.13</u>	<u>0.03</u>	"	<u>0.01</u>	"	"	<u>0.15</u>	5
6	<u>0.02</u>	"	<u>1.17</u>	"	"	<u>0.26</u>	<u>0.56</u>	"	<u>0.11</u>	"	"	<u>0.22</u>	6
7	<u>0.19</u>	"	<u>0.03</u>	"	"	"	<u>0.10</u>	"	<u>0.04</u>	<u>0.33</u>	"	"	7
8	"	"	"	"	"	"	"	"	<u>0.06</u>	<u>0.02</u>	"	"	8
9	<u>0.04</u>	<u>0.10</u>	<u>0.03</u>	"	"	"	<u>0.37</u>	"	"	<u>0.03</u>	"	<u>0.23</u>	9
10	<u>0.14</u>	<u>0.31</u>	<u>0.02</u>	"	"	<u>0.13</u>	"	"	<u>0.01</u>	<u>0.28</u>	<u>0.03</u>	<u>0.22</u>	10
11	"	<u>0.01</u>	<u>0.05</u>	<u>0.01</u>	"	<u>0.03</u>	<u>0.23</u>	"	<u>0.03</u>	<u>0.10</u>	"	"	11
12	"	"	"	<u>0.04</u>	"	<u>0.12</u>	"	"	<u>0.17</u>	<u>0.26</u>	<u>0.06</u>	<u>0.03</u>	12
13	<u>0.18</u>	"	<u>0.12</u>	<u>0.12</u>	<u>0.08</u>	"	<u>0.04</u>	<u>0.01</u>	<u>0.15</u>	<u>0.18</u>	<u>0.02</u>	"	13
14	<u>0.11</u>	"	<u>0.04</u>	"	"	"	"	"	"	"	<u>0.17</u>	"	14
15	<u>0.17</u>	"	"	"	"	"	<u>0.27</u>	"	<u>0.02</u>	<u>0.13</u>	"	"	15
16	"	"	"	<u>0.01</u>	<u>0.25</u>	"	<u>0.03</u>	<u>0.04</u>	"	<u>0.08</u>	<u>0.01</u>	<u>0.15</u>	16
17	"	"	"	<u>0.02</u>	<u>0.01</u>	"	"	<u>1.24</u>	<u>0.45</u>	"	<u>0.01</u>	<u>0.08</u>	17
18	<u>0.05</u>	"	<u>0.23</u>	"	"	"	<u>0.03</u>	<u>0.18</u>	"	<u>0.03</u>	"	<u>0.01</u>	18
19	"	"	<u>0.01</u>	<u>0.28</u>	"	<u>0.01</u>	"	<u>0.02</u>	"	<u>0.06</u>	"	<u>0.07</u>	19
20	"	"	"	"	"	<u>0.43</u>	<u>0.23</u>	<u>0.07</u>	"	<u>0.19</u>	"	"	20
21	<u>0.01</u>	"	<u>0.06</u>	"	"	<u>0.43</u>	"	"	"	<u>0.05</u>	"	<u>0.73</u>	21
22	"	"	<u>0.03</u>	<u>0.24</u>	"	<u>0.09</u>	<u>0.01</u>	<u>0.10</u>	<u>0.01</u>	<u>0.06</u>	"	<u>0.01</u>	22
23	"	"	"	<u>0.25</u>	"	<u>0.61</u>	<u>0.02</u>	<u>0.09</u>	<u>0.24</u>	<u>0.80</u>	"	<u>0.25</u>	23
24	"	"	<u>0.27</u>	"	"	<u>0.18</u>	"	<u>0.14</u>	<u>0.31</u>	"	<u>0.04</u>	<u>0.15</u>	24
25	"	"	<u>0.14</u>	<u>0.01</u>	<u>0.70</u>	<u>0.14</u>	<u>0.13</u>	"	<u>0.11</u>	<u>0.02</u>	"	<u>0.06</u>	25
26	"	<u>0.05</u>	"	<u>0.04</u>	<u>0.19</u>	<u>0.41</u>	"	"	"	<u>0.54</u>	"	<u>0.01</u>	26
27	"	<u>0.04</u>	<u>0.12</u>	<u>0.05</u>	<u>0.41</u>	<u>0.04</u>	<u>0.70</u>	"	"	<u>0.11</u>	<u>0.06</u>	<u>0.17</u>	27
28	~~0.02~~	"	<u>0.21</u>	<u>0.04</u>	<u>0.02</u>	<u>0.43</u>	"	"	<u>0.53</u>	<u>0.06</u>	<u>0.01</u>	<u>0.06</u>	28
29	<u>0.02</u>	~~X~~	"	<u>0.88</u>	<u>0.09</u>	<u>0.04</u>	<u>0.08</u>	<u>0.09</u>	"	~~0.01~~	<u>0.11</u>	"	29
30	"	~~X~~	<u>0.01</u>	<u>0.08</u>	"	"	<u>0.24</u>	<u>0.01</u>	<u>0.41</u>	<u>0.01</u>	"	<u>0.01</u>	30
31	<u>0.17</u>	~~X~~	<u>0.02</u>	~~X~~	<u>0.21</u>	~~X~~	<u>0.01</u>	"	~~X~~	<u>0.07</u>	~~X~~	<u>0.02</u>	31
Total	<u>1.14</u>	<u>0.53</u>	<u>2.86</u>	<u>2.12</u>	<u>2.04</u>	<u>4.66</u>	<u>3.09</u>	<u>2.63</u>	<u>3.07</u>	<u>3.83</u>	<u>0.59</u>	<u>3.70</u>	TOTAL for year <u>30.26</u>
No. of Rain Days	<u>13</u>	<u>6</u>	<u>20</u>	<u>14</u>	<u>14</u>	<u>19</u>	<u>18</u>	<u>12</u>	<u>18</u>	<u>25</u>	<u>12</u>	<u>23</u>	<u>196</u>

REGISTER OF RAINFALL IN 1910

Kept at Croft Hill - Addenbury

in the County of Oxford

by George H. Lewis

Pattern Snowdon
 RAIN GAUGE Diameter of top 5 in.
 Height of top above Ground 1 ft. 2 in.
 " " " Sea Level 338 ft.
 Time of Observation 9 A.M.
 Nearest Railway Station { Name Addenbury
 Distance 1 mile Direction S.E.

FORM A2.
BRITISH RAINFALL.

- 3 JAN 1911

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

14.7.0.01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<u>0.02</u>	<u>0.25</u>	<u>0.01</u>	<u>"</u>	<u>0.03</u>	<u>0.01</u>	<u>0.01</u>	<u>0.01</u>	<u>"</u>	<u>0.43</u>	<u>0.01</u>	<u>0.50</u>	1
2	<u>"</u>	<u>0.15</u>	<u>"</u>	<u>"</u>	<u>0.03</u>	<u>"</u>	<u>0.21</u>	<u>0.02</u>	<u>0.01</u>	<u>0.08</u>	<u>0.01</u>	<u>0.23</u>	2
3	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.08</u>	<u>"</u>	<u>"</u>	<u>0.27</u>	<u>"</u>	<u>"</u>	<u>0.40</u>	<u>0.42</u>	3
4	<u>0.01</u>	<u>"</u>	<u>"</u>	<u>0.27</u>	<u>0.11</u>	<u>"</u>	<u>0.67</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.10</u>	4
5	<u>"</u>	<u>0.08</u>	<u>0.03</u>	<u>0.07</u>	<u>0.04</u>	<u>"</u>	<u>"</u>	<u>0.14</u>	<u>"</u>	<u>"</u>	<u>0.01</u>	<u>0.02</u>	5
6	<u>0.01</u>	<u>0.10</u>	<u>0.02</u>	<u>0.02</u>	<u>0.18</u>	<u>"</u>	<u>0.07</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.50</u>	<u>0.01</u>	6
7	<u>"</u>	<u>0.04</u>	<u>0.01</u>	<u>"</u>	<u>0.01</u>	<u>1.28</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.01</u>	<u>0.03</u>	7
8	<u>0.05</u>	<u>"</u>	<u>0.02</u>	<u>"</u>	<u>0.01</u>	<u>"</u>	<u>0.09</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.17</u>	8
9	<u>0.09</u>	<u>"</u>	<u>0.28</u>	<u>0.02</u>	<u>0.07</u>	<u>0.42</u>	<u>"</u>	<u>0.05</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.27</u>	9
10	<u>0.22</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.07</u>	<u>"</u>	<u>"</u>	<u>0.02</u>	<u>0.03</u>	<u>0.11</u>	<u>0.40</u>	10
11	<u>0.20</u>	<u>0.05</u>	<u>0.15</u>	<u>"</u>	<u>0.15</u>	<u>0.01</u>	<u>"</u>	<u>0.05</u>	<u>0.04</u>	<u>0.31</u>	<u>0.16</u>	<u>0.02</u>	11
12	<u>"</u>	<u>0.01</u>	<u>0.10</u>	<u>0.19</u>	<u>0.02</u>	<u>"</u>	<u>"</u>	<u>0.03</u>	<u>"</u>	<u>0.36</u>	<u>0.04</u>	<u>0.28</u>	12
13	<u>"</u>	<u>0.11</u>	<u>"</u>	<u>0.08</u>	<u>0.04</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.04</u>	<u>"</u>	<u>0.54</u>	<u>0.28</u>	13
14	<u>0.02</u>	<u>0.33</u>	<u>"</u>	<u>0.15</u>	<u>"</u>	<u>"</u>	<u>0.01</u>	<u>0.37</u>	<u>0.31</u>	<u>"</u>	<u>0.08</u>	<u>0.70</u>	14
15	<u>0.10</u>	<u>0.03</u>	<u>"</u>	<u>0.06</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.32</u>	<u>0.64</u>	15
16	<u>0.05</u>	<u>0.08</u>	<u>0.07</u>	<u>0.40</u>	<u>"</u>	<u>"</u>	<u>0.35</u>	<u>0.01</u>	<u>"</u>	<u>"</u>	<u>0.01</u>	<u>0.23</u>	16
17	<u>0.09</u>	<u>0.07</u>	<u>0.03</u>	<u>"</u>	<u>0.30</u>	<u>"</u>	<u>"</u>	<u>0.01</u>	<u>"</u>	<u>0.11</u>	<u>0.08</u>	<u>0.12</u>	17
18	<u>0.11</u>	<u>0.27</u>	<u>0.09</u>	<u>0.03</u>	<u>0.20</u>	<u>"</u>	<u>"</u>	<u>0.37</u>	<u>"</u>	<u>0.09</u>	<u>0.01</u>	<u>"</u>	18
19	<u>"</u>	<u>0.12</u>	<u>"</u>	<u>0.04</u>	<u>0.04</u>	<u>"</u>	<u>"</u>	<u>0.02</u>	<u>"</u>	<u>0.10</u>	<u>0.09</u>	<u>"</u>	19
20	<u>"</u>	<u>0.25</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.41</u>	<u>0.06</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.41</u>	20
21	<u>"</u>	<u>0.10</u>	<u>"</u>	<u>0.16</u>	<u>0.31</u>	<u>"</u>	<u>"</u>	<u>0.01</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	21
22	<u>0.05</u>	<u>0.35</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.07</u>	<u>0.01</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	22
23	<u>0.16</u>	<u>0.09</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.09</u>	<u>"</u>	<u>0.38</u>	<u>"</u>	<u>"</u>	<u>0.54</u>	<u>0.02</u>	23
24	<u>0.09</u>	<u>0.34</u>	<u>"</u>	<u>0.14</u>	<u>"</u>	<u>0.06</u>	<u>0.05</u>	<u>"</u>	<u>"</u>	<u>0.02</u>	<u>"</u>	<u>0.04</u>	24
25	<u>"</u>	<u>0.18</u>	<u>"</u>	<u>0.16</u>	<u>"</u>	<u>0.46</u>	<u>0.05</u>	<u>0.10</u>	<u>0.01</u>	<u>0.02</u>	<u>0.04</u>	<u>"</u>	25
26	<u>"</u>	<u>0.09</u>	<u>"</u>	<u>0.03</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.04</u>	<u>"</u>	<u>"</u>	<u>0.01</u>	<u>0.14</u>	26
27	<u>0.55</u>	<u>0.02</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>0.09</u>	<u>0.01</u>	<u>"</u>	<u>"</u>	<u>0.36</u>	<u>0.68</u>	<u>"</u>	27
28	<u>0.03</u>	<u>0.11</u>	<u>"</u>	<u>0.42</u>	<u>"</u>	<u>"</u>	<u>0.11</u>	<u>0.44</u>	<u>"</u>	<u>0.06</u>	<u>0.01</u>	<u>0.03</u>	28
29	<u>"</u>	<u>X</u>	<u>"</u>	<u>0.01</u>	<u>"</u>	<u>0.04</u>	<u>"</u>	<u>0.32</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	29
30	<u>"</u>	<u>X</u>	<u>"</u>	<u>"</u>	<u>0.11</u>	<u>0.44</u>	<u>"</u>	<u>0.05</u>	<u>"</u>	<u>"</u>	<u>0.23</u>	<u>"</u>	30
31	<u>"</u>	<u>X</u>	<u>"</u>	<u>X</u>	<u>0.12</u>	<u>X</u>	<u>"</u>	<u>"</u>	<u>X</u>	<u>0.48</u>	<u>X</u>	<u>"</u>	31
Total	<u>1.94</u>	<u>3.42</u>	<u>0.80</u>	<u>2.25</u>	<u>1.85</u>	<u>3.14</u>	<u>2.05</u>	<u>2.75</u>	<u>0.43</u>	<u>2.45</u>	<u>3.49</u>	<u>5.06</u>	Total for year <u>29.63</u>
No. of Rain Days	<u>17</u>	<u>23</u>	<u>11</u>	<u>17</u>	<u>18</u>	<u>12</u>	<u>13</u>	<u>20</u>	<u>6</u>	<u>15</u>	<u>19</u>	<u>22</u>	<u>141</u>

REG

OXFORD

101

Kept at Asse
in the County of C
by James

ASSENDON

1901-1910

NOTE.—Full instructions respecting the Rainfall, which is sent post-free

Lon. _____
Time of Observation 9 a.m.
Gauge height 5 inches
Height of top above Ground 12 inches
Sea Level 281.00
Registering the Systematic Observation and Record
at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.07	.03						.10			1
2		.12	.31	.09			.20						2
3				.63	.04	.03				.28			3
4		.93	.12							.03			4
5		.03	.15	.11				.13		.03			5
6			.17	.03	.08					.08			6
7	.10		.11							.01			7
8	.15			.18	.12				.26	.09		.09	8
9		.01	.03	.37	.19							.27	9
10		.02		.17				.05					10
11								.07	.06	.03	.03	.36	11
12				.28		.11		.05			.12	1.02	12
13	.02			.30		.03					.46	.06	13
14				.14				.45				.04	14
15				.21									15
16	.07			.12		.08			.80	.48	.48	.01	16
17	.11	.08							.15	.29	.09		17
18	.14	.07											18
19	.06	.02	.26			.09					.02		19
20			.01			.10			.24				20
21		.10				.04			.16				21
22							.05		.03	.03			22
23							.14					.43	23
24	.04					.06	.98			.12		.73	24
25	.06						.25	.39			.07	1.01	25
26		.24					.91	.17					26
27	.20			.03			.35	.33				.04	27
28	.02	.31										.81	28
29			.12		.29	.23				.05		.33	29
30			.45		.23	.65		.04				.02	30
31			.15		.03			.29				.05	31
Totals	1.03	1.93	1.95	2.69	.98	1.42	2.88	1.97	1.70	1.42	.72	4.17	
Total from Jan. 1	1.03	2.96	4.91	7.60	8.58	10.00	12.88	14.85	16.55	17.97	18.69	22.86	

REC

101

Kept at Ascenton
 in the County of Oxford
 by James Ratty

RAIN GAUGE.

Lat. Lon.
 Time of Observation 9 a.m.
 Diameter 5 inches
 Height of top above Ground 12 inches
 " " Sea Level 281.00

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.07	.03						.10			1
2		.12	.31	.09			.20						2
3				.63	.04	.03				.28			3
4		.93	.12							.03			4
5		.03	.15	.11				.13		.03			5
6			.17	.03	.08					.08			6
7	.10		.11							.01			7
8	.15			H&R .18	.12				.26	.09		.09	8
9		.01	.03	.37	.19							.27	9
10		.02		.17				.05					10
11								.07	.06	.03	.03	Stict .36	11
12				.28		.11		.05			.12	Stict 1.02	12
13	.02			.30		.03					.46	.06	13
14				.14				.45				.04	14
15				.21									15
16	.07			.12		.08			.80	.48	.48	.01	16
17	.11	.08							.15	.26	.09		17
18	.14	.07									.02		18
19	.06	.02	StR .26			.09					.02		19
20			.01			.10			.24				20
21		.10				.04			.16				21
22							.05		.03	.03			22
23							.14 Thd					StR .43	23
24	.04					.06	.98			.12		StR .73	24
25	.06						.25	.39			.07	Stict 1.01	25
26		.24					.91 Thd	.17					26
27	.20			StR .03			.35	.33				.04	27
28	.02	.31										.81	28
29			.12		Thd .29	Thd .23				.05		.33	29
30			.45		.23	.65		.04				.02	30
31			.15		.03			.29				.05	31
Totals	1.03	1.93	1.95	2.69	.98	1.42	2.88	1.97	1.70	1.42	.72	4.17	
Total from Jan. 1	1.03	2.96	4.91	7.60	8.58	10.00	12.88	14.85	16.55	17.97	18.69	22.86	

REGISTER OF RAINFALL IN 1902

Kept at Ascenton
in the County of Oxford
by James Ratty

RAIN GAUGE.

Lat. _____ Long. _____
Time of Observation 9 am
Diameter 5 inches
Height of top above Ground one foot
" " Sea Level 281.00

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26					.09	.17		.02	.02		.20	1
2			.07		.03			.05	.16	.03			2
3		.01	.01	.10	~~The~~ .39	.04		.02		.05			3
4		.09		.24		.06							4
5				.15		.05		.43			.30		5
6					.03	.31		.27			.35		6
7		.08			~~The~~ .14	.21					.01		7
8		.06			.02						.24		8
9			.03				.28	.11		.36			9
10	.03						.02	.10	.17	.26			10
11	.07			.11	.05	.12		.03	.43		.13		11
12					.03	.39		.03	.04			.18	12
13					.08	.75				.14		.02	13
14			.79	.29	.19	.13				.04		.16	14
15				.11	.06	.26			.04	.15		.12	15
16						.58		.15	.02			.05	16
17					.35			.06		.52		.48	17
18					.10			.57					18
19						.18	.04			.16		.01	19
20			.14		.05		.05			.04			20
21		.02	.07	.17								.01	21
22	.01	.22		.11	.44	.04	.04	.07					22
23		.18		.01				.43					23
24		.19	.29				.02				.31		24
25		.05					.22			.03	.23		25
26	.30	.34	.27				.09				.01		26
27	.07	.16									.14		27
28		.14								.07	.36	.17	28
29			.15		.13					.04	.43		29
30			.07	.08	.08	.14	.03	.11			.03	.18	30
31					.05			.38				.01	31
Totals	.74	1.54	1.89	1.37	2.22	3.35	.96	2.81	.88	1.91	2.54	1.59	
Total from Jan. 1	.74	2.28	4.17	5.54	7.76	11.11	12.07	14.88	15.76	17.67	20.21	21.80	

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL

Kept at Ascenton
in the County of Co. Down
by James Petty

Lat. Long.
Nearest Railway Station Hanliffa
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground 1 ft. — in.
" " Sea Level 281.00 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	.06	.27	.17	.19								1
2	.17		.48		.09			.30	.09		.35		2
3	.15			.09	.73					.25		.24	3
4	.76		.26	.08	.03				.27	.29			4
5	.09	.01	.05		.13		.02			.09			5
6	.03		.28		.09					.32			6
7		.02	.02		.12					.07		.22	7
8	.13					.23			.07	.88		.34	8
9	.13		.25			.28		.14	.04		.07	.18	9
10	.28		.05		.09	1.21		.03	.64	.22		.38	10
11					.03	.28		.58		1.28	.01	.07	11
12				.02						.09	.02	.47	12
13						.52		.32		.14	.08	.05	13
14			.11	.13		1.44		.05		.43	.03		14
15			.01		.10	.99		.05		.07			15
16			.35		.22	.02	.07	.28		.09			16
17	.27				.11	.22		.11			.08		17
18							.29			.13			18
19						.75	.04			.18		.12	19
20	.04							.34		.06			20
21	.01								.09	.43			21
22	.19	.11							.02	.20			22
23		.08	.67				.54	.21					23
24		.16	.07				.06	.96	.33	.26			24
25		.14	.13	$\frac{.22}{.30}$						$\frac{.22}{.57}$			25
26		.24		.47			.09		.12	.16	.12	.02	26
27		.26	.03	.10	.05		.20	.09		1.02	1.64	.03	27
28			.05	.68	.16		.10	.19	.16	.18	.23		28
29			.08	.19			.23		.17	.03			29
30			.11	.09	.12		.02	.03					30
31										.58			31
Totals	2.45	1.08	3.27	2.52	2.26	5.94	1.66	3.68	2.00	8.02	2.63	2.12	
Total from Jan. 1	2.45	3.53	6.80	9.12	11.38	17.32	18.98	22.66	24.66	32.68	35.31	37.43	

REGISTER OF RAINFALL IN 1904

Kept at Assenton
in the County of Oxford
by James Ratty

Lat. Long.
Nearest Railway Station Henley-on-Thames
Time of Observation 9 a.m.
Diameter Five in.
Height of top above Ground one ft. in.
" " Sea Level 281.0 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.10	.05			.07	.14			.05	.02		1
2		.52	.12	.11	.31		.03		.17	.07			2
3	.13	.25	.11	.09	.16							.20	3
4	.18	.12		.02			~~.26~~	~~.26~~				.30	4
5		.01	.01	.15						.12		.21	5
6		.04			.02					.16	.50	.49	6
7	.13	~~.41~~		.03	.10				.09	.06	.53		7
8		.11	.20	.01					.15		.05	.07	8
9	.02	.41			.13	.07						.29	9
10	~~.24~~	.32			.04					.03	.59		10
11	.02				.03			.32				.49	11
12	.13	.47		.11					.41			.05	12
13	.29	.02				.08	.01					.28	13
14	.09	.07		.24		.32		.15	.35			.15	14
15				.36		.04		.12					15
16		.18						.13		.34		.02	16
17	.08	.16								.03			17
18	.01											~~.03~~	18
19	.02	.15					.04						19
20	.05		.08		.62								20
21			.06		.10			.23			~~.07~~		21
22				.33				.22		.25	.11		22
23					.11			.08		.41		~~.01~~	23
24			.02		.09	.20					.02	~~.01~~	24
25						.08	.04						25
26	.15				.35		~~.64~~		.02				26
27	.47				1.15		.37					.01	27
28	.12		.31						.08			.02	28
29	.19	.01	.08				.28						29
30	.54		~~.23~~		.09	.03	.44		.53		.02	.03	30
31	~~.53~~		.19					.51		.03			31
Totals	3.39	3.55	1.46	1.45	3.30	.84	2.25	2.02	1.80	1.55	1.91	2.66	
Total from Jan. 1	3.39	6.74	8.20	9.65	12.95	13.84	16.09	18.11	19.91	21.46	23.37	26.03	

REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL.

Kept at Crossington
in the County of Oxford
by James R. P. [Signature]

Lat. Long.
Nearest Railway Station in miles
Time of Observation 9 a.m. 1905
Diameter 5 in.
Height of top above Ground one ft. in.
" " Sea Level 281.00 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.15					.01	.63		1
2	.10				.18	.05		.23		.06	.09		2
3								.40		.03	.33	.02	3
4	.31		.07							.10	.02		4
5	.05		.21	.03		.72	.04			.01		.15	5
6	.01	.07		~~Stk~~ .10		.54		.07				.11	6
7		.02	.06			.15		.02	.24			.21	7
8			.19	.03					.03			.10	8
9	.15		.04	.41			~~Thd~~ .11	.11	.37				9
10		.05	.49	.31		.06					.76		10
11			.33	.14		.19					.10		11
12			.18			.02				.07	.32		12
13		.01	.49	.12							.12		13
14			.39	.03		.03			.02		.01		14
15			.70	~~Thd~~ .14		~~Thd~~ .85	.13						15
16	.20	.03	.19			.61				.20			16
17			.30			.03							17
18			.02		.07	.03		.14				.08	18
19		.06		.03									19
20								.09					20
21		.03								~~Stk~~ .05			21
22							.23	.23			.28		22
23		~~Stk~~ .04	.27				.17	.15					23
24		.10	.02						.03				24
25									.40		.07		25
26		~~R.B.H.~~ .24	.09	.08	.14		~~.08~~	.08	.10	.04	.21		26
27			.03				.03	.23	.05			.12	27
28		.02	.10				~~.98~~	<u>.98</u>		.33		.22	28
29			.12	.19	.63	.50	~~.22~~	.02	.03	.53		.16	29
30	.06			.22		.59					.27		30
31										.03			31
Totals	.88	.67	4.37	1.89	1.03	4.37	1.04	2.75	1.27	1.46	3.21	1.17	
Total from Jan. 1	.88	1.55	5.92	7.81	8.84	13.21	14.25	17.00	18.27	19.73	22.94	24.11	

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL

Kept at Assentou
in the County of Oxford
by James Ratty

Lat. _____ Long. _____
Nearest Railway Station Hemel Hempstead
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
Sea Level 281.0 ft.

3 JAN 1907

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09					.05				.64	.03		1
2	.63				.13			.19		1.12		.03	2
3	.09											.02	3
4										.18	.14	.21	4
5	.13		.03		.06								5
6											.57	.11	6
7	.31	<i>Sheet</i> .07								.34	.30		7
8		<i>Thd. Snow</i> .11	.11		<i>Thd</i> 1.14					.40	.83	.28	8
9	.29	.18			.01			.02		.53	.04		9
10		.22	.51										10
11	.19	~~.09~~	.09					<i>Thd</i>				.19	11
12	.62	.03	.06	~~.06~~			.02	.19		.12		.15	12
13			.05	.15			.16		.26			.21	13
14		<i>88 R</i> .26	.05			.04			.29				14
15	.14	.18				.21		.07	.04		.15	.39	15
16	.27	.38			.05	.32			.25		.35	.21	16
17	.22	.16		.09				<i>Thd</i> .17		.10	.03		17
18		.18								1.10		.05	18
19		.05	.09						.01	.02	.05		19
20	.16		<i>56 H</i> .23		.33				.09		.45		20
21	.03			.08			.03						21
22	.02	.10	<i>54 H</i> .08							.12			22
23		.01	<i>54 R</i> .15		.17	.11							23
24	.39	.11	.15							.07		<i>51</i> .03	24
25	.02		.10		.23							<i>51</i> .44	25
26		.10	.06		.40		.03					<i>51</i> .08	26
27		.10		.28	.08	1.77	.18					<i>51</i> .07	27
28		.15	<i>54 H</i> .03			<i>1.09</i>				.26		<i>51</i> .27	28
29	.05				.05	.08				.35			29
30					.33					.10	<i>51 R</i> .26		30
31					.01							.02	31
Total	3.65	2.39	1.68	.66	2.99	2.67	.42	.64	.94	5.45	2.94	3.02	TOTAL for year 27.45
No. of Rain Days	17	17	13	6	13	8	5	5	6	15	11	18	134

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Kept at Beccanton
in the County of Oxford
by James Ratty

Lat. _____ Long. _____
Nearest Railway Station Henley on Thames
Time of Observation 9.2 m
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground one ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40				.28	1.26				.15			1
2	.04			.06	.37		.06		.25			.83	2
3							.18		.11		.04		3
4					.09	.03	.07		.19		.01	.77	4
5		~~5.2 R~~ .05	.19	.10			.09		.02	.37			5
6				.04				.18		.22		.05	6
7			.10	.18		.15		.02		.01		.52	7
8	.02	.17		.05	.03		.07	.15				.27	8
9	.23	.14		.02			.05					.10	9
10		.21		.28		.10	.13						10
11		.09		.37		.27					.02	.59	11
12		.56	.27		.26	.03		.13		.04	.04	.14	12
13		.04	.13		.03	.07				.24		.43	13
14			.04		.32	.09		.15		.66		.04	14
15			.14			.13		.04		.09	.01		15
16			.18					.28		.83			16
17										.03			17
18		.01			.03	.03				.42	.29	.06	18
19		.19	.06	.27				.14		.09	.17		19
20		~~5~~ .09		.32				.14		.27			20
21					.01		.26						21
22					.03	.07	.68	.05		.09	.26	.22	22
23					.11	.02						.04	23
24						.22				.01	.22	.01	24
25				.22	.37	.15	.07	.02	.03	1.05	.35		25
26				.22	.03	.02	.10	.29			.85		26
27				.18						.03	.09		27
28	.06			.14			.05			.59			28
29							.18		.02				29
30				.27	.22	.06				.19		~~1~~ .04	30
31													31
Total	.75	7.55	1.11	2.72	2.18	2.70	1.99	1.59	.62	5.38	2.35	4.11	TOTAL for year 27.05
No. of Rain Days	75	230 10	8	15	14	16	13	12	6	19	12	15	145

REGISTER OF RAINFALL IN 1908

Kept at Ossington
in the County of Oxford
by James Ratty

Lat. _____ Long. _____
Nearest Railway Station Henley-on-Thames
Time of Observation 9 a.m.
Diameter of Rain Gauge 3 in.
Height of top of Gauge above Ground one ft. _____ in.
" " " Sea Level 281.0 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.01	.18			~~The~~ .56			.20				1
2		.04	.08		.09				.19				2
3		.05	.50						.75				3
4				.13	.07		~~The~~ .05	.07	.12				4
5			.59									.21	5
6	.04		.15		.18								6
7	~~1.56~~	.04	.05		.04	.02	.03		.04			.11	7
8			.25		.07	.01	.51		.03				8
9	.01		.01		.01		.40		.04	.20			9
10			.01				.15	.03				.34	10
11					.10						.20	.22	11
12				.04			.33	.04			.12		12
13					.12	.10	.05			.01	.06	.04	13
14					.39		.05					.34	14
15		.08	.45		.09		.15		.27		.10	.08	15
16		.43	.10			.26	.67		.03	.26	.03		16
17		.12	.09			.17	.12					.04	17
18			.03				.01		.08	.35	.30		18
19				.11			.01			.26		.19	19
20				.11				.23	.06	.15		.02	20
21				.04				.05			.33	.06	21
22			.28	.30	.11			.20					22
23				.66	.09			.75	.20				23
24			.53	.11	.10			.17			.06		24
25			.25	1.53	.04			.06	.15	.04			25
26	.02			.42				.40		.08		~~2.08~~	26
27	.04		.16					.08	.11			.98	27
28	.09			.50				.71		.01	.03	.20	28
29				.38	.28			.07			.06	~~2.27~~	29
30			.11	.02								.09	30
31			.33		.03			.38				.17	31
Total	1.76	.77	4.15	4.35	1.75	1.12	2.53	3.24	2.27	1.36	1.29	2.46	TOTAL for year 25.05
No. of Rain Days	6	7	19	13	16	6	13	14	14	9	10	16	143

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL.

Kept at Assention Road, Rye
in the County of Oxford
by James Ratty

RAIN GAUGE Pattern Snowdon
Diameter of top 4 in.
Height of top above Ground one ft.
" " " Sea Level 286 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Hemel Hempstead
Distance 5 m. Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.22				.97		.32	.07			.20	1
2	.06		.19			.05				.21	.03	.52	2
3			.08			.15	.03			.14	.02	.14	3
4						.77				.06		.08	4
5		.02	.18			.25	.04		.03	.08		.20	5
6			1.02			.22	.25		.03			.02	6
7	.10		.04				.07			.35			7
8									.05	.04			8
9	.09	.12	.03				.39			.03		.17	9
10	.25	.18	.05			.07			.31	.32		.30	10
11							.25		.03			.02	11
12				.04		.12			.11	.31			12
13	.07		.33	.18					.08	.18	.04		13
14			.05							.02	.14		14
15	.04						.17			.06		.01	15
16					.30		.05		.10	.10	.01	.16	16
17			.03					.84	.49	.33		.15	17
18	.06		.22	.02				.29		.29			18
19			.15	.50		.05		.02				.05	19
20								.28		.28			20
21			.04			.40	.02			.04		.74	21
22			.04	.34		.03		.03		.10		.04	22
23				.05		.53	.07	.04	.40				23
24			.22		.78	.18		.13	.23	.23		.14	24
25			.23		.07	.20	.03			.11			25
26		.06			.30	.25	.05			.63	.07	.03	26
27			.24			.01	.79		.06	.14	.04	.11	27
28			.18		.12		.02		.56	.95			28
29			.23	.39		.08	.12	.08	.50		.20		29
30			.10	.13	.17		.22		.05			.02	30
31	.22									.14			31
Total	.89	.60	3.65	1.98	1.74	4.33	2.57	2.03	3.10	5.14	.55	3.10	TOTAL for year 29.68
No. of Rain Days	8	5	20	11	6	17	16	9	16	24	8	19	159

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL
- 9 JAN 1911

Kept at

Assington

in the County of

Oxford

by

James Ratty

RAIN GAUGE Pattern *Standard*
Diameter of top *five* in.
Height of top above Ground *one* ft. in.
" " " Sea Level *281* ft.
Time of Observation *9.2 m*
Nearest Railway Station { Name *Henley on Thames*
Distance *4 1/2* miles Direction *S.E.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	<i>in. .03</i>	<i>in. .24</i>	<i>in. .17</i>	<i>in. .29</i>	<i>in. .29</i>	<i>in. .07</i>	<i>in. .08</i>	<i>in. .08</i>	<i>in. .02</i>	<i>in. .02</i>	<i>in. .29</i>	<i>in. .29</i>	1
2					<i>.12</i>		<i>5.6</i>	<i>.12</i>		<i>.11</i>		<i>.15</i>	2
3							<i>5.7</i>	<i>.06</i>			<i>.38</i>	<i>.58</i>	3
4				<i>.21</i>	<i>.08</i>			<i>.08</i>				<i>.20</i>	4
5		<i>.08</i>	<i>.03</i>	<i>.10</i>	<i>.08</i>		<i>.73</i>	<i>.33</i>				<i>.01</i>	5
6		<i>.24</i>	<i>.04</i>	<i>.04</i>	<i>.07</i>	<i>th</i>	<i>.06</i>				<i>.09</i>		6
7		<i>.04</i>	<i>.03</i>		<i>.01</i>	<i>.40</i>	<i>.05</i>				<i>.07</i>	<i>.03</i>	7
8		<i>.05</i>	<i>.02</i>		<i>.25</i>	<i>th</i>		<i>.02</i>				<i>.32</i>	8
9	<i>.11</i>					<i>2.51</i>						<i>.44</i>	9
10	<i>.03</i>	<i>.07</i>	<i>.40</i>		<i>.07</i>	<i>.41</i>				<i>.05</i>	<i>.08</i>	<i>.40</i>	10
11	<i>.23</i>		<i>.23</i>		<i>.16</i>			<i>.13</i>		<i>1.18</i>	<i>.07</i>	<i>.08</i>	11
12			<i>.01</i>	<i>.21</i>	<i>.19</i>	<i>.03</i>				<i>.47</i>	<i>.05</i>	<i>.29</i>	12
13	<i>.05</i>	<i>.06</i>		<i>.06</i>	<i>.12</i>					<i>.01</i>	<i>.38</i>	<i>.31</i>	13
14	<i>.06</i>	<i>.50</i>		<i>.04</i>	<i>.06</i>				<i>.33</i>		<i>.01</i>	<i>.84</i>	14
15				<i>.06</i>							<i>.04</i>	<i>.67</i>	15
16	<i>.08</i>	<i>.19</i>	<i>.07</i>	<i>.24</i>						<i>.17</i>		<i>.17</i>	16
17	<i>.21</i>	<i>.30</i>	<i>.08</i>		<i>.09</i>		<i>.03</i>	<i>.03</i>		<i>.15</i>		<i>.06</i>	17
18	<i>.05</i>	<i>.15</i>	<i>SLR .08</i>		<i>.33</i>			<i>.28</i>		<i>.18</i>			18
19		<i>.47</i>		<i>.07</i>	<i>.02</i>					<i>.22</i>	<i>.06</i>	<i>.01</i>	19
20							<i>.24</i>	<i>.03</i>		<i>.02</i>		<i>.24</i>	20
21		<i>.01</i>		<i>.17</i>			<i>.04</i>					<i>.26</i>	21
22	<i>SLR .04</i>	<i>.32</i>				<i>.09</i>						<i>.01</i>	22
23	<i>.38</i>	<i>.05</i>		<i>.14</i>		<i>.09</i>		<i>.22</i>			<i>.63</i>		23
24	<i>SLR .18</i>	<i>.39</i>		<i>.05</i>		<i>.19</i>	<i>.13</i>			<i>.04</i>	<i>.04</i>	<i>.05</i>	24
25				<i>REB .20</i>		<i>.43</i>	<i>.08</i>	<i>.21</i>		<i>.06</i>		<i>.06</i>	25
26				<i>SLR .09</i>				<i>.04</i>					26
27	<i>SLR .70</i>					<i>.15</i>		<i>.32</i>		<i>.48</i>	<i>.03</i>		27
28	<i>.06</i>			<i>.47</i>	<i>.11</i>	<i>.09</i>	<i>.08</i>	<i>.39</i>		<i>.04</i>		<i>.02</i>	28
29					<i>.02</i>	<i>.15</i>		<i>.29</i>			<i>.44</i>		29
30					<i>.04</i>								30
31										<i>.36</i>			31
Total	<i>2.21</i>	<i>3.16</i>	<i>1.16</i>	<i>2.15</i>	<i>2.11</i>	<i>4.71</i>	<i>2.57</i>	<i>2.63</i>	<i>.33</i>	<i>3.56</i>	<i>3.39</i>	<i>5.49</i>	TOTAL for year <i>33.47</i>
No. of Rain Days	<i>14</i>	<i>16</i>	<i>11</i>	<i>15</i>	<i>18</i>	<i>12</i>	<i>11</i>	<i>16</i>	<i>1</i>	<i>16</i>	<i>15</i>	<i>23</i>	<i>168</i>

Not in at

REGIST

OXFORD

Kept at Bodicote
in the County of Oxford
by J. F. Sturtevant

BANBURY
"BODICOTE HOUSE"
1901-1910

Lon.
Observation 9.0 a.m.
8 inches
top above Ground 11.3 in
Sea Level 3.88

NOTE.—Full instructions respecting the use of the instrument are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.11	.05	—	—	—	—	—	—	—	—	—	1
2	—	.07	.17	.10	—	.02	.44	—	—	—	—	—	2
3	.02	—	.12	.54	—	.04	—	—	—	.25	.02	—	3
4	—	.43	.11	—	—	—	—	—	—	—	.02	—	4
5	—	.01	.08	.06	—	—	—	.07	—	—	—	.04	5
6	.08	—	.32	—	.05	—	—	—	—	.25	.02	—	6
7	.04	.06	.15	.02	.28	—	—	—	.04	.07	—	.18	7
8	—	.02	—	.27	.45	—	—	—	.28	.02	—	.05	8
9	—	—	.01	.35	.04	—	—	—	.01	—	—	.12	9
10	—	.01	—	.11	—	—	—	—	.05	—	—	—	10
11	—	—	.02	.34	—	—	—	.13	.05	—	.03	.15	11
12	—	.01	—	.08	—	.19	—	.14	—	—	.45	1.09	12
13	—	.02	—	.10	—	.03	.20	.03	—	—	.18	.29	13
14	—	—	—	.22	—	.02	—	.39	—	—	—	.03	14
15	.03	—	—	.08	—	—	—	.01	—	—	—	.06	15
16	.05	—	—	—	—	—	—	—	.54	.18	—	.03	16
17	.14	.03	—	—	—	—	—	—	.09	.14	—	.02	17
18	.08	.08	—	—	—	—	—	—	—	.28	—	—	18
19	.26	—	.34	—	—	.05	—	—	.02	—	—	—	19
20	.01	—	—	—	—	.16	—	—	.13	.01	.07	—	20
21	—	.05	—	—	—	.02	—	—	.05	.02	.09	—	21
22	.02	—	—	—	—	.05	.07	—	.02	.05	.03	—	22
23	.02	—	—	—	—	.01	.20	—	—	—	—	.47	23
24	.08	—	.05	—	—	—	.22	—	—	.08	—	.03	24
25	.03	—	.01	—	—	—	.64	.15	—	—	—	.18	25
26	.05	.27	.02	—	—	—	1.69	.69	—	—	—	.01	26
27	.37	—	—	.26	—	—	.29	.32	—	—	—	.08	27
28	.06	.37	.04	—	—	—	.06	.02	—	—	—	.65	28
29	.05	—	.24	—	.16	.01	—	.01	—	.07	—	.19	29
30	—	—	.26	—	.17	.70	—	.03	.05	—	—	.02	30
31	—	—	.05	—	—	—	—	.10	—	—	—	.9	31
Totals	1.42	1.54	2.04	2.53	1.15	1.30	3.81	2.09	1.33	1.42	0.91	3.78	

Total from Jan. 1	1.42	2.96	5.00	7.53	8.68	9.98	13.79	15.88	17.21	18.63	19.54	23.32	
-------------------	------	------	------	------	------	------	-------	-------	-------	-------	-------	-------	--

REGISTER OF RAINFALL IN 1901

Kept at *Bodicote House Banbury*
 in the County of *Oxford*
 by *J. F. Starkey*

RAIN GAUGE.

Lat. _____ Lon. _____
 Time of Observation *9-0 A.M.*
 Diameter *8 inches*
 Height of top above Ground *1 ft 3 in*
 " " Sea Level *388*

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.11	.05	—	—	—	—	—	—	—	—	—	1
2	—	.07	.17	.10	—	.02	.44	—	—	—	—	—	2
3	.02	—	.12	.54	—	.04	—	—	—	.25	.02	—	3
4	—	<i>snow</i> .43	.11	—	—	—	—	—	—	—	.02	—	4
5	—	.01	.08	.06	—	—	—	.07	—	—	—	.04	5
6	.08	—	.32	—	.05	—	—	—	—	.25	.02	—	6
7	.04	.06	.15	.02	.28	—	—	—	.04	.07	—	.18	7
8	—	.02	—	.27	.45	—	—	—	.28	.02	—	.05	8
9	—	—	.01	.35	.04	—	—	—	.01	—	—	.12	9
10	—	.01	—	.11	—	—	—	—	.05	—	—	—	10
11	—	—	.02	.34	—	—	—	.13	.05	—	.03	.15	11
12	—	.01	—	.08	—	.19	—	.14	—	—	.45	1.09	12
13	—	.02	—	.10	—	.03	.20	.03	—	—	.18	.29	13
14	—	—	—	.22	—	.02	—	.39	—	—	—	.03	14
15	.03	—	—	.08	—	—	—	.01	—	—	—	.06	15
16	.05	—	—	—	—	—	—	—	.54	.18	—	.03	16
17	.14	.03	—	—	—	—	—	—	.09	.14	—	.02	17
18	.08	.08	—	—	—	—	—	—	—	.28	—	—	18
19	.26	—	.34	—	—	.05	—	—	.02	—	—	—	19
20	.01	—	—	—	—	.16	—	—	.13	.01	.07	—	20
21	—	.05	—	—	—	.02	—	—	.05	.02	.09	—	21
22	.02	—	—	—	—	.05	.07	—	.02	.05	.03	—	22
23	.02	—	—	—	—	.01	.20	—	—	—	—	.47	23
24	.08	—	.05	—	—	—	.22	—	—	.08	—	.03	24
25	.03	—	.01	—	—	—	.64	.15	—	—	—	.18	25
26	.05	.27	.02	—	—	—	1.69	.69	—	—	—	.01	26
27	.37	—	—	.26	—	—	.29	.32	—	—	—	.08	27
28	.06	.37	.04	—	—	—	.06	.02	—	—	—	.65	28
29	.05	—	.24	—	.16	.01	—	.01	—	.07	—	.19	29
30	—	—	.26	—	.17	.70	—	.03	.05	—	—	.02	30
31	—	—	.05	—	—	—	—	.10	—	—	—	.9	31
Totals	1.42	1.54	2.04	2.53	1.15	1.30	3.81	2.09	1.33	1.42	0.91	3.78	
Total from Jan. 1	1.42	2.96	5.00	7.53	8.68	9.98	13.79	15.88	17.21	18.63	19.54	23.32	

REGISTER OF RAINFALL IN 1902

Kept at Bodicote House, Banbury
 in the County of Oxford
 by J. F. Starkey

Lat. _____ Lon. _____
 Time of Observation 9 a.m.
 Diameter 8 in
 Height of top above Ground 1 ft. 3 in
 " " Sea Level 388

RAIN GAUGE

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28	—	.11	—	.04	.25	.12	.13	.04	.04	—	.30	1
2	.01	—	.01	—	.16	.09	—	.11	.12	—	.05	.07	2
3	.01	.10	—	.08	.21	.05	—	.08	—	—	—	—	3
4	.20	—	—	.04	.04	—	—	—	.11	—	—	—	4
5	—	—	.01	.04	.01	.09	—	.25	—	—	.13	—	5
6	—	.01	—	—	.07	.21	—	.35	—	.02	.16	—	6
7	—	—	—	—	.05	.06	—	.39	—	.05	—	.01	7
8	—	.04	—	—	.04	.03	—	.13	.03	—	.29	—	8
9	.07	—	.02	—	—	—	.28	.02	.33	.76	—	—	9
10	.02	—	—	—	—	.03	.09	.05	.76	.01	.01	—	10
11	.03	—	—	.13	—	.11	—	.08	.11	—	.19	—	11
12	—	—	—	.18	—	.15	—	.01	.08	.02	—	.05	12
13	—	—	—	—	—	.12	—	.08	—	.43	—	.04	13
14	—	—	.55	—	.06	.27	—	.01	.04	.09	—	.24	14
15	—	—	—	.74	.02	.04	—	—	—	.14	—	.18	15
16	—	—	—	—	.10	.24	—	.02	.01	.01	—	.04	16
17	—	—	—	—	.24	—	—	.19	—	.20	—	.27	17
18	—	.02	—	—	.08	—	—	.20	—	—	—	.03	18
19	—	.01	—	.01	.04	.22	.12	.05	—	.19	—	.04	19
20	—	.01	.18	—	—	.10	—	—	—	—	—	—	20
21	—	—	.05	.22	—	—	—	—	—	.02	—	—	21
22	—	.14	—	.10	.39	.04	.07	.09	.06	—	.02	—	22
23	.05	.18	—	.03	—	—	—	.05	.03	—	—	—	23
24	.05	.28	.35	—	—	—	—	.01	—	—	.29	—	24
25	—	.02	—	—	—	—	.24	—	—	.08	.09	—	25
26	.17	.20	.17	—	—	—	.25	—	—	—	.06	—	26
27	.05	.20	—	—	—	—	—	—	—	.01	.19	.04	27
28	—	.24	—	—	—	—	—	.32	—	.05	.43	.31	28
29	—	—	.05	—	.12	—	—	.29	.01	.03	.32	.01	29
30	—	—	.02	.03	.22	.09	—	.04	.05	—	.11	.16	30
31	—	—	—	—	.22	—	—	.21	—	—	—	.01	31
Totals	0.94	1.45	1.52	1.60	2.11	2.19	1.17	3.16	1.78	2.15	2.34	1.80	
Total from Jan. 1	0.94	2.39	3.91	5.51	7.62	9.81	10.98	14.14	15.92	18.07	20.41	22.21	

REGISTER OF RAINFALL IN 1903

Kept at Bodicote House Banbury
in the County of Oxford
by J. F. Starkley

RAIN GAUGE.

Lat. Long.
Time of Observation 9-0 a.m.
Diameter 8 inches
Height of top above Ground 1 ft 3 in
Sea Level 388-

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.23	.02	.46	.12	.30	—	—	.01	.01	.07	—	—	1
2	.17	—	.13	—	.51	—	—	.41	.20	.11	.15	—	2
3	.19	—	.01	.08	.48	—	—	—	.12	.19	—	.14	3
4	.88	—	.19	.02	.05	—	—	—	.16	.41	—	—	4
5	.19	—	—	—	.16	—	—	—	—	.03	.02	—	5
6	.02	—	.07	—	.08	—	—	—	—	.16	.01	—	6
7	.03	.02	—	—	.09	—	—	—	—	.11	—	.02	7
8	.09	—	.03	—	—	.26	—	—	.14	.30	—	.21	8
9	.02	—	.19	—	.89	.29	—	.04	.05	.01	.05	.26	9
10	.02	—	—	—	.16	.21	—	.07	.53	.12	—	.17	10
11	—	—	.02	—	.01	.14	.12	.23	—	1.01	—	.07	11
12	—	—	—	.02	—	—	—	—	—	.14	.03	.32	12
13	—	—	—	—	—	.35	—	—	—	.04	.05	.06	13
14	—	—	.41	.05	—	1.17	.09	.35	—	.56	.02	—	14
15	—	.03	—	—	.04	.74	—	.12	—	—	.10	—	15
16	—	—	—	—	.20	.04	.10	.25	—	.21	—	—	16
17	—	—	.42	—	.07	.02	.01	.20	—	—	—	.03	17
18	.08	—	.01	—	—	—	1.00	.32	.01	.22	—	.03	18
19	.05	—	—	—	—	.69	.93	—	—	.01	.01	—	19
20	.01	—	.01	—	—	—	—	.43	—	—	—	.02	20
21	—	.05	—	—	—	—	.45	—	.05	.05	.04	—	21
22	.14	.15	—	—	—	—	.02	.05	.02	.02	.01	.01	22
23	—	.10	.39	—	—	—	.44	.16	—	.01	.06	.02	23
24	.01	.39	—	—	—	—	.01	.51	.24	.31	—	.05	24
25	—	.15	.07	.21	—	—	.44	.01	—	.30	—	—	25
26	—	.32	.13	.31	—	—	—	—	—	.22	.05	.03	26
27	.29	—	.44	.35	.06	—	.29	.05	.01	1.18	.86	.06	27
28	—	—	.03	.52	.84	—	.10	.10	.18	.25	.24	—	28
29	—	—	.19	.11	.20	—	.29	—	.22	.03	.02	—	29
30	—	—	.14	.24	.65	—	—	.03	—	.01	—	—	30
31	.06	—	.03	—	—	—	—	—	—	.19	—	—	31
Totals	2.48	1.23	3.37	2.03	4.79	3.91	4.29	3.34	1.94	6.27	1.72	1.50	
Total from Jan. 1	2.48	3.71	7.08	9.11	13.90	17.81	22.10	25.44	27.38	33.65	35.37	36.87	

Bodicote House Banbury

F RAINFALL IN 1904

FORM A.
BRITISH RAINFALL

Rainfall for 1903 - 36.87
Average for last 11 years - 25.62
24.23
- 1.39

Banbury

RAIN GAUGE.

Lat. Long.
Nearest Railway Station Banbury
Time of Observation 9-0-0 a.m. 1905
Diameter 8 inches.
Height of top above Ground 1 ft. 3 in.
Sea Level 388 ft.

of rain and particulars as to the British Rainfall Organization are given in on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	
1	.16	—	—	—	—	—	—	1
2	—	.09	—	.27	—	—	.05	2
3	.07	.29	.16	.02	.01	—	.03	3
4	.08	.16	—	.03	—	—	.12	4
5	—	.01	.02	.06	.02	—	.08	5
6	.01	.14	—	—	.03	—	.37	6
7	.13	.36	.33	—	—	—	.23	7
8	.02	.38	—	.02	—	—	.10	8
9	.03	.86	—	.03	.08	.09	—	9
10	.13	.38	—	—	.02	—	.38	10
11	.02	.01	—	—	.02	—	.18	11
12	.13	.72	—	.11	—	—	.02	12
13	.16	.14	—	.10	—	.01	.22	13
14	—	.04	.03	.05	—	.27	.09	14
15	—	—	—	.22	—	.03	.02	15
16	.03	.21	—	—	.01	—	—	16
17	.08	.06	—	—	.04	.01	—	17
18	.02	—	—	—	—	.01	.02	18
19	—	.08	.09	—	—	.11	.01	19
20	.04	—	.02	—	.52	—	—	20
21	—	.04	—	.01	.04	—	—	21
22	—	—	—	.21	—	.11	.02	22
23	—	—	—	.06	—	.09	.08	23
24	—	—	.08	—	.05	.04	.10	24
25	.03	.10	.06	—	—	.05	1.26	25
26	.15	.06	—	.01	.32	.01	.24	26
27	.35	—	—	—	.85	—	.25	27
28	.04	—	.33	—	—	—	.08	28
29	.40	—	.09	—	—	—	.65	29
30	.36	—	.10	—	—	—	.03	30
31	.83	—	.03	—	.05	—	.09	31
Totals	3.15	4.79	1.69	0.97	2.31	0.67	3.01	
Total from Jan. 1	3.15	7.94	9.63	10.60	12.91	13.58	16.59	

day - 23 - 20 - 14 - 14 - 17 - 9 - 12 - 12 - 11 - 12 - 12 - 21 - 177

1903
1904

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.

Kept at Bodicote House, Banbury
in the County of Oxford
by J. F. Starkey

Lat. _____ Long. _____
Nearest Railway Station Banbury
Time of Observation 9-0-0 a.m. 1905
Diameter 8 inches
Height of top above Ground 1 ft. 3 in.
Sea Level 388 ft.

RAIN GAUGE.

NOTE—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.05	.08	.04	.17	.16	—	—	—	—	—	—	1
2	.02	.70	.27	.06	.02	—	.09	—	.27	—	—	.05	2
3	.07	.29	.16	.02	.01	—	.08	—	—	—	—	.03	3
4	.08	.16	—	.03	—	—	—	—	—	—	—	.12	4
5	—	.01	.02	.06	.02	—	.02	.03	—	.06	.01	.08	5
6	.01	.14	—	—	.03	—	—	—	—	.02	.37	.29	6
7	.13	.36	.33	—	—	—	—	—	.13	.04	.23	—	7
8	.02	.38	—	.02	—	—	—	—	.09	—	.10	.11	8
9	.03	.86	—	.03	.08	.09	—	.05	—	.02	—	.12	9
10	.13	.38	—	—	.02	—	—	—	—	—	.38	.13	10
11	.02	.01	—	—	.02	—	—	—	—	—	—	.18	11
12	.13	.72	—	.11	—	—	—	.19	.34	—	—	.02	12
13	.16	.14	—	.10	—	.01	—	—	—	—	.02	.22	13
14	—	.04	.03	.05	—	.27	—	.11	—	—	.01	.09	14
15	—	—	—	.22	—	.03	—	—	.33	—	—	.02	15
16	.03	.21	—	—	.01	—	—	—	—	.27	—	—	16
17	.08	.06	—	—	.04	.01	—	.18	—	—	.02	.01	17
18	.02	—	—	—	—	—	—	.01	—	—	—	.02	18
19	—	.08	.09	—	—	—	.11	.01	—	.02	.01	—	19
20	.04	—	.02	—	.52	—	—	.26	—	—	—	—	20
21	—	.04	—	.01	.04	—	—	.59	—	.05	—	—	21
22	—	—	—	.21	—	—	.11	.02	.04	—	.30	.02	22
23	—	—	—	—	.06	—	.09	—	.08	.07	.09	.01	23
24	—	—	.08	—	.05	.04	—	—	.10	—	—	—	24
25	.03	.10	.06	—	—	.05	1.26	.09	.04	—	—	—	25
26	.15	.06	—	.01	.32	.01	.24	—	.04	—	—	.01	26
27	.35	—	—	—	.85	—	.25	—	—	.03	—	.03	27
28	.04	—	.33	—	—	—	.08	—	—	—	—	.05	28
29	.40	—	.09	—	—	—	.65	—	—	.01	.05	.10	29
30	.36	—	.10	—	—	—	.03	—	.59	.02	—	—	30
31	.83	—	.03	—	.05	—	—	.09	—	.05	—	—	31
Totals	3.15	4.79	1.69	0.97	2.31	0.67	3.01	1.63	2.05	0.66	1.59	1.71	
Total from Jan. 1	3.15	7.94	9.63	10.60	12.91	13.58	16.59	18.22	20.27	20.93	22.52	24.23	

REGISTER OF RAINFALL IN 1905

BRITISH RAINFALL FORM A.
-3 JAN 1906

Kept at Bodicote House Banbury
in the County of Oxford
by J. F. Starkey

Lat. Long.
Nearest Railway Station Banbury
Time of Observation 9-0 a.m.
Diameter 8 inches
Height of top above Ground 1 ft. 3 in.
Sea Level 388 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.06	—	.10	.03	.04	—	.02	.01	.55	.02	1
2	.10	—	.05	—	.07	.03	.02	.30	—	.05	.07	.01	2
3	—	—	.01	.01	—	—	—	.55	—	.02	.07	.02	3
4	.09	—	.03	.04	—	—	—	.20	—	.17	.43	.01	4
5	—	—	.08	.02	—	.19	—	.41	.05	—	.03	.12	5
6	—	.06	.02	.12	—	.66	—	.04	.06	—	.01	.07	6
7	—	—	.11	.13	—	.18	—	—	.04	.04	.01	.27	7
8	.24	.04	.19	.05	—	—	.03	.02	.16	—	—	—	8
9	.06	—	—	.14	—	—	1.05	—	.16	—	—	—	9
10	—	.05	.40	.03	—	.04	.01	—	—	—	.82	.03	10
11	—	—	.14	.25	—	.13	.01	—	—	.02	.13	—	11
12	—	—	.28	—	—	.01	—	—	—	.03	.19	2/2	12
13	—	.01	.46	.14	—	—	—	—	.02	.02	.08	—	13
14	—	—	.21	.05	.02	.03	—	—	—	—	.01	—	14
15	—	—	.43	—	—	.06	.02	.61	—	.16	.02	—	15
16	.11 snow	—	.03	.35	—	.36	—	—	—	—	—	—	16
17	—	—	.03	—	—	.07	.03	.28	—	—	—	.05	17
18	—	.01	—	.02	—	.11	—	.03	—	—	—	.06	18
19	—	.11	—	.11	—	—	—	.03	.02	—	—	.01	19
20	—	—	—	.01	—	—	—	.15	—	—	—	—	20
21	—	—	—	—	—	—	—	.16	—	.04	—	—	21
22	—	—	—	—	—	—	.12	.01	—	—	.19	—	22
23	—	.04	.11	.18	—	—	—	—	—	—	—	—	23
24	.06	—	.02	—	—	—	—	—	.01	—	.02	—	24
25	—	.28	.09	.44	—	.01	—	.12	.31	—	.21	—	25
26	—	.16	.02	.05	—	.28	—	.22	.01	.14	.74	—	26
27	—	—	.10	—	—	—	—	.26	.15	.08	—	.13	27
28	—	.03	—	.05	—	—	—	1.17	.02	.17	.14	.18	28
29	—	—	.07	.03	.03	.39	—	.13	.12	.02	—	.10	29
30	—	—	.02	.16	.20	.62	—	.01	—	—	.19	—	30
31	.10	—	—	—	.02	—	—	—	—	.28	—	—	31
Totals	0.76	0.79	2.96	2.38	0.44	3.20	1.33	4.70	1.15	1.25	3.91	1.08	
Total from Jan. 1	0.76	1.55	4.51	6.89	7.33	10.53	11.86	16.56	17.71	18.96	22.87	23.95	

REGISTER OF RAINFALL IN 1906.

FORM A.
BRITISH RAINFALL.

Kept at Bodicote
in the County of Oxford
by J. F. Starkey

Lat. Long.
Nearest Railway Station Banbury
Time of Observation 9 a.m.
Diameter in.
Height of top above Ground ft. in.
" " Sea Level 388 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.09	0.03	0.08	—	—	0.27	—	0.03	—	.27	.01	—	1
2	0.53	0.08	—	—	0.10	—	—	0.20	—	1.05	—	.05	2
3	0.09	—	—	—	0.09	—	—	0.10	—	.01	.08	.07	3
4	0.20	—	—	—	—	—	—	0.04	—	.71	.15	—	4
5	0.76	—	—	—	0.20	—	—	—	—	—	—	.13	5
6	0.07	0.03	—	—	—	—	—	—	—	.02	.71	.05	6
7	0.38	—	0.02	—	—	—	—	—	—	.31	.51	—	7
8	0.17	0.24	0.14	—	0.04	—	—	—	—	.13	1.10	.11	8
9	0.16	0.18	—	—	—	—	—	—	—	.72	.03	—	9
10	—	0.13	0.34	—	—	—	0.02	0.05	—	.01	—	.08	10
11	0.25	0.08	0.20	—	—	—	—	—	.01	—	—	—	11
12	0.56	0.15	0.10	—	—	—	—	—	.02	.15	—	.04	12
13	0.03	0.09	—	0.06	—	—	0.25	—	.37	—	—	.20	13
14	0.02	0.11	0.06	—	—	0.05	—	.13	.35	—	—	.06	14
15	0.15	0.15	0.07	—	0.06	0.49	0.03	.02	.04	—	.04	.38	15
16	0.30	0.23	—	—	0.10	0.79	—	.04	.24	.10	.39	.04	16
17	0.25	—	0.05	0.12	—	—	0.07	.07	.03	.06	.17	—	17
18	0.18	0.13	0.02	—	—	—	—	—	.02	.73	.01	.07	18
19	—	0.16	—	—	—	—	—	—	.02	—	.13	—	19
20	0.12	—	0.06	0.04	0.34	—	—	—	.04	.02	.43	—	20
21	0.01	—	0.02	0.09	—	—	0.02	—	—	.02	—	—	21
22	—	—	—	.13	—	—	—	—	—	.03	—	—	22
23	—	—	0.10	0.10	0.21	0.44	—	.02	—	—	—	—	23
24	0.30	0.10	0.07	—	0.01	—	—	.25	—	.05	.02	.07	24
25	—	—	0.04	—	0.11	—	—	—	—	—	—	.31	25
26	—	0.15	—	—	0.33	—	0.13	—	—	.02	.01	.03	26
27	—	0.38	0.02	0.15	0.04	0.14	0.04	—	—	.04	—	.03	27
28	—	0.06	—	—	—	1.46	0.30	—	—	.14	—	.09	28
29	—	—	—	—	—	0.05	—	—	—	.06	.04	—	29
30	—	—	—	0.02	0.13	—	—	—	—	.13	.03	.12	30
31	—	—	—	—	—	—	—	—	—	—	—	.01	31
Totals	4.62	2.48	1.39	0.71	1.76	3.69	0.86	0.85	1.14	4.78	3.86	1.94	
Total from Jan. 1	4.62	7.10	8.49	9.20	10.96	14.65	15.51	16.36	17.50	22.28	26.14	28.08	28.18

REGISTER OF RAINFALL IN 1907.

FORM A.
BRITISH RAINFALL.

Accepted at Bodicote
the County of Oxford
J. F. Starkey

Lat. Long.
Nearest Railway Station Banbury
Time of Observation 9.0-a.m.
Diameter in.
Height of top above Ground ft. in.
" " Sea Level 388 ft.

RAIN GAUGE.

NOTE. Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.66	—	—	—	.13	1.02	—	—	.02	.27	—	—	1
2	.09	—	—	—	.09	.01	.04	.66	.34	.03	—	.48	2
3	—	—	—	—	.13	—	.46	—	—	—	.02	.01	3
4	—	—	—	—	—	.10	.36	—	.30	—	—	1.01	4
5	—	.06	.13	.10	—	.05	—	—	—	.20	—	.01	5
6	—	—	—	.23	.02	.09	.15	.14	—	.36	.01	.10	6
7	—	—	.05	.07	.22	—	—	—	.02	—	—	.35	7
8	—	.25	.05	.22	.05	—	.02	—	—	.08	.04	.19	8
9	—	—	.25	—	.03	—	.04	.07	.01	.05	—	.15	9
10	.14	.21	.03	—	—	.11	.26	—	—	.59	—	.06	10
11	—	.16	—	.05	—	.52	—	.10	—	—	—	.44	11
	—	.23	.15	.80	—	.04	—	—	—	—	.03	.20	12
	—	—	.10	—	1.10	.13	.01	.04	.01	.30	—	.46	13
	—	.09	—	—	.16	.06	—	.02	—	.39	.03	.09	14
	—	—	.01	—	—	.19	—	.03	—	.05	.03	—	15
	—	—	.19	—	—	—	—	.02	—	1.36	—	—	16
17	.01	.06	.14	—	—	—	—	.53	—	—	.26	—	17
18	—	—	—	—	—	.02	—	.01	—	.12	.10	.13	18
19	—	.26	—	—	.08	—	—	.15	—	.18	—	—	19
20	.04	.04	—	.39	.05	—	—	.01	—	.41	.02	.05	20
21	—	.02	—	.32	.46	.04	.45	—	—	.01	.03	.15	21
22	—	—	—	—	.17	—	.05	.09	—	.10	.15	—	22
23	—	—	—	—	.04	.08	—	—	—	.01	.02	.01	23
24	—	—	—	—	.02	.15	—	—	.01	—	.11	.01	24
25	—	—	—	—	.10	.08	.18	.05	.20	.06	.38	—	25
26	—	—	—	.06	.18	—	.08	—	—	—	.35	—	26
27	.01	—	—	.19	—	.17	.07	—	—	.01	.11	.01	27
28	.16	—	—	.04	—	.19	.03	—	—	—	.15	—	28
29	—	—	—	.02	—	—	.07	—	—	.56	.01	—	29
30	—	—	—	.25	.31	.13	—	—	—	.26	—	.01	30
31	—	—	—	—	.04	—	—	.03	—	.01	—	—	31

Totals 1.11 1.38 1.10 2.74 3.38 3.48 2.22 1.95 0.91 5.41 1.85 3.92

1 2.49 3.59 6.33 9.70 12.88 15.10 17.05 17.96 23.37 25.22 29.15 29.15

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

Kept at *Bodicote - Banbury*
in the County of *Oxon*
by *J. F. Starkey*

Lat. _____ Long. _____
Nearest Railway Station *Banbury*
Time of Observation *9-0 am*
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level *188* _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.08	—	—	.38	—	—	.01	—	—	—	1
2	—	.02	.04	—	.42	—	—	—	.03	.01	—	.02	2
3	—	—	.10	.04	.25	—	.07	—	.29	—	—	—	3
4	—	—	.01	—	.08	.04	—	—	.05	.01	—	.07	4
5	.12	.02	.50	.23	.06	—	—	—	—	—	—	.08	5
6	.06	—	.17	.03	.06	—	—	.01	.03	—	—	—	6
7	.86	—	.10	—	.07	.02	.05	—	.02	.02	—	.01	7
8	—	—	—	—	.01	—	.30	—	.03	.13	—	.27	8
9	.02	—	.08	.02	—	—	.61	—	—	.21	—	.35	9
10	—	—	.06	—	—	—	.05	.06	—	—	.03	.04	10
11	—	—	—	—	.01	.07	—	—	.03	—	.11	—	11
12	—	—	—	.04	.05	.08	.04	.05	—	—	.07	.13	12
13	—	—	—	—	.10	—	.04	.04	—	.01	.03	.08	13
14	.01	—	—	—	.25	.04	.05	—	—	—	.10	.17	14
15	—	.10	.24	—	.27	—	.04	—	.22	—	—	.03	15
16	—	.22	.01	—	—	.31	.56	—	.09	.08	—	.12	16
17	—	.07	—	—	—	<u>1.41</u>	.12	—	—	.02	—	.01	17
18	—	.09	—	—	—	—	.01	—	.13	—	.12	.03	18
19	—	—	—	.01	—	—	—	—	—	.02	—	.11	19
20	—	—	—	.02	—	—	—	.46	.08	.11	—	.02	20
21	—	—	—	—	.05	—	—	.13	—	.05	.23	.06	21
22	.02	.22	.22	.06	.03	—	—	.11	.02	—	.03	—	22
23	—	.07	—	.56	—	—	—	.49	—	—	—	—	23
24	—	.01	.53	.25 <i>snow</i>	—	—	—	.01	—	~~.05~~	.11	—	24
25	.03	—	.50	1.27 <i>snow</i>	—	—	—	—	.05	.05	.02	—	25
26	.05	.03	—	.43	.01	—	—	.37	—	.10	—	.02	26
27	—	.12	.24	.75	—	—	—	.06	.04	.09	—	.05 <i>snow</i>	27
28	—	.06	—	.05	—	—	—	.20	—	.03	.07	.13 <i>snow</i>	28
29	.04	—	.12	.39	—	—	—	.04	—	.02	.05	.13 <i>snow</i>	29
30	.09	—	.20	.16	—	—	—	.10	—	—	—	.23	30
31	—	—	—	—	.03	—	—	1.25	—	—	—	—	31
Total	1.30	1.03	3.20	4.31	1.75	2.35	1.94	3.38	1.12	1.01	0.97	2.16	TOTAL for year
No. of Rain Days	10	12	17	16	16	8	12	15	15	17	12	22	172

rainfall. (15. II. 10)

Remarks

IN 1909

FORM A.
BRITISH RAINFALL.

3 JAN 1910

1909 - 28.11
Average 26.69
16 years

A cor. A

1.42

above average

Bodicote

J. F. Storkan

Long.

Railway Station

Banbury

Observation

9-0 a.m.

er of Rain Gauge

9. in.

of top of Gauge above Ground

ft.

in.

" "

Sea Level 388

ft.

he previous day. Full instructions for the measurement
les for Rainfall Observers," sent post-free on application

	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	
1	—	.03	—	—	—	1
2	.03	—	.08	—	.06	2
3	—	—	.08	—	—	3
4	—	—	—	—	—	4
5	.04	—	.06	—	—	5
6	.03	—	1.05	—	—	6
7	.18	—	.03	—	—	7
8	—	—	—	—	—	8
9	.05	.11	.02	—	—	9
10	.16	.33	—	—	—	10
11	—	.02	.08	.01	—	11
12	—	—	.01	.03	—	12
13	.20	—	—	.09	.07	13
14	.17	—	.04	—	—	14
15	.15	—	—	—	—	15
16	—	—	—	—	.28	16
17	.02	—	—	.02	.02	17
18	—	—	.24	—	—	18
19	—	—	—	.26	—	19
20	—	—	.02	—	.30	20
21	—	—	.05	—	.45	21
22	—	—	.03	.23	—	22
23	—	—	—	.23	—	23
24	—	—	.30	—	.69	24
25	—	—	.09	.02	.14	25
26	—	.04	—	.08	.25	26
27	—	—	.14	.14	.02	27
28	—	.05	.17	.06	.06	28
29	—	—	—	.80	—	29
30	—	—	—	.06	—	30
31	.21	—	.04	—	.25	31
Total	1.24	.58	2.53	2.03	1.84	4.22
No. of Rain Days	11	6	18	13	10	17

REGISTER OF RAINFALL IN 1909

Kept at *J. F. Starkey*
in the County of *Oxford*
at *Bodicote*

Lat. _____ Long. _____
Nearest Railway Station *Banbury*
Time of Observation *9-0 a.m.*
Diameter of Rain Gauge *9.* in.
Height of top of Gauge above Ground _____ ft.
" " " Sea Level *388* ft.

FORM A.
BRITISH RAINFALL
- 3 JAN 1910

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.03	—	—	—	.52	—	.59	.24	.09	—	.17	1
2	.03	—	.08	—	.06	—	—	—	—	.10	.06	.25	2
3	—	—	.08	—	—	—	.02	—	.01	.10	—	.46	3
4	—	—	—	—	—	.47	—	—	.16	.05	.02	—	4
5	.04	—	.06	—	—	.18	.03	—	—	—	—	.16	5
6	.03	—	1.05	—	—	.16	.28	—	.03	—	—	—	6
7	.18	—	.03	—	—	—	.11	—	.08	.37	—	—	7
8	—	—	—	—	—	—	—	—	.14	.02	—	—	8
9	.05	.11	.02	—	—	—	.47	—	—	.04	.01	.23	9
10	.16	.33	—	—	—	.14	—	—	.03	.24	—	.28	10
11	—	.02	.08	.01	—	.04	.23	—	—	.08	—	—	11
12	—	—	.01	.03	—	.02	—	—	.22	.31	.08	.03	12
13	.20	—	—	.09	.07	—	.04	—	.11	.02	—	—	13
14	.17	—	.04	—	—	—	—	—	—	.08	.17	—	14
15	.15	—	—	—	—	—	.27	—	—	.08	.02	.02	15
16	—	—	—	—	.28	—	.03	.05	.01	.03	.02	.14	16
17	.02	—	—	.02	.02	—	—	1.03	.09	—	.02	.02	17
18	—	—	.24	—	—	—	.08	.09	—	.06	—	—	18
19	—	—	—	.26	—	.03	—	.03	—	.06	—	.03	19
20	—	—	.02	—	—	.30	.12	.10	—	.27	—	—	20
21	—	—	.05	—	—	.45	—	.02	.01	.06	—	.81	21
22	—	—	.03	.23	—	.10	—	.07	.09	.03	—	—	22
23	—	—	—	.23	—	.08	—	.08	.22	.76	.02	.29	23
24	—	—	.30	—	.69	.19	—	.14	.25	.02	.04	.09	24
25	—	—	.09	.02	.14	.59	.14	.01	.03	.01	—	.04	25
26	—	.04	—	.08	.25	.40	—	—	—	.49	—	—	26
27	—	—	.14	.14	.02	.20	.70	—	.38	.10	.05	.17	27
28	—	.05	.17	.06	.06	.35	—	—	.55	.07	—	.03	28
29	—	—	—	.80	—	—	.17	.08	—	.02	.12	—	29
30	—	—	—	.06	—	—	.14	—	.40	—	—	.01	30
31	.21	—	.04	—	.25	—	—	—	—	.04	—	.04	31
Total	1.24	.58	2.53	2.03	1.84	4.22	2.83	2.29	3.05	3.60	.63	3.27	
No. of Rain Days	11	6	18	13	10	17	16	12	19	27	12	19	

REGISTER OF RAINFALL IN 1910

Kept at Bodicote Ho Banbury
 in the County of Oxford - 3
 by J. F. Starkey

Pattern
 RAIN Gauge Diameter of top 9 in.
 Height of top above Ground — ft. 9 in.
 " " " Sea Level 388 ft.
 Time of Observation 9-0 a.m.
 Nearest Railway Station { Name Banbury
 Distance 2 miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>.03</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.56</u>	<u>.02</u>	<u>.67</u>	1
2	<u>—</u>	<u>.29</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>.16</u>	<u>.04</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.27</u>	2
3	<u>—</u>	<u>.11</u>	<u>—</u>	<u>—</u>	<u>.09</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.45</u>	<u>.47</u>	3
4	<u>—</u>	<u>.09</u>	<u>—</u>	<u>.25</u>	<u>.10</u>	<u>—</u>	<u>—</u>	<u>.16</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>.14</u>	4
5	<u>.02</u>	<u>—</u>	<u>.02</u>	<u>.05</u>	<u>.03</u>	<u>—</u>	<u>.67</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.16</u>	<u>.03</u>	5
6	<u>.02</u>	<u>.09</u>	<u>.03</u>	<u>.04</u>	<u>.19</u>	<u>—</u>	<u>.08</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>.61</u>	<u>.07</u>	6
7	<u>—</u>	<u>.08</u>	<u>.02</u>	<u>—</u>	<u>.03</u>	<u>.75</u>	<u>.10</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	7
8	<u>.05</u>	<u>.04</u>	<u>.01</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.20</u>	8
9	<u>.10</u>	<u>—</u>	<u>.24</u>	<u>.03</u>	<u>.03</u>	<u>.35</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>.08</u>	<u>—</u>	<u>.31</u>	9
10	<u>.22</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.04</u>	<u>.12</u>	<u>.45</u>	10
11	<u>.30</u>	<u>—</u>	<u>.18</u>	<u>—</u>	<u>.16</u>	<u>—</u>	<u>—</u>	<u>.05</u>	<u>.10</u>	<u>.27</u>	<u>.17</u>	<u>.02</u>	11
12	<u>—</u>	<u>.05</u>	<u>.09</u>	<u>.15</u>	<u>.04</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>.33</u>	<u>.08</u>	<u>.38</u>	12
13	<u>—</u>	<u>.12</u>	<u>—</u>	<u>.07</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.11</u>	<u>.06</u>	<u>—</u>	<u>.53</u>	<u>.21</u>	13
14	<u>.02</u>	<u>.51</u>	<u>—</u>	<u>.10</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.28</u>	<u>.32</u>	<u>—</u>	<u>.05</u>	<u>.64</u>	14
15	<u>.13</u>	<u>.02</u>	<u>—</u>	<u>.07</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.66</u>	15
16	<u>.06</u>	<u>—</u>	<u>.05</u>	<u>.33</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.01</u>	<u>.11</u>	<u>.04</u>	<u>.18</u>	16
17	<u>.11</u>	<u>.06</u>	<u>.04</u>	<u>.04</u>	<u>.38</u>	<u>—</u>	<u>.29</u>	<u>—</u>	<u>—</u>	<u>.22</u>	<u>—</u>	<u>.14</u>	17
18	<u>.13</u>	<u>.26</u>	<u>.09</u>	<u>—</u>	<u>.17</u>	<u>—</u>	<u>—</u>	<u>.46</u>	<u>—</u>	<u>.06</u>	<u>—</u>	<u>.01</u>	18
19	<u>—</u>	<u>.11</u>	<u>—</u>	<u>.04</u>	<u>.04</u>	<u>—</u>	<u>.39</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	19
20	<u>—</u>	<u>.22</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.49</u>	20
21	<u>—</u>	<u>.10</u>	<u>—</u>	<u>.14</u>	<u>.49</u>	<u>—</u>	<u>—</u>	<u>.07</u>	<u>—</u>	<u>—</u>	<u>.05</u>	<u>.24</u>	21
22	<u>.07</u>	<u>.39</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.12</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	22
23	<u>.19</u>	<u>.09</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>.10</u>	<u>—</u>	<u>.39</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	23
24	<u>.17</u>	<u>.40</u>	<u>—</u>	<u>.17</u>	<u>—</u>	<u>.06</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.53</u>	<u>.04</u>	24
25	<u>—</u>	<u>.21</u>	<u>—</u>	<u>.14</u>	<u>—</u>	<u>.51</u>	<u>.10</u>	<u>.15</u>	<u>—</u>	<u>.01</u>	<u>.06</u>	<u>—</u>	25
26	<u>—</u>	<u>.07</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>.02</u>	<u>.18</u>	26
27	<u>.52</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.10</u>	<u>.01</u>	<u>.47</u>	<u>—</u>	<u>.28</u>	<u>.64</u>	<u>—</u>	27
28	<u>—</u>	<u>.11</u>	<u>—</u>	<u>.24</u>	<u>.03</u>	<u>—</u>	<u>.12</u>	<u>—</u>	<u>—</u>	<u>.12</u>	<u>—</u>	<u>.05</u>	28
29	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>.07</u>	<u>—</u>	<u>.21</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	29
30	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.11</u>	<u>.59</u>	<u>—</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>.29</u>	<u>—</u>	30
31	<u>.04</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.10</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.42</u>	<u>—</u>	<u>.02</u>	31
Total	<u>2.11-3.46-0.77-1.97-2.12-2.68-2.03-2.56-0.52-2.46-3.84-5.86</u>												TOTAL for year
No. of Rain Days	<u>17-23-10-19-19-10-11-17-6-13-17-26-188</u>												

4th Total 2.11-5.57-6.34-8.31-10.43-13.11-15.14-17.70-18.22-20.68-24.52-30.38

REGIST

OXFORD.
BANBURY.

Kept at Ark House
in the County of O
by Alfred

"OAK HOUSE SCH."
1901-1903

NOTE.—Full instructions respecting the
of the Rainfall," which is sent post-free on application to

Lon. 1.4 W
Observation 9 a.m

Top above Ground
Sea Level 310 ft

Systematic Observation and Record
Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07		.39	.06			.77		.13	.10			1
2	.03	.05	.04	.04		.01				.01			2
3		.04	.15	.09			.32						3
4	.01		.10	.51				.01		.27			4
5		Snow	.09								.02	.03	5
6		Snow	.07	.06		.01		.08					6
7	Snow		.35	.02	.06					.21			7
8	Snow	.06	.16	.11	.20				.03	.02		.29	8
9	Snow	.03		.30	.4				.31	.03		.03	9
10				.20	.05							.15	10
11		.01		.20					.03				11
12				.34				.11	.03		.13	Snow	12
13				.07		.15		.20			.35	1.30	13
14				.15		.14	.10	.01			.20	.25	14
15		Snow		.29		.02		.43				.02	15
16				.18								Snow	16
17	.02	.01		.08		.08			.47	.14		.07	17
18	.12	Snow							.16	.12	.01	.03	18
19	.18	Snow								.31		.01	19
20	.15	.01	.37			.06			.01				20
21	.01					.17			.09		.04		21
22		.05				.03			.04	.01	.10		22
23	.01					.09	.07		.02	.04	.02		23
24							.25					.74	24
25	.07		Snow				.17			.10	.02	.21	25
26	.03						.68	.15				.01	26
27	.04	.24	Snow				1.17	.86			.01		27
28	.26			.09			.28	.23				.05	28
29			Snow				.44	.03				.68	29
30	.01		.23		.16	.02		.02		.04		.21	30
31			.10		.19			.02				.01	31
Totals	1.01	.50	2.05	2.79	1.06	.78	4.25	2.15	1.32	1.40	.90	4.09	
Total from Jan. 1		1.51	3.56	6.35	7.41	8.29	12.47	14.59	15.91	17.31	18.21	22.30	

REGIST

Kept at Ark House Sch. Banbury
in the County of Oxford
by Alfred J. Peale M.A.

RAIN GAUGE.

Lat. 52° 1' N Lon. 1° 4' W
Time of Observation 9 a.m.
Diameter
Height of top above Ground
Sea Level 310 ft

NOTE.—Full instructions respecting the measurement of rain are given in “Arrangements respecting the Systematic Observation and Record of the Rainfall,” which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07		.39	.06			.77		.13	.10			1
2	.03	.05	.04	.04		.01				.01			2
3		.04	.15	.09			.32						3
4	.01		.10	.51				.01		.27			4
5		Snow	.09								.02	.03	5
6		Snow	.07	.06		.01		.08					6
7	Snow		.35	.02	.06					.21			7
8	Snow	.06	.16	.11	.20				.03	.02		.29	8
9	Snow	.03		.30	.4				.31	.03		.03	9
10				.20	.05							.15	10
11		.01		.20					.03				11
12				.34				.11	.03		.13	Snow	12
13				.07		.15		.20			.35	1.30	13
14				.15		.14	.10	.01			.20	.25	14
15		Snow		.29		.02		.43				.02	15
16				.18								Snow	16
17	.02	.01		.08		.08			.47	.14		.07	17
18	.12	Snow							.16	.12	.01	.03	18
19	.18	Snow								.31		.01	19
20	.15	.01	.37			.06			.01				20
21	.01					.17			.09		.04		21
22		.05				.03			.04	.01	.10		22
23	.01					.09	.07		.02	.04	.02		23
24							.25					.74	24
25	.07		Snow				.17			.10	.02	.21	25
26	.03						.68	.15				.01	26
27	.04	.24	Snow				1.17	.86			.01		27
28	.26			.09			.28	.23				.05	28
29			Snow				.44	.03				.68	29
30	.01		.23		.16	.02		.02		.04		.21	30
31			.10		.19			.02				.01	31
Totals	1.01	.50	2.05	2.79	1.06	.78	4.25	2.15	1.32	1.40	.90	4.09	
Total from Jan. 1		1.51	3.56	6.35	7.41	8.29	12.47	14.59	15.91	17.31	18.21	22.30	

REGISTER OF RAINFALL IN 1902

Kept at Ark House School, Banbury
in the County of Oxford
by Alfred J. Beale M.A.

RAIN GAUGE.

Lat. 52.1 Long. 1.4
Time of Observation 4 a.m.
Diameter _____
Height of top above Ground _____
Sea Level 310

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12		.17		.04	.23	.15		.19	.01		.10	1
2	.31		.08		.04	.13	.07	.11	.04	.03		.30	2
3	.01	Snow			.12			.05	.12		.03		3
4		.14		.13	.20	.04			.02				4
5	.20			.05	.05	.05		.13					5
6	.02			.05	.01	.10		.24			.11		6
7					.05	.32		.46		.01	.14		7
8		Snow			.06	.07		.42		.03	.01		8
9		.03			.02	.02		.14			.31		9
10	.03		.02				.23	.01	.40	.85	.01		10
11	.02						.25	.14	.86	.01			11
12	.02			.11		.17		.09	.10		.16		12
13			.01			.20			.02	.02		.13	13
14						.13		.12		.52		.04	14
15			.59	.44	.06	.18		.01	.05	.03		.26	15
16				.61		.04				.20		.15	16
17					.12	.20		.05				.03	17
18					.30		.02	.12		.35		.26	18
19					.11			.13				.02	19
20			.15		.04	.25	.12	.03		.20		.03	20
21		.01	.02	.01		.22		.01	.01				21
22			.02	.19			.01			.01			22
23		.14		.15	.42	.02	.04	.10	.05				23
24	.04	.20		.02				.04	.03		.25		24
25	.02	.27	.33					.20			.07		25
26		.03					.21			.08	.07		26
27	.17	.27	.20				.20				.04		27
28	.06	.28								.01	.16	.05	28
29			.03					.47		.04	.39	.25	29
30			.02		.10			.29	.01	.02	.29	.01	30
31			.02		.24			.10				.15	31
Totals	1.02	1.37	1.66	1.76	1.98	2.37	1.30	3.46	1.90	2.42	2.04	1.78	
Total from Jan. 1		2.39	4.05	5.81	7.79	10.16	11.46	14.92	16.82	19.24	21.28	23.06	

5.a

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at Ark House Sch. Banbury
in the County of Oxford
by A. J. Beale M.A.

Lat. _____ Long. _____
Nearest Railway Station Banbury
Time of Observation 9 a.m.
Diameter _____ in.
Height of top above Ground _____ ft. _____ in.
" " Sea Level _____ ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.05		.04	.25						.21		1
2	.18	.01	.47	.11	.41			.01	.02	.04			2
3	.11		.15		.50		.01	.43	.22	.09	.18		3
4	.23			.08	.45				.03	.20		.14	4
5	.96		.23	.03	.07				.18	.47			5
6	.09		.01		.30		.02	.01		.02			6
7	.04	.01	.09		.14					.16		.11	7
8	.04	.01	.03	.02	.45					.23		.13	8
9	.09					.26			.17	.36		.31	9
10	.02		.23		<u>1.42</u>	.41		.03	.06		.03	.10	10
11			.01		.20	.46		.03	.59	.28		.70	11
12					.02		.11	.22		.91			12
13										.20	.04	.34	13
14						.28		.36		.03	.05	.02	14
15			.41	.06		1.05	.11	.11		.66	.02		15
16		.02			.05	.60	.01						16
17			.01		.25	.06	.05	.36		.27			17
18	.10		.57		.07	.02	.02	.24			.09	.02	18
19	.02		.01				.95	.24	.02	.28		.01	19
20	.01		.02			.66	.75	.01		.01			20
21								.37		.01		.01	21
22		.04					.68		.03	.04	.04		22
23	.15	.13					.03	.05	.03	.04			23
24		.18	.40				.48	.23			.04	.01	24
25	.01	.42	.01					.60	.25	.33		.04	25
26		.16	.07	.24		.01	.45	.01		.27			26
27		.39	.57	.33			.07	.01		.23	.04	.01	27
28	.30		.03	.38	.06		.21	.04	.02	1.11	1.10	.03	28
29	.01		.14	.55	.10		.07	.10	.20	.22	.28		29
30			.18	.10	.19		.33		.22	.02			30
31			.20		.48		.01	.02		.01			31
Totals	2.36	1.42	3.78	1.94	5.41	3.81	4.36	~~3.48~~ 3.48	2.04	6.49	2.12	1.98	
Total from Jan. 1	2.36	3.78	7.56	9.50	14.91	18.72	23.08	26.66	28.70	35.19	37.31	39.29	39.19

52

REG

BANBURY

01

9

Kept at *Grimston*
in the County of *York*
by *Banbury W.*

W.W.

OXON

1901-10

Lon.

of Observation

eter 5"

it of top above Ground 1'3"

Sea Level 3'20"

NOTE.—Full instructions respecting
of the Rainfall," which is sent post-free

ing the Systematic Observation and Record
at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2		.11	.20	.06			.26						2
3			.06	.18						.26			3
4		.31	.07										4
5			.08	.05				.08				.04	5
6			.31	.02	.07					.20			6
7	.06	.05	.13	.11	.20							.15	7
8	.07			.25	.40				.31	.04		.07	8
9		.02		.22	.05								9
10				.15					.07			.11	10
11				.33				.09	.03		.02	.10	11
12				.03		.15		.19			.36	1.14	12
13				.15		.07	.13				.18	.22	13
14		.05		.22				.39				.03	14
15				.14									15
16	.02			.08		.05			.43	.10		.06	16
17	.11								.10	.13			17
18	.05	.07								.27		.02	18
19	.26		.35			.05							19
20						.10			.08				20
21		.05							.05		.09		21
22	.04					.05	.09			.02	.03		22
23	.02						.08		.03			.46	23
24	.06					.05	.30			.09		.13	24
25			.07				.65	.14					25
26	.02	.23	.02				.93	.83					26
27	.18			.07			.25	.20					27
28		.37	.02				.40	.01				.66	28
29	.07		.17		.15			.02				.21	29
30			.09		.13	.80			.09	.02		.07	30
31			.02					.12				.11	31
Totals	0.95	1.26	1.61	2.36	1.00	1.32	3.09	2.07	1.19	1.15	0.68	3.48	
Total from Jan. 1		2.21	3.82	6.18	7.18	8.50	11.59	13.66	14.85	16.00	16.68	20.16	

REGISTER OF RAINFALL IN 1901

Kept at *Grimsbury*
in the County of *Northants*
by *Banbury Water Co*

RAIN GAUGE.

Lat..... Lon.....
Time of Observation.....
Diameter..... 5"
Height of top above Ground..... 1.3"
Sea Level..... 320

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2		.11	.20	.06			.26						2
3			.06	.18						.26			3
4		.31	.07										4
5			.08	.05				.08				.02	5
6			.31	.02	.07					.20			6
7	.06	.05	.13	.11	.20							.15	7
8	.07			.25	.20				.31	.02		.07	8
9		.02		.22	.05								9
10				.15					.07			.11	10
11				.33				.09	.03		.02	.10	11
12				.03		.15		.19			.36	1.12	12
13				.15		.07	.13				.18	.22	13
14		.05		.22				.39				.03	14
15				.12									15
16	.02			.08		.05			.43	.10		.06	16
17	.11								.10	.13			17
18	.05	.07								.27		.02	18
19	.26		.35			.05							19
20						.10			.08				20
21		.05							.05		.09		21
22	.07					.05	.09			.02	.03		22
23	.02						.08		.03			.46	23
24	.06					.05	.30			.09		.13	24
25			.07				.65	.14					25
26	.02	.23	.02				.93	.83					26
27	.18			.07			.25	.20					27
28		.37	.02				.40	.01				.66	28
29	.07		.17		.15			.02				.21	29
30			.09		.13	.80			.09	.02		.07	30
31			.02					.12				.11	31
Totals	0.95	1.26	1.61	2.36	1.00	1.32	3.09	2.07	1.19	1.15	0.68	3.48	
Total from Jan. 1		2.21	3.82	6.18	7.18	8.50	11.59	13.66	14.85	16.00	16.68	20.16	

£.a.

W. Corby O.W.

9.

REGISTER OF RAINFALL IN 1902

Kept at Banbury Waterworks Pumping Station
in the County of Northampton
by W. E. Wood Secy.

RAIN GAUGE.
Lat. Long.
Time of Observation
Diameter 5"
Height of top above Ground 1' 3"
Sea Level 320 feet

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20		.08		.04	.11	.06	.02	.04	.03		.26	1
2					.06			.04	.11		.03		2
3		.13		.11	.18	.04			.01			.08	3
4	.13			.05	.02	.04		.08					4
5	.03			.05	.02	.02		.24			.11		5
6					.06	.33		.40			.13		6
7					.04	.02		.59		.04			7
8		.03			.03	.06		.12			.26		8
9							.14	.06	.36	.83		.03	9
10	.02						.33	.03	.78				10
11	.02			.11		.14		.08	.07		.13		11
12			.01		.01	.20		.01	.03	.02		.03	12
13						.11		.09		.36			13
14			.50	.13	.04	.19			.03	.01		.21	14
15				.74		.03			.07	.16		.10	15
16					.10	.20		.08	.03			.02	16
17					.25			.10		.32		.24	17
18					.09			.13				.01	18
19					.03	.22	.19	.04		.17		.02	19
20			.12	.01		.33		.01					20
21			.03	.17						.01			21
22		.14		.12	.33	.03	.06	.02					22
23	.02	.13		.03				.09					23
24	.01	.29	.30					.32			.20		24
25		.04					.20			.07	.10		25
26	.14	.20	.19				.09						26
27	.05	.23					.01				.10		27
28		.13						.48		.04	.40	.19	28
29			.05		.10			.24		.01	.25		29
30			.01	.03	.20	.15		.04	.01		.07	.09	30
31					.23			.27					31
Totals	.62	1.32	1.29	1.55	1.83	2.22	1.08	3.58	1.54	2.07	1.78	1.28	
Total from Jan. 1	.62	1.94	3.23	4.78	6.61	8.83	9.91	13.49	15.03	17.10	18.88	20.16	✓

5a

REGISTER OF RAINFALL IN 1903

9
FORM A.
BRITISH RAINFALL.

Kept at *Pumping Sta. Guinobury*
in the County of *Nottingham*
by *W. F. Wood*

Lat. Long.
Nearest Railway Station *Wanbury*
Time of Observation *9.15.11*
Diameter *5* in.
Height of top above Ground *1* ft. *3* in.
" " Sea Level *320* ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15		.36	.12	.60					.03			1
2	.10		.12		.42			.38	.25	.06	.16		2
3	.16			.05	.41			.05	.05	.22		.08	3
4	.78		.17	.01	.05				.13	.43			4
5	.12				.22					.03			5
6	.03		.04		.15					.14			6
7	.02		.07	.02	.52					.24		.18	7
8	.08								.11	.38		.19	8
9	.01		.19		1.04	.48		.05	.08		.05	.09	9
10					.19	.35			.43	.15		.07	10
11					.02		.10	.23		.69			11
12										.38	.04	.32	12
13				.01		.27		.27			.02	.02	13
14			.40	.07		1.07	.12	.15		.54	.02		14
15					.07	.57							15
16		.02	.01		.24	.08	.05	.30		.27			16
17	.09		.33		.05	.02	.02	.22			.07	.02	17
18							1.25	.42	.04	.23			18
19	.04					.68	.73	.01		.01			19
20							.02	.26					20
21		.04					.40		.03	.04	.03		21
22	.11	.07					.17	.06	.04	.05		.01	22
23		.13	.34				.43	.08			.03		23
24		.36						.63	.24	.28		.07	24
25		.14	.05	.16			.44	.02		.22			25
26		.26	.44	.25						.23	.02		26
27	.25		.05	.38	.06		.23	.04	.02	1.08	.91	.03	27
28			.09	.50	.02		.07	.09	.17	.22	.27		28
29	.01		.12	.08	.19		.35		.22	.03			29
30			.14	.22	.32								30
31	.01		.02							.21			31
Totals	1.96	1.02	2.94	1.87	4.57	3.52	4.39	3.26	1.84	6.16	1.62	1.08	
Total from Jan. 1	1.96	2.98	5.92	7.79	12.36	15.88	20.26	23.52	25.36	31.52	33.14	34.22	

5a

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.

Kept at Grimsbury (Banbury Waterworks)
in the County of Northampton
by W. E. Wood

Lat. Long.
Nearest Railway Station Banbury
Time of Observation 9 A.M.
Diameter 5 in.
Height of top above Ground 1 ft. 3 in.
" " Sea Level 320 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.06	.04		.20	.14				.02	.02	.04	1
2	.01	.31	.23	.04	.02		.08		.35			.03	2
3	.15	.63	.16	.03			.13						3
4		.17	.01	.01								.04	4
5		.01	.02	.06	.01		.01			.05		.01	5
6		.10	.01		.03					.04	.36	.30	6
7	.08	.32	.33						.13	.01	.04		7
8	.01	.32							.07		.01		8
9	.04	.75		.03	.03	.10		.04			.02	.29	9
10	.23	.40			.06			.21		.03	.34	.11	10
11	.02	.01										.15	11
12	.12	.50		.12								.01	12
13	.21	.18		.01		.01						.29	13
14		.03	.03	.05		.16		.11	.26			.08	14
15				.19		.03						.02	15
16		.14								.26			16
17	.06	.02				.03		.15				.01	17
18	.02				.01								18
19		.08	.09				.08				.03		19
20	.03				.49					.01			20
21		.01	.02		.09			.18			.25		21
22				.22				.69	.02				22
23					.01		.07	.02	.40	.09	.06		23
24			.07		.05	.03		.07		.02			24
25		.06	.02			.02	1.18		.02				25
26	.06	.05			.37		.20						26
27	.25			.01	.58		.17					.09	27
28	.03		.26		0		.06						28
29	.28		.08		.07		.58				.01	.07	29
30	.32		.10				.03		.62	.03			30
31	.76		.01		.02					.06			31
Totals	2.71	1.45	1.50	.83	2.10	.52	2.59	1.49	2.44	.62	1.60	1.60	
Total from Jan. 1		6.96	8.46	9.29	11.39	11.91	14.50	15.99	18.23	18.85	20.25	21.85	

REGISTER OF RAINFALL IN 1905

Kept at *Banbury Waterworks Pumping Sta.*
Gurnebury.
in the County of *Chesham*
by *W. E. Moor*

Lat..... Long.....
Nearest Railway Station *Banbury*
Time of Observation *9 A.M.*
Diameter *5* in.
Height of top above Ground *1* ft. *3* in.
Sea Level *320* ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>0.01</i>		<i>.10</i>		<i>.10</i>	<i>.13</i>	<i>.09</i>				<i>.53</i>	<i>.01</i>	1
2	<i>.08</i>		<i>.05</i>		<i>.06</i>	<i>.01</i>		<i>.17</i>	<i>.03</i>		<i>.03</i>		2
3								<i>.56</i>			<i>.14</i>		3
4	<i>.06</i>		<i>.03</i>	<i>.01</i>				<i>.09</i>		<i>.01</i>	<i>.37</i>	<i>.02</i>	4
5	<i>.02</i>		<i>.08</i>	<i>.02</i>		<i>.18</i>		<i>.25</i>	<i>.06</i>	<i>.03</i>	<i>.02</i>	<i>.08</i>	5
6		<i>.06</i>	<i>.03</i>	<i>.15</i>		<i>.62</i>		<i>.02</i>	<i>.08</i>			<i>.07</i>	6
7		<i>.05</i>		<i>.16</i>		<i>.20</i>		<i>.02</i>	<i>.02</i>			<i>.21</i>	7
8	<i>.18</i>		<i>.21</i>	<i>.06</i>					<i>.10</i>		<i>.03</i>	<i>.03</i>	8
9	<i>.09</i>			<i>.21</i>			<i>.77</i>		<i>.19</i>				9
10			<i>.28</i>	<i>.15</i>		<i>.03</i>	<i>.01</i>	<i>.02</i>			<i>.76</i>		10
11	<i>.07</i>		<i>.16</i>	<i>.45</i>		<i>.15</i>	<i>.02</i>				<i>.12</i>		11
12			<i>.25</i>			<i>.02</i>					<i>.17</i>	<i>.01</i>	12
13			<i>.42</i>	<i>.08</i>					<i>.03</i>		<i>.20</i>		13
14			<i>.20</i>	<i>.07</i>		<i>.07</i>			<i>.01</i>		<i>.02</i>		14
15			<i>.41</i>			<i>.06</i>	<i>.03</i>	<i>.59</i>		<i>.15</i>			15
16	<i>.11</i>		<i>.02</i>	<i>.66</i>		<i>.40</i>							16
17			<i>.07</i>	<i>.03</i>		<i>.17</i>		<i>.31</i>	<i>.01</i>			<i>.03</i>	17
18		<i>.02</i>	<i>.01</i>	<i>.01</i>				<i>.02</i>	<i>.17</i>			<i>.06</i>	18
19		<i>.03</i>		<i>.12</i>		<i>.10</i>						<i>.02</i>	19
20		<i>.01</i>				<i>.02</i>		<i>.02</i>	<i>.02</i>				20
21								<i>.15</i>	<i>.10</i>				21
22							<i>.08</i>	<i>.17</i>	<i>.17</i>		<i>.10</i>		22
23		<i>.05</i>	<i>.12</i>	<i>.06</i>				<i>.10</i>					23
24	<i>.02</i>		<i>.01</i>						<i>.02</i>				24
25		<i>.31</i>	<i>.08</i>	<i>.39</i>				<i>.16</i>	<i>.03</i>		<i>.31</i>		25
26		<i>.08</i>	<i>.02</i>	<i>.01</i>			<i>.03</i>		<i>.03</i>	<i>.12</i>	<i>.39</i>		26
27			<i>.10</i>					<i>.24</i>	<i>.14</i>			<i>.12</i>	27
28		<i>.03</i>		<i>.06</i>				<i>1.12</i>		<i>.08</i>	<i>.13</i>	<i>.18</i>	28
29			<i>.09</i>		<i>.02</i>	<i>.21</i>		<i>.11</i>		<i>.14</i>		<i>.10</i>	29
30				<i>.16</i>	<i>.12</i>	<i>.78</i>			<i>.03</i>	<i>.05</i>	<i>.16</i>		30
31	<i>.03</i>				<i>.01</i>					<i>.21</i>			31
Totals	<i>0.67</i>	<i>0.64</i>	<i>2.76</i>	<i>2.69</i>	<i>0.31</i>	<i>3.05</i>	<i>1.05</i>	<i>4.38</i>	<i>1.36</i>	<i>.79</i>	<i>3.48</i>	<i>.94</i>	<i>160</i>
Total from Jan. 1		<i>1.31</i>	<i>4.07</i>	<i>6.76</i>	<i>7.07</i>	<i>10.12</i>	<i>10.17</i>	<i>15.55</i>	<i>16.91</i>	<i>17.70</i>	<i>21.18</i>	<i>22.12</i>	

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.

Kept at Grimsbury

in the County of Northants.

by Banbury Water Co. (W. E. Wood)

Lat. _____ Long. _____

Nearest Railway Station Banbury

Time of Observation 9.4.06

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

Sea Level 320 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.02	.06		.02	.11		.03	.02	.37			1
2	.47	.06			.07	.02		.19		.87	.02	.07	2
3	.06				.15			.12			.09		3
4	.16							.02		.66	.12	.01	4
5	.70				.17						.62	.17	5
6	.02						.01				.105	.06	6
7	.34		.02		.03					.75	1.03		7
8	.02	.15								.15	.01	.03	8
9	.17	.13			.01					.59			9
10	.16	.14	.38				.03	.04		.01			10
11		.06	.13						.02			.07	11
12	.38		.10						.35	.15		.03	12
13	.01	.07		.03			.20		.33			.20	13
14		.13	.05			.02		.07	.09			.02	14
15	.10	.10	.02		.02	.49	.06	.07			.07	.40	15
16	.34	.20			.10	.54		.02	.20	.08	.77	.02	16
17	.23		.15	.10				.03	.04	.07	.11		17
18	.09	.15					.03		.03	.68	.02	.06	18
19		.11									.11		19
20	.08		.07	.05	.26				.02	.02	.36		20
21	.02		.07	.05		.02	.07			.02			21
22		.01		.02						.02			22
23			.10	.08	.17	.38	.02	.07					23
24	.24	.09	.06					.23		.06		.02	24
25	.01		.06		.17							.29	25
26		.15	.02	.14	.32		.10			.02			26
27		.30	.03		.02	.19	.01			.07		.07	27
28		.05				1.20	.28			.15		.11	28
29				.02		.02				.05	.07		29
30				.06	.08					.06		.10	30
31					.03							.01	31
Total	3.67	1.92	1.26	.56	1.50	3.05	.75	.77	1.09	4.29	3.29	1.73	TOTAL for year
No. of Rain Days	20	17	15	9	15	10	10	11	8	20	14	18	167

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.
18 FEB 1908

Kept at Pumping Station Grimsbury
in the County of Northants.
by Banbury Water Co per Mr. E. Wood
Manager

Lat. _____ Long. _____
Nearest Railway Station Banbury
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " Sea Level 320 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40	.22			.11	.99				.25	.01		1
2	.09	.24			.07	.09		.57	.23			.46	2
3		.02		.02	.08				.01				3
4		.01				.05			.29			.74	4
5		.03	.07	.06		.01		.02	.02	.14			5
6				.20	.01	.07		.10		.33		.09	6
7			.03	.05	.16	.01	.02		.07		.01	.25	7
8		.15	.05	.05	.05					.07	.04	.08	8
9		.07	.21		.02		.10	.07		.07		.12	9
10	.07	.14	.04			.30	.17			.44		.48	10
11		.18	.01	.11		.53		.10				.12	11
12		.19	.10	.55	.07	.05					.07	.37	12
13			.09		1.24	.21	.01	.02		.38		.05	13
14		.06	.01			.06		.09		.39	.03		14
15					.16	.16		.07		.06			15
16			.11		.07			.03		1.14	.07		16
17		.04	.07					.47			.20		17
18		.10				.07				.12	.10	.07	18
19		.16	.10		.09			.27		.16			19
20	.04	.02		.95	.03	.02		.01		.38	.02	.01	20
21				.21	.37		.27			.07			21
22					.20	.06	.08	.09		.11	.16	.13	22
23					.03	.08				.07		.07	23
24					.03	.11				.04	.11	.07	24
25					.21	.07	.17	.04	.08		.37		25
26					.14		.04				.35		26
27				.23		.11	.11				.03	.07	27
28				.02			.03				.14		28
29				.03		.07				.55			29
30				.09	.24	.15				.26		.02	30
31					.03			.03		.07			31
Total	6.4	1.17	.83	1.89	3.19	3.18	1.00	1.92	.70	4.98	1.59	2.84	23.89
	4	13	12	13	21	21	10	15	6	20	15	17	167

50.

REGISTER OF RAINFALL IN 1908

Kept at Banbury Water Works

in the County of Northampton

by W. E. Webb

Lat.

Long.

Nearest Railway Station Banbury

Time of Observation 9 A.M.

Diameter of Rain Gauge 5.5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

Sea Level 320 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.08						.04				1
2			.03		.62				.01				2
3			.08	.02	.25		.02		.01				3
4				.08	.06				.07			.06	4
5	.11		.46	.13	.03	.02		.01				.08	5
6	.03		.14	.03	.09								6
7	.80		.02		.07	.02							7
8	.07		.23		.01				.02	.19		.19	8
9			.02	.02		.01			.01	.17		.22	9
10			.12					.07			.02	.05	10
11					.01	.06			.17		.09		11
12				.02	.03	.01		.12			.08	.12	12
13				.01	.05	.03	.02	.02			.03	.05	13
14	.02				.40		.69				.15	.14	14
15		.05	.31		.07		.02		.17			.01	15
16	.02	.17	.01			.31	.50		.15	.09		.10	16
17		.06				1.19	.41					.03	17
18		.06							.12	.02	.10	.01	18
19										.01		.11	19
20				.01				.41	.09	.11		.01	20
21								.31		.01	.20	.02	21
22		.12	.16	.03	.09			.09			.01	.01	22
23		.09		.43				.47	.02	.01		.07	23
24			.43	.11				.02		.06	.09		24
25			.39	.68				.01	.06	.03	.01		25
26	.05	.03		.35				.28		.09			26
27		.11	.20	.45				.05	.03	.11			27
28	.09	.02	.07	.47				.07		.02	.07	.10	28
29	.02		.17					.05			.02	.17	29
30				.07				.08		.01		.41	30
31					.07			1.04				.05	31
Total	1.21	.73	2.93	2.91	1.85	1.65	1.48	3.60	1.29	.95	.87	1.81	TOTAL for year
No. of Rain Days	9	9	17	16	14	8	6	16	14	14	12	21	156

REGISTER OF RAINFALL IN 1909

FORM A2
BRITISH RAINFALL
25 FEB 1910

Kept at Banbury Waterworks Pumping Station
Grimsbury
in the County of Northants
by H. E. Wood

Pattern Funnel shaped
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 320 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Banbury
Distance 1 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.02	.16	.09		.10	.48		.49	.23	.04	.05	.14	2
3						.01				.08	.02	.15	3
4							.01			.16		.13	4
5	.04		.16			.15	.02		.02	.03		.14	5
6	.03		1.17			.14	.16		.01			.19	6
7	.12		.02				.12		.01	.26			7
8									.01	.03			8
9	.03	.07	.02				.30			.04		.19	9
10	.11	.28	.03			.11	.01			.20	.01	.26	10
11		.01	.06	.01		.05	.20		.03	.06			11
12				.03		.02			.16	.25		.03	12
13	.07		.12	.08	.06		.22		.12	.06	.01		13
14	.10	.01	.02		.01						.14		14
15	.11						.25	.01	.03	.06	.01	.01	15
16					.31		.02	.07		.05	.03	.16	16
17					.03			.89	.11	.02	.01	.02	17
18	.05		.22			.01	.25	.10			.02	.03	18
19				.22		.02		.02		.02		.07	19
20			.01			.13	.07	.11		.17			20
21			.05			.35		.02	.01	.03		.78	21
22			.03	.16		.18		.07	.20	.04			22
23				.19		.68		.05	.21	.48		.18	23
24			.19		.67	.20		.17	.24		.04	.14	24
25			.07	.06	.13	.10	.12		.02	.01	.01	.03	25
26		.02		.03	.18	.30				.40	.02		26
27		.04	.14	.08	.08	.11	.71		.38	.10		.12	27
28			.10	.06	.07	.25			.57	.05		.01	28
29	.02			.86		.02	.12	.08	.02	.01	.14		29
30				.06			.10	.01	.41	.01		.01	30
31			.03		.23		.02			.02		.02	31
Total	.70	.61	2.53	1.84	1.87	3.76	2.70	2.09	3.01	2.69	.51	3.28	TOTAL for year 25.59
No. of Rain Days	11	8	18	12	11	20	17	13	20	27	13	22	192

50

80x 1886
REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.
FEB 1911

Kept at Banbury Water Works Pumping Sta.
Grimshurst.
in the County of Northants.
by W. E. Wood (41 Marlboro. Rd.
Banbury)

PATTERN
RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 320 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Banbury
Distance 1 mile Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.18			.02	.04	.38	.02		.59	.03	.32	1
2		.11			.03	.01	.18	.01		.11	.06	.25	2
3					.07		.04	.13			.43	.45	3
4				.19	.05			.01				.12	4
5		.06		.03	.03		.52				.02	.01	5
6	.01	.06	.02	.02	.11		.07	.04			.43		6
7		.09	.01		.05	.04	.09					.02	7
8	.02	.02	.08		.01			.03				.17	8
9	.02		.14	.03	.03	.25		.03				.44	9
10	.17	.01				.05			.04	.04	.11	.39	10
11	.29	.04	.13		.17	.01		.03	.03	.26	.10	.01	11
12			.08	.08	.03					.26	.02	.28	12
13	.02	.07		.06	.02			.07	.05		.50	.26	13
14		.43		.15			.01	.25	.03		.02	.57	14
15	.11	.01		.05	.01				.02		.03	.56	15
16	.03	.03	.01	.39				.01		.09		.11	16
17	.08	.02	.02		.45		.17			.15		.10	17
18	.10	.22	.07	.02	.18			.53		.07			18
19		.02		.02	.04			.01		.13	.08		19
20		.25					.30	.03				.32	20
21		.08		.11	.35							.19	21
22	.04	.27				.19	.06					.01	22
23		.05		.01		.07		.33			.59	.01	23
24	.16	.35		.03		.06	.04			.01	.03	.03	24
25	.10	.16		.13		.40	.11	.10		.01	.03	.01	25
26		.07				.08		.11	.02		.01	.12	26
27		.01		.01			.01			.31	.57		27
28	.38	.08		.26	.05		.10	.44	.01	.06		.02	28
29	.02				.01	.09		.20					29
30				.01	.12			.04			.14		30
31					.16					.38			31
Total	1.57	2.71	.61	1.60	1.79	1.29	2.08	2.47	.50	2.47	3.16	4.59	TOTAL for year 1910 24.84
No. of Rain Days	16	24	9	18	21	12	14	20	7	14	18	24	197

Imp 5 a.

REGI

OXFORD

02

Kept at Bice
in the County of Or
by huff

BICESTER

1902-1907

1° 54' N. Long. 1° 9' W.
of Observation 8.30 A.M.
ter 9 in.
t of top above Ground 6 inches
Sea Level 238 ft

NOTE.—Full instructions respecting "Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	.11	.04	.05	.06	.14	—	.02	—	—	.21	1
2		—	.20	—	.11	—	—	.05	.12	—	.01	—	2
3		.07	—	.03	.26	.04	—	—	—	—	—	.03	3
4		—	—	—	.01	.07	—	.26	.03	—	—	—	4
5		—	—	.11	.04	.01	—	.23	—	—	.19	—	5
6		—	—	—	.01	.21	—	.22	—	.05	.17	—	6
7		—	—	—	.02	.35	—	.43	—	—	—	—	7
8		.10	—	—	.02	.03	—	—	—	.31	.20	—	8
9		—	—	—	—	—	.29	—	.11	.03	.01	—	9
10		—	—	—	—	—	.02	—	.76	.05	.01	—	10
11	.02	—	—	.13	.01	.09	—	.65	.37	—	.06	—	11
12	—	—	.02	—	—	.21	—	—	.02	—	—	.09	12
13	—	—	—	—	—	.20	—	—	—	.21	—	.03	13
14	—	—	.41	.11	.06	.41	—	—	.01	.01	—	.16	14
15	—	—	—	.63	.03	.10	—	—	.05	.05	—	.10	15
16	—	—	—	—	.14	.02	—	—	.05	—	—	.05	16
17	—	—	—	—	.20	—	.03	.07	—	.30	—	.25	17
18	—	—	—	—	.01	—	—	.33	—	—	—	—	18
19	—	—	.05	—	.02	.19	.08	.10	—	.20	—	.02	19
20	—	—	.06	.04	—	.06	.02	.01	—	.01	—	—	20
21	—	.23	.03	.11	—	—	—	—	—	.04	—	—	21
22	—	.16	—	.05	.31	.01	.19	—	.03	—	—	—	22
23	—	.20	—	.01	—	—	—	.20	.02	—	—	—	23
24	.06	.01	.16	—	—	—	—	—	—	—	.23	.03	24
25	—	—	—	—	—	—	.20	—	—	.03	.09	—	25
26	.20	.15	.21	—	—	—	.21	—	.01	.01	.01	—	26
27	.05	.07	—	—	—	—	.09	—	.01	—	.03	—	27
28	—	—	—	—	—	—	—	.01	—	.04	.53	.30	28
29	—	—	.07	—	.12	—	—	.05	—	.02	.29	—	29
30	—	—	.03	.03	.21	.15	—	.05	.02	—	.16	.15	30
31	—	—	—	—	.22	—	—	.31	—	—	—	—	31
Totals	.33	.99	1.35	1.29	1.85	2.21	1.27	2.97	1.63	1.36	1.99	1.42	
Total from Jan. 1	.33	1.32	2.67	3.96	5.81	8.02	9.29	12.26	13.89	15.25	17.24	18.66	imp

REGISTER OF RAINFALL IN 1902

Kept at Bicester
in the County of Oxford
by Wm H Piggott

RAIN GAUGE.

Lat. 51° 54' N Long. 1° 9' W.
Time of Observation 8.30 A.M.
Diameter 9 in.
Height of top above Ground 6 inches
" " Sea Level 238 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	.11	.04	.05	.06	.14	—	.02	—	—	.21	1
2		—	.20	—	.11	—	—	.05	.12	—	.01	—	2
3		.07	—	.03	.26	.04	—	—	—	—	—	.03	3
4		—	—	—	.01	.07	—	.26	.03	—	—	—	4
5		—	—	.11	.04	.01	—	.23	—	—	.19	—	5
6		—	—	—	.01	.21	—	.22	—	.05	.17	—	6
7		—	—	—	.02	.35	—	.43	—	—	—	—	7
8		.10	—	—	.02	.03	—	—	—	.31	.20	—	8
9		—	—	—	—	—	.29	—	.11	.03	.01	—	9
10		—	—	—	—	—	.02	—	.76	.05	.01	—	10
11	.02	—	—	.13	.01	.09	—	.65	.37	—	.06	—	11
12	—	—	.02	—	—	.21	—	—	.02	—	—	.09	12
13	—	—	—	—	—	.20	—	—	—	.21	—	.03	13
14	—	—	.41	.11	.06	.41	—	—	.01	.01	—	.16	14
15	—	—	—	.63	.03	.10	—	—	.05	.05	—	.10	15
16	—	—	—	—	.14	.02	—	—	.05	—	—	.05	16
17	—	—	—	—	.20	—	.03	.07	—	.30	—	.25	17
18	—	—	—	—	.01	—	—	.33	—	—	—	—	18
19	—	—	.05	—	.02	.19	.08	.10	—	.20	—	.02	19
20	—	—	.06	.04	—	.06	.02	.01	—	.01	—	—	20
21	—	.23	.03	.11	—	—	—	—	—	.04	—	—	21
22	—	.16	—	.05	.31	.01	.19	—	.03	—	—	—	22
23	—	.20	—	.01	—	—	—	.20	.02	—	—	—	23
24	.06	.91	.16	—	—	—	—	—	—	—	.23	.03	24
25	—	—	—	—	—	—	.20	—	—	.03	.09	—	25
26	.20	.15	.21	—	—	—	.21	—	.01	.01	.01	—	26
27	.05	.07	—	—	—	—	.09	—	.01	—	.03	—	27
28	—	—	—	—	—	—	—	.01	—	.04	.53	.30	28
29	—	—	.07	—	.12	—	—	.05	—	.02	.29	—	29
30	—	—	.03	.03	.21	.15	—	.05	.02	—	.16	.15	30
31	—	—	—	—	.22	—	—	.31	—	—	—	—	31
Totals	.33	.99	1.35	1.29	1.85	2.21	1.27	2.97	1.63	1.36	1.99	1.42	
Total from Jan. 1	.33	1.32	2.67	3.96	5.81	8.02	9.29	12.26	13.89	15.25	17.24	18.66	in.

S.M.A.

Correct by Obs.

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at Bicester
in the County of Oxford
by W. H. Piggott

Lat. 51° 54' N. Long. 1° 9' W
Nearest Railway Station Bicester
Time of Observation 8.30 A.M.
Diameter 9 in.
Height of top above Ground — ft. 6 in.
" " Sea Level 238 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	.06	.36	.14	.28	.00	.00	.03	.00	.23	.00	.00	1
2	.19	.00	.34	.00	.54	.00	.00	.26	.32	.09	.22	.00	2
3	.15	.00	.01	.05	.52	.00	.00	.00	.04	.27	.00	.08	3
4	.28	.00	.19	.06	.02	.00	.00	.00	.14	.58	.00	.00	4
5	.78	.00	.03	.00	.98	.00	.00	.00	.01	.07	.00	.00	5
6	.20	.00	.01	.00	.22	.00	.00	.00	.00	.20	.00	.01	6
7	.01	.01	.02	.01	.02	.00	.00	.00	.00	.08	.00	.14	7
8	.00	.01	.00	.00	.00	.24	.00	.00	.07	.27	.03	.18	8
9	.15	.00	.26	.00	.81	.32	.00		.03	.00	.01	.15	9
10	.01	.00	.05	.00	.10	.68	.00		.46	.10	.00	.00	10
11	.08	.00	.00	.04	.01	.01	.02		.01	.54	.00	.00	11
12	.00	.00	.00	.00	.00	.00	.00		.01	.56	.02	.25	12
13	.00	.00	.00	.00	.00	.51	.00	1.44	.00	.02	.03	.01	13
14	.00	.00	.29	.01	.00	1.09	.05		.00	.39	.03	.01	14
15	.00	.02	.00	.05	.06	1.18	.00		.00	.09	.00	.00	15
16	.00	.00	.00	.01	.36	.03	.15		.00	.17	.00	.00	16
17	.00	.00	.33	.00	.15	.06	.11		.00	.00	.10	.00	17
18	.18	.00	.01	.00	.00	.00	.35	.00	.01	.28	.00	.00	18
19	.00	.01	.01	.00	.00	.53	.51	.00	.01	.08	.00	.05	19
20	.06	.00	.00	.00	.00	.00	.01	.22	.00	.08	.00	.01	20
21	.01	.01	.00	.00	.00	.00	.06	.00	.05	.08	.01	.00	21
22	.00	.05	.00	.00	.00	.00	.11		.01	.00	.01	.00	22
23	.15	.02	.49	.00	.00	.00	.59	.64	.00	.01	.06	.01	23
24	.00	.25	.01	.00	.00	.00	.00		.20	.41	.00	.02	24
25	.02	.21	.07	.31	.00	.00	.33	.00	.00	.78	.00	.01	25
26	.02	.06	.22	.26	.00	.00	.07	.00	.02	.21	.03	.01	26
27	.00	.01	.07	.32	.05	.00	.22	.08	.00	.94	.68	.03	27
28	.26	.01	.06	.45	.80	.00	.10	.07	.14	.26	.33	.00	28
29	.00		.08	.30	.05	.00	.47	.00	.28	.01	.00	.00	29
30	.00		.16	.11	.53	.00	.01	.01	.00	.00	.00	.00	30
31	.00		.00		.00		.00	.00		.17		.00	31
Totals	2.55	.73	3.07	2.12	5.50	4.65	3.16	2.85	1.81	6.97	1.56	.97	
Total from Jan. 1	2.55	3.28	6.35	8.47	13.97	18.62	21.78	24.63	26.44	33.41	34.97	35.94	

See note 5a

REGISTER OF RAINFALL IN 1904

BRITISH RAINFALL

Kept at Bicester
in the County of Oxford
by Wm H Piggott

RAIN GAUGE.

Lat. 51° 54' N Long. 1° 9' W
Nearest Railway Station Bicester
Time of Observation 8.30 A.M.
Diameter 9 in.
Height of top above Ground — ft. 6 in.
" " Sea Level 238 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	Nov.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	.04	.03		.21	.02	.01	.00	.00	.02	.04	.00	1
2	.01	.35	.18		.08	.00	.14	.00	.22	.00	.01	.08	2
3	.06	.46	.07	.14	.00	.00	.15	.00	.01	.00	.00	.01	3
4	.07	.06	.16		.00	.00	.03	.16	.00	.00	.00	.14	4
5	.01	.01	.01		.01	.00	.00	.00	.00	.11	.00	.10	5
6	.00	.09	.01	.00	.03	.00	.00	.01	.00	.03	.33	.37	6
7	.16	.34	.27	.01	.02	.00	.00	.00	.13	.01	.30	.01	7
8	.00	.13	.00	.02	.00	.00	.00	.00	.12	.00	.04	.02	8
9	.01	.87	.02	.02	.08	.15	.00		.00	.01	.01	.19	9
10	.25	.29	.00	.00	.05	.00	.00		.00	.02	.36	.13	10
11	.02	.00	.00	.00	.02	.00	.00		.00	.00	.00	.17	11
12	.09	.41	.00	.08	.00	.00	.00	.32	.34	.00	.00	.01	12
13	.22	.09	.00	.02	.00	.28	.00		.00	.00	.01	.16	13
14	.12	.07	.04	.07	.00	.05	.00		.29	.00	.00	.16	14
15	.00	.00	.00	.32	.00	.04	.00		.00	.00	.00	.01	15
16	.01	.10	.00	.00	.01	.00	.00	.01	.00	.22	.00	.00	16
17	.10	.10	.00	.00	.00	.00	.00	.22	.00	.00	.01	.01	17
18	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	18
19	.01	.08	.04	.00	.00	.00	.08	.00	.00	.01	.01	.00	19
20	.03	.00	.00	.00	.61	.00	.00	.00	.00	.00	.00	.00	20
21	.00	.02	.00	.00	.09	.00	.00	.06	.00	.08	.20	.00	21
22	.00	.00	.01	.16	.00	.00	.01	.51	.04	.00	.03	.00	22
23	.00	.00	.00	.00	.08	.00	.00	.00	.03	.13	.00	.00	23
24	.00	.00	.04	.00	.02	.11	.00	.00	.01	.00	.00	.01	24
25	.01	.00	.01	.00	.00	.01	1.19	.09	.01	.00	.00	.00	25
26	.11	.10	.00	.00	.99	.00	.27	.00	.00	.00	.00	.06	26
27	.24	.00	.00	.00	.41	.00	.10	.00	.00	.00	.00	.03	27
28	.12	.00	.25	.00	.00	.00	.06	.00	.00	.00	.00	.00	28
29	.37	.00	.04	.04	.00	.00	.36	.00	.00	.00	.10	.02	29
30	.50		.07	.00	.08	.01	.11	.00	.41	.02	.01	.00	30
31	.72		.00		.02		.01	.25		.04		.00	31
Totals	3.25	3.61	1.25	.88	2.81	.67	2.52	1.63	1.61	.70	1.46	1.69	
Total from Jan. 1	3.25	6.86	8.11	8.99	11.80	12.47	14.99	16.62	18.23	18.93	20.39	22.08	

REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL.

Kept at Bicester, Oxfordshire
in the County of Oxford
by M^r. H. Piggott

Lat. 51°54' N. Long. 1°9' W.
Nearest Railway Station Bicester
Time of Observation 8.30 A.M.
Diameter 9 in.
Height of top above Ground — ft. 6 in.
Sea Level 238 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	.00	.06	.00	.06	.11	.03	.00	.03	.01	.52	.01	1
2	.10	.00	.01	.00	.04	.00	.01	.25	.00	.04	.01	.01	2
3	.00	.00	.00	.00	.00	.00	.00	.34	.00	.01	.02	.01	3
4	.24	.00	.05	.01	.00	.00	.00	.01	.00	.06	.36	.00	4
5	.01	.00	.15	.00	.00	.33	.00	.03	.07	.00	.01	.08	5
6	.00	.06	.01	.14	.00	.83	.00	.11	.15	.00	.00	.06	6
7	.00	.03	.03	.09	.00	.17	.00	.02	.05	.01	.00	.27	7
8	.17	.00	.17	.02	.00	.00	.00	.00	.13	.00	.00	.05	8
9	.13	.00	.01	.27	.00	.00	.06	.00	.11	.00	.02	.00	9
10	.00	.05	.34	.27	.00	.13	.02	.00	.00	.01	.59	.00	10
11	.02	.00	.08	.19	.01	.19	.00		.00	.01	.09	.00	11
12	.00	.00	.24	.00	.00	.01	.00		.00	.01	.21	.01	12
13	.00	.00	.39	.09	.00	.00	.00		.02	.01	.02	.00	13
14	.00	.00	.22	.07	.02	.00	.00		.00	.00	.00	.00	14
15	.00	.00	.17	.00	.00	.30	.03		.00	.17	.02	.00	15
16	.13	.01	.12	.04	.00	.45	.00		.00	.00	.00	.00	16
17	.00	.00	.10	.00	.00	.05	.01	.66	.00	.00	.00	.03	17
18	.00	.01	.00	.01	.01	.01	.00		.00	.00	.00	.03	18
19	.00	.05	.00	.03	.00	.09	.00		.01	.00	.00	.01	19
20	.00	.02	.00	.01	.00	.01	.00		.01	.00	.00	.00	20
21	.00	.00	.00	.00	.00	.00	.00		.00	.00	.00	.00	21
22	.02	.00	.00		.00	.00	.02	.05	.00	.00	.12	.00	22
23	.00	.05	.16		.00	.00	.02	.01	.00	.00	.03		23
24	.02	.00	.00		.00	.00	.00	.00	.00	.00	.00		24
25	.00	.12	.07		.00	.00	.00	.14	.42	.00	.07		25
26	.00	.08	.14	.72	.00	.00	.00	.08	.01	.06	.50		26
27	.01	.00	.09		.00	.00	.00	.48	.02	.00	.00	.33	27
28	.01	.02	.00		.00	.00	.00	.77	.14	.10	.06		28
29	.00		.03		.07	.18	.02	.02	.04	.33	.01		29
30	.00		.00		.55	.87	.00	.01	.00	.08	.21		30
31	.05		.00		.02		.00	.00		.10			31
Totals	.91	.50	2.64	1.96	.78	3.73	.22	2.98	1.21	1.01	2.87	.90	
Total from Jan. 1	.91	1.41	4.05	6.01	6.79	10.52	10.74	13.72	14.93	15.94	18.81	19.71	

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.

Kept at Bicester
in the County of Oxford
by H. H. Piggott

Lat. 51°54' N. Long. 1°9' W
Nearest Railway Station Bicester
Time of Observation 8.30 A.M.
Diameter of Rain Gauge 9 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " Sea Level 238 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.01	.02	.00	.01	.37	.00	.00	.00	.45	.00	.00	1
2	.32	.05	.02	.00	.12	.01	.00	.36	.00	1.01	.00	.02	2
3	.14	.02	.01	.00	.03	.00	.00		.00	.00	.09	.02	3
4	.58	.00	.00	.00	.01	.00	.00		.00	.61	.12	.02	4
5	.56	.00	.08	.00	.12	.00	.00		.00	.02	.01	.18	5
6	.01	.00	.01	.00	.00	.00	.00		.00	.01	.55	.04	6
7	.35	.01	.01	.00	.00	.00	.00		.00	.29	.37	.00	7
8	.02	.09	.20	.00	.00	.00	.00		.00	.11	1.19	.11	8
9	.09	.19	.00	.00	.02	.00	.00		.00	.49	.05	.00	9
10	.00	.11	.43	.00	.00	.00	.00	.44	.00	.01	.00	.00	10
11	.15	.04	.13	.00	.00	.00	.00		.00	.00	.00	.08	11
12	.42	.00	.01	.01	.00	.00	.07		.01	.15	.00	.03	12
13	.06	.04	.04	.00	.00	.00	.19		.34	.00	.00	.21	13
14	.01	.07	.05	.00	.00	.04	.00		.32	.00	.00	.02	14
15	.10	.15	.04	.00	.01	.09	.04		.01	.00	.06	.40	15
16	.22	.25	.00	.00	.17	.21	.00		.30	.15	.24	.14	16
17	.16	.00	.07	.11	.00	.00	.00		.01	.06	.11	.00	17
18	.18	.09	.00	.00	.00	.00	.04		.02	.68	.00	.06	18
19	.00	.04	.00	.00	.00	.00	.00	.00	.00	.01	.09	.00	19
20	.08	.00	.07	.00	.48	.00	.00	.00	.05	.03	.27	.00	20
21	.01	.00	.04	.04	.00	.00	.00	.00	.00	.01	.00	.00	21
22	.00	.02	.00	.01	.00	.00	.00	.00	.00	.02	.01		22
23	.00	.02	.13	.10	.15	.55	.10	.00	.00	.00	.00		23
24	.21	.08	.02	.00	.01	.00	.00	.33	.00	.05	.01		24
25	.03	.00	.01	.00	.16	.00	.00	.00	.00	.00	.00	.15	25
26	.01	.10	.04	.00	.24	.00	.02	.00	.00	.01	.00		26
27	.00	.20	.00	.16	.03	.12	.05	.00	.00	.00	.00		27
28	.00	.01	.00	.03	.00	1.69	.47	.00	.00	.11	.00		28
29	.01		.00	.01	.00	.08	.00	.00	.00	.12	.01		29
30	.00		.00	.00	.06	.00	.00	.00	.00	.15	.00	.16	30
31	.00		.00		.02		.00	.00		.00		.22	31
Total	3.75	1.59	1.43	.47	1.64	3.16	.98	1.13	1.06	4.55	3.18	1.86	TOTAL for year 24.80
No. of Rain Days	23	20	20	8	16	9	8		8	22	15		

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Lat. *51° 54' N.* Long. *1° 9' W*

Nearest Railway Station *Bicester*

Time of Observation *8.30 A.M.*

Diameter of Rain Gauge *9* in.

Height of top of Gauge above Ground *—* ft. *6* in.

" " " Sea Level *238* ft.

Kept *Bicester*
in the County of *Oxford*
by *W. H. Piggoth*

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48	.00	.00	.00	.08	.53	.00	.00	.02	.23	.02	.00	1
2	.10	.00	.01	.00	.09	.02	.09	.49	.17	.00	.01	.57	2
3	.00	.00	.00	.01	.18	.00	.24	.00	.19	.00	.01	.01	3
4	.01	.02	.00	.00	.01	.13	.52	.00	.22	.00	.02	.68	4
5	.00	.01	.10	.08	.00	.25	.05	.03	.09	.15	.00	.01	5
6	.00	.00	.00	.07	.00	.10	.05	.14	.00	.29	.01	.11	6
7	.00	.00	.12	.17	.16	.02	.00	.01	.00	.00	.01	.33	7
8	.00	.22	.01	.16	.05	.00	.01	.00	.00	.04	.02	.19	8
9	.00	.15	.16	.14	.00	.07	.03	.09	.00	.02	.01	.20	9
10	.17	.18	.06	.01	.00	.01	.04	.00	.00	.39	.00	.01	10
11	.00	.03	.00	.00	.00	.31	.00	.00	.00	.06	.02	.47	11
12	.00	.38	.17	.50	.00	.01	.00	during heavy frost or holiday	.00	.01	.03	.09	12
13	.00	.00	.06	.00	.71	.10	.00		.00	.20	.00	.42	13
14	.00	.05	.02	.00	.05	.09	.01		.00	.55	.01	.07	14
15	.00	.00	.00	.00	.00	.16	.00		.00	.04	.00	.01	15
16	.00	.00	.12	.00	.00	.00	.00		.00	.91	.04	.00	16
17	.00	.00	.01	.00	.00	.00	.00	.95	.00	.00	.29	.00	17
18	.01	.07	.00	.00	.00	.05	.00	.00	.00	.18	.17	.06	18
19	.00	.16	.18	.00	.00	.00	.00	.00	.00	.13	.01	.01	19
20	.01	.01	.00	.24	.02	.02	.00	.00	.00	.44	.00	.03	20
21	.00	.02	.00	.44	.07	.00	.64	.00	.00	.01	.00	.00	21
22	.00	.00	.00	.00	.22	.12	.38	.00	.00	.06	.18	.37	22
23	.00	.00	.00	.00	.06	.00	.00	.00	.00	.00	.00	.01	23
24	.00	.00	.00	.00	.01	.14	.00	.00	.00	.00	.13	.00	24
25	.00	.00	.00	.00	.13	.06	.04	.07	.20	.07	.27	.00	25
26	.00	.00	.00	.15	.34	.01	.04	.00	.00	.00	.67	.01	26
27	.06	.00	.00	.12	.00	.06	.05	.00	.00	.00	.12	.00	27
28	.17	.00	.00	.04	.00	.00	.00	.00	.00	.00	.01	.00	28
29	.02		.00	.00	.00	.00	.15	.02	.01	.64	.01	.00	29
30	.00		.00	.20	.18	.01	.00	.01	.00	.29	.01	.00	30
31	.00		.00		.03		.00	.04		.01		.00	31
Total	1.03	1.30	1.02	2.33	2.39	2.27	2.34	1.85	.90	4.72	2.08	3.66	TOTAL for year 25.89
No. of Rain Days	9	12	12	14	17	21	15	(14)	7	21	23	20	(185)

REGIST

OXFORD.
BICESTER.

Kept at Bicester
in the County of Oxford
by H. A. Fane

1905-1910.

FORM A.
BRITISH RAINFALL.
31 MAY 1906
g. H. J. Y.
ound 10 ft. in.
Level 240 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.07		.09						.45		1
2	.10							.27					2
3								.27					3
4	.22									.16	.37		4
5			.20			.35						.11	5
6		.10				.71							6
7				.23		.15		.15	.23			.33	7
8	.21		.20				.14		.10				8
9	.08			.28					.11				9
10		.15	.36	.24							.57		10
11			.05	.18		.29					.07		11
12			.62								.19		12
13				.10									13
14			.23										14
15			.16			.26		.18		.21			15
16	.17		.12			.43							16
17			.09					.18					17
18						.14							18
19		.09		.10									19
20									.05				20
21								.26					21
22								.09			.17		22
23		.05	.14										23
24													24
25			.05					.13					25
26		.21	.21	.37					.38		.57		26
27								.55				.23	27
28							.05	.77	.13		.04	.08	28
29				.33					.02	.53	.20	.07	29
30			.03		.60	1.02		.04		.12			30
31	.04				.09								31
Totals	.82	.50	2.53	1.83	.78	3.35	.19	2.89	1.11	1.02	2.63	.82	
Total from Jan. 1	.82	1.32	3.85	5.68	6.46	9.81	10.00	12.89	14.00	15.02	17.65	18.47	

REGIST

Kept at Bicester
in the County of Oxfordshire
by H. A. Fane

Lat. 52 Long. 1
Nearest Railway Station Bicester
Time of Observation 9. A.M.
Diameter 5 in.
Height of top above Ground 10 ft.
Sea Level 240 ft.

FORM A.
BRITISH RAINFALL.
31 MAY 1906

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.07		.09						.45		1
2	.10							.27					2
3								.27					3
4	.22									.16	.37		4
5			.20			.35						.11	5
6		.10				.71							6
7				.23		.15		.15	.23			.33	7
8	.21		.20				.14		.10				8
9	.08			.28					.11				9
10		.05	.36	.24							.57		10
11			.05	.18		.29					.07		11
12			.62								.19		12
13				.10									13
14			.23										14
15			.16			.26		.18		.21			15
16	.17		.12			.43							16
17			.09					.18					17
18						.14							18
19		.09		.10									19
20									.05				20
21								.26					21
22								.09			.17		22
23		.05	.14										23
24													24
25			.05					.13					25
26		.21	.21	.37					.38		.57		26
27								.55				.23	27
28							.05	.77	.13		.04	.08	28
29				.33					.02	.53	.20	.07	29
30			.03		.60	1.02		.04		.12			30
31	.04				.09								31
Totals	.82	.50	2.53	1.83	.78	3.35	.19	2.89	1.11	1.02	2.63	.82	
Total from Jan. 1	.82	1.32	3.85	5.68	6.46	9.81	10.00	12.89	14.00	15.02	17.65	18.47	

REGISTER OF RAINFALL IN 1906.

FORM A.
BRITISH RAINFALL.

Kept at

in the County of

by

Bicester

Oxfordshire

H. A. Fane

Lat.

Long.

Nearest Railway Station

Time of Observation

Diameter

in.

Height of top above Ground

ft. in.

Sea Level

ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
1	in. 28	in.	in.	in.	in.	in. 38	in.	in.	in.	in. 57	in.	in.	1
2	34.13				.11			.33		.83			2
3	44.55	.06											3
4	54.52									.57			4
5	34		.10		.14						.23	.25	5
6													6
7	.34									.29	.55		7
8			.18							.12	.37		8
9		.25								.46	1.15		9
10	.10	.16	.41					.06			.02		10
11			.11								.4	.24	11
12	.52									.13			12
13	.03						.24	.09	.34				13
14									.31			.26	14
15	.10	.26	.12			.12	.04	.18					15
16	.23	.22	.16		.18	.21			.27	.14	.04	.57	16
17	.28			.12							.24		17
18	.06	.18							.18	.70	.10	.06	18
19		.03											19
20	.07		.15		.46					.04			20
21											.33		21
22													22
23			.15	.15		.54	.09						23
24	.22	.10			.15			.37					24
25					.17								25
26		.09											26
27		.18		.13	.22							.34	27
28						1.76	.54			.17			28
29										.13			29
30				.03	.05	.03				.12			30
31			.06				.01					.25	31
Totals	3.43	1.43	1.24	.43	1.48	3.04	.92	1.03	1.00	4.18	3.03	1.97	
Total from Jan. 1	3.43	4.86	6.10	6.53	8.01	11.05	11.97	13.00	14.00	18.18	21.21	23.18	

REGISTER OF RAINFALL IN 1907.

Kept at Bicester
in the County of Oxon
by H. A. Fane

Lat. _____ Long. _____
Nearest Railway Station Bicester
Time of Observation 9 A.M.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
" " " Sea Level 221 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50				.09	~~.50~~				.27			1
2					.09		.12		.18			.65	2
3					.18	.50	.25	.09	.15				3
4	.10					.13	.57		.23		.05	.68	4
5	~~.10~~		.11	.11		.25	.02		.09	.16			5
6	~~.10~~			.07		.09		.20		.30		.10	6
7	~~.10~~		.10	.16	.10			.13				.03	7
8	~~.10~~			.10			.10			.03		.09	8
9			.15	.13								.20	9
10	.16	.02	.05							.03			10
11		.12				.27						.50	11
12		.01	.16	.09						.07			12
13			.08		.82	.10		.18		.22		.07	13
14						.09		.00		.52		.08	14
15						.16				.09			15
16			.15							.83			16
17											.09		17
18						.00		.58		.23	.11	.05	18
19		.27	.13							.02			19
20				.30				.18		.22			20
21				.00	.10		.67						21
22					.21		.36	.00		.06	.19	.00	22
23													23
24						.26					.19		24
25					.57		.03		.10		.36		25
26				.10		.05		.07			.70		26
27				.12		.06							27
28	.25	.05								.10			28
29							.20			.60			29
30				.22	.18	.02				.27			30
31			.01		.02			.10				.03	31
Total	1.07	1.27	.40	2.28	2.30	2.06	2.36	2.01	.79	0.82	2.09	3.68	TOTAL for year 25.65
No. of Rain Days	04	05	09	11	10	13	09	10	05	17	07	12	112

REGISTER OF RAINFALL IN 1908.

FORM A.
BRITISH RAINFALL.

Kept at *The Bank, Bicester*

in the County of *Oxfordshire*

by *H. A. Fane*

Lat. Long. Nearest Railway Station *Bicester*

Time of Observation *9 A.M.*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *10* ft.

" " " Sea Level *231* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.10	<i>May April</i>									1
2				.56					.05				2
3			.19			.13	.08		.37				3
4				.06	.12	.46			.03			.10	4
5	.05		.37	.17	.19			.02					5
6	.10		.08	.11									6
7	1.06		.03	.06			.05			.05			7
8	.06		.03				.26		.14	.10		.24	8
9						.04	.50			.26		.21	9
10							.15				.05		10
11							.03	.05	.09		.10		11
12				.03		.14						.21	12
13					.07	.04	.01	.06				.09	13
14				.24			.58		.05		.13	.15	14
15			.17	.29			.05		.22		.02		15
16	.02	.42				.31	.39		.05	.12		.08	16
17						.34	.15						17
18		.06					.01		.15		.16		18
19										.04		.18	19
20							~~.25~~	.25	.10	.38		.05	20
21					.12		~~.05~~	.05		.11	.21		21
22		.20	.16	.05	.11			.22					22
23					.49			.55					23
24			.49		.22					.03	.11		24
25	.06		.45		<u>1.25</u>			.09	.07	.03			25
26		.05						.46					26
27			.23		.35					.14			27
28	.17	.07			.63			.16	.04		.12		28
29					.43			.05		.04	.09	.41	29
30			.27		.04			.19		.04		.17	30
31								1.10				.05	31
Total	1.52	.80	2.57	1.57	4.02	1.46	2.26	3.25	1.36	1.34	.99	1.94	TOTAL for year 23.08
No. of Rain Days	7	6	12	9	12	7	12	13	12	12	9	12	123

REGISTER OF RAINFALL IN 1909.

FORM A2.
BRITISH RAINFALL
4 JAN 1910

Kept at

Bicester

in the County of

Oxon.

by

A. A. Fane

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 10 ft.
" " " Sea Level 231 ft.
Time of Observation 9 A.M.
Nearest Railway Station Name Bicester
Distance 1/4 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					05	08		66	10	05		22	1
2			11			06				06	05	00	2
3			03				03			22	02	19	3
4						56			21	19		15	4
5						24	08			07		11	5
6	10		66			04	33		15			16	6
7							09			13			7
8									03	08			8
9	08	11	03				53			02	02	19	9
10	12	22				12				57		38	10
11						07	22			09			11
12	04			16		05			18	17		03	12
13	07				07		59		06	02			13
14			19								27		14
15	26						29		07	32			15
16					32		04	05		19		18	16
17								1.93		11	03	05	17
18			08										18
19				50				07		13			19
20						06	11	13		22		05	20
21						06			04	11		02	21
22			14	22		19	07	09		04		03	22
23				07		92		16	15	27		15	23
24			38		70	12		17	28		02		24
25			16		09	14	13	02	12	03		15	25
26		06			17	17	25			55			26
27		04	37	07	19		67		28	05	03	11	27
28				03	07	03	07		22	16		07	28
29	05			78		08	03	09	07		15		29
30			03	08			13		21	07	03	02	30
31	29		05		18		03			05		04	31
Total	1.05	0.3	2.23	1.91	1.84	4.59	3.57	3.37	2.11	3.85	6.2	3.04	28.61
No. of Rain Days	8	4	13	8	9	17	18	10	15	26	9	20	157

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.

Kept at

3icester

in the County of

Oxon

3

by

H. A. Fane

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " Sea Level 231 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name 3icester
Distance 1/4 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2		29			02	03	05	02		27		55	2
3					11		37	24			42	47	3
4				26	09							08	4
5		10		10	07		70	20			14	02	5
6	02	14	05	07	05		06				27	07	6
7		07	07			31	12				09	02	7
8	06	03	07		08							10	8
9	07		27		02	53		30				11	9
10	31	07				48				07	10	14	10
11	17	12	15		17	02		10	07	142	10	07	11
12			03	18	07			02		29	07	33	12
13	02	14		12	01			03	07	01	43	17	13
14		32		13			07	02	35			113	14
15	10	08		03					07		03	57	15
16	05	12	09	43						08	02	23	16
17	05	11			32		13	07		03		08	17
18	06	15	07	03	25			15		23		02	18
19		02		02	05			02		05	08	07	19
20		25					23					66	20
21		15		20	15							42	21
22	05	39				03						07	22
23	20	08				18		21				03	23
24		27		14		14	07			06	03		24
25		26		07		27	05	17	07		07		25
26		11						05				12	26
27	44					18				57	93		27
28	12	09		43	20	02	18	59	07	05		03	28
29						02						8	29
30					08	30		07			34	07	30
31	05				17					24		07	31
Total	1.77	3.30	6.5	2.15	1.96	2.51	2.35	2.21	4.6	3.35	3.06	5.67	TOTAL for year 29.74
No. of Rain Days	15	22	8	14	18	13	12	18	6	14	15	27	182

REGIST

OXFORD.
BICESTER.
"IVY COTTAGE"
1907-1909

7 MAR 1908
BRITISH RAINFALL
FORM A.
8-50
Bicester (L.N.W.R.)

Kept at Ivy Cottage
in the County of Oxford
by Robt C. Sikes

5 in.
Ground 1 ft. — in.
Sea Level 231 ft.
Instructions for the measurement
ers," sent post-free on application

NOTE.—Rain should be measured daily at 9 a.m., and
of rain and particulars as to the British Rainfall Organization are given in
to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48	—	—	—	.08	.54	—	—	—	.24	.01	—	1
2	.10	—	.01	.01	.08	.02	.09	.48	.20	—	—	.59	2
3	—	.01	—	—	.18	—	.23	—	.14	—	—	—	3
4	.01	.01	—	—	.02	.13	.50	—	.23	—	.02	.66	4
5	—	—	.09	.09	—	.24	.10	.03	.09	.14	—	—	5
6	—	—	—	.07	—	.09	.06	.13	—	.30	—	.10	6
7	—	—	.10	.16	.13	.02	—	.01	—	—	—	.35	7
8	—	.20	.01	.13	.05	.06	.03	—	—	.03	.01	.15	8
9	—	.15	.15	.14	—	—	.03	.08	—	.02	—	.19	9
10	.15	.13	.05	.01	—	—	.04	—	—	.39	—	.01	10
11	—	.07	—	—	—	.30	—	.03	—	.05	.02	.46	11
12	—	.31	.16	.46	—	.01	—	.05	—	—	.03	.05	12
13	—	—	.08	—	.76	.07	—	—	—	.21	—	.44	13
14	—	.05	.01	—	.02	.08	—	.04	—	.51	.01	.06	14
15	—	—	—	—	—	.15	—	.05	—	.09	—	—	15
16	—	—	.11	—	—	—	—	.01	—	.80	.04	—	16
17	—	—	.01	.01	—	—	—	.53	—	.01	.31	—	17
18	—	.06	—	—	—	.04	—	—	—	.21	.15	.05	18
19	.01	.15	.12	—	—	—	—	.14	—	.20	.01	—	19
20	.01	.04	—	.23	.02	.02	—	.02	—	.43	—	.02	20
21	—	.01	—	.43	.06	—	.63	—	—	—	—	—	21
22	—	—	—	—	.19	.13	.32	.05	—	.05	.17	.38	22
23	—	—	—	—	.01	—	—	—	—	—	—	.02	23
24	—	—	—	—	.05	.12	—	—	—	.01	.13	—	24
25	—	—	—	—	.25	.07	.03	.06	.11	.04	.32	—	25
26	—	—	—	.14	.21	.02	.04	—	—	—	.73	—	26
27	.05	—	—	.11	—	.05	.05	—	—	—	.02	—	27
28	.15	—	—	.04	—	—	—	—	—	—	—	—	28
29	.02	—	—	—	—	—	.14	.02	—	.60	—	—	29
30	—	—	—	.17	.16	.01	—	.02	—	.24	—	—	30
31	—	—	—	—	.03	—	—	.04	—	—	—	—	31
Total	.98	1.19	.90	2.20	2.30	2.17	2.29	1.79	.77	4.57	1.98	3.53	TOTAL for year 24.67
No. of Rain Days	9	12	12	.15	.17	20	14	18	5	20	.15	15	172

REGIST

Kept at Ivy Cottage Bicester
in the County of Oxford.
by Robt C. Sikes M. Inst. C.E.

Lat. 51° 53' 40" Long. 1° 8' 50"
Nearest Railway Station Bicester (L.N.W.R.)
Time of Observation 9 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 231 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48	—	—	—	.08	.54	—	—	—	.24	.01	—	1
2	.10	—	.01	.01	.08	.02	.09	.48	.20	—	—	.59	2
3	—	.01	—	—	.18	—	.23	—	.14	—	—	—	3
4	.01	.01	—	—	.02	.13	.50	—	.23	—	.02	.66	4
5	—	—	.09	.09	—	.24	.10	.03	.09	.14	—	—	5
6	—	—	—	.07	—	.09	.06	.13	—	.30	—	.10	6
7	—	—	.10	.16	.13	.02	—	.01	—	—	—	.35	7
8	—	.20	.01	.13	.05	.06	.03	—	—	.03	.01	.15	8
9	—	.15	.15	.14	—	—	.03	.08	—	.02	—	.19	9
10	.15	.13	.05	.01	—	—	.04	—	—	.39	—	.01	10
11	—	.07	—	—	—	.30	—	.03	—	.05	.02	.46	11
12	—	.31	.16	.46	—	.01	—	.05	—	—	.03	.05	12
13	—	—	.08	—	.76	.07	—	—	—	.21	—	.44	13
14	—	.05	.01	—	.02	.08	—	.04	—	.51	.01	.06	14
15	—	—	—	—	—	.15	—	.05	—	.09	—	—	15
16	—	—	.11	—	—	—	—	.01	—	.80	.04	—	16
17	—	—	.01	.01	—	—	—	.53	—	.01	.31	—	17
18	—	.06	—	—	—	.04	—	—	—	.21	.15	.05	18
19	.01	.15	.12	—	—	—	—	.14	—	.20	.01	—	19
20	.01	.04	—	.23	.02	.02	—	.02	—	.43	—	.02	20
21	—	.01	—	.43	.06	—	.63	—	—	—	—	—	21
22	—	—	—	—	.19	.13	.32	.05	—	.05	.17	.38	22
23	—	—	—	—	.01	—	—	—	—	—	—	.02	23
24	—	—	—	—	.05	.12	—	—	—	.01	.13	—	24
25	—	—	—	—	.25	.07	.03	.06	.11	.04	.32	—	25
26	—	—	—	.14	.21	.02	.04	—	—	—	.73	—	26
27	.05	—	—	.11	—	.05	.05	—	—	—	.02	—	27
28	.15	—	—	.04	—	—	—	—	—	—	—	—	28
29	.02	—	—	—	—	—	.14	.02	—	.60	—	—	29
30	—	—	—	.17	.16	.01	—	.02	—	.24	—	—	30
31	—	—	—	—	.03	—	—	.04	—	—	—	—	31
Total	.98	1.19	.90	2.20	2.30	2.17	2.29	1.79	.77	4.57	1.98	3.53	TOTAL for year 24.67
No. of Rain Days	9	12	12	.15	.17	20	14	18	5	20	.15	15	172

REGISTER OF RAINFALL IN 1908

Kept at Ivy Cottage Bicester
in the County of Oxford.
by R. C. Sikes M.L.S.C.E.

Lat. 51° 53' 40" N Long. 1° 8' 50" W
Nearest Railway Station Bicester (LNWR)
Time of Observation 9 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Sea Level 233 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.09	—	—	.48	—	—	.02	—	—	—	1
2	—	.01	.06	—	.50	—	—	—	.03	—	—	—	2
3	—	.01	.12	.01	.02	—	.09	—	.34	—	.01	—	3
4	—	—	.01	.10	.03	—	—	—	.04	—	—	.09	4
5	.04	—	.32	.19	.16	.02	—	.02	—	—	—	.06	5
6	.07	—	.08	.01	.11	—	—	—	—	—	—	—	6
7	1.09	—	.03	—	.07	.01	.05	—	—	.01	—	—	7
8	.07	—	.03	—	.02	—	.24	—	.04	.07	—	.16	8
9	—	—	.04	.01	—	.01	.45	—	.08	.26	—	.20	9
10	—	—	.01	—	—	—	.13	.03	.01	—	.03	.03	10
11	—	—	—	—	.02	.04	.02	—	.07	—	.10	—	11
12	—	—	—	.02	.02	.11	—	.03	—	—	.01	.15	12
13	—	—	—	.02	.02	.03	.01	.01	—	—	.05	.09	13
14	—	—	—	—	.20	—	.60	—	.04	—	.08	.15	14
15	—	.09	.11	—	.26	—	.04	—	.19	—	.02	—	15
16	.01	.22	.01	—	—	.30	.36	—	.06	.10	.01	.07	16
17	—	.06	—	—	—	.32	.14	—	—	.01	—	.02	17
18	.02	.07	.03	—	—	—	—	—	.15	.01	.15	.01	18
19	—	—	—	.08	—	—	—	—	—	.01	—	.14	19
20	—	.01	—	.01	—	—	—	—	.09	.33	—	.04	20
21	—	.02	—	.03	.01	—	—	.25	—	.13	.18	.04	21
22	—	.17	.10	.10	.07	—	—	.11	.02	—	.01	—	22
23	—	.01	—	.53	—	—	—	.64	—	—	—	—	23
24	—	—	.44	.77	—	—	—	.01	—	.03	.10	—	24
25	.04	—	.49	1.30	—	—	—	.08	.04	.02	—	—	25
26	.02	.05	.01	—	—	—	—	.41	—	.07	—	—	26
27	—	.02	.21	.33	—	—	—	.04	.03	.08	—	.05	27
28	.15	.05	—	.63	—	—	—	.12	—	.03	.09	.11	28
29	.01	—	.04	.36	.03	—	—	.04	—	—	.11	.35	29
30	.01	—	.20	.07	—	—	—	.18	—	.02	.01	.16	30
31	—	—	—	—	.12	—	—	1.02	—	—	—	.05	31
Total	1.53	.79	2.43	3.97	1.66	1.32	2.13	2.99	1.25	1.18	.96	1.97	TOTAL for year 22.18
No. of Rain Days	11	13	20	18	16	9	11	.15	16	15	15	19	178

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL.

8 JAN 1910

Kept at *My cottage Bicester*
in the County of *Oxford*
by *Robt C Sikes M. Inst. C. E.*

Pattern *"London"*
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. *0* in.
" " " Sea Level *233* ft.
Time of Observation *9 am*
Nearest Railway Station { Name *Bicester (L.N.W.R.)*
Distance *1/8 M.* Direction *S*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	.04	.50	—	.64	—	.06	—	.20	1
2	.03	.01	.10	—	—	.06	—	—	.10	.11	.04	.38	2
3	—	—	.03	—	—	—	—	—	—	.15	.01	.18	3
4	—	.02	—	—	—	.52	—	—	.22	.10	—	.11	4
5	.01	—	.09	—	—	.16	.10	—	—	.07	—	.10	5
6	—	—	.51	—	—	.49	.30	—	.15	—	—	.15	6
7	.09	—	.03	—	—	—	.10	—	.01	.12	—	—	7
8	—	—	.01	—	—	—	—	—	.02	.07	—	—	8
9	.07	.08	.01	—	—	—	.48	—	—	.01	—	.18	9
10	.10	.23	—	—	—	.12	.02	—	.03	.47	—	.35	10
11	.01	.02	.03	—	—	.06	.25	—	.03	.07	—	—	11
12	.03	—	—	.04	—	.04	—	—	.13	.03	—	.02	12
13	.08	—	.12	.13	.07	—	.52	—	.06	.14	.05	—	13
14	.07	.01	.04	—	—	—	—	—	—	—	.21	—	14
15	.17	—	.02	—	—	—	.26	—	.06	.29	.01	.01	15
16	—	—	—	—	.31	—	.04	.04	—	.19	.02	.18	16
17	.02	—	—	—	.01	—	—	1.71	.01	.10	.02	.04	17
18	.06	—	.06	—	—	—	—	.01	—	—	—	—	18
19	—	—	.02	.46	—	—	—	.05	—	.09	—	x	19
20	.01	—	.01	—	—	.45	—	.12	—	.22	—	—	20
21	—	—	.08	—	—	.36	.10	—	.02	.09	—	.46	21
22	—	—	.05	.19	—	.21	—	.07	.01	.05	—	.01	22
23	—	—	36	.06	—	.80	.01	.16	.12	.26	—	—	23
24	—	—	—	—	.68	.15	—	.08	.28	.01	.01	.19	24
25	—	—	14	.01	.23	.13	.14	.11	.12	.04	—	.09	25
26	—	.05	—	.01	—	.17	.26	—	—	.50	—	—	26
27	—	.03	.21	.05	.22	—	.68	.01	.22	.05	.02	.09	27
28	—	—	.15	.02	.46	.04	—	—	.24	.16	—	.01	28
29	.01	—	.03	.76	—	.07	.06	.07	.01	—	.13	—	29
30	—	—	—	.08	—	—	.13	—	.20	.01	.03	.01	30
31	.21	—	.03	—	.15	—	.03	—	—	.05	—	.03	31
Total	.97	.45	2.13	1.81	1.77	4.33	3.48	3.07	2.04	3.51	.53	2.79	TOTAL for year
No. of Rain Days	15	8	.22	11	10	17	17	12	20	27	11	21	191

x? on 24 not 23. ⊗ part-fell on 19.

S. a.

REGISTER OF

Kept at Middleton Park
in the County of Oxfordshire
by W. Trollope for the Earl of

BICESTER

MIDDLETON PARK
OXON

1901-10

1 1/4 W
30 a m

2 ft 6 in
vel. 3.25 ft

vation and Record
London, N.W.

NOTE.—Full instructions respecting the measurement of
of the Rainfall," which is sent post-free on application to Mr.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.05	0.04	0.02	...	...	0.01	...	...	...	...	...	1
2	...	0.09	0.18	0.10	...	0.01	0.32	...	...	...	...	...	2
3	0.10	...	...	0.58	...	...	...	...	...	0.18	...	...	3
4	...	0.48	0.12	...	...	...	...	...	...	0.07	0.01	...	4
5	...	0.02	0.21	...	...	0.01	0.01	0.12	...	...	...	0.05	5
6	...	...	0.19	0.16	0.12	...	...	0.06	...	0.22	...	0.01	6
7	0.08	0.05	0.05	0.03	0.46	...	...	...	0.02	0.01	0.01	0.27	7
8	0.10	...	...	0.08	0.39	...	...	...	0.50	0.02	...	0.09	8
9	0.02	0.03	...	0.14	0.15	...	...	...	0.01	...	...	0.10	9
10	...	0.04	...	0.08	...	...	...	...	...	0.01	...	...	10
11	...	...	...	0.31	...	...	...	0.18	0.07	...	0.10	0.04	11
12	...	...	...	0.02	...	0.14	...	0.27	...	...	0.28	1.38	12
13	...	...	...	0.22	...	0.03	0.19	0.02	...	0.02	0.28	0.28	13
14	...	0.03	...	0.18	...	...	...	0.56	...	...	...	0.04	14
15	...	...	...	0.08	...	...	...	0.08	...	...	...	0.03	15
16	0.06	...	...	0.13	...	0.05	...	...	0.46	0.31	...	0.04	16
17	0.10	...	...	...	...	0.02	...	...	0.19	0.20	...	0.04	17
18	0.04	0.07	...	...	...	...	...	...	...	0.29	...	...	18
19	0.17	0.02	0.24	...	...	0.08	...	...	...	...	...	...	19
20	...	...	...	...	...	0.22	...	...	0.12	...	...	...	20
21	...	0.08	...	...	...	0.05	...	...	0.09	0.01	0.06	...	21
22	...	...	...	...	...	0.06	0.03	...	...	0.30	0.06	...	22
23	...	...	...	...	...	...	0.09	...	...	0.01	...	0.25	23
24	0.04	...	0.03	...	...	...	0.85	...	...	0.10	...	0.29	24
25	0.06	...	0.04	...	0.03	...	0.94	0.08	...	...	0.06	...	25
26	0.03	0.28	0.01	0.04	...	...	1.17	0.36	...	...	...	...	26
27	0.16	...	...	0.02	...	...	0.48	0.40	...	0.02	...	...	27
28	0.09	0.27	0.04	...	...	...	0.36	0.03	...	...	...	0.60	28
29	...	...	0.10	...	0.14	0.06	...	...	...	0.06	...	0.27	29
30	...	...	0.50	...	0.16	0.74	...	0.02	...	...	...	0.02	30
31	...	...	0.13	...	...	...	...	0.08	...	...	...	0.06	31
Totals	1.07	1.51	1.88	2.19	1.45	1.47	4.45	2.21	1.46	1.83	0.86	3.86	
Total from Jan. 1	1.07	2.58	4.46	6.65	8.10	9.57	14.02	16.23	17.69	19.52	20.38	24.24	

S. 2.

8

REGISTER OF RAINFALL IN 1901

Kept at *Middleton Park*
in the County of *Oxfordshire*
by *W. Trollope for the Earl of Jersey.*

RAIN GAUGE.

Lat. *51° 34' N* Lon. *1° 14' W*
Time of Observation *7 30 a.m.*
Diameter *5 in*
Height of top above Ground *2 ft 6 in*
Sea Level *325½ ft*

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.05	0.04	0.02	...	...	0.01	...	...	...	...	...	1
2	...	0.09	0.18	0.10	...	0.01	0.32	...	...	...	...	...	2
3	0.10	...	...	0.58	...	...	...	...	...	0.18	...	...	3
4	...	0.48	0.12	...	...	...	...	...	...	0.07	0.01	...	4
5	...	0.02	0.21	...	...	0.01	0.01	0.12	...	...	...	0.05	5
6	...	...	0.19	0.16	0.12	...	...	0.06	...	0.22	...	0.01	6
7	0.08	0.05	0.05	0.03	0.46	...	...	...	0.02	0.01	0.01	0.27	7
8	0.10	...	...	0.08	0.39	...	...	...	0.50	0.02	...	0.09	8
9	0.02	0.03	...	0.14	0.15	...	...	...	0.01	...	...	0.10	9
10	...	0.04	...	0.08	...	...	...	...	...	0.01	...	...	10
11	...	...	...	0.31	...	...	...	0.18	0.07	...	0.10	0.04	11
12	...	...	...	0.02	...	0.14	...	0.27	...	...	0.28	1.38	12
13	...	...	...	0.22	...	0.03	0.19	0.02	...	0.02	0.28	0.28	13
14	...	0.03	...	0.18	...	...	...	0.56	...	...	...	0.04	14
15	...	...	...	0.08	...	...	...	0.08	...	...	...	0.03	15
16	0.06	...	...	0.13	...	0.05	...	...	0.46	0.31	...	0.04	16
17	0.10	...	...	...	...	0.02	...	...	0.19	0.20	...	0.04	17
18	0.04	0.07	...	...	...	...	...	...	...	0.29	...	...	18
19	0.17	0.02	0.24	...	...	0.08	...	...	...	...	...	...	19
20	...	...	...	...	...	0.22	...	...	0.12	...	...	...	20
21	...	0.08	...	...	...	0.05	...	...	0.09	0.01	0.06	...	21
22	...	...	...	...	...	0.06	0.03	...	...	0.30	0.06	...	22
23	...	...	...	...	...	...	0.09	...	...	0.01	...	0.25	23
24	0.04	...	0.03	...	...	...	0.85	...	...	0.10	...	0.29	24
25	0.06	...	0.04	...	0.03	...	0.94	0.08	...	...	0.06	...	25
26	0.03	0.28	0.01	0.04	...	...	1.17	0.36	...	...	...	...	26
27	0.16	...	...	0.02	...	...	0.48	0.40	...	0.02	...	...	27
28	0.09	0.27	0.04	...	...	...	0.36	0.03	...	...	...	0.60	28
29	...	...	0.10	...	0.14	0.06	...	...	...	0.06	...	0.27	29
30	...	...	0.50	...	0.16	0.74	...	0.02	...	...	...	0.02	30
31	...	...	0.13	...	...	...	...	0.08	...	...	...	0.06	31
Totals	1.07	1.51	1.88	2.19	1.45	1.47	4.45	2.21	1.46	1.83	0.86	3.86	
Total from Jan. 1	1.07	2.58	4.46	6.65	8.10	9.57	14.02	16.23	17.69	19.52	20.38	24.24	

REGISTER OF RAINFALL IN 1902

Kept at *Middleton Park*
in the County of *Oxfordshire*
by *Hos Trollope*

RAIN GAUGE.

Lat. *51° 4' N* Long. *1° 4' W*
Time of Observation *7.30 a.m.*
Diameter *5 in.*
Height of top above Ground *2 ft. 6 in.*
" " Sea Level *325 1/2*

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.14		0.11	0.03	0.05	0.08	0.13		0.05			0.29	1
2			0.04		0.12			0.08	0.14		0.02	0.01	2
3		0.08		0.04	0.27	0.03			0.01	0.01		0.04	3
4	0.13			0.04	0.02	0.06		0.30	0.22				4
5				0.08	0.03			0.21			0.17	0.01	5
6					0.02	0.20		0.03		0.03	0.15		6
7					0.09	0.22		0.20					7
8		0.11			0.03	0.03		0.07			0.34		8
9	0.01						0.26	0.05	0.08	0.58	0.02		9
10	0.03						0.06	0.04	1.03	0.10	0.01		10
11	0.03			0.13	0.02	0.08		0.04	0.27	0.01	0.09		11
12			0.03			0.19		0.06	0.01	0.01		0.06	12
13						0.19		0.20		0.19		0.03	13
14			0.49	0.06	0.05	0.36		0.41			0.01	0.29	14
15				0.78	0.04	0.03			0.03	0.08		0.11	15
16					0.12	0.03		0.01	0.06			0.08	16
17					0.14		0.05	0.06		0.35		0.27	17
18		0.01			0.08			0.36					18
19			0.09		0.04	0.09	0.07	0.27		0.21		0.04	19
20		0.01	0.08	0.02		0.13				0.02			20
21			0.05	0.13						0.04			21
22		0.28		0.08	0.38	0.01	0.14	0.03	0.04		0.01		22
23		0.21		0.04				0.09	0.02		0.01		23
24	0.05	0.23	0.22					0.01			0.24		24
25	0.01	0.03					0.22			0.05	0.07		25
26	0.19	0.18	0.20				0.13			0.02	0.08		26
27	0.05	0.12					0.15				0.02	0.04	27
28		0.04					0.01	0.02		0.07	0.41	0.30	28
29			0.07		0.07			0.05		0.02	0.44		29
30			0.08	0.02	0.20	0.10		0.02	0.04	0.01	0.25	0.15	30
31					0.15			0.28					31
Totals	0.64	1.30	1.46	1.45	1.92	1.83	1.22	2.89	2.00	1.80	2.34	1.72	
Total from Jan. 1	0.64	1.94	3.40	4.85	6.77	8.60	9.82	12.71	14.71	16.51	18.85	20.57	

50

REGISTER OF RAINFALL IN 1903

Kept at Widdelton Park
 in the County of Oxfordshire
 by The Rev. Hon. The Earl of Grey

Lat. 51. 34 N Long. 1 1/4 W
 Nearest Railway Station Heyford
 Time of Observation 7.30 a.m.
 Diameter 5 in.
 Height of top above Ground 2 ft. 6 in.
 " " Sea Level 325 1/2 ft.

FORM A.
 BRITISH RAINFALL.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07	...	0.32	0.15	0.21	...	...	0.03	0.01	0.08	...	...	1
2	0.28	...	0.35	...	0.40	...	...	0.35	0.36	0.10	0.21	...	2
3	0.27	...	0.02	0.05	0.50	...	...	...	0.13	0.27	...	0.41	3
4	0.70	...	0.16	0.08	0.10	...	...	...	0.11	0.46	...	...	4
5	0.28	...	0.04	...	0.75	...	...	...	0.04	0.03	0.03	...	5
6	0.01	0.01	0.09	...	0.05	...	...	...	...	0.23	...	0.02	6
7	0.03	...	0.04	0.02	0.02	...	...	...	...	0.07	0.01	0.16	7
8	0.13	...	...	...	...	0.20	...	...	0.10	0.24	0.03	0.19	8
9	0.02	...	0.36	...	0.60	0.26	...	0.28	0.05	...	0.03	0.12	9
10	0.06	...	0.05	...	0.06	0.70	...	0.04	0.56	0.10	...	0.20	10
11	...	...	...	0.02	...	...	...	0.30	0.08	0.59	...	...	11
12	0.01	...	...	...	...	...	...	0.13	0.02	0.61	0.03	0.28	12
13	...	...	...	...	...	0.45	...	0.09	...	0.02	0.01	...	13
14	...	...	0.29	0.07	0.03	1.22	0.05	0.35	...	0.52	0.05	...	14
15	...	0.04	0.01	...	0.04	0.89	...	0.08	...	0.06	0.01	...	15
16	...	...	...	0.01	0.27	0.15	0.14	0.38	...	0.17	...	...	16
17	0.13	...	0.42	...	0.10	0.09	0.06	0.15	...	...	0.07	...	17
18	0.03	...	...	...	...	...	0.34	...	0.02	0.25	...	0.05	18
19	0.04	...	0.02	...	...	0.69	0.41	...	...	0.07	...	0.03	19
20	0.01	...	...	...	...	...	0.05	0.27	...	0.03	0.01	0.01	20
21	...	...	...	...	...	...	0.05	...	0.05	0.03	0.02	...	21
22	0.16	0.05	...	...	...	...	0.18	0.01	0.01	0.05	0.01	...	22
23	0.01	0.04	0.48	...	...	...	0.57	0.03	...	0.01	0.03	0.01	23
24	0.02	0.26	0.01	...	...	...	...	0.74	0.19	0.29	0.02	0.05	24
25	...	0.29	0.04	0.28	...	...	0.47	0.03	...	0.84	...	0.01	25
26	...	0.07	0.38	0.33	...	...	0.17	...	0.01	0.22	0.03	0.01	26
27	0.26	...	0.10	0.47	...	...	0.27	0.08	...	0.67	0.69	0.04	27
28	...	...	0.13	0.57	0.86	...	0.07	0.07	0.18	0.47	0.30	...	28
29	...	...	0.11	0.18	0.10	...	0.65	...	0.33	0.01	...	...	29
30	...	...	0.17	0.14	1.48	...	...	0.02	...	...	0.01	...	30
31	0.08	...	...	...	...	...	...	...	...	0.18	...	...	31
Totals	2.60	0.86	3.59	2.31	5.57	4.65	3.48	3.43	2.25	6.67	1.60	1.29	
Total from Jan. 1												38.30	

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL

Kept at *Widdley Park*
in the County of *Oxfordshire*
by *The Rev. H. the Chaplain*

Lat. *51° 34' N* Long. *1° 4' W*
Nearest Railway Station *Heyford*
Time of Observation *7.30*
Diameter *5* in.
Height of top above Ground *2* ft. *6* in.
Sea Level *325.2* ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.05	0.04	0.01	0.25	0.06				0.13	0.03		1
2	0.01	0.14	0.19	0.04	0.06		0.10		0.22			0.04	2
3	0.08	0.65	0.24				0.10		0.04			0.02	3
4	0.08	0.04	0.02	0.01			0.02	0.12				0.18	4
5		0.01		0.05	0.01					0.12		0.05	5
6	0.01	0.10	0.02							0.04	0.29	0.33	6
7	0.19	0.30	0.29	0.01	0.03				0.14	0.01	0.28	0.02	7
8	0.01	0.19	0.01	0.01					0.24		0.04		8
9		0.82		0.04	0.09	0.16		0.01			0.02	0.19	9
10	0.30	0.24			0.05					0.04	0.34	0.13	10
11	0.02				0.03			0.25				0.16	11
12	0.06	0.49		0.08					0.36			0.01	12
13	0.24	0.09		0.03		0.03					0.02	0.04	13
14	0.10	0.04	0.05	0.04		0.29		0.10	0.33			0.26	14
15				0.30		0.08				0.01	0.01	0.02	15
16		0.10								0.21			16
17	0.08	0.14						0.24			0.01		17
18	0.02										0.01	0.02	18
19		0.10	0.04				0.11			0.01		0.02	19
20	0.03				0.44								20
21		0.03	0.01		0.16			0.05		0.06	0.20		21
22				0.14			0.04	0.48	0.04		0.02	0.02	22
23					0.08			0.02	0.02	0.09	0.10		23
24			0.03		0.04	0.04			0.01	0.02			24
25	0.01	0.04	0.03			0.02	1.15	0.10					25
26	0.16	0.09		0.01	0.50		0.04					0.06	26
27	0.25				1.04		0.15			0.01		0.02	27
28	0.20		0.23				0.04				0.01		28
29	0.23		0.08	0.04			0.42					0.03	29
30	0.54		0.04		0.04	0.02	0.08		0.38	0.02	0.01		30
31	0.83		0.06		0.03		0.01	0.25		0.05			31
Totals	3.48	3.42	1.38	0.84	2.88	0.43	2.29	1.62	1.84	0.82	1.42	1.65	
Total from Jan. 1	3.48	7.20	8.58	9.42	12.30	13.03	15.32	16.94	18.78	19.60	21.02	22.67	

REGISTER OF RAINFALL IN 1905

Kept at Middleton Park
in the County of Oxfordshire
by The Right Hon^{ble} The Earl of Jersey

Lat. 51° 34' N Long. 1° 4' W
Nearest Railway Station Heyford
Time of Observation 7-30
Diameter 5 in.
Height of top above Ground 2 ft. 6 in.
Sea Level 338 1/4 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	...	0.04	...	0.10	0.11	0.19	0.02	0.02	...	0.78	0.01	1
2	0.09	...	...	...	0.04	0.01	0.01	0.24	...	0.09	...	...	2
3	...	...	...	...	...	...	...	0.54	...	0.01	0.05	0.01	3
4	0.20	...	0.04	0.02	...	...	...	0.02	...	0.16	0.33	...	4
5	0.03	...	0.20	0.01	...	0.25	...	0.10	0.02	0.01	0.02	0.13	5
6	...	0.03	0.01	0.11	...	0.84	...	0.04	0.08	...	...	0.07	6
7	...	0.04	0.05	0.11	...	0.20	...	0.17	0.01	0.03	...	0.22	7
8	0.04	...	0.10	...	...	...	...	...	0.08	...	0.01	0.07	8
9	0.26	...	0.07	0.28	...	...	0.24	...	0.21	...	...	...	9
10	0.01	0.05	0.38	0.24	...	0.13	0.01	...	...	...	0.65	...	10
11	0.03	...	0.15	0.23	0.02	0.25	...	...	...	0.01	0.15	...	11
12	...	...	0.29	...	...	...	...	...	...	...	0.21	0.01	12
13	...	...	0.41	0.15	...	...	...	...	0.02	...	0.01	...	13
14	0.01	...	0.27	0.10	0.01	...	...	...	...	...	...	...	14
15	...	...	0.16	...	...	0.20	0.02	0.24	...	0.19	0.02	...	15
16	0.17	0.02	0.06	0.02	...	0.36	...	...	...	...	...	...	16
17	0.01	...	0.11	...	...	0.13	...	0.11	...	...	...	0.02	17
18	...	0.02	...	0.05	0.01	0.04	...	0.16	...	...	...	0.07	18
19	...	0.09	...	0.03	...	0.12	...	0.04	...	...	...	...	19
20	...	0.01	...	0.02	...	...	...	...	...	...	...	...	20
21	...	...	...	...	...	...	...	0.21	...	...	...	...	21
22	...	...	...	...	...	...	0.01	0.14	...	...	0.14	...	22
23	...	0.06	0.17	0.04	...	...	0.06	0.02	...	...	0.06	...	23
24	0.02	...	...	...	...	...	...	...	0.01	...	...	...	24
25	...	0.09	0.17	0.22	...	0.04	...	0.12	0.22	...	0.10	...	25
26	...	0.21	0.10	0.15	...	...	...	0.06	0.02	0.07	0.42	...	26
27	0.01	...	0.10	...	...	...	...	0.46	0.02	...	...	0.12	27
28	...	0.02	...	...	...	...	...	0.90	0.14	0.13	0.09	0.17	28
29	...	...	0.03	...	0.10	0.14	0.02	0.18	0.02	0.28	...	0.09	29
30	...	...	...	0.20	0.35	0.85	...	...	...	0.05	0.21	...	30
31	0.03	...	...	...	0.02	...	...	...	...	0.16	...	...	31
Totals	0.91	0.64	2.81	1.98	0.65	3.67	0.56	3.77	0.87	1.19	3.25	0.99	
Total from Jan. 1	0.91	1.55	4.36	6.34	6.99	10.66	11.22	14.99	15.86	17.05	20.30	21.29	

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.

Kept at Middleton Park Gardens
in the County of Yorkshire
by The Rev. H. H. The Earl of Jersey

Lat. 51° 34' N. Long. 1° 14' W
Nearest Railway Station Hefford
Time of Observation 7.30
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
Sea Level 338 1/4 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	...	0.02	...	0.01	0.33	...	...	...	0.30	...	...	1
2	0.42	0.02	0.03	...	0.14	0.01	...	0.24	...	1.10	...	...	2
3	0.14	0.08	...	...	0.01	...	...	0.03	...	...	0.05	0.05	3
4	0.61	...	...	...	0.04	...	...	...	...	0.64	0.14	0.01	4
5	0.66	...	0.02	...	0.16	...	...	...	...	...	...	0.14	5
6	0.03	0.01	...	...	...	...	...	...	...	0.06	0.59	0.02	6
7	0.42	...	...	...	0.01	...	...	0.01	...	0.34	0.34	...	7
8	0.01	0.16	0.21	...	...	...	...	...	...	0.14	1.29	0.09	8
9	0.13	0.20	...	...	0.04	...	...	...	...	0.61	0.06	0.01	9
10	...	0.11	0.40	...	...	...	...	0.01	...	0.03	...	...	10
11	0.18	0.06	0.14	...	...	...	...	...	...	...	...	0.10	11
12	0.40	...	0.04	0.01	...	...	0.10	...	0.03	0.14	...	0.04	12
13	0.04	0.04	...	...	...	...	0.26	0.02	0.36	...	...	0.22	13
14	0.01	0.10	0.04	...	...	0.03	...	0.03	0.32	...	...	0.02	14
15	0.13	0.20	0.04	...	...	0.10	0.04	...	0.02	...	0.08	0.35	15
16	0.23	0.22	...	...	0.13	0.45	...	0.04	0.34	0.08	0.24	0.14	16
17	0.04	...	0.06	0.13	...	...	...	0.02	...	0.10	0.12	...	17
18	0.39	0.08	0.04	...	...	...	0.03	...	0.03	0.48	...	0.06	18
19	...	0.04	...	...	...	...	...	...	...	...	0.09	...	19
20	0.00	...	0.01	...	0.50	...	...	...	0.02	0.04	0.34	...	20
21	0.01	...	0.04	0.08	...	...	...	...	...	...	...	...	21
22	...	0.05	...	0.01	...	...	...	...	...	0.05	...	...	22
23	...	...	0.04	0.06	0.14	0.58	0.10	...	...	...	...	...	23
24	0.18	0.10	0.06	...	0.04	...	...	0.34	...	0.04	0.01	0.12	24
25	0.08	...	...	...	0.03	...	...	...	...	...	...	0.23	25
26	...	0.12	0.02	...	0.30	...	0.05	...	...	0.03	0.01	0.03	26
27	...	0.24	...	0.15	0.03	0.12	0.03	...	...	...	...	0.02	27
28	...	0.01	...	0.06	...	1.70	0.44	...	...	0.18	...	0.05	28
29	...	...	...	0.03	...	0.17	0.05	...	...	0.04	0.01	...	29
30	...	...	...	0.01	0.06	...	...	...	...	0.19	0.04	0.14	30
31	...	...	...	...	0.02	...	...	...	...	...	...	0.01	31
Total	4.24	1.90	1.30	0.54	1.71	3.49	1.13	0.80	1.12	5.01	3.44	1.88	TOTAL for year 26.59
No. of Rain Days	21	18	16	9	16	9	9	9	7	19	15	20	265

REGISTER OF RAINFALL IN 1907

Kept at Middleley Park, Bicester
in the County of Oxfordshire
by Alfred Perry

Lat. 51° 34' N Long. 1° 14' W
Nearest Railway Station Bicester
Time of Observation 7-30
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " Sea Level 325½ ft.

FORM A.
BRITISH RAINFALL.
30 JUN 1908

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.29	...	...	...	0.11	0.57	...	...	0.02	0.24	0.01	...	1
2	0.16	...	0.03	0.01	0.09	0.01	0.16	0.59	0.12	0.01	...	0.68	2
3	...	0.01	...	0.01	0.14	...	0.26	...	0.12	...	0.01	0.01	3
4	...	0.01	...	...	...	0.10	0.38	...	0.22	...	0.01	0.67	4
5	...	0.02	0.09	0.15	...	0.13	0.04	0.04	0.04	0.26	...	...	5
6	...	...	...	0.12	...	0.06	0.03	0.13	0.04	0.31	0.01	0.13	6
7	...	...	0.07	0.16	0.18	0.02	...	...	...	...	...	0.37	7
8	...	0.06	0.02	0.20	0.05	...	...	...	...	0.13	0.03	0.15	8
9	...	0.30	0.18	0.14	0.01	...	0.05	0.07	...	0.05	...	0.15	9
10	0.13	0.20	0.04	0.03	...	0.12	0.13	...	...	0.33	...	0.03	10
11	...	0.04	...	...	...	0.30	...	...	...	0.27	0.02	0.35	11
12	...	0.49	0.16	0.53	...	0.01	...	0.14	...	...	0.05	0.25	12
13	...	...	0.06	...	0.73	0.08	...	...	...	0.27	...	0.50	13
14	...	0.06	0.02	...	0.09	0.05	...	0.21	...	0.52	0.01	0.06	14
15	...	...	0.01	...	...	0.15	...	0.06	...	0.02	...	0.01	15
16	...	...	0.15	...	...	...	...	...	...	1.01	0.01	...	16
17	...	...	0.01	...	...	...	...	0.65	...	0.01	0.27	...	17
18	...	0.07	...	...	...	0.01	...	0.02	...	0.22	0.23	0.06	18
19	...	0.19	0.13	...	...	...	...	0.02	...	0.09	0.01	0.01	19
20	0.03	0.01	...	0.20	...	0.03	...	0.12	...	0.24	...	0.06	20
21	...	0.05	...	0.54	0.07	...	0.50	...	...	0.01	...	...	21
22	...	...	...	...	0.28	0.18	0.36	0.04	...	0.05	0.22	0.29	22
23	...	...	...	...	0.06	0.01	...	...	...	...	...	0.02	23
24	...	...	...	...	0.08	0.13	...	...	...	0.05	0.15	0.01	24
25	...	...	...	...	0.20	0.06	0.05	0.09	0.04	0.05	0.20	...	25
26	...	...	...	0.12	0.16	...	0.05	...	0.01	0.01	0.71	0.02	26
27	0.08	...	...	0.11	...	0.06	0.07	...	...	0.01	0.14	...	27
28	0.18	...	...	0.04	...	...	0.01	...	...	...	0.10	...	28
29	0.01	...	...	0.01	...	0.06	0.14	...	...	0.60	...	0.01	29
30	...	...	...	0.22	0.21	0.03	...	...	...	0.37	...	...	30
31	...	...	...	...	0.03	...	...	0.02	...	...	...	...	31
Total	4.88	1.51	0.97	2.59	2.49	2.17	2.23	2.10	0.61	5.13	2.19	3.84	TOTAL for year
Days	7	13	13	16	16	21	14	14	8	24	18	21	185

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

Kept at Middleton Park, Bicester
in the County of Oxfordshire
by The Rt Hon^{ble} The Earl of Jersey

Lat. 51° 34' N Long. 1° 14' W
Nearest Railway Station Bicester
Time of Observation 7-30
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " Sea Level 325½ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	...	0.10	...	...	0.47	...	...	0.22	0.01	...	...	1
2	...	0.01	0.07	...	0.30	...	...	...	0.03	...	...	0.01	2
3	...	0.01	0.15	0.03	0.18	...	...	...	0.87	0.01	0.01	...	3
4	...	...	...	0.11	0.01	...	...	...	0.11	...	...	0.11	4
5	...	...	0.36	0.13	0.17	0.02	...	0.08	~~0.08~~	...	...	0.05	5
6	0.09	...	0.14	0.01	0.11	...	...	...	...	...	...	...	6
7	1.00	...	0.03	...	0.07	0.01	0.06	...	...	0.02	...	0.01	7
8	0.08	...	0.06	...	0.01	...	0.16	...	0.10	0.05	...	0.17	8
9	0.01	...	0.06	0.01	...	0.02	0.50	...	0.10	0.28	...	0.20	9
10	...	...	0.02	...	...	...	0.18	0.02	0.01	...	0.04	0.10	10
11	...	...	...	...	0.04	0.04	...	...	0.02	...	0.13	0.01	11
12	...	...	...	0.03	...	0.10	0.01	0.05	~~0.05~~	...	...	0.15	12
13	...	...	...	0.01	...	0.06	0.01	0.01	...	0.01	0.08	0.14	13
14	0.01	...	...	...	0.27	...	0.37	...	0.01	...	0.10	0.11	14
15	...	0.10	0.09	...	0.21	...	0.05	...	0.21	...	0.01	0.01	15
16	0.01	0.23	0.03	...	...	0.34	0.35	...	0.06	0.20	...	0.08	16
17	...	0.06	...	...	...	0.49	0.23	...	~~0.06~~	0.01	...	0.01	17
18	...	0.06	...	...	...	...	...	...	0.32	...	0.14	0.02	18
19	0.01	...	...	0.02	...	...	...	...	~~0.02~~	...	...	0.13	19
20	...	...	0.01	...	...	...	...	0.26	0.07	0.13	0.01	0.01	20
21	...	0.01	...	...	...	...	...	0.06	~~0.06~~	0.16	0.20	0.01	21
22	0.01	0.26	0.12	0.05	0.05	...	...	0.05	0.03	...	0.01	0.01	22
23	...	0.01	...	0.53	...	...	...	0.72	0.01	...	...	...	23
24	0.01	0.01	0.27	0.14	...	...	...	...	~~0.01~~	0.01	0.08	...	24
25	0.04	0.01	0.62	(0.33)	...	...	...	0.01	0.04	0.02	...	...	25
26	0.03	0.05	0.01	...	...	...	...	0.50	~~0.04~~	0.04	...	...	26
27	...	0.03	0.25	0.30	...	...	...	0.02	0.06	0.09	...	0.08	27
28	0.14	0.06	...	0.69	...	...	...	0.12	~~0.06~~	0.06	0.08	0.04	28
29	...	...	0.06	0.23	0.03	...	...	0.05	...	...	0.11	0.24	29
30	0.02	...	0.23	0.21	...	...	...	0.03	...	0.01	...	0.14	30
31	...	...	...	...	0.03	...	...	0.97	...	...	...	0.11	31
Total	1.46	0.91	2.68	(3.87)	1.48	1.33	1.92	2.95	1.78	1.13	1.02	1.97	TOTAL for year 22.12
No. of Rain Days	13	14	19	16	13	9	10	15	17	16	13	24	179

(3.87)

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1909

FORM A2
BRITISH RAINFALL
4 JAN 1910

Kept at Middlebury Park, Bicester
in the County of Oxfordshire
by The Earl of Jersey

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level 323 ft.
Time of Observation 7-30
Nearest Railway Station { Name Bicester
Distance 4 miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	...	0.01	...	0.05	0.61	...	0.61	0.14	0.02	...	0.20	1
2	0.03	0.03	0.07	...	...	0.07	...	0.01	...	0.02	0.06	0.42	2
3	...	...	...	...	...	...	0.01	...	...	0.33	0.02	0.25	3
4	...	...	...	...	...	0.37	...	...	0.31	0.17	...	0.11	4
5	...	0.01	0.05	...	...	0.13	0.06	...	...	0.16	...	0.11	5
6	0.02	...	0.83	...	...	0.69	0.26	...	0.06	...	0.01	0.12	6
7	0.13	...	0.01	...	...	...	0.11	...	0.01	0.18	...	0.01	7
8	...	...	0.01	...	...	...	...	...	0.07	0.01	...	...	8
9	0.04	0.10	0.04	...	...	...	0.58	...	...	0.01	0.01	0.21	9
10	0.10	0.30	...	...	...	0.09	...	...	...	0.50	0.02	0.34	10
11	...	0.02	0.05	0.01	...	0.01	0.18	...	0.04	0.08	...	...	11
12	0.02	...	...	0.05	0.01	0.17	...	...	0.11	0.16	...	0.02	12
13	0.10	...	0.14	0.11	0.09	...	0.39	0.03	0.13	0.17	...	...	13
14	0.08	...	0.03	0.02	...	...	...	...	0.02	...	0.25	...	14
15	0.24	...	0.02	...	...	...	0.17	...	0.04	0.28	...	0.01	15
16	...	...	...	0.02	0.20	...	0.18	0.04	0.05	0.16	0.02	0.18	16
17	0.01	...	...	0.01	0.06	...	...	1.41	0.80	0.14	0.01	0.10	17
18	0.07	...	0.07	...	...	...	0.01	0.29	...	0.06	...	0.01	18
19	...	...	0.02	0.44	...	...	...	0.03	...	0.05	...	0.05	19
20	...	...	...	...	...	0.58	0.12	0.17	...	0.18	...	...	20
21	0.01	...	0.12	...	...	0.45	...	...	0.04	0.05	...	0.44	21
22	...	...	0.04	0.24	...	0.22	0.02	0.08	0.21	0.07	...	...	22
23	...	...	...	0.13	...	0.65	0.14	0.15	0.16	0.44	...	0.20	23
24	...	0.01	0.34	...	0.78	0.27	...	0.09	0.32	0.02	0.06	0.04	24
25	...	...	0.13	0.02	0.15	0.16	0.16	0.14	0.17	0.02	...	0.09	25
26	...	0.02	...	0.01	0.24	0.19	0.07	...	...	0.53	...	...	26
27	...	0.03	0.14	0.12	0.30	...	0.55	0.03	0.15	0.07	0.03	0.15	27
28	...	...	0.31	0.05	0.10	0.70	...	...	0.41	0.08	...	0.01	28
29	0.01	...	...	0.75	...	0.18	0.02	0.14	0.01	0.02	0.15	...	29
30	...	...	...	0.11	...	...	0.19	...	0.22	0.01	0.03	0.01	30
31	0.17	...	0.07	...	0.04	...	0.01	...	...	0.06	...	...	31
Total	1.03	0.52	2.50	2.09	2.02	5.74	3.23	3.22	3.47	4.05	0.67	3.08	31.62
No. of Rain Days	14	8	20	15	11	17	19	14	21	29	12	22	202

50 REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.

Kept at *Middleton Park Gardens*
in the County of *Hampshire* *3*

by *W. Perry for*
the Earl of Jersey

Pattern
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *2* ft. *6* in.
" " " Sea Level *325½* ft.
Time of Observation *7-30*
Nearest Railway Station { Name *Bicton*
Distance *4* Direction *ESE*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

9 am.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	0.10	0.01	...	0.03	...	...	0.06	...	0.38	0.01	0.56	1
2	...	0.25	...	...	0.02	...	0.31	0.01	0.01	0.13	0.02	0.40	2
3	...	...	...	...	0.10	...	0.26	0.44	...	...	0.46	0.49	3
4	0.01	...	...	0.36	0.09	...	...	...	...	...	...	0.08	4
5	...	0.09	0.03	0.10	0.09	...	0.43	0.06	...	...	0.15	0.01	5
6	0.01	0.13	0.02	0.01	0.06	...	0.06	...	...	0.01	0.38	0.02	6
7	0.01	0.04	...	...	0.01	0.45	0.05	...	...	...	0.15	0.03	7
8	0.05	0.03	0.03	...	0.04	...	...	...	...	...	...	0.12	8
9	0.10	...	0.32	0.01	0.04	0.64	...	0.15	...	...	...	0.22	9
10	0.19	0.05	...	0.01	0.01	0.46	...	...	...	0.05	0.11	0.19	10
11	0.34	0.10	0.12	0.01	0.26	...	...	0.14	...	1.18	0.15	...	11
12	...	...	0.14	0.14	0.06	...	...	0.02	...	0.42	0.05	0.12	12
13	0.02	0.11	...	0.06	0.04	...	...	0.04	0.02	0.01	0.50	0.35	13
14	...	0.35	...	0.22	...	...	...	0.05	0.41	...	0.01	0.43	14
15	0.11	0.04	...	0.03	...	...	...	...	0.01	...	0.01	0.81	15
16	0.05	0.09	0.12	0.50	...	...	...	...	...	0.10	...	0.30	16
17	0.03	0.09	0.01	...	0.04	0.01	0.23	0.02	...	0.04	0.01	0.11	17
18	0.09	0.16	0.05	0.03	0.44	...	...	0.33	...	0.24	...	0.01	18
19	...	0.03	...	0.02	0.04	...	...	0.02	...	0.08	0.09	...	19
20	...	0.20	...	...	...	...	0.22	0.09	...	...	...	0.54	20
21	...	0.09	...	0.22	0.04	...	...	0.01	0.01	...	...	0.50	21
22	0.05	0.44	...	...	...	0.01	0.03	...	...	...	...	0.01	22
23	0.18	0.06	...	0.04	...	0.14	...	0.20	...	...	0.68	0.02	23
24	0.11	0.33	...	0.19	...	0.21	0.09	0.11	...	0.03	0.01	0.02	24
25	...	0.24	...	0.11	...	0.34	0.04	0.05	0.01	0.01	...	0.01	25
26	...	0.18	...	0.03	...	...	...	0.05	...	...	0.03	0.06	26
27	0.40	0.01	...	...	...	0.13	0.01	...	...	0.34	0.59	...	27
28	0.02	0.05	...	0.44	0.12	0.01	0.20	0.52	...	0.09	...	0.04	28
29	...	...	...	0.02	0.01	...	...	0.10	...	...	...	...	29
30	...	...	...	0.01	0.03	0.31	...	...	...	...	0.31	...	30
31	0.01	...	...	...	0.20	...	...	...	...	0.24	...	...	31
Total	1.85	3.29	0.88	2.59	1.89	2.44	2.23	2.47	0.44	3.41	4.00	5.48	31.60
No. of Rain Days	19	24	10	21	21	11	12	20	6	16	19	25	204

Copied from
S. H. H. H.

REGISTER

OXFORD

BLOXHAM GROVE

Kept at Bloxham Grove

in the County of Oxon

by W. H. Hamner

1908-1910

in. ft. in. ft. in. ft. in. ft.

NOTE.—Rain should be measured daily at 9 a.m. Instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.04	—	—	.38	—	—	—	—	—	—	1
2	—	—	—	—	.43	—	—	—	.02	—	—	—	2
3	—	—	.15	—	.27	—	.03	—	.34	.01	—	—	3
4	—	—	—	.07	.06	—	—	—	.04	.01	—	.10	4
5	.16	—	.52	.10	.08	.02	—	.01	—	.01	—	.08	5
6	.08	—	—	—	.06	—	—	—	—	.01	—	—	6
7	.70	—	.13	—	.02	—	.05	—	—	.01	—	—	7
8	—	—	.12	—	—	—	.86	—	.09	.14	—	.30	8
9	—	—	.05	.02	—	—	.61	—	.06	.18	—	.48	9
10	—	—	—	—	—	—	.05	.05	—	—	.01	.06	10
11	—	—	—	—	—	.04	—	—	.03	—	.12	—	11
12	—	—	—	—	—	—	—	.04	—	—	.09	.14	12
13	—	—	—	—	.16	.08	—	—	—	—	.03	.08	13
14	—	—	—	—	.28	—	—	—	—	—	.06	.19	14
15	—	.08	.23	—	.26	—	.07	—	.14	—	—	.04	15
16	—	.21	—	—	—	.31	.60	—	.08	.09	—	.11	16
17	—	.11	—	—	—	1.34	.08	—	—	.02	—	.02	17
18	—	.11	—	—	—	—	—	—	.14	—	.11	.04	18
19	—	—	—	—	—	—	—	—	—	.02	—	.14	19
20	—	—	—	—	—	—	—	.45	.07	.16	—	.02	20
21	—	—	—	—	—	—	—	.08	—	.05	.23	.04	21
22	—	.18	.23	.10	.07	—	—	.07	—	—	—	—	22
23	—	.08	—	.37	—	—	—	.52	.04	—	—	—	23
24	—	—	.54	.10	—	—	—	—	—	.05	.13	—	24
25	—	—	.44	.76	—	—	—	—	.06	.02	—	—	25
26	.03	.08	—	—	—	—	—	.38	—	.10	—	—	26
27	.06	.17	.25	.45	—	—	—	.06	.05	.05	—	.06	27
28	.06	.07	—	.66	—	—	—	.20	—	.03	.08	—	28
29	—	—	.21	.46	—	—	—	.08	—	—	.05	.40	29
30	—	—	.16	.14	—	—	—	.09	—	.02	.03	.30	30
31	—	—	—	X	—	—	—	1.26	—	—	—	.09	31
Total	1.08	1.09	3.10	3.23	1.69	2.17	1.85	3.29	1.10	.98	.94	2.69	TOTAL for year
No. of Rain Days	6	9	13	11	10	6	8	13	13	13	11	19	

Copied ARR
50

REGISTER

Kept at Blocham Grove

in the County of Oxon

by W. H. Warner

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.04	—	—	.38	—	—	—	—	—	—	1
2	—	—	—	—	.43	—	—	—	.02	—	—	—	2
3	—	—	.15	—	.27	—	.03	—	.34	.01	—	—	3
4	—	—	—	.07	.06	—	—	—	.04	.01	—	.10	4
5	.15	—	.52	.10	.08	.02	—	.01	—	.01	—	.08	5
6	.08	—	—	—	.06	—	—	—	—	.01	—	—	6
7	.70	—	.13	—	.02	—	.05	—	—	.01	—	—	7
8	—	—	.12	—	—	—	.86	—	.09	.14	—	.30	8
9	—	—	.05	.02	—	—	.61	—	.06	.18	—	.48	9
10	—	—	—	—	—	—	.05	.05	—	—	.01	.06	10
11	—	—	—	—	—	.04	—	—	.03	—	.12	—	11
12	—	—	—	—	—	—	—	.04	—	—	.09	.14	12
13	—	—	—	—	.16	.08	—	—	—	—	.09	.08	13
14	—	—	—	—	.28	—	—	—	—	—	.06	.19	14
15	—	.08	.23	—	.26	—	.07	—	.14	—	—	.04	15
16	—	.21	—	—	—	.81	.60	—	.08	.09	—	.11	16
17	—	.11	—	—	—	1.34	.08	—	—	.02	—	.02	17
18	—	.11	—	—	—	—	—	—	.14	—	.11	.04	18
19	—	—	—	—	—	—	—	—	—	.02	—	.14	19
20	—	—	—	—	—	—	—	.45	.07	.16	—	.02	20
21	—	—	—	—	—	—	—	.08	—	.05	.23	.04	21
22	—	.18	.23	.10	.07	—	—	.07	—	—	—	—	22
23	—	.08	—	.37	—	—	—	.52	.04	—	—	—	23
24	—	—	.54	.10	—	—	—	—	—	.05	.13	—	24
25	—	—	.44	.76	—	—	—	—	.06	.02	—	—	25
26	.03	.08	—	—	—	—	—	.38	—	.10	—	—	26
27	.06	.17	.25	.45	—	—	—	.06	.05	.05	—	.06	27
28	.06	.07	—	.66	—	—	—	.20	—	.03	.08	—	28
29	—	—	.21	.46	—	—	—	.08	—	—	.05	.40	29
30	—	—	.16	.14	—	—	—	.09	—	.02	.03	.30	30
31	—	—	—	X	—	—	—	1.26	—	—	—	.09	31
Total	1.08	1.09	3.10	3.23	1.69	2.17	1.85	3.29	1.10	.98	.94	2.69	TOTAL for year
No. of Rain Days	6	9	13	11	10	6	8	13	13	13	11	13	

REGISTER OF RAINFALL IN 1909

FORM A.
BRITISH RAINFALL

2 FEB 1910

Kept at Blochan Grove

in the County of Devon Exgoff

by C. H. Wanner

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.06	.63		.60	.22	.08		.17	1
2	.03		.10							.08	.05	.62	2
3			.10							.15	.03	.17	3
4						.56			.20	.05		.16	4
5	.04		.08			.17				.01		.19	5
6	.03		1.29			.19	.39		.10	.01		.26	6
7	.21		.03				.08			.41			7
8	.05		.03						.06	.01			8
9		.11					.37			.03		.26	9
10	.15	.32	.03			.13				.27	.01	.31	10
11		.02	.05	.02		.04	.22		.03	.09			11
12				.02		.02			.16	.17	.04	.03	12
13	.15		.09	.11	.09		.04		.15	.20	.01		13
14	.10		.02								.12		14
15	.16						.27		.01	.10			15
16					.34		.05	.07		.07	.02	.16	16
17			.01	.02				1.27	.23	.03	.02	.07	17
18	.05		.24				.04	.08		.07	.01	.02	18
19			.01	.27				.02		.06		.07	19
20			.06			.39	.11	.10		.33			20
21						.41			.01	.04		.90	21
22			.03	.32		.12		.04	.01	.04		.01	22
23				.21		.66		.10	.31	.85		.31	23
24			.30		.74	.16		.12	.35		.06	.16	24
25			.09	.01	.20	.09	.13	.10	.06	.02		.04	25
26		.04		.11	.26	.46				.50			26
27		.04	.16	.05	.02	.04	.88		.34	.10	.05	.16	27
28			.21		.07	.58			.62	.06	.01	.03	28
29				.87		.02	.04	.08			.18		29
30				.05			.27		.44			.02	30
31	.19		.03		.18					.03		.02	31
Total	1.16	.53	2.96	2.06	1.96	4.67	2.89	2.58	3.30	3.86	.61	4.14	TOTAL for year
No. of Rain Days	11	5	20	12	9	17	13	11	17	27	13	22	30.72
													177

W.S.A

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL.
28 JAN 1911

Kept at Blocham Grove
in the County of Oxford
by W. H. Harrison Esq

Pattern
RAIN GAUGE
Diameter of top 8 in.
Height of top above Ground 3 ft.
Sea Level 387 ft.
Time of Observation
Nearest Railway Station

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02				02	01		02		59		47	1
2		22			03		20	02	01	09	02	27	2
3	02	14			08		08	31			48	46	3
4	01			33	10							14	4
5	01	08	02	06	03		70	20				02	5
6	02	09	03	02	18		05				62	02	6
7	01	07	01		01	1.03	09				02	03	7
8	06	02	02		01							17	8
9	12	01	27	02		44		04				32	9
10	21	02		01		09			03	04	11	46	10
11	27	04	19	01	15			05	06	28	15	02	11
12			09	17	03			02		32	06	37	12
13	02	11		07	04			09	03		56	36	13
14		64		16				28	31		05	73	14
15	15	02		09			01				02	70	15
16	06	09	04	33				01		14		16	16
17	09	07	03		32		37			18		12	17
18	10	26	09	04	24			46		07			18
19		12		03	04			01		11	09		19
20		37			42		57	06				43	20
21		08		17								29	21
22	05	47				16					60		22
23	16	09		04		22		37				01	23
24	06	38		12		05	09	01		02		03	24
25		16		15		53	05	10	01	01	05		25
26		05						05			02	11	26
27	53	02		01		11				36	75		27
28	03	10		19	02	07	12	55		06		05	28
29				01		05		25					29
30					15	47		04			24		30
31	01				12					40			31
Total	2.01	3.72	79	2.03	1.99	3.23	2.33	2.94	45	2.67	3.84	5.74	TOTAL for year
No. of Rain Days	21	25	10	20	18	12	11	20	6	14	16	23	196

S.a.

REGIST

OXFORD

Kept at Cane End
in the County of Oxon
by Douglas Vane

CANE END HOUSE.

1901-1902

of the O.W.
Lon. 51° 9' N
Observation 5" 9 am
top above Ground 5"
Sea Level

NOTE.—Full instructions respecting the
of the Rainfall," which is sent post-free on a

Systematic Observation and Record
of the Rainfall, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.13			.04							1
2		.13	.34				.20			.08			2
3			.04	.02		.19							3
4		(1.27) 3.27	.09	.64				.02		.26			4
5		.25	.04	.04		.01		.11		.03		.04	5
6		.07	.13	.14						.16			6
7			.09	.11	.13					.02		.15	7
8			.11	.04	.02				.19	.03		.11	8
9		.13		.29						.04		.19	9
10				.21	.13			.03					10
11				.09				.09	.11	.01		.20	11
12				.09		.09		.02			.07	.97	12
13				.27							.40	.06	13
14				.10				.46				.03	14
15				.21						.03		.07	15
16	.06			.07		.06			.79	.53			16
17	.10								.12	.13			17
18	.11								.01	.35			18
19	.08					.08			.02	.02			19
20			.05			.04			.26				20
21						.07			.25	.03	.07		21
22						.02	.03			.12			22
23							.16			.01		.38	23
24							.82			.08		.43	24
25	.02		.09				.21	.42				.42	25
26	.04						.60	.12					26
27	.17	.08					.70	.54			.02	.05	27
28	.10	.23										.59	28
29			.08		.15	.18				.08		.37	29
30			.25		.13	.75		.02	.02			.04	30
31								.39				.12	31
Totals	.74	~~4.16~~	1.44	2.32	.56	1.53	2.72	2.22	1.77	2.01	.56	4.22	
Total from Jan. 1		2.16										22.25	

REGIST

Kept at Bane End House
in the County of Oxon
by Douglas Vanderstegen Esq

RAIN GAUGE.

Lat. _____ Lon. _____
Time of Observation 9 am
Diameter 5"
Height of top above Ground 5"
" " Sea Level _____

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.13			.04							1
2		.13	.34				.20			.08			2
3			.04	.02		.19							3
4		(1.27) 3.27	.09	.64				.02		.26			4
5		.25	.04	.04		.01		.11		.03		.04	5
6		.07	.13	.14						.16			6
7			.09	.11	.13					.02		.15	7
8			.11	.04	.02				.19	.03		.11	8
9		.13		.29						.04		.19	9
10				.21	.13			.03					10
11				.09				.09	.11	.01		.20	11
12				.09		.09		.02			.07	.97	12
13				.27							.40	.06	13
14				.10				.46				.03	14
15				.21						.03		.07	15
16	.06			.07		.06			.79	.53			16
17	.10								.12	.13			17
18	.11								.01	.35			18
19	.08					.08			.02	.02			19
20			.05			.04			.26				20
21						.07			.25	.03	.07		21
22						.02	.03			.12			22
23							.16			.01		.38	23
24							.82			.08		.43	24
25	.02		.09				.21	.42				.42	25
26	.04						.60	.12					26
27	.17	.08					.70	.54			.02	.05	27
28	.10	.23										.59	28
29			.08		.15	.18				.08		.37	29
30			.25		.13	.75		.02	.02			.04	30
31								.39				.12	31
Totals	.74	~~4.16~~	1.44	2.32	.56	1.53	2.72	2.22	1.77	2.01	.56	4.22	
Total from Jan. 1		2.16										22.25	

Kept at Cane End House
in the County of Oxon
by Douglas Vanderstegen Esq

RAIN GAUGE

Time of Observation 5.10.7
Diameter 5.10.7
Height of top above Ground
" " Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15		.16		.03	.09	.25		.04			.16	1
2		.19	.03		.02	.01		.14	.19				2
3				.07	.29	.04		.06	.01				3
4	.23		.01	.08		.05		.04		.02			4
5				.17		.03		.41			.38		5
6						.28		.32		.02	.32		6
7					.09	.22		.24			.04		7
8						.02		.10			.26		8
9					.02		.14	.03		.44			9
10	.05	.33					.02	.06	.16	.30			10
11				.15	.09	.06		.10	.24		.09		11
12				.04	.03	.39		.03	.03			.11	12
13					.06	.94		.02	.08	.10			13
14			.67	.23	.15	.05				.13		.12	14
15				.16	.04	.14				.16		.09	15
16					.08	.14		.24	.07			.08	16
17					.29	.17		.04		.54		.48	17
18					.16			.66					18
19					.08	.19	.04	.13		.14			19
20			.15	.04				.03		.04			20
21			.05	.18			.01			.03			21
22		.19	.02	.18	.60	.05	.08	.05					22
23		.21						.40					23
24	.09	.23	.31				.07	.02			.41		24
25	.05	.11					.25			.03	.38		25
26	.26	.34					.07	.04		.02	.11		26
27	.08	.22					.08			.01	.14	.11	27
28		.05								.09	.22	.17	28
29			.16		.20			.01		.04	.56		29
30			.11	.03	.15	.05	.15	.16			.07	.11	30
31					.04			.32					31
Totals	.91	1.87	1.67	1.33	2.42	2.92	1.16	3.65	.82	2.11	2.98	1.43	
Total from Jan. 1												23.27	

5ma made



OXFORD.
CAVERSHAM.
"ST. BENETS HOME"
1909-1910



3 JAN 1910

NEGRET AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS,


38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by H. Hall, Gardener
Time of Observation 9 a.m.

YEAR
1909.

At St. Benet's Home, Caversham
County Oxon.

Rules for observing Rainfall will be found on back of this Chart.





3 JAN 1910

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS,


38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by H. Hall Gardener
Time of Observation 9 a.m.

YEAR
1909.

At St. Benet's House, Caversham
County Oxon.

Rules for observing Rainfall will be found on back of this Chart.



REGISTER OF RAINFALL IN 1910.

Kept at St. Benet's Home
Caversham
Oxon. 4
in the County of
by Herbert Hall

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 300 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name H. Hall
Distance 2½ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 03.	in. 06.	in. 0.	in. 0.	in. 0.	in. 07.	in. 02.	in. 08.	in. 0.	in. 07.	in. 03.	in. 18.	1
2	0.	17.	0.	0.	0.	0.	29.	11.	0.	06.	0.	22.	2
3	0.	02.	0.	0.	18.	0.	11.	0.	0.	0.	53.	57.	3
4	0.	0.	0.	0.	08.	0.	0.	0.	0.	0.	0.	16.	4
5	0.	07.	0.	13.	10.	02.	73.	22.	0.	0.	0.	03.	5
6	0.	23.	05.	11.	04.	18.	05.	29.	0.	0.	30.	02.	6
7	06.	05.	02.	09.	0.	55.	0.	0.	04.	0.	06.	0.	7
8	09.	06.	03.	0.	12.	07.	0.	0.	0.	0.	0.	32.	8
9	0.	01.	33.	0.	01.	255.	0.	01.	0.	0.	0.	32.	9
10	04.	05.	0.	0.	0.	31.	0.	0.	0.	05.	08.	38.	10
11	20.	06.	25.	02.	08.	0.	0.	0.	0.	107.	04.	16.	11
12	13.	0.	03.	14.	12.	0.	0.	03.	0.	55.	06.	28.	12
13	02.	11.	0.	08.	08.	0.	0.	04.	0.	05.	32.	19.	13
14	01.	55.	0.	07.	0.	0.	0.	03.	10.	02.	04.	55.	14
15	04.	02.	0.	0.	0.	0.	02.	0.	14.	0.	02.	45.	15
16	09.	09.	09.	10.	0.	0.	03.	0.	0.	17.	0.	34.	16
17	08.	25.	05.	17.	07.	0.	0.	0.	0.	14.	0.	05.	17
18	03.	25.	07.	04.	42.	0.	0.	13.	0.	13.	0.	02.	18
19	0.	0.	0.	04.	02.	0.	03.	0.	0.	17.	05.	01.	19
20	0.	31.	0.	0.	0.	0.	10.	0.	0.	05.	01.	17.	20
21	0.	02.	0.	25.	02.	0.	03.	02.	0.	0.	0.	24.	21
22	03.	20.	0.	0.	0.	24.	15.	0.	0.	0.	0.	02.	22
23	45.	09.	0.	04.	0.	20.	0.	16.	0.	0.	67.	0.	23
24	12.	20.	0.	0.	0.	26.	68.	0.	0.	05.	05.	04.	24
25	0.	07.	0.	43.	0.	61.	18.	18.	0.	0.	0.	02.	25
26	0.	06.	0.	0.	0.	0.	0.	0.	0.	01.	02.	02.	26
27	60.	02.	0.	02.	0.	08.	0.	0.	0.	53.	80.	0.	27
28	09.	16.	0.	30.	09.	02.	07.	35.	0.	04.	0.	0.	28
29	0.		0.	0.	0.	0.	0.	30.	0.	0.	0.	0.	29
30	0.		0.	0.	13.	11.	0.	08.	0.	0.	44.	0.	30
31	0.		0.		09.		0.	07.		30.		0.	31
Total	2.11	3.18	.92	2.03	1.65	5.27	1.89	2.10	.28	3.46	3.52	4.70	TOTAL for year 31.11
No. of Rain Days	17.	25.	9.	16.	16.	14.	14.	16.	3.	17.	17.	24.	188

RE

OXFORD.
CAVERSHAM.

Kept at 10, Hemdean

in the County of Oxon

by W. Simpson

"10, HEMDEAN RD"

1908-1910

908

ong 0.58' W.

on Reading

7 a.m.

e 5 in.

above Ground 1 ft. 0

Sea Level 129

NOTE.—Rain should be measured and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.11	0.02	—	0.53	—	—	0.23	—	—	—	1
2			0.04	—	0.13	—	—	—	0.23	—	—	—	2
3			0.27	0.05	0.02	—	—	—	0.65	—	0.01	—	3
4			0.16	0.12	—	—	0.08	—	0.09	—	—	0.06	4
5			0.41	0.24	0.15	—	—	0.02	—	—	—	0.13	5
6			0.08	0.02	0.05	—	—	—	—	—	—	0.21	6
7			0.04	—	0.03	0.02	0.02	—	—	0.02	—	—	7
8			0.12	—	—	0.01	0.22	—	0.07	—	—	0.13	8
9			0.05	0.01	—	0.03	0.30	—	—	0.16	—	0.20	9
10			—	—	0.01	—	0.07	0.05	—	—	0.02	0.23	10
11			—	—	0.08	0.02	0.02	—	0.03	—	0.13	—	11
12			—	0.03	0.07	0.01	—	0.02	—	0.02	0.07	0.11	12
13			—	0.02	0.03	0.02	0.02	0.04	—	—	0.07	0.03	13
14			—	—	0.28	—	0.05	—	—	—	0.07	0.24	14
15			0.05	—	0.09	—	0.07	—	0.11	—	0.02	0.03	15
16			0.08	—	—	0.21	0.63	—	0.03	0.18	0.04	0.04	16
17			—	—	—	0.08	0.18	—	—	0.02	—	0.09	17
18			0.02	—	—	—	0.01	—	0.09	0.24	0.07	0.07	18
19			—	0.07	—	—	—	—	—	0.32	—	0.17	19
20			—	0.02	—	—	—	0.33	0.07	0.06	—	0.05	20
21			—	—	—	—	—	0.06	—	0.04	0.29	0.06	21
22			0.17	0.31	0.17	—	—	0.16	0.04	—	—	0.01	22
23			—	0.43	0.07	—	—	0.83	0.20	—	—	—	23
24			0.20	0.03	0.06	—	—	0.24	—	0.03	0.06	—	24
25			0.39	1.44	0.04	—	0.03	0.03	0.06	0.01	—	—	25
26			0.01	—	—	—	—	0.21	0.01	0.06	—	0.01	26
27			0.08	0.32	—	—	—	0.11	0.05	0.23	—	0.05	27
28			—	0.69	—	—	—	0.20	0.02	0.02	—	0.07	28
29			0.09	0.26	0.46	—	—	0.08	—	—	0.03	0.45	29
30			0.25	0.13	—	—	—	0.02	—	—	—	—	30
31			—	—	0.03	—	—	0.30	—	0.01	—	0.18	31
Total	1.43	0.75	2.62	4.24	1.77	0.93	1.70	2.70	1.98	1.42	0.84	2.62	TOTAL for year
No. of Rain Days	(13)	(14)	19	18	17	9	13	16	16	15	12	22	184

RECORD OF RAINFALL. IN, 1908

Kept at 10, Hemdean Road, Caversham,
in the County of Oxon
by W. Simpson

Lat. 51° 28' Long. 0° 58' W.
Nearest Railway Station Reading
Time of Observation 7 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0
" " " Sea Level 129

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.11	0.02	—	0.53	—	—	0.23	—	—	—	1
2			0.04	—	0.13	—	—	—	0.23	—	—	—	2
3			0.27	0.05	0.02	—	—	—	0.65	—	0.01	—	3
4			0.16	0.12	—	—	0.08	—	0.09	—	—	0.06	4
5			0.41	0.27	0.15	—	—	0.02	—	—	—	0.13	5
6			0.08	0.02	0.05	—	—	—	—	—	—	0.21	6
7			0.04	—	0.03	0.02	0.02	—	—	0.02	—	—	7
8			0.12	—	—	0.01	0.22	—	0.07	—	—	0.13	8
9			0.05	0.01	—	0.03	0.30	—	—	0.16	—	0.20	9
10			—	—	0.01	—	0.07	0.05	—	—	0.02	0.23	10
11			—	—	0.08	0.02	0.02	—	0.03	—	0.13	—	11
12			—	0.03	0.07	0.01	—	0.02	—	0.02	0.07	0.11	12
13			—	0.02	0.03	0.02	0.02	0.04	—	—	0.07	0.03	13
14			—	—	0.28	—	0.05	—	—	—	0.0	0.24	14
15			0.05	—	0.09	—	0.07	—	0.11	—	0.02	0.03	15
16			0.08	—	—	0.21	0.63	—	0.03	0.18	0.04	0.04	16
17			—	—	—	0.08	0.18	—	—	0.02	—	0.09	17
18			0.02	—	—	—	0.01	—	0.09	0.24	0.07	0.07	18
19			—	0.07	—	—	—	—	—	0.32	—	0.17	19
20			—	0.02	—	—	—	0.33	0.07	0.06	—	0.05	20
21			—	—	—	—	—	0.06	—	0.04	0.29	0.06	21
22			0.17	0.31	0.17	—	—	0.16	0.04	—	—	0.01	22
23			—	0.43	0.07	—	—	0.83	0.20	—	—	—	23
24			0.20	0.03	0.06	—	—	0.24	—	0.03	0.06	—	24
25			0.39	1.44	0.04	—	0.03	0.03	0.06	0.01	—	—	25
26			0.01	—	—	—	—	0.21	0.01	0.06	—	0.01	26
27			0.08	0.32	—	—	—	0.11	0.05	0.23	—	0.05	27
28			—	0.69	—	—	—	0.20	0.02	0.02	—	0.07	28
29			0.09	0.26	0.46	—	—	0.08	—	—	0.03	0.45	29
30			0.25	0.13	—	—	—	0.02	—	—	—	—	30
31			—	—	0.03	—	—	0.30	—	0.01	—	0.18	31
Total	1.43	0.75	2.62	4.24	1.77	0.93	1.70	2.70	1.98	1.42	0.84	2.62	TOTAL for year
No. of Rain Days	(13)	(14)	19	18	17	9	13	16	16	15	12	22	(184)

* Melted snow.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

REGISTER OF RAINFALL IN 1909.

Kept at 10, Hemdean Road, Cavendish,
in the County of Oxon.
by W. Simpson

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " Sea Level 129 ft.
Time of Observation 7 A.M.
Nearest Railway Station { Name Reading, G.W.R.
Distance 1/2 m. Direction S.

FORM A2
BRITISH RAINFALL
JAN 1910

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<u>0.01</u>	<u>0.01</u>	<u>—</u>	<u>—</u>	<u>0.02</u>	<u>1.41</u>	<u>—</u>	<u>0.20</u>	<u>0.05</u>	<u>0.02</u>	<u>—</u>	<u>0.23</u>	1
2	<u>0.05</u>	<u>0.02</u>	<u>0.05</u>	<u>—</u>	<u>—</u>	<u>0.14</u>	<u>—</u>	<u>0.02</u>	<u>—</u>	<u>0.03</u>	<u>0.02</u>	<u>0.50</u>	2
3	<u>—</u>	<u>—</u>	<u>0.12</u>	<u>—</u>	<u>—</u>	<u>0.08</u>	<u>0.09</u>	<u>—</u>	<u>—</u>	<u>0.17</u>	<u>0.04</u>	<u>0.07</u>	3
4	<u>—</u>	<u>0.04</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>0.72</u>	<u>—</u>	<u>—</u>	<u>0.26</u>	<u>0.04</u>	<u>—</u>	<u>0.09</u>	4
5	<u>—</u>	<u>—</u>	<u>0.06</u>	<u>—</u>	<u>—</u>	<u>0.23</u>	<u>0.04</u>	<u>—</u>	<u>0.02</u>	<u>0.07</u>	<u>—</u>	<u>0.15</u>	5
6	<u>0.01</u>	<u>—</u>	<u>0.93</u>	<u>—</u>	<u>—</u>	<u>0.20</u>	<u>0.40</u>	<u>—</u>	<u>0.02</u>	<u>—</u>	<u>—</u>	<u>0.02</u>	6
7	<u>0.04</u>	<u>—</u>	<u>0.04</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>0.03</u>	<u>—</u>	<u>0.06</u>	<u>0.26</u>	<u>—</u>	<u>—</u>	7
8	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>0.07</u>	<u>0.02</u>	<u>—</u>	<u>—</u>	8
9	<u>0.09</u>	<u>0.04</u>	<u>0.05</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>0.26</u>	<u>—</u>	<u>—</u>	<u>0.04</u>	<u>0.02</u>	<u>0.10</u>	9
10	<u>0.15</u>	<u>0.16</u>	<u>0.03</u>	<u>—</u>	<u>—</u>	<u>0.06</u>	<u>0.01</u>	<u>—</u>	<u>0.09</u>	<u>0.25</u>	<u>—</u>	<u>0.20</u>	10
11	<u>—</u>	<u>0.05</u>	<u>0.01</u>	<u>—</u>	<u>—</u>	<u>0.03</u>	<u>0.11</u>	<u>—</u>	<u>0.07</u>	<u>0.13</u>	<u>—</u>	<u>0.02</u>	11
12	<u>0.02</u>	<u>—</u>	<u>—</u>	<u>0.04</u>	<u>—</u>	<u>0.02</u>	<u>—</u>	<u>—</u>	<u>0.05</u>	<u>0.11</u>	<u>—</u>	<u>0.03</u>	12
13	<u>0.09</u>	<u>—</u>	<u>0.22</u>	<u>0.21</u>	<u>0.03</u>	<u>—</u>	<u>0.03</u>	<u>—</u>	<u>0.21</u>	<u>0.12</u>	<u>0.02</u>	<u>—</u>	13
14	<u>0.12</u>	<u>0.02</u>	<u>0.04</u>	<u>0.03</u>	<u>—</u>	<u>—</u>	<u>0.03</u>	<u>—</u>	<u>—</u>	<u>0.03</u>	<u>0.15</u>	<u>—</u>	14
15	<u>0.04</u>	<u>—</u>	<u>0.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>0.10</u>	<u>—</u>	<u>0.05</u>	<u>0.13</u>	<u>0.01</u>	<u>0.03</u>	15
16	<u>—</u>	<u>—</u>	<u>—</u>	<u>0.02</u>	<u>0.11</u>	<u>—</u>	<u>0.10</u>	<u>0.04</u>	<u>0.10</u>	<u>0.38</u>	<u>0.01</u>	<u>0.11</u>	16
17	<u>—</u>	<u>—</u>	<u>0.02</u>	<u>0.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>0.61</u>	<u>0.60</u>	<u>0.43</u>	<u>—</u>	<u>0.47</u>	17
18	<u>0.06</u>	<u>—</u>	<u>0.17</u>	<u>—</u>	<u>0.01</u>	<u>—</u>	<u>0.01</u>	<u>0.24</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	18
19	<u>—</u>	<u>—</u>	<u>0.07</u>	<u>0.45</u>	<u>—</u>	<u>0.02</u>	<u>—</u>	<u>0.01</u>	<u>—</u>	<u>0.02</u>	<u>—</u>	<u>0.04</u>	19
20	<u>—</u>	<u>—</u>	<u>0.02</u>	<u>—</u>	<u>—</u>	<u>0.01</u>	<u>—</u>	<u>0.29</u>	<u>—</u>	<u>0.16</u>	<u>—</u>	<u>—</u>	20
21	<u>—</u>	<u>—</u>	<u>0.05</u>	<u>—</u>	<u>—</u>	<u>0.28</u>	<u>0.01</u>	<u>—</u>	<u>—</u>	<u>0.05</u>	<u>—</u>	<u>0.48</u>	21
22	<u>—</u>	<u>—</u>	<u>0.06</u>	<u>0.27</u>	<u>—</u>	<u>0.06</u>	<u>0.04</u>	<u>0.03</u>	<u>0.01</u>	<u>0.06</u>	<u>—</u>	<u>—</u>	22
23	<u>—</u>	<u>—</u>	<u>0.03</u>	<u>0.06</u>	<u>—</u>	<u>0.39</u>	<u>0.23</u>	<u>0.03</u>	<u>0.30</u>	<u>0.09</u>	<u>—</u>	<u>0.06</u>	23
24	<u>—</u>	<u>—</u>	<u>0.26</u>	<u>0.04</u>	<u>0.71</u>	<u>0.24</u>	<u>0.04</u>	<u>0.31</u>	<u>0.20</u>	<u>0.04</u>	<u>0.02</u>	<u>0.03</u>	24
25	<u>—</u>	<u>—</u>	<u>0.09</u>	<u>0.04</u>	<u>0.16</u>	<u>0.12</u>	<u>0.03</u>	<u>0.41</u>	<u>0.06</u>	<u>0.04</u>	<u>—</u>	<u>0.06</u>	25
26	<u>—</u>	<u>0.02</u>	<u>—</u>	<u>0.06</u>	<u>0.14</u>	<u>0.37</u>	<u>0.15</u>	<u>—</u>	<u>—</u>	<u>0.61</u>	<u>—</u>	<u>—</u>	26
27	<u>—</u>	<u>0.05</u>	<u>0.11</u>	<u>0.29</u>	<u>0.15</u>	<u>0.05</u>	<u>0.98</u>	<u>—</u>	<u>0.02</u>	<u>0.27</u>	<u>0.03</u>	<u>0.08</u>	27
28	<u>—</u>	<u>0.01</u>	<u>0.20</u>	<u>0.02</u>	<u>0.11</u>	<u>0.01</u>	<u>—</u>	<u>—</u>	<u>0.61</u>	<u>0.83</u>	<u>0.03</u>	<u>—</u>	28
29	<u>0.05</u>	<u>*</u>	<u>0.12</u>	<u>0.50</u>	<u>—</u>	<u>0.26</u>	<u>0.05</u>	<u>0.04</u>	<u>0.38</u>	<u>0.03</u>	<u>0.25</u>	<u>—</u>	29
30	<u>—</u>	<u>*</u>	<u>0.37</u>	<u>0.16</u>	<u>—</u>	<u>—</u>	<u>0.04</u>	<u>—</u>	<u>0.09</u>	<u>—</u>	<u>0.02</u>	<u>0.01</u>	30
31	<u>0.14</u>	<u>*</u>	<u>0.02</u>	<u>*</u>	<u>0.03</u>	<u>*</u>	<u>—</u>	<u>—</u>	<u>*</u>	<u>0.13</u>	<u>*</u>	<u>0.02</u>	31
Total	<u>0.87</u>	<u>0.42</u>	<u>3.14</u>	<u>2.20</u>	<u>1.47</u>	<u>4.70</u>	<u>2.78</u>	<u>2.23</u>	<u>3.32</u>	<u>4.56</u>	<u>0.62</u>	<u>2.80</u>	TOTAL for year <u>29.11</u>
No. of Rain Days	<u>13</u>	<u>10</u>	<u>25</u>	<u>15</u>	<u>10</u>	<u>20</u>	<u>21</u>	<u>12</u>	<u>21</u>	<u>28</u>	<u>12</u>	<u>21</u>	<u>208</u>

REGISTER OF RAINFALL IN 1916

FORM A2.
BRITISH RAINFALL.
FEB JAN 1917

Kept at 10, Hemdean Road, Caversham
in the County of Oxon. 4
by W. Simpson

RAIN GAUGE Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 129 ft.
Time of Observation 7 a.m.
Nearest Railway Station { Name Reading
Distance 1 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .03	in. .04	in. —	in. —	in. .01	in. .06	in. .02	in. .06	in. —	in. .07	in. .07	in. .25	1
2	.01	.17	—	—	.03	.02	.22	.13	—	.08	—	.18	2
3	—	—	—	—	.16	—	.36	.51	—	—	.48	.50	3
4	—	—	—	.13	.07	.01	—	.20	—	—	—	.14	4
5	—	.08	.01	.08	.17	.06	.76	.37	—	—	—	.02	5
6	—	.22	.03	.13	.04	.26	.06	—	—	—	.30	.01	6
7	—	.02	.01	.01	.02	.76	.02	—	.02	—	.07	—	7
8	.06	.05	.02	—	.09	—	—	.01	—	—	—	.30	8
9	.06	—	.33	—	.03	<u>3.04</u>	—	—	—	—	—	.25	9
10	.04	.05	—	—	—	.29	—	—	—	.03	.09	.35	10
11	.20	.08	.29	—	.09	—	—	.02	—	1.13	.04	.15	11
12	.11	—	.04	.11	.12	.63	—	.07	.02	.58	.02	.18	12
13	.02	.10	—	.07	.08	—	—	.01	—	.04	.28	.30	13
14	—	.53	—	.06	—	—	—	—	.24	.03	.04	.48	14
15	.05	—	—	.10	—	—	.02	—	—	.01	.03	.47	15
16	.12	.08	.12	.13	—	—	—	—	—	.16	—	.25	16
17	.07	.29	.05	—	.03	—	.03	—	—	.14	—	.05	17
18	.04	.21	.08	.04	.37	—	—	.12	—	.14	—	.02	18
19	—	.05	—	.03	.08	—	—	—	—	.14	.05	—	19
20	—	.31	—	—	—	—	.12	.02	—	.05	.02	.08	20
21	—	.02	—	.23	.01	—	.13	—	—	—	—	.20	21
22	.02	.18	—	—	—	.25	.20	.02	—	—	—	—	22
23	.46	.05	—	.03	—	.16	—	.14	—	—	.65	.02	23
24	.12	.20	—	.03	—	.41	.08	—	—	.04	.05	.03	24
25	—	.10	—	.22	—	.77	.19	.18	—	.01	—	—	25
26	—	.06	—	.02	—	—	—	.03	—	—	.02	—	26
27	.42	.02	—	.02	—	.07	—	—	—	.43	.75	—	27
28	.27	.15	—	.28	.06	.03	.07	.28	—	.10	—	.01	28
29	—	*	—	.02	.06	.05	—	.31	.01	—	—	—	29
30	—	*	—	—	.01	—	.02	.16	—	—	.40	—	30
31	.01	*	—	*	.17	*	—	.03	*	.30	*	—	31
Total	2.11	3.06	0.98	1.74	1.70	6.27	2.30	2.67	0.29	3.54	3.36	4.24	TOTAL for year 32.26
No. of Rain Days	18	23	10	19	20	16	15	19	4	18	17	22	201

Stanford

OXFORD.

N 1907

Kept at *Caversham*

CAVERSHAM LOCK.

in the County of—

by the *Thames*

1901

Lat. Lon.

Time of Observation

Diameter

Height of top above Ground

" " Sea Level

NOTE.—Full instructions of the Rainfall," which is sent post free on application to MR. SOWERBY WALLIS or DR. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.09	.02	nil	nil	nil	.04	nil	nil	.12	nil	nil	1
2	nil	.05	.25	.05	"	"	.38	"	"	nil	"	"	2
3	"	.02	.02	.64	"	.35	nil	"	"	"	"	"	3
4	"	.17	.18	nil	"	nil	"	"	"	.16	"	"	4
5	"	.10	.04	.07	"	"	"	.10	"	.11	"	"	5
6	"	nil	.19	nil	"	"	"	nil	"	.07	"	"	6
7	"	"	.07	.05	.08	"	"	"	"	.02	"	.04	7
8	.06	.03	.06	.06	.00	"	"	"	"	.03	.01	.12	8
9	.05	nil	nil	.02	.12	"	"	"	"	nil	nil	.14	9
10	nil	.05	"	.34	nil	"	"	.01	"	"	"	nil	10
11	"	nil	.02	.20	"	"	"	.10	.04	"	.02	.17	11
12	"	"	nil	.13	"	"	.15	nil	nil	"	.07	.77	12
13	"	"	"	.20	"	"	nil	"	"	"	.18	.09	13
14	"	"	"	.07	"	"	"	.37	"	"	nil	.04	14
15	"	.02	"	.13	"	"	"	nil	"	.02	"	nil	15
16	.07	nil	"	.04	"	"	"	"	.54	.55	"	"	16
17	.18	"	"	nil	"	"	"	"	.12	.02	"	"	17
18	.10	.04	"	"	"	"	"	"	nil	.30	"	"	18
19	.05	.06	.09	"	"	.05	"	"	"	nil	"	"	19
20	nil	nil	nil	"	"	.15	"	"	.33	"	"	"	20
21	"	"	"	"	"	nil	"	"	.30	.01	"	"	21
22	"	"	"	"	"	"	.05	"	nil	.07	.02	"	22
23	.04	"	"	"	"	"	.49	"	"	.02	nil	.31	23
24	nil	"	"	"	"	.05	nil	"	"	.05	"	nil	24
25	"	.02	"	"	"	nil	.10	.50	"	nil	"	"	25
26	"	.14	"	"	"	"	.41	.10	"	"	"	"	26
27	.03	nil	"	.02	"	"	.60	.58	"	"	"	"	27
28	.14	.24	"	nil	"	"	.05	nil	"	.02	"	.56	28
29	nil	"	.13	"	.10	.33	nil	"	"	.03	"	.94	29
30	"	"	.08	"	nil	.60	"	"	"	nil	"	.03	30
31	"	"	.11	"	"	"	"	.35	.06	"	"	.05	31
Totals	0.79	1.03	1.26	2.02	.33	1.53	2.27	2.11	1.39	1.60	.30	3.26	
Total from Jan. 1													17.89

S.M. Hudson

N 1907

Kept at *Caversham Lock, Reading*
in the County of *Berkshire*
by the *Thames Conservancy*

RAIN GAUGE.

Lat. Lon.
Time of Observation
Diameter
Height of top above Ground
" " Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.09	.02	nil	nil	nil	.04	nil	nil	.12	nil	nil	1
2	nil	.05	.25	.05	"	"	.38	"	"	nil	"	"	2
3	"	.02	.02	.64	"	.35	nil	"	"	"	"	"	3
4	"	.17	.18	nil	"	nil	"	"	"	.16	"	"	4
5	"	.10	.04	.07	"	"	"	.10	"	.11	"	"	5
6	"	nil	.19	nil	"	"	"	nil	"	.07	"	"	6
7	"	"	.07	.05	.08	"	"	"	"	.02	"	.04	7
8	.06	.03	.06	.06	.00	"	"	"	"	.03	.01	.12	8
9	.05	nil	nil	.02	.12	"	"	"	"	nil	nil	.14	9
10	nil	.05	"	.34	nil	"	"	.01	"	"	"	nil	10
11	"	nil	.02	.20	"	"	"	.10	.04	"	.02	.17	11
12	"	"	nil	.13	"	"	.15	nil	nil	"	.07	.77	12
13	"	"	"	.20	"	"	nil	"	"	"	.18	.09	13
14	"	"	"	.07	"	"	"	.37	"	"	nil	.04	14
15	"	.02	"	.13	"	"	"	nil	"	.02	"	nil	15
16	.07	nil	"	.04	"	"	"	"	.54	.55	"	"	16
17	.18	"	"	nil	"	"	"	"	.12	.02	"	"	17
18	.10	.04	"	"	"	"	"	"	nil	.30	"	"	18
19	.05	.06	.09	"	"	.05	"	"	"	nil	"	"	19
20	nil	nil	nil	"	"	.15	"	"	.33	"	"	"	20
21	"	"	"	"	"	nil	"	"	.30	.01	"	"	21
22	"	"	"	"	"	"	.05	"	nil	.07	.02	"	22
23	.04	"	"	"	"	"	.49	"	"	.02	nil	.31	23
24	nil	"	"	"	"	.05	nil	"	"	.05	"	nil	24
25	"	.02	"	"	"	nil	.10	.50	"	nil	"	"	25
26	"	.14	"	"	"	"	.41	.10	"	"	"	"	26
27	.03	nil	"	.02	"	"	.60	.58	"	"	"	"	27
28	.14	.24	"	nil	"	"	.05	nil	"	.02	"	.56	28
29	nil	"	.13	"	.10	.33	nil	"	"	.03	"	.94	29
30	"	"	.08	"	nil	.60	"	"	"	nil	"	.03	30
31	"	"	.11	"	"	"	"	.35	.06	"	"	.05	31
Totals	0.79	1.03	1.26	2.02	.33	1.53	2.27	2.11	1.39	1.60	.30	3.26	
Total from Jan. 1												14.89	

Copied and

REG

OXFORD.

08

3/1880
BRITISH RAINFALL
FORM A.

S.O.

Kept at Charlbury

in the County of Oxon

by J. H. Glen

CHARLBURY.

"WYCHWOOD HOUSE"

1908-1910

5 in.

Above Ground ft. in.

Sea Level 450 ft.

NOTE.—Rain should be measured of rain and particulars as to the British to Dr. H. R. MILL, 62, Camden Square, London, N.W. Full instructions for the measurement of rain are given in "Rules for Rainfall Observers," sent post-free on application

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.		in.	in.	in.	in.	in.	
1	—	—	—	.01	—	.32	—	—	.03	.01	—	.01	1
2	—	—	.09	—	.36	—	—	—	.03	—	—	—	2
3	—	—	.25	—	.03	—	—	—	.56	.01	.01	.01	3
4	—	.04	.01	.09	(.19)	—	.27	—	.04	—	—	.12	4
5	.05	—	.32	.17	(.17)	—	.17	.02	.02	.02	—	.07	5
6	.10	—	.14	—	.08	.01	—	—	—	—	—	—	6
7	.60	—	.02	—	(.07)	.02	.03	—	—	.02	—	.02	7
8	.07	—	.09	—	(.03)	—	.15	—	.03	.08	—	—	8
9	—	—	.09	—	—	.09	.52	—	.11	.18	—	.42	9
10	—	—	.02	—	—	—	.06	—	—	.01	.02	.17	10
11	—	—	—	—	—	.06	.02	.04	.04	—	.15	.02	11
12	—	—	—	.04	—	.06	—	.04	—	.01	.03	.14	12
13	—	—	—	.03	.08	—	.13	.02	—	—	.05	.14	13
14	—	—	—	—	.30	.04	.03	—	—	—	—	.11	14
15	.03	.09	.08	—	.16	—	.04	—	—	.01	—	.09	15
16	—	.30	—	—	—	.31	.40	—	.12	.02	—	.15	16
17	—	.04	—	—	—	.51	.18	—	.02	.02	—	.01	17
18	—	.03	—	—	—	—	.02	—	.17	.08	.15	.02	18
19	—	.01	.02	.02	—	—	—	—	.01	.02	—	.16	19
20	—	.02	—	—	—	—	—	.30	.05	.54	.01	.09	20
21	—	.02	—	.02	—	—	—	.05	—	.07	.21	.05	21
22	—	.12	.13	.06	.05	—	—	.29	.02	.01	.02	.02	22
23	—	.04	—	.60	—	—	—	.61	.16	.01	—	—	23
24	—	.01	.50	.22	.01	—	—	.03	.01	.07	—	.02	24
25	—	—	.29	.73	—	—	.02	.04	.06	.02	.09	—	25
26	—	.03	.02	—	.02	.7	—	.54	—	.12	—	—	26
27	—	.04	.18	—	—	—	—	.02	.06	.03	.02	.08	27
28	.14	.05	—	.90	—	.02	—	.21	—	.05	.07	.10	28
29	—	—	—	.50	.03	—	—	.08	.02	.01	.08	.18	29
30	.09	—	.28	.06	—	—	—	.02	—	.02	.02	.19	30
31	—	—	—	X	.06	—	—	.107	—	.01	—	.05	31
Total	1.08	.84	2.53	3.45	1.55	1.47	2.04	3.38	1.56	1.48	.93	2.32	TOTAL for year
No. of Rain Days	7	14	19	14	13	10	14	16	19	25	14	25	188

Copied over

REG

08

3/1880
FORM A.
BRITISH RAINFALL.

Kept at Charlbury (Wychwood Hs)
in the County of Oxon
by J. H. Glen

Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. in.
" " " Sea Level 450 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.		in.	in.	in.	in.	in.	
1	—	—	—	.01	—	.32	—	—	.03	.01	—	.01	1
2	—	—	.09	—	.36	—	—	—	.03	—	—	—	2
3	—	—	.25	—	.03	—	—	—	.56	.01	.01	.01	3
4	—	.04	.01	.09	(.10)	—	.27	—	.04	—	—	.12	4
5	.05	—	.32	.17	(.17)	—	.17	.02	.02	.02	—	.07	5
6	.10	—	.14	—	.08	.01	—	—	—	—	—	—	6
7	.60	—	.02	—	(.07)	.02	.03	—	—	.02	—	.02	7
8	.07	—	.09	—	(.03)	—	.15	—	.03	.08	—	—	8
9	—	—	.09	—	—	.09	.52	—	.11	.18	—	.42	9
10	—	—	.02	—	—	—	.06	—	—	.01	.02	.17	10
11	—	—	—	—	—	.06	.02	.04	.04	—	.15	.02	11
12	—	—	—	.04	—	.06	—	.04	—	.01	.03	.14	12
13	—	—	—	.03	.08	—	.13	.02	—	—	.05	.14	13
14	—	—	—	—	.30	.04	.03	—	—	—	—	.11	14
15	.03	.09	.08	—	.16	—	.04	—	—	.01	—	.09	15
16	—	.30	—	—	—	.31	.40	—	.12	.02	—	.15	16
17	—	.04	—	—	—	.51	.18	—	.02	.02	—	.01	17
18	—	.03	—	—	—	—	.02	—	.17	.08	.15	.02	18
19	—	.01	.02	.02	—	—	—	—	.01	.02	—	.16	19
20	—	.02	—	—	—	—	—	.30	.05	.54	.01	.03	20
21	—	.02	—	.02	—	—	—	.05	—	.07	.21	.05	21
22	—	.12	.13	.06	.05	—	—	.29	.02	.01	.02	.02	22
23	—	.04	—	.60	—	—	—	.61	.16	.04	—	—	23
24	—	.01	.50	.22	.01	—	—	.03	.01	.07	—	.02	24
25	—	—	.29	.73	—	—	.02	.04	.06	.02	.09	—	25
26	—	.03	.02	—	.02	—	—	.54	—	.12	—	—	26
27	—	.04	.18	—	—	—	—	.02	.06	.03	.02	.08	27
28	.14	.05	—	.90	—	.02	—	.21	—	.08	.07	.10	28
29	—	—	—	.50	.03	—	—	.08	.02	.01	.08	.18	29
30	.09	—	.28	.06	—	—	—	.02	—	.02	.02	.09	30
31	—	—	—	X	.06	—	—	.107	—	.01	—	.05	31
Total	1.08	.84	2.53	3.45	1.55	1.17	2.04	3.38	1.56	1.48	.93	2.32	TOTAL for year
No. of Rain Days	7	94	107	14	13	10	14	16	19	25	14	25	188

Sh. 5.0
Completed

Corr. by comp. 16. II. 10

REGISTER OF RAINFALL IN 1909

FORM A.
BRITISH RAINFALL.

175
- 2 FEB 1910

Kept at Chadbury Tychwood

in the County of Oxon

by J. H. Fleming

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.02			.03			.51	.07	.12	.02	.16	1
2	.04		.06					.01		.17	.06	.46	2
3			.09			.25	.03			.30	.02	.27	3
4	.01	.01				.41			.20	.20	.01	.06	4
5	.01		.06			.21	.04		.01	.08	.01	.27	5
6			1.04			.32	.18		.07	.01		.14	6
7	.07		.02			.01	.07		.05	.21		.01	7
8			.04						.04	.02		.01	8
9	.03		.03				.46			.02	.01	.30	9
10	.11	.32	.02			.06			.05	.42	.01	.26	10
11	.01	.03	.04	.02		.01	.11			.13	.02	.02	11
12	.04	.01		.03		.02			.16	.35	.01	.04	12
13	.03		.22	.16	.11	.01		.02	.12	.03	.02		13
14	.10		.01							.01	.30		14
15	.39					.01	.32	.04	.11	.13	.01	.02	15
16	.02			.02	.18		.04		.13	.15			16
17	.02			.03	.01			.90	.10	.12	.01	.50	17
18	.06		.15	.27			.01	.13	.01	.02		.02	18
19	.02		.04					.03		.12			19
20	.02					1.24	.11			.10		.04	20
21	.01			.02		.36		.10	.02	.10		.45	21
22	.01		.12	.26		.14	.01	.07	.01	.04		.01	22
23				.19		1.12	.02	.13	.03	.63		.24	23
24			.30	.02	.69	.08		.14	.36	.02	.05	.05	24
25			.04	.02	.05	.10	.09	.05		.06		.07	25
26		.06		.15	.31	.13	.02		.02	.62		.01	26
27		.04	.17	.13	.03	.02	.54		.23	.08	.08	.13	27
28	.02	.02	.26	.05	.13	.16		.01	.41	.09	.03	.01	28
29				.55		.12	.02	.18	.03	.03	.15		29
30	.02			.22			.13		.27	.02	.08		30
31	.09		.09		.38		.02			.03		.03	31
Total	1.14	.51	2.80	2.14	1.92	4.78	2.22	2.32	2.50	4.43	.90	3.58	TOTAL for year
No. of Rain Days	22	8	19	16	10	20	18	14	22	31	18	25	223

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL
28 JAN 1911

Kept at Wyckwood House, Charlbury
in the County of Oxford
by J. H. Glen Esq

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level 440 ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	27	01			01	02	15		38	02	48	1
2		18					43	04		10		44	2
3	01				08		24	17			45	51	3
4				25	10		01		01			11	4
5	01	04		06	03	02	60				02	02	5
6	02	15	03	06	05		07				49	05	6
7		08	02	01	01	152	03					04	7
8	04	04	01		03		02				04	12	8
9	08		26	01	04	80		06				32	9
10	39	08	01		01	11				06	05	45	10
11	11	09	17	02	22			10		20	04	01	11
12	19	01	04	21	06	77		05		55	10	35	12
13	01	10		04	03			04	03	02	52	17	13
14		47	01	09		01		50	27		05	61	14
15	09	08		17					02	01	05	72	15
16	05	11	03	15				02		11		24	16
17	06	05	02		13		28	03		03		08	17
18	08	18	10	05	15		02	58		13		02	18
19		02	02		10			03		28	07	01	19
20		20		02			14	07				47	20
21		12		26	06		01	04				25	21
22	10	39		01	01		01	01				02	22
23	07	06		02		14		35	01		61	01	23
24	12	30		14		20	05	02			01	02	24
25		24		21		23	03	05		06		02	25
26		06				02	02	03		45	06	03	26
27	45	02		01		17	02	02			64		27
28	03	03		32	23	03	07	42		10		03	28
29				02	06			46		01		01	29
30						06					44		30
31					25					27			31
Total	193	337	73	213	165	409	207	324	34	276	366	561	3158
No. of Rain Days	19	25	13	21	19	14	18	22	5	16	17	28	217

from m/s
Daily returned
Corrected for wrong day
RE
Kept at Langston House
in the County of Ox
by Major F.W. Sch

CHADHINGTON
LANGSTON HOUSE
OXFORDSHIRE
1903-1910

3
FORM A2.
BRITISH RAINFALL
17 JAN 1912
in.
Ground ft.
Sea Level 425 ft.

Name
Distance Direction
the result entered to the
ersal rule, he is earnestly
ear in the space provided
ment of rain,
tish Rainfall
pplication to
Jan. 1, following.

IMPORTANT NOTE
previous day. If an Obser
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Cambridge Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2										.11	.19		2
3										.19		.16	3
4										.41			4
5										.02			5
6										.20		.10	6
7										.12		.18	7
8										.25	.02	.26	8
9												.03	9
10										.15			10
11										.62			11
12										.35	.03	.46	12
13										.06	.05	.05	13
14										.62	.01		14
15										.01			15
16										.24			16
17													17
18										.15			18
19										.03	.08	.03	19
20										.01			20
21										.07			21
22										.09		.05	22
23										.01	.07		23
24										.31			24
25										.38			25
26										.23	.05	.03	26
27										.72	.85		27
28										.16	.28		28
29										.02			29
30													30
31										.20			31
Total										5.73	1.63	1.35	TOTAL for year
No. of Rain Days.													

from ml
Daily returned
Corrected for wrong day

REGISTER OF RAINFALL IN 1903

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Langton House Chadlington Cheltenham

in the County of Coxfordshire

by Major F.W. Schofield

RAIN GAUGE { Pattern
Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level 425 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2										.11	.19		2
3										.19		.16	3
4										.41			4
5										.02			5
6										.20		.10	6
7										.12		.18	7
8										.25	.02	.26	8
9												.03	9
10										.15			10
11										.62			11
12										.35	.03	.46	12
13										.06	.05	.05	13
14										.62	.01		14
15										.01			15
16										.24			16
17													17
18										.15			18
19										.03	.08	.03	19
20										.01			20
21										.07			21
22										.09		.05	22
23										.01	.07		23
24										.31			24
25										.38			25
26										.23	.05	.03	26
27										.72	.85		27
28										.16	.28		28
29										.02			29
30													30
31										.20			31
Total										5.73	1.63	1.35	TOTAL for year
No. of Rain Days.													

from Mr. Daily
returned Corrected for wrong day

Entered 17 V 12

REGISTER OF RAINFALL IN 1904

FORM A2.
BRITISH RAINFALL
17 JAN 1912

Kept at Langston Ho Chadlington Charlbury
in the County of Oxfordshire
by Major F.W. Schofield

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level 420 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05		.24	.08							1
2		.36		.05	.04		.24		.21				2
3	.12	.44										.01	3
4	.08	.12						.07				.22	4
5				.03						.09		.05	5
6		.11	.04							.05	.33	.28	6
7	.22	.42	.31						.25	.02	.25		7
8		.38			.03				.13				8
9	.07	.75				.31					.02	.28	9
10	.35	.19			.10					.12	.40		10
11	.04				.01			.24				.28	11
12	.17	.76		.19					.46				12
13	.23	.08		.12		.02						.20	13
14	.12	.07		.08		.37		.11	.38			.07	14
15		.01		.18		.10							15
16					.02					.18			16
17	.14	.27						.30				.02	17
18							.16						18
19		.12											19
20					.50								20
21		.07	.02		.06			.21		.06	.28		21
22				.17			.04	.70					22
23					.06		.44	.04	.09	.09	.08		23
24						.04			.03				24
25			.05			.03	1.45						25
26	.15	.17			.30		.11						26
27	.33				1.53		.09					.05	27
28	.05		.24				.06					.05	28
29	.30		.06	.04			.64					.02	29
30	.44		.04		.05		.03						30
31	.74		.08		.01			.03		.05			31
Total	3.55	4.32	.89	.86	2.95	.95	3.26	1.70	1.55	.66	1.36	1.49	TOTAL for year
No. of Rain Days.													23.54

from Mr. Daily returned

Corrected for Holiday

Entered 17.1.12

REGISTER OF RAINFALL IN 1905

FORM A2.
BRITISH RAINFALL
17 JAN 1912

Kept at Langston H. Chadlington Charlbury
in the County of Oxfordshire
by Major F.W. Schofield

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level 420 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.09	.05	.08	.06			.62	.02	1
2	.09		.11		.09	.02		.37		.03	.06		2
3				.13		.01	.01	.73					3
4	.18		.02	.03				.15		.17	.34		4
5	.03		.17	.03		.21		.13	.03	.08	.05	.15	5
6		.07		.09		.90		.07	.16			.08	6
7			.07	.12		.13		.02	.15			.19	7
8	.24		.22	.05			.02		.03				8
9	.05		.01	.28					.28				9
10		.06	.47	.16		.05	.04				.80		10
11			.16	.20	.03						.13		11
12			.36							.01	.25		12
13			.55	.32		.01			.03		.05		13
14			.27	.09	.03								14
15			.36			.28		1.56					15
16	.27		.04	.02		.51							16
17			.08			.05		.22				.08	17
18		.05				.01	.01	.02					18
19		.05		.07		.06							19
20													20
21								.21					21
22								.09			.25		22
23		.04	.24				.04						23
24		.37							.11				24
25		.10	.08	.11				.06			.16		25
26			.08	.11				.07	.02	.09	.72		26
27			.05					.35	.02				27
28		.05	.01	.07				.71	.08	.11	.15	.32	28
29					.02	.49		.04		.23		.15	29
30	.03			.29	.04	.63				.08			30
31					.10					.23	.15		31
Total	.89	.79	3.35	2.17	.40	3.41	.20	4.86	.91	1.03	3.73	.99	TOTAL for year
No. of Rain Days.	4	8	12	17	7	15	6	17	10	9	13	7	2273

from Mrs. Daily returned
Corrected for Windy day
Entered 17.4.12
REGISTER OF RAINFALL IN 1906
Kept at Langston Ho. Chadlington Charlbury
in the County of Oxfordshire
by Major F. W. Schofield

FORM A2.
BRITISH RAINFALL
17 JAN 1912

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level 420 ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20		.03			.21		.02		.26			1
2	.36	.11			.14			.22		1.25	.02	.06	2
3	.05				.08			.21			.07	.06	3
4	.61									.76	.14		4
5	.75				.13					.01		.20	5
6	.02									.04	.82	.04	6
7	.37		.07		.04					.32	.50		7
8	.62	.13	.15							.26	1.11	.10	8
9	.08	.25						.04		.80	.02	.02	9
10		.07	.30							.16			10
11	.20	.06	.18									.10	11
12	.32		.05				.37		.03	.12		.05	12
13	.09	.12	.03	.02		.07			.33			.10	13
14	.01	.10	.06			.02		.03	.21			.04	14
15	.15	.19	.03			.11	.03	.08			.13	.37	15
16	.24	.19	.01		.14	.25		.06	.14	.10	.07	.09	16
17	.25		.06							.09	.09		17
18	.19	.13	.02							.68	.04	.08	18
19		.16		.15									19
20	.07				.26				.02	.04	.36		20
21	.05	} 07		.05						.01			21
22	.24			.03	.01					.04			22
23					.26	.42	.04						23
24	.01	.08	.11		.01			.25		.04		.05	24
25			.03		.19								25
26		.15	.03		.20		.02			.03			26
27		.23		.11	.03	.17	.16						27
28		.01		.08			.30			.28			28
29						1.22				.06	.04		29
30				.12	.08					.09			30
31													31
Total	4.28	2.05	1.19	.56	1.57	2.47	.92	.91	.73	5.44	3.41	1.36	TOTAL for year
No. of Rain Days.	21	17	15	7	13	8	6	8	5	21	13	14	24.89 148.

from Mr. Daily
returned

Corrected for wrong day

Entered 17. V. 12.

REGISTER OF RAINFALL IN 1907

FORM A2.
BRITISH RAINFALL
17 JAN 1912

Kept at Langston Ho Chadlington Charlbury
in the County of Oxfordshire
by Major F.W. Schofield

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level 420 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.92				.09	.23				.35	.01		1
2	.21				.07			.58	.17			.42	2
3				.01	.07		.52		.12			.02	3
4	.02					.17	.23		.22		.02	.81	4
5		.06	.07	.15		.06	.03	.02	.09	.31			5
6				.23		.09		.17		.27		.09	6
7	.02		.11	.12	.09	.02					.01	.40	7
8		.18	.03	.32	.03		.04			.05	.07	.22	8
9		.09	.17	.31	.03		.02	.08		.23		.19	9
10	.08	.15	.09			.04	.07			.32		.06	10
11		.14				.41		.07		.03		.52	11
12		.27	.10	.77		.03					.05	.09	12
13			.18		.55	.09		.02		.39		.39	13
14		.09	.01			.05		.29		.47			14
15						.20							15
16			.18							1.30	.04		16
17			.02					.50		.06	.19		17
18		.08				.01		.02		.17	.10	.03	18
19		.17	.14		.04			.17		.22			19
20	.02			.20	.02	.03		.05		.46		.07	20
21		.10		.36		.13	.73			.02		.05	21
22					.18		.42	.05		.06	.42	.27	22
23					.16	.02						.02	23
24						.10					.13		24
25					.12	.03	.07	.04		.16	.34		25
26				.05	.12		.05	.01			.39		26
27				.16		.11	.05				.11		27
28	.11			.07			.02				.12		28
29							.07			.75			29
30				.12	.22	.07		.04		.47			30
31					.12								31
Total	1.38	1.33	1.10	2.87	1.91	1.89	2.32	2.11	.60	6.09	2.00	3.65	TOTAL for year
No. of Rain Days.	7	10	11	13	15	19	13	15	4	19	14	16	27.35 156

REGISTER OF RAINFALL IN 1908

Form A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Langston Ho Chadlington Charlbury
in the County of Oxfordshire
by Maya F W Schofield

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level 420 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.11			.32			.03				1
2			.09		.49								2
3		.03	.19		.13				.56				3
4				.15	.06		.07		.06			.12	4
5			.42	.20	.15		.23	.02				.04	5
6	.13		.13	.04	.11								6
7	.77		.02		.08		.05			.02			7
8	.11		.09				.22		.03	.07		.20	8
9			.09				.47			.15		.34	9
10			.03				.08	.03				.14	10
11					.02	.10			.02		.12		11
12				.01		.03		.03				.12	12
13					.03	.05	.15	.03			.05	.06	13
14					.38		.13				.02	.16	14
15		.08	.08		.19		.02		.07			.01	15
16		.21	.01			.30	.43		.04	.04		.14	16
17	.03	.09				.52	.23					.01	17
18									.17	.09	.15		18
19		.03		.03								.15	19
20								.34	.03	.60	.02	.02	20
21		.02						.08		.08	.25	.02	21
22		.13	.12		.04			.14			.02		22
23				.59					.11				23
24		.05	.50	.17				.70		.04	.08		24
25			.33						.07				25
26	.08	.03		.63				.54		.15			26
27		.05	.18	.40				.02	.07	.03			27
28	.07	.11		.62				.08		.02	.03		28
29			.07	.45				.14			.07		29
30	.06		.11	.05				.25				.12	30
31	.04				.08			.20				.41	31
Total	1.29	.83	2.57	3.34	1.76	1.32	2.08	3.60	1.26	1.29	.81	2.06	TOTAL for Year
No. of Rain Days.	8	11	19	12	12	6	11	15	12	11	10	16	22.21

from Mrs. Daily returned

Corrected for every day

Entered 19 V. 12

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Langston & Chadlington Charlbury
in the County of Oxfordshire
by Major F.W. Schofield

Pattern
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level 420 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03			.01	.71		.54	.05	.14		.11	1
2	.03	.02	.09							.04	.07	.43	2
3			.07							.45	.03	.15	3
4						.54			.26	.12		.13	4
5	.02		.12				.05			.07		.23	5
6			1.07			.54	.16		.08			.11	6
7	.09		.10				.04		.05			.01	7
8									.04	.27			8
9	.02	.16	.06				.50					.20	9
10	.12	.30				.03			.02	.32	.02	.25	10
11		.01	.03				.06		.01	.10		.02	11
12	.04		.01	.04		.03			.13	.12	.02	.02	12
13	.09		.17	.18	.12				.15	.22			13
14	.13		.11								.23		14
15	.27						.34	.02	.06	.15			15
16					.20		.03	.02	.06	.12		.22	16
17				.02				.81	.07	.16		.27	17
18	.08		.22					.21			.04		18
19			.06	.35				.02				.05	19
20			.05			1.02	.13	.13		.21			20
21			.08			.37		.03	.02	.07		.65	21
22			.05	.28		.16		.14		.02		.01	22
23			.02	.22		1.30	.02	.14	.02	.64		.27	23
24			.29		.75	.04		.12	.37	.02	.04	.04	24
25			.04	.01	.04	.19	.09					.05	25
26				.11	.27	.14	.23			.83			26
27			.10	.09	.04	.05	.59	.05	.25	.03	.08	.14	27
28			.27	.06	.10	.16			.57	.09		.01	28
29	.02			.69		.05	.03	.18			.12		29
30				.12			.12		.17		.06		30
31	.05		.06		.25					.06		.03	31
Total	.96	.52	3.07	2.17	.78	5.33	2.39	2.41	2.38	4.25	.71	3.40	TOTAL for year
No. of Rain Days.	12	5	21	12	9	15	14	13	18	22	10	22	29.37

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Langston Ho Chadlington Charlbury
in the County of Oxfordshire
by Major F.W. Schofield

Pattern
RAIN GAUGE Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level 420 ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.35			.01			.09		.27	.03	.57	1
2		.15				.02	.60	.03		.10	.02	.46	2
3					.10		.06	.12			.46	.52	3
4				.22	.08			.01				.14	4
5	.01	.04	.01	.07	.05		.65	.02				.03	5
6		.16	.03	.05	.13		.11				.33	.01	6
7		.09	.02			2.73	.04				.12	.04	7
8	.06	.03	.01		.08							.13	8
9	.15		.25		.04	1.06		.07				.35	9
10	.58	.12				.35				.11	.05	.36	10
11	.15	.11	.14		.25			.11	.03	.20	.14		11
12	.21		.09	.22	.05	.39		.04		.46	.05	.39	12
13	.02	.10		.07	.02			.07	.04		.62	.37	13
14		.63		.10				.35	.30		.04	.65	14
15	.10	.06		.16					.01		.07	.73	15
16	.03	.09	.05	.27						.16		.35	16
17	.04	.06	.02		.12		.33	.04		.10		.10	17
18	.10	.22	.10	.07	.16			.25		.13			18
19		.03			.10			.02		.34	.08		19
20		.22					.20	.07				.37	20
21		.08		.30	.03			.03				.37	21
22		.33				.13		.01					22
23	.19	.07		.01		.10		.26			.61		23
24	.15	.32		.12		.18	.09			.01			24
25		.29		.11		.34	.03	.06		.04			25
26		.09		.16				.05	.01		.09	.12	26
27	.49	.02		.01		.14	.02			.39	.69		27
28	.04	.06		.35	.21		.10	.61	.01	.09			28
29					.01	.01		.51					29
30					.05	.07					.39	.01	30
31	.01				.19					.34			31
Total	2.36	3.72	.72	2.29	1.68	5.52	2.23	2.82	.40	2.74	3.79	6.07	TOTAL for year
No. of Rain Days.	14	24	10	16	18	12	11	21	6	14	16	20	3434

Feb. 1902

RI
Kept at *Heythrop*
in the County of *Gloucester*
by *Albert R.*

CHIPPING-NORTON
HEYTHROP COLLEGE
OXFORDSHIRE
1902-3

52
1.56 N Long. 1.29 W
of Observation 8 AM
er. 8.2 inches
of top above Ground 3 feet
Sea Level 600 feet

NOTE.—Full instructions respecting Observers, which is sent post-free

Rainfall Organization—Rules for Rainfall
Garden Square, London, N.W.

Date.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06									.03		.11	1
2	.24									.08		.24	2
3					.11		.20	.02	.08		.04		3
4		.06		.10	.43		.10		.36	.07			4
5	.12	.04			.06	.02		.32					5
6			.02	.08	.02	.02		.12		.02	.16		6
7					.02	.26		.18			.10		7
8					.14	.26		.08					8
9		.04			.02			.08	.30	.02	.20		9
10	.02						.18	.18	1.16	.50	.03		10
11	.02						.06	.02	.16	.02			11
12	.02			.12		.08		.04	.04	.06	.13		12
13			.02		.02	.12		.06			.03	.05	13
14						.22		.12		.30		.06	14
15			.50	.58	.04	.34		.04				.19	15
16					.06	.16		.02		.06		.11	16
17	.02				.13	.20		.36	.12	.20		.05	17
18					.34	.04	.02	.14				.27	18
19					.24	.06				.02			19
20		.02	.04	.04	.08	.04		.11		.15		.01	20
21			.16				.04						21
22				.10						.03		.03	22
23		.16		.12	.44		.10	.06	.04				23
24	.04	.12									.02		24
25		.20	.22				.16	.07			.20		25
26	.04	.07					.21	.09		.04	.16		26
27	.12	.14	.19				.02			.02	.03		27
28	.08	.16						.10			.06	.02	28
29										.04	.27	.31	29
30			.03		.14			.32		.02	.32		30
31			.04		.32							.13	31
Totals	.78	1.01	1.47	1.14	2.76	2.02	1.09	2.53	2.52	1.68	1.75	1.58	
Total from Jan. 1												20.33	

REGISTER OF RAINFALL IN 1902

Kept at *Heythrop*
in the County of *Oxfordshire*
by *Albert Brassey Esq. M.P.*

RAIN GAUGE.

Lat. *51.56 N* Long. *1.29 W*
Time of Observation *8 AM*
Diameter *8.5 inches*
Height of top above Ground *3.7 ft.*
" " Sea Level *600 ft.*

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.17		.06	.14			.22	.03		.11	1
2	.24		.08		.09	.06			.06	.08		.24	2
3					.11		.20	.02	.08		.04		3
4		.06		.10	.43		.10		.36	.07			4
5	.12	.04			.06	.02		.32					5
6			.02	.08	.02	.02		.12		.02	.16		6
7					.02	.26		.18			.10		7
8					.14	.26		.08					8
9		.04			.02			.08	.30	.02	.20		9
10	.02						.18	.18	1.16	.50	.03		10
11	.02						.06	.02	.16	.02			11
12	.02			.12		.08		.04	.02	.06	.13		12
13			.02		.02	.12		.06			.13	.05	13
14						.22		.12		.30		.06	14
15			.50	.58	.04	.34		.04				.19	15
16					.06	.16		.02		.06		.11	16
17	.02				.13	.20		.36	.12	.20		.05	17
18					.34	.04	.02	.14				.27	18
19					.24	.06				.02			19
20		.02	.04	.04	.08	.04		.11		.15		.01	20
21			.16				.04						21
22				.10						.03		.03	22
23		.16		.12	.44		.10	.06	.04				23
24	.04	.12									.02		24
25		.20	.22				.16	.07			.20		25
26	.04	.07					.21	.09		.04	.16		26
27	.12	.14	.19				.02			.02	.03		27
28	.08	.16						.10			.06	.02	28
29										.04	.27	.31	29
30			.03		.14			.32		.02	.32		30
31			.04		.32							.13	31
Totals	.78	1.01	1.47	1.14	2.76	2.02	1.09	2.53	2.52	1.68	1.75	1.58	
Total from Jan. 1												20.33	

REGIS

OXFORD
CHIPPING NORTON

Kept at *Sandden*
in the County of *Asf*
by *William Cam*

1902

2
Long.
f Observation *9 a.m.*
er *8"*
of top above Ground *15"*
Sea Level *500*

NOTE.—Full instructions respecting
Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	25		16			17	20		05			31	1
2	15			02	24			02	13			4	2
3	01				27			03	41		05		3
4	12			05	02								4
5	01			08	04	04		23			19		5
6						17		33			12		6
7		11			22	45		11					7
8			03			01		07			26		8
9	04				02		15		28	61			9
10	01						14		79	05			10
11	02				01	10		14	07	02	25		11
12				15	02	14			02	01			12
13						17		02		39		09	13
14			62	12	06	34		03		07		28	14
15				75	02	09				07	01	17	15
16	04				10		02					05	16
17					25	22	02	03		23		29	17
18			02		25			21					18
19			05		23	47	4	18		18			19
20			10	01		09				02		01	20
21		05		22						02			21
22		25		24	53		17	07	02				22
23		25						04	04				23
24		26	40					08		05	43		24
25		10					25				26		25
26	34	21	20				20				1		26
27		16								01	19		27
28							13		05	50	31		28
29		02	07		15		34			46			29
30					65		03	03		14	18		30
31			02	04	15	09		17	13			01	31
Totals	96	141	167	168	3.23	2.55	1.19	2.26	194	1.71	2.87	1.74	
Total from Jan. 1		2.37	4.04	5.72	8.95	11.50	12.69	14.95	16.89	18.60	21.47	23.21	

REGISTER OF RAINFALL IN 1902

Kept at *Sarsden Clipping Norton*
 in the County of *Oxford*
 by *William Campbell Carnegie*

RAIN GAUGE.

Lat. _____ Long. _____
 Time of Observation *9 a.m.*
 Diameter *8"*
 Height of top above Ground *15"*
 " " Sea Level *500*

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	25		16			17	70		05			31	1
2	15			02	24			02	13			4	2
3	01				27			03	41		05		3
4	12			05	02								4
5	01			08	04	04		23			19		5
6						17		33			12		6
7		11			22	45		11					7
8			03			01		07			26		8
9	04				02		15		28	61			9
10	01						14		79	05			10
11	02				01	10		14	07	02	25		11
12				15	02	14			02	01			12
13						17		02		39		09	13
14			62	12	06	34		03		07		28	14
15				75	02	09				07	01	17	15
16	06				10		02					05	16
17					25	22	02	03		23		29	17
18			02		25			21					18
19			05		23	47	4	18		18			19
20			10	01		09				02		01	20
21		05		22						02			21
22		25		24	53		17	07	02				22
23		25						04	04				23
24		26	40					08		05	43		24
25		10					25				26		25
26	34	21	20				20				1		26
27		16								01	19		27
28							75	13		05	50	31	28
29		02	07		15		34				46		29
30					65		03	03			14	18	30
31			02	04	15	09		17	13			01	31
Totals	96	141	167	168	323	255	119	226	194	171	287	174	
Total from Jan. 1		237	404	572	895	1150	1269	1495	1689	1860	2147	2321	

50

REGI

OXFORD.

CHURCHILL.

Kept at Churchill

in the County of Oxford

by Mr W. H. Anson (Chu
E.T.C.

1910

0.

No 40.

8 in.

Ground 1 ft. 3 in.

Sea Level 524 ft.

2 m.

Name Sarsden Halt

Distance 1 ml. Direction S.E.

FORM A2.
BRITISH RAINFALL.

27 JAN 1910

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.29			.03	.02		.13		.01	.74	.51	1
2		.1				.03	.65	.02		.5		.3	2
3	.01				.06		.12	.12		.16		.67	3
4		.01		.24	.05			.01			.51	.18	4
5	.01	.04	.05	.06	.07	.02	.67					.05	5
6	.01	.14	.02	.08	.08		.14						6
7	.01	.12	.02		.06	4.25	.02				.48	.1	7
8	.05		.03		.08						.03	.2	8
9	.09		.25	.01		1.0		.26				.3	9
10	.35	.1										.32	10
11	.26	.05	.12		.23			.1		.07		.05	11
12	.22		.23	.16	.04			.8		.15	.17	.42	12
13	.01	.12		.07	.05			.06		.5	.5	.21	13
14		.53		.12				.35	.44		.55	.63	14
15	.09			.16					.02	.01	.01	.66	15
16	.04	.1	.06	.45							.07	.36	16
17	.03	.08	.03		.17					.12		.07	17
18	.08	.3	.04	.06			.39	.38		.13			18
19	.01	.05	.06	.02						.15			19
20	.01	.27					.22	.06		.48	.12	.36	20
21		.06		.03				.05				.14	21
22	.03	.3				.07							22
23	.15	.09				.07		.32					23
24	.10	.39		.25			.11				.55		24
25		.28		.12		.5	.07	.18		.01		.02	25
26		.05		.02						.01	.03		26
27	.55	.02				.16			.03		.12	.15	27
28	.05	.05		.45			.12	.65		.21	.65		28
29						.03		.37	.04				29
30				.02		.09					.39	.03	30
31					.17								31
Total	2.21	3.54	.91	2.32	1.09	6.24	2.51	3.86	.53	2.51	4.92	5.73	TOTAL for year 36.37
No. of Rain Days	22	23	11	17	12	11	10	16	4	14	15	21	176

Kept at Churhillin the County of Oxfordby Mr W. H. Anson (Churhill & Sarsden School)
E.T.C.RAIN GAUGE { Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 524 ft.Time of Observation 9 a.m.Nearest Railway Station { Name Sarsden Halt
Distance 1 ml. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. ·05	in. ·29	in.	in.	in. ·03	in. ·02	in.	in. ·13	in.	in. ·01	in. ·74	in. ·51	1
2		·1				·03	·65	·02		·5		·3	2
3	·01				·06		·12	·12		·16		·67	3
4		·01		·24	·05			·01			·51	·18	4
5	·01	·04	·05	·06	·07	·02	·67					·05	5
6	·01	·14	·02	·08	·08		·14						6
7	·01	·12	·02		·06	4·25	·02				·48	·1	7
8	·05		·03		·08						·03	·2	8
9	·09		·25	·01		1·0		·26				·3	9
10	·35	·1										·32	10
11	·26	·05	·12		·23			·1		·07		·05	11
12	·22		·23	·16	·04			·8		·15	·17	·42	12
13	·01	·12		·07	·05			·06		·5	·5	·21	13
14		·53		·12				·35	·44		·55	·63	14
15	·09			·16					·02	·01	·01	·66	15
16	·04	·1	·06	·45							·07	·36	16
17	·03	·08	·03		·17					·12		·07	17
18	·08	·3	·04	·06			·39	·38		·13			18
19	·01	·05	·06	·02						·15			19
20	·01	·27					·22	·06		·48	·12	·36	20
21		·06		·03				·05				·14	21
22	·03	·3				·07							22
23	·15	·09				·07		·32					23
24	·10	·39		·25			·11				·55		24
25		·28		·12		·5	·07	·18		·01		·02	25
26		·05		·02						·01	·03		26
27	·55	·02				·16			·03		·12	·15	27
28	·05	·05		·45			·12	·65		·21	·65		28
29						·03		·37	·04				29
30				·02		·09					·39	·03	30
31					·17								31
Total	2·21	3·54	·91	2·32	1·09	6·24	2·51	3·86	·53	2·51	4·92	5·73	TOTAL for Year 36·37
No. of Rain Days	22	23	11	17	12	11	10	16	4	14	15	21	176

Schoolhouse REGIST.
Kept at Clanfield
in the County of Oxford
by Robert le Lucas

OXFORD
CLANFIELD
SCHOOLHOUSE.
1906-1910

FORM A.
BRITISH RAINFALL.
11 JAN 1907
g. Bluescot
9-0
in.
und 1 ft. 0 in.
Level ft.

NOTE.—Full instructions respecting the measurement of Rainfall Organization are given in "Rules for Rainfall Observers," sent by post to DR. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	nil	nil	nil	.02	nil	nil	nil	nil	.45	nil	nil	1
2	.22	.13	"	"	.18	"	"	"	"	.65	"	.06	2
3	.10	nil	"	"	.03	"	"	"	"	nil	"	nil	3
4	.29	"	"	"	nil	"	"	"	"	1.00	"	"	4
5	.63	"	.03	"	"	"	"	"	"	nil	.13	"	5
6	"	"	nil	"	.05	"	"	"	"	"	.64	"	6
7	.26	"	"	"	nil	"	"	"	"	.28	.35	.35	7
8	.02	.14	.06	"	"	"	"	"	"	.25	.85	nil	8
9	.08	.08	1.50	"	"	"	"	"	"	.25	nil	"	9
10	nil	.25	.33	"	"	"	"	"	"	.21	"	"	10
11	.11	.01	.05	"	"	"	.10	"	"	nil	"	"	11
12	.39	.04	.07	"	"	"	nil	"	.03	"	"	"	12
13	.07	nil	.06	"	"	"	"	"	.35	.23	"	.40	13
14	.01	.12	nil	"	"	"	.15	"	nil	nil	"	nil	14
15	.18	nil	"	"	"	"	nil	.25	.27	"	"	"	15
16	.18	"	"	"	.03	.35	nil	nil	.11	"	"	"	16
17	.21	.34	.10	.13	.03	.06	"	"	nil	"	.35	"	17
18	.11	.15	.04	nil	nil	nil	"	"	~~.02~~	"	.03	"	18
19	.10	.03	nil	"	"	"	"	"	nil	"	nil	"	19
20	nil	nil	"	"	.37	"	"	"	"	.25	"	"	20
21	.01	"	"	"	nil	"	"	"	"	nil	"	"	21
22	nil	.05	"	"	"	"	"	"	"	"	"	"	22
23	nil	nil	"	"	.15	.62	"	"	"	"	"	"	23
24	.32	.08	"	.08	.07	.01	"	.30	"	.10	"	"	24
25	.02	~~.14~~	"	nil	.26	nil	"	nil	"	nil	"	"	25
26	nil	.14	.14	"	.16	"	.27	"	"	"	.02	"	26
27	nil	.18	nil	"	nil	"	nil	"	"	"	nil	.52	27
28	"	.02	"	"	.09	1.26	.38	"	"	.17	"	nil	28
29	"	"	"	.16	nil	nil	nil	"	"	.43	"	.11	29
30	"	"	"	.25	"	"	"	"	"	nil	"	nil	30
31	"	"	"	"	"	"	"	"	"	.06	"	nil	31
Totals	3.45	1.73	2.38	.62	1.44	2.30	.90	.55	.76	4.36	2.37	1.44	102
Total from Jan. 1	3.45	5.18	7.56	8.18	9.62	11.92	12.82	13.37	14.13	18.49	20.86	22.30	2238

Schoolhouse REGIST
Kept at Blanford
in the County of Oxfordshire
by Robert de Lucas

FORM A.
BRITISH RAINFALL.
11 JAN 1907
Lat. Long.
Nearest Railway Station Bluscott
Time of Observation 9-0
Diameter 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level ft.
RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	nil	nil	nil	.02	nil	nil	nil	nil	.45	nil	nil	1
2	.22	.13	"	"	.18	"	"	"	"	.65	"	.06	2
3	.10	nil	"	"	.03	"	"	"	"	nil	"	nil	3
4	.29	"	"	"	nil	"	"	"	"	1.00	"	"	4
5	.63	"	.03	"	"	"	"	"	"	nil	.13	"	5
6	"	"	nil	"	.05	"	"	"	"	"	.64	"	6
7	.26	"	"	"	nil	"	"	"	"	.28	.35	.35	7
8	.02	.14	.06	"	"	"	"	"	"	.25	.85	nil	8
9	.08	.08	1.50	"	"	"	"	"	"	.25	nil	"	9
10	nil	.25	.33	"	"	"	"	"	"	.21	"	"	10
11	.11	.01	.05	"	"	"	.10	"	"	nil	"	"	11
12	.39	.04	.07	"	"	"	nil	"	.03	"	"	"	12
13	.07	nil	.06	"	"	"	"	"	.35	.23	"	.40	13
14	.01	.12	nil	"	"	"	.15	"	nil	nil	"	nil	14
15	.18	nil	"	"	"	"	nil	.25	.27	"	"	"	15
16	.18	"	"	"	.03	.35	"	nil	.11	"	"	"	16
17	.21	.34	.10	.13	.03	.06	"	"	nil	"	.35	"	17
18	.11	.15	.04	nil	nil	nil	"	"	~~.02~~	"	.03	"	18
19	.10	.03	nil	"	"	"	"	"	nil	"	nil	"	19
20	nil	nil	"	"	.37	"	"	"	"	.25	"	"	20
21	.01	"	"	"	nil	"	"	"	"	nil	"	"	21
22	nil	.05	"	"	"	"	"	"	"	"	"	"	22
23	nil	nil	"	"	.15	.62	"	"	"	"	"	"	23
24	.32	.08	"	.08	.07	.01	"	.30	"	.10	"	"	24
25	.02	~~.14~~	"	nil	.26	nil	"	nil	"	nil	"	"	25
26	nil	.14	.14	"	.16	"	.27	"	"	"	.02	"	26
27	nil	.18	nil	"	nil	"	nil	"	"	"	nil	.52	27
28	"	.02	"	"	.09	1.26	.38	"	"	.17	"	nil	28
29	"	"	"	.16	nil	nil	nil	"	"	.43	"	.11	29
30	"	"	"	.25	"	"	"	"	"	nil	"	nil	30
31	"	"	"	"	"	"	"	"	"	.06	"	nil	31
Totals	3.45	1.73	2.38	.62	1.44	2.30	.90	.55	.76	4.36	2.37	1.44	102
Total from Jan. 1	3.45	5.18	7.56	8.18	9.62	11.92	12.82	13.37	14.13	18.49	20.86	22.30	22.30

REGISTER OF RAINFALL IN 1907.

FORM A.
BRITISH RAINFALL.

Kept at

in the County of

by

Lat.

Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

Sea Level 220 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			nil	nil	.14	.53		nil	nil	nil	nil	nil	1
2			"	"	nil	.02		.16	"	.30	"	nil	2
3			"	"	.19	nil	.16	.17	"	nil	"	.48	3
4			"	"	nil	.17	.45	nil	"	.11	"	.75	4
5			"	.15	"	.11	.08	"	"	.33	"	nil	5
6	.40		"	.25	"	nil	.03	"	.12	nil	.07	nil	6
7			.06	.35	"	"	"	.08	nil	"	nil	.54	7
8			"	nil	"	"	.05	nil	"	.06	"	.15	8
9			"	"	"	"	.07	"	"	nil	nil	.31	9
10	.07		.41	nil	"	"	.03	"	"	.63	.02	.11	10
11			nil	.15	"	.30	"	"	"	.11	.04	.53	11
12			"	.62	"	nil	"	"	"	.15	nil	.25	12
13			.22	nil	.85	"	"	.19	"	nil	nil	nil	13
14		.05	nil	"	nil	.10	"	.10	"	.42	"	.38	14
15		nil	"	"	"	.31	"	nil	"	nil	"	nil	15
16		"	"	"	"	nil	"	"	"	1.06	"	"	16
17		"	"	"	"	"	"	"	"	.03	.25	"	17
18		.05	.14	"	"	"	"	"	"	nil	nil	"	18
19		.22	.12	"	"	.02	"	.24	"	"	"	"	19
20		.17	nil	"	"	"	"	.12	"	.35	"	"	20
21		nil	"	.15	"	"	.82	nil	"	.05	"	"	21
22		"	"	.45	.16	"	.67	"	"	.09	"	"	22
23		"	"	nil	.38	.11	"	.12	"	.08	.45	"	23
24		"	"	"	nil	.20	"	nil	"	nil	nil	"	24
25		"	"	"	.17	nil	"	"	"	"	.60	"	25
26		"	"	.28	.22	nil	.15	"	"	.13	.64	"	26
27		"	"	.14	nil	.07	.03	"	"	nil	nil	"	27
28	.21		"	nil	"	nil	"	"	"	"	.08	"	28
29		"	"	"	"	"	.15	"	"	.75	nil	"	29
30		"	.21	.12	.03	.07	.14	"	"	"	"	"	30
31			"	.13	"	"	"	nil	"	.46	"	"	31
Total	.68		.65	.275	2.36	1.97	2.76	1.20	.12	5.65	2.15	3.50	TOTAL for year
No. of Rain Days			4	10	9	12	11	9	1	17	8	9	

REGISTER OF RAINFALL IN 1908

Kept at

Clunfield Schools

in the County of

Oxon

by

Mr. R. B. Lucas.

Lat.

Long.

Nearest Railway Station

Alvescot

Time of Observation

9.0 A.M.

Diameter of Rain Gauge

5 in.

Height of top of Gauge above Ground

1 ft. 0 in.

Sea Level

ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.05			.70							1
2			.19						.16				2
3			.44		.67				.63				3
4				.08	.09		.06						4
5			.30						.12			.09	5
6	.36				.16		.80						6
7	.75												7
8													8
9			.20							.31		.28	9
10							.89					.23	10
11													11
12											.15		12
13						.11						.20	13
14												.14	14
15		.32							.14				15
16		.10				.36	.60		.34	.05		.07	16
17													17
18			.09				.52				.18		18
19		.12							.16	.15			19
20		.01											20
21									.24	.63	.45		21
22			.24										22
23		.09		.79									23
24			.82	.46							.15		24
25			.19	.65									25
26	.07								.25	.19			26
27		.05	.09	.45									27
28		.09		.55									28
29			.06	.42								.75	29
30	.12		.25	.02					.07		.25	.16	30
31												.23	31
Total	1.30	.78	2.92	3.42	.92	1.17	2.87	3.46	2.11	1.33	1.18	2.15	TOTAL for year 13.50
No. of Rain Days	4	7	12	8	3	23	25	6	9	5	5	9	75

REGISTER OF RAINFALL IN 1909.

FORM A.
BRITISH RAINFALL.
4 JAN 1910

Kept at *Schools* *Clarfield*
in the County of *Oxon*
by *Mr. R. B. Lucas*

Lat. _____ Long. _____
Nearest Railway Station *Alvescot*
Time of Observation *9.0 A.M.*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " Sea Level *220* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						.53		.59		.02		.12	1
2						.52	.11			.06		.11	2
3			.15			.57				.13		.09	3
4						.38				.02		.40	4
5						.43					.02		5
6			1.25										6
7			.09							.09			7
8										.04			8
9		.25					.34			.06		.21	9
10										.34		.12	10
11							.31			.23		.31	11
12	.25			.25					.16	.24	.11	.21	12
13									.04	.03	.06		13
14			.17	.16					.15	.10	.09		14
15	.45		.11				.20		.16	.09			15
16			.18						.54	.25		.24	16
17								1.13	.38	.11		.45	17
18			.12						.08	.02			18
19				.32				.23		.12			19
20						.78		.15		.23			20
21						.25		.30		.03			21
22			.19	.17		.24	.09			.04			22
23						.95			.18	.25		.17	23
24			.35		.36	.05				.09		.07	24
25			.12		.24		.23			.14			25
26					.28	.09	.02			.54	.15		26
27			.25	.28	.10					.12	.08	.13	27
28		.25	.14	.31				.14	.72	.04	.06	.08	28
29			.16	.47				.15		.10			29
30				.06		.10	.60		.36		.04	.24	30
31							.28			.08		.16	31
Total	.70	.50	3.28	2.02	.95	4.89	2.78	2.69	2.77	3.81	.61	3.11	TOTAL for year 27.51
No. of Rain Days	2	2	13	8	4	12	9	7	10	28	8	16	119

REGISTER OF RAINFALL IN 1910

FORM A2
BRITISH RAINFALL

Kept at blanfield
in the County of Oxfordshire
by Robt C Lucas

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 2 ft.
Time of Observation 9-0 AM
Nearest Railway Station { Name Alvescot GWR
Distance 1 1/2 Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>nil</u>						<u>.03</u>					<u>.45</u>	1
2	<u>"</u>	<u>.01</u>					<u>.13</u>	<u>.08</u>		<u>.47</u>	<u>.03</u>		2
3	<u>.06</u>	<u>.03</u>						<u>.03</u>		<u>.05</u>		<u>.26</u>	3
4	<u>nil</u>			<u>.02</u>	<u>.16</u>							<u>.46</u>	4
5	<u>"</u>	<u>.12</u>			<u>.04</u>		<u>.02</u>					<u>.02</u>	5
6	<u>"</u>	<u>.24</u>	<u>.05</u>		<u>.16</u>		<u>.14</u>				<u>.23</u>		6
7	<u>.03</u>	<u>.09</u>		<u>.33</u>	<u>.20</u>	<u>1.25</u>	<u>.09</u>				<u>.06</u>		7
8	<u>.01</u>	<u>.11</u>	<u>.21</u>	<u>.06</u>	<u>.08</u>	<u>.03</u>						<u>.26</u>	8
9	<u>.09</u>				<u>.18</u>	<u>.47</u>		<u>.39</u>				<u>.13</u>	9
10	<u>.20</u>				<u>.22</u>	<u>.28</u>					<u>.05</u>	<u>.42</u>	10
11	<u>.14</u>		<u>.14</u>	<u>.03</u>			<u>.24</u>	<u>.07</u>		<u>.82</u>	<u>.09</u>	<u>.06</u>	11
12	<u>nil</u>		<u>.03</u>	<u>.13</u>	<u>.09</u>		<u>.11</u>			<u>.39</u>	<u>.43</u>	<u>.32</u>	12
13	<u>"</u>	<u>.32</u>		<u>.02</u>			<u>.31</u>				<u>.03</u>	<u>.18</u>	13
14	<u>"</u>	<u>.25</u>		<u>.14</u>			<u>.02</u>	<u>.06</u>			<u>.03</u>	<u>.56</u>	14
15	<u>"</u>	<u>.03</u>		<u>.09</u>			<u>.41</u>		<u>.16</u>	<u>.01</u>		<u>.65</u>	15
16	<u>.18</u>	<u>.09</u>		<u>.24</u>						<u>.04</u>		<u>.19</u>	16
17	<u>nil</u>		<u>.04</u>		<u>.06</u>					<u>.09</u>		<u>.05</u>	17
18	<u>"</u>	<u>.32</u>			<u>.22</u>			<u>.34</u>		<u>.24</u>		<u>.02</u>	18
19	<u>"</u>	<u>.04</u>		<u>.11</u>				<u>.07</u>		<u>.09</u>			19
20	<u>"</u>	<u>.25</u>					<u>.24</u>			<u>.04</u>		<u>.75</u>	20
21	<u>"</u>			<u>.31</u>			<u>.02</u>	<u>.09</u>					21
22	<u>"</u>			<u>.02</u>									22
23	<u>"</u>	<u>.53</u>			<u>.11</u>						<u>.82</u>		23
24	<u>"</u>	<u>.32</u>				<u>.09</u>		<u>.27</u>					24
25	<u>"</u>					<u>.29</u>	<u>.06</u>	<u>.06</u>		<u>.19</u>			25
26	<u>"</u>			<u>.24</u>			<u>.12</u>	<u>.26</u>					26
27	<u>.75</u>	<u>.23</u>		<u>.02</u>						<u>.49</u>	<u>1.15</u>		27
28	<u>nil</u>	<u>.06</u>	<u>.06</u>		<u>.24</u>	<u>.09</u>		<u>.51</u>			<u>.04</u>	<u>.06</u>	28
29	<u>"</u>			<u>.06</u>		<u>.03</u>		<u>.21</u>			<u>.03</u>		29
30	<u>.16</u>			<u>.12</u>	<u>.11</u>	<u>.01</u>		<u>.03</u>			<u>.35</u>		30
31	<u>.13</u>				<u>.06</u>					<u>.33</u>		<u>.09</u>	31
Total	<u>1.75</u>	<u>3.04</u>	<u>.53</u>	<u>1.94</u>	<u>1.82</u>	<u>2.65</u>	<u>1.94</u>	<u>2.41</u>	<u>.16</u>	<u>3.25</u>	<u>3.34</u>	<u>4.93</u>	TOTAL for year
No. of Rain Days	<u>10</u>	<u>17</u>	<u>6</u>	<u>16</u>	<u>13</u>	<u>10</u>	<u>14</u>	<u>14</u>	<u>1</u>	<u>13</u>	<u>13</u>	<u>18</u>	<u>145</u>

REG

CLIFTON HAMPODEN

Kept at Clifton Ha

in the County of Gloucester

by John J. Heyman

THE MANOR HOUSE

1909-10

09
 wind on
 fine in.
 above Ground ft. 12
 Sea Level 19.0 ft.
 2 a.m.

Name Culham
 Distance 1/4 m. Direction W
 and the result entered to the

Jan. 1, following.

IMPORTANT NOTE.

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	—	—	—	.48	—	.50	.05	—	—	.18	1
2	.04	—	.10	—	—	.06	—	—	—	.06	.02	.33	2
3	—	.02	.04	—	—	.05	—	—	—	.58	.01	.15	3
4	—	—	—	—	—	.66	—	—	.30	.02	—	.11	4
5	.01	—	.09	—	—	.19	.03	—	.01	.11	—	.13	5
6	—	—	.64	—	—	.28	.88	—	.05	.02	—	.10	6
7	.10	—	.03	—	—	—	.01	—	.05	.15	—	—	7
8	—	—	—	—	—	—	—	—	.05	—	—	—	8
9	.06	.02	.02	—	—	—	.87	—	—	.04	—	.14	9
10	.14	.24	.01	—	—	.06	—	—	.10	.16	—	.22	10
11	—	.02	.02	—	—	.03	.12	—	.04	.07	—	—	11
12	.02	.02	—	.02	—	.09	—	—	.12	.10	—	.02	12
13	.04	—	.22	.15	.01	—	—	—	.05	.32	.08	—	13
14	.09	(.02)	.02	—	—	—	.01	—	—	—	.18	—	14
15	.07	—	.01	—	—	—	.17	—	.09	.05	.04	—	15
16	—	—	—	.04	.22	—	.06	.01	.03	.13	—	.06	16
17	—	—	—	.01	—	—	—	.03	.21	.05	—	.28	17
18	.08	—	.06	.03	—	—	.01	.17	—	—	—	—	18
19	—	—	.01	.32	—	—	—	.18	—	—	—	.05	19
20	—	—	—	—	—	—	.03	.02	—	.09	—	—	20
21	—	—	.10	—	—	.35	—	.21	—	.04	—	.33	21
22	—	—	.08	.13	—	.03	—	—	—	.05	—	.01	22
23	—	—	.20	.05	—	.59	.15	.02	.15	.02	.10	.10	23
24	—	—	—	—	.65	.15	—	.03	.23	.01	—	—	24
25	—	—	.06	.03	.10	.45	.02	.21	.01	.05	—	.02	25
26	—	—	—	.02	.16	.20	—	.17	.17	.27	—	—	26
27	—	.04	.12	.25	.17	—	.49	—	(.16)	.08	.02	.08	27
28	—	.01	.02	—	.07	.14	—	—	(.44)	.37	.01	—	28
29	.03	—	.05	.39	—	.07	.07	.15	.12	.15	.30	—	29
30	—	—	.02	.07	—	—	.19	—	.03	—	.06	—	30
31	.08	—	.01	—	.22	—	—	—	—	.15	—	—	31
Total	.77	.37	1.93	1.51	1.60	3.52	2.01	2.60	2.23	3.07	.72	2.31	22.64
No. of Rain Days	13	7	22	13	8	17	15	12	20	24	9	17	177

REGISTER OF RAINFALL IN 1909

Kept at Lifton Hampden (Mama House)

in the County of Oxfordshire

by John J. Heyman Gardener to Lord Aldenham

Pattern Snowdon
 RAIN GAUGE Diameter of top five in.
 Height of top above Ground 12 ft.
 " " " Sea Level 190 ft.
 Time of Observation 9 a.m.
 Nearest Railway Station { Name Culham
 Distance 1 1/2 miles Direction W

FORM A2
 BRITISH RAINFALL
 4 JAN 1910

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	—	—	—	.48	—	.50	.05	—	—	.18	1
2	.04	—	.10	—	—	.06	—	—	—	.06	.02	.33	2
3	—	.02	.04	—	—	.05	—	—	—	.58	.01	.15	3
4	—	—	—	—	—	.60	—	—	.30	.02	—	.11	4
5	.01	—	.09	—	—	.19	.03	—	.01	.11	—	.13	5
6	—	—	.64	—	—	.28	.88	—	.05	.02	—	.10	6
7	.10	—	.03	—	—	—	.01	—	.05	.15	—	—	7
8	—	—	—	—	—	—	—	—	.05	—	—	—	8
9	.06	.02	.02	—	—	—	.87	—	—	.04	—	.14	9
10	.12	.24	.01	—	—	.06	—	—	.10	.16	—	.22	10
11	—	.02	.02	—	—	.03	.12	—	.04	.07	—	—	11
12	.02	.02	—	.02	—	.09	—	—	.12	.10	—	.02	12
13	.04	—	.22	.15	.01	—	—	—	.05	.32	.08	—	13
14	.09	(.02)	.02	—	—	—	.01	—	—	—	.18	—	14
15	.07	—	.01	—	—	—	.17	—	.09	.05	.04	—	15
16	—	—	—	.04	.22	—	.06	.01	.03	.13	—	.06	16
17	—	—	—	.01	—	—	—	.03	.21	.05	—	.28	17
18	.08	—	.06	.03	—	—	.01	1.17	—	—	—	—	18
19	—	—	.01	.32	—	—	—	.18	—	—	—	.05	19
20	—	—	—	—	—	—	.03	.02	—	.09	—	—	20
21	—	—	.10	—	—	.25	—	.21	—	.04	—	.33	21
22	—	—	.08	.13	—	.03	—	—	—	.05	—	.01	22
23	—	—	.20	.05	—	.59	.15	.02	15.02	.10	—	.10	23
24	—	—	—	—	.65	.15	—	.03	23.03	.01	—	—	24
25	—	—	.06	.03	.10	.45	.02	.21	01.04	.05	—	.02	25
26	—	—	—	.02	.16	.20	—	.17	.17	.27	—	—	26
27	—	.04	.12	.25	.17	—	.49	—	(.10)	.08	.02	.08	27
28	—	.01	.02	—	.07	.14	—	—	(.44)	.87	.01	—	28
29	.03	—	.05	.39	—	.07	.07	15.12.15	—	.30	—	—	29
30	—	—	.02	.07	—	—	.19	—	.03	—	.06	—	30
31	.08	—	.01	—	.22	—	—	—	—	.15	—	—	31
Total	.77	.37	1.93	1.51	1.60	3.52	2.01	2.60	2.23	3.07	.72	2.31	22.64
No. of Rain Days	13	7	22	13	8	17	15	12	20	24	9	17	177

London

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL.

3 JAN 1911

Kept at *The Manor House Clifton Hampden*
Abingdon
in the County of *Oxford*
by *John P. Heyman* Gardener to Lord Aldrich

Lat. *51° 39' 21"* Long. *1° 12' 27"*
Nearest Railway Station *Culham*
Time of Observation *9 a.m.*
Diameter of Rain Gauge *5* in. *Snowden*
Height of top of Gauge above Ground *1* ft. in.
" " " Sea Level *190* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.03	-	-	.01	.07	.01	.07	-	.15	.01	.22	1
2	-	.12	-	-	.01	-	.27	.02	-	.12	-	.21	2
3	-	-	-	-	.11	-	.50	.07	-	-	.32	.42	3
4	-	-	-	.26	.10	-	-	-	-	-	-	.10	4
5	-	.07	-	.13	.05	.02	.65	.17	-	-	-	-	5
6	-	.18	.03	.07	.06	-	.02	-	-	-	.13	.02	6
7	-	.02	-	-	.04	.55	.01	-	-	-	.06	.02	7
8	.02	-	-	-	.16	-	-	-	-	-	-	.15	8
9	.10	-	.16	-	.12	.82	-	.13	-	-	-	.18	9
10	.03	.02	-	-	-	.31	-	-	.03	.06	.02	.10	10
11	.16	.05	.27	.02	.30	-	-	.02	-	.90	.03	-	11
12	.13	-	.05	.14	.04	.02	-	-	-	.57	.03	.31	12
13	-	.11	-	.08	.03	-	-	.01	.03	.01	.28	.24	13
14	-	.41	-	.10	-	-	-	-	.25	-	.01	.41	14
15	.07	.04	-	.12	-	-	-	-	.01	-	.03	.36	15
16	.07	.04	.03	.29	-	-	-	-	-	.13	-	.14	16
17	.11	.11	.07	-	.04	-	.05	.01	-	.09	-	.02	17
18	.05	.13	.02	.05	.21	-	-	.62	-	.17	-	-	18
19	-	.01	.02	.03	.03	-	-	-	-	.17	.05	-	19
20	-	.26	-	-	-	-	.19	.02	-	.01	-	.13	20
21	-	.06	-	.22	.02	-	-	-	-	-	-	.22	21
22	.01	.27	-	-	-	.18	-	.02	-	-	-	.01	22
23	.21	.03	-	.03	-	.09	-	.11	-	-	.55	-	23
24	.06	.27	-	-	-	.10	.64	.22	-	.02	-	.02	24
25	-	.23	-	.05	-	.33	.22	.38	-	-	.03	-	25
26	-	.04	-	.05	-	-	-	.05	-	-	.01	-	26
27	.37	.02	-	-	-	.06	.26	-	-	.71	.82	-	27
28	.09	.08	-	.38	.15	-	.16	.37	.09	.05	-	.01	28
29	-	-	-	-	-	.04	-	.17	-	-	.01	-	29
30	-	-	-	-	.04	.03	-	-	-	-	.44	-	30
31	-	-	-	-	.29	-	-	.01	-	.24	-	-	31
Total	1.50	2.60	.65	2.02	1.81	2.62	1.92	2.25	.41	3.40	2.83	3.30	TOTAL for year 25.31
No. of Rain Days	15	23	8	16	19	13	11	17	5	15	17	20	179

REGIS

OXFORD.

Form A2.
BRITISH RAINFALL.
10 JAN 1910

Kept at Culham.

CULHAM.

in the County of Oxon.

by Frederick Mit

1909.

5 in.

Ground ft. 9 1/2 in.

Sea Level 180 ft.

a.m.

Name Culham G.W.R.

Distance 1 1/2 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						.47		.47	.05			.23	1
2	.03		.20			.06 ~~.47~~				.12	.02	.44	2
3			.10			.04 ~~.06~~				.62		.13	3
4		.02				.55 ~~.04~~			.40	.05		.08	4
5	.02		.10			.15 ~~.55~~	.02		.01			.17	5
6			.89			.19 ~~.15~~	.28		.01	.01		.17	6
7	.08					.19	.04		.09	.16			7
8			.02						.04				8
9	.05	.03	.04				.38			.05			9
10	.13	.23	.02			.06	.05		.12	.26		.21	10
11		.01	.01			.05	.18		.10	.06	.01	.01	11
12	.03			.03		.04			.13	.23	.01	.01	12
13	.04		.24	.17					.04	.05	.10		13
14	.09	.02		.02			.02			.01	.17		14
15	.08		.02				.19		.11	.05	.03		15
16				.06	.22		.01	.04	.06	.19		.08	16
17	.01			.02				1.65	.61			.42	17
18	.10		.10	.01				.19					18
19			.02	.25		.01		.02		.03		.05	19
20			.01				.04	.22		.23			20
21			.09			.31				.06		.40	21
22			.08	.14		.09	.01	.03		.04			22
23				.07		.53	.23	.05	.24	.12		.10	23
24			.22		.66	.09		.11	.24	.01	.03	.02	24
25			.08		.09	.19	.01	.25	.01	.07		.01	25
26		.04		.01	.08	.34	.01			.32		.01	26
27		.03	.11	.30	.19	.01	.47		.10	.05	.02	.06	27
28			.04	.01	.08	.15 ~~.01~~			.45	.20	.02		28
29	.03		.05	.41		.25	.08	.15	.08		.26		29
30				.10			.26		.06		.08	.01	30
31	.07		.01		.24					.10			31
Total	.76	.38	2.45	1.60	1.56	3.58	2.28	3.18	2.93	3.09	.75	2.61	25.17
No. of Rain Days	13	7	21	14	7	19	17	11	20	24	11	19	183

REGIS

Form A2.
BRITISH RAINFALL.
10 JAN 1910

Kept at Culham
in the County of Oxon
by Frederick Mitchell

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 9½ ft.
" " " Sea Level 180 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Culham G.W.R.
Distance 1½ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						.47		.47	.05			.23	1
2	.03		.20			.06 ~~.47~~				.12	.02	.44	2
3			.10			.04 ~~.06~~				.62		.13	3
4		.02				.55 ~~.04~~			.40	.05		.08	4
5	.02		.10			.15 ~~.55~~	.02		.01			.17	5
6			.89			.19 ~~.15~~	.28		.01	.01		.17	6
7	.08					.19	.04		.09	.16			7
8			.02						.04				8
9	.05	.03	.04				.38			.05			9
10	.13	.23	.02			.06	.05		.12	.26		.21	10
11		.01	.01			.05	.18		.10	.06	.01	.01	11
12	.03			.03		.04			.13	.23	.01	.01	12
13	.04		.24	.17					.04	.05	.10		13
14	.09	.02		.02			.02			.01	.17		14
15	.08		.02				.19		.11	.05	.03		15
16				.06	.22		.01	.04	.06	.19		.08	16
17	.01			.02				1.65	.61			.42	17
18	.10		.10	.01				.19					18
19			.02	.25		.01		.02		.03		.05	19
20			.01				.04	.22		.23			20
21			.09			.31				.06		.40	21
22			.08	.14		.09	.01	.03		.04			22
23				.07		.53	.23	.05	.24	.12		.10	23
24			.22		.66	.09		.11	.24	.01	.03	.02	24
25			.08		.09	.19	.01	.25	.01	.07		.01	25
26		.04		.01	.08	.34	.01			.32		.01	26
27		.03	.11	.30	.19	.01	.47		.10	.05	.02	.06	27
28			.04	.01	.08	.15 ~~.05~~			.45	.20	.02		28
29	.03		.05	.41		.25	.08	.15	.08		.26		29
30				.10			.26		.04		.08	.01	30
31	.07		.01		.24					.10			31
Total	.76	.38	2.45	1.60	1.56	3.58	2.28	3.18	2.93	3.09	.75	2.61	TOTAL for year 25.17
No. of Rain Days	13	7	21	14	7	19	17	11	20	24	11	19	183

S. a

REGIST

CULHAM

Kept at

Culham

in the County of

Oxon

by

J. S. Davi

COLLEGE

OXON

1901-02, 08-10

39' N Lon. 1° 15' 30" W

8.30 AM.

8 inches

p above Ground 10 1/2 in

Sea Level 222 ft

Systematic Observation and Record
Garden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.02	.07										1
2		.06	.29	.06		.01	.12						2
3			.02	.49		.12				.22			3
4		.17	.08					.01		.01			4
5			.14	.07				.12		.02	.03		5
6	.25		.10	.18	.08					.12		.02	6
7		.05	.14	.02	.52				.01			.15	7
8			.01	.21	.25				.28	.01		.09	8
9				.18	.13							.14	9
10				.13				.12		.02			10
11				.26				.22	.13			.20	11
12			.01	.03		.08		.11		.02	.13	1.10	12
13				.20		.01		.03			.28	.10	13
14				.05		.01		.59				.01	14
15				.12				.01					15
16	.16			.02		.04			.57	.35			16
17	.26					.01			.40	.05			17
18	.09	.03								.17	.02		18
19	.09	.04	.21			.09			.01	.01			19
20						.09			.43				20
21		.06				.04			.10		.04		21
22						.04	.02			.17	.09		22
23							.06		.01			.48	23
24	.01		.02				.70			.05		.31	24
25	.09	.02	.01		.02		.38	.12			.03	.16	25
26	.01	.18					.70	.10			.04		26
27	.19			.02			.42	.36				.03	27
28	.02	.27					.27					.41	28
29			.42		.14	.10				.09		.25	29
30			.27		.10	.70		.06				.01	30
31			.08					.19				.04	31
Totals	1.27	.90	1.87	2.04	1.24	1.34	2.67	2.04	1.94	1.31	.66	3.50	
Total from Jan. 1	1.27	2.17	4.04	6.08	7.32	8.66	11.33	13.37	15.31	16.62	17.28	20.78	

S. a

REGISTER OF RAINFALL IN 1901

Kept at *Culham College, N. Abingdon.*
in the County of *Oxfordshire*
by *J. S. Davis*

RAIN GAUGE.

Lat. *51° 39' N* Lon. *1° 15' 30" W*
Time of Observation *8.30 a.m.*
Diameter *8 inches*
Height of top above Ground *10½ ins*
Sea Level *222 ft approx.*

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.02	.07										1
2		.06	.29	.06		.01	.12						2
3			.02	.49		.12				.22			3
4		.17	.08					.01		.01			4
5			.14	.07				.12		.02	.03		5
6	.25		.10	.18	.08					.12		.02	6
7		.05	.14	.02	.52				.01			.15	7
8			.01	.21	.25				.28	.01		.09	8
9				.18	.13							.14	9
10				.13				.12		.02			10
11				.26				.22	.13			.20	11
12			.01	.03		.08		.11		.02	.13	1.10	12
13				.20		.01		.03			.28	.10	13
14				.05		.01		.59				.01	14
15				.12				.01					15
16	.16			.02		.04			.57	.35			16
17	.26					.01			.40	.05			17
18	.09	.03								.17	.02		18
19	.09	.04	.21			.09			.01	.01			19
20						.09			.43				20
21		.06				.04			.10		.04		21
22						.04	.02			.17	.09		22
23							.06		.01			.48	23
24	.01		.02				.70			.05		.31	24
25	.09	.02	.01		.02		.38	.12			.03	.16	25
26	.01	.18					.70	.10			.04		26
27	.19			.02			.42	.36				.03	27
28	.02	.27					.27					.41	28
29			.42		.14	.10				.09		.25	29
30			.27		.10	.70		.06				.01	30
31			.08					.19				.04	31
Totals	1.27	.90	1.87	2.04	1.24	1.34	2.67	2.04	1.94	1.31	.66	3.50	
Total from Jan. 1	1.27	2.17	4.04	6.08	7.32	8.66	11.33	13.37	15.31	16.62	17.28	20.78	

REGISTER OF RAINFALL IN 1902

Kept at *Bulham College*
 in the County of *Oxfordshire*
 by *J. S. Davis*

RAIN GAUGE.

Lat. *51° 59' N* Long. *1° 15' 30" W*
 Time of Observation *8.30 AM*
 Diameter *8 in.*
 Height of top above Ground *10½ in.*
 " " Sea Level *213 ft approx.*

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24	—	.19	—	.03	.08	.08	—	—	—	—	.17	1
2	—	—	.03	—	.07	—	—	.09	.12	—	—	—	2
3	—	.07	—	.03	.27	—	—	.02	—	—	—	—	3
4	.13	—	—	.15	—	.02	—	—	—	.09	—	—	4
5	—	—	—	.13	—	.03	—	.34	—	—	.10	—	5
6	—	—	—	—	—	.20	—	.13	—	—	.14	—	6
7	—	—	—	—	.07	.18	—	.14	—	—	.01	—	7
8	—	.12	—	—	.05	.04	—	.18	—	—	.28	—	8
9	—	—	.03	—	—	—	.14	—	.06	.45	.01	—	9
10	.02	—	—	—	—	—	.01	—	.36	.12	.02	—	10
11	.02	—	—	.15	.06	.07	—	.07	.25	—	.03	—	11
12	—	—	—	.01	—	.13	—	.04	—	—	—	.07	12
13	—	—	—	—	.04	.57	—	.01	—	.07	—	.02	13
14	—	—	.38	.12	.09	.19	—	.03	—	.10	—	.17	14
15	—	—	—	.39	.02	.03	—	—	.08	.09	—	.08	15
16	—	—	—	—	.08	.08	—	.11	.03	.02	—	.02	16
17	—	—	—	—	.08	.01	—	.49	—	.38	—	.57	17
18	—	—	—	—	.12	—	—	.27	—	.01	—	—	18
19	—	—	—	.01	.04	.43	.04	.03	—	.14	—	.01	19
20	—	—	.03	—	—	.01	—	—	—	—	—	—	20
21	—	.05	—	.11	—	.08	—	—	.02	.04	—	—	21
22	.02	.11	—	.15	.39	.03	.03	.06	.03	—	—	—	22
23	—	.09	.02	.08	—	—	—	.17	.01	—	—	—	23
24	.04	.16	.19	—	—	—	—	.01	—	—	.22	—	24
25	—	.09	—	—	—	—	.19	—	—	.02	.16	.01	25
26	.26	.19	.20	—	—	—	.10	.02	—	—	.02	—	26
27	.05	.10	—	—	—	—	—	—	—	—	.10	.03	27
28	—	.03	—	—	—	—	—	—	.01	.04	.78	.27	28
29	—	—	.06	—	.12	—	—	.03	—	.03	.53	—	29
30	—	—	.09	.04	.30	—	—	.02	—	—	.17	.12	30
31	—	—	—	—	.07	—	—	.47	—	—	—	—	31
Totals	.78	1.01	1.22	1.37	1.90	2.18	.59	2.73	.97	1.60	2.57	1.54	
Total from Jan. 1	.78	1.79	3.01	4.38	6.28	8.46	9.05	11.78	12.75	14.35	16.92	18.46	

To be filled and returned to DR. H. R. MILL 62 CAMDEN SQUARE LONDON, N.W. Copies of this form will be supplied with pleasure.

FORM B. BRITISH RAINFALL. R OF RAINFALL IN 1908

FORM A. BRITISH RAINFALL. 3/184

RAINFALL IN 1905 At Culham College, Abingdon In the County of Oxford

Lat. Long. Nearest Railway Station Time of Observation Diameter of Rain Gauge in. Height of top of Gauge above Ground ft. in. Sea Level ft.

Rain Gauge Diameter of Funnel 8 in. Height of Top Above Ground 10 1/2 in. Above Sea Level 2 1/3 ft.

9 a.m., and the result entered to the previous day. Full instructions for the measurement all Organization are given in "Rules for Rainfall Observers," sent post-free on application on, N.W.

ft. 213					May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with .01 or more recorded.	in.	in.	in.	in.	in.	in.	in.	in.	
	Inches.	Inches.	Date.										
JAN.	0.53	0.19	4	8	—	.41	—	—	.13	.01	.01	—	1
FEB.	0.80	0.35	23	12	.25	—	—	—	.15	.01	—	.01	2
MAR.	3.03	0.36	13	22	—	—	—	—	.70	.01	.01	—	3
APR.	1.93	0.32	9	18	.07	—	.28	—	.09	.02	.01	.10	4
MAY	0.85	0.52	30	7	.07	—	—	.03	—	—	—	.07	5
JUNE	3.41	0.73	29	15	—	—	—	—	—	.01	—	.01	6
JULY	0.36	0.17	9	7	.05	.02	.02	—	—	.01	—	.01	7
AUG.	2.91	0.84	28	21	—	—	.25	—	.06	.02	—	.07	8
SEPT.	1.08	0.29	25	13	—	—	.43	—	.06	.25	—	.22	9
OCT.	1.30	0.40	29	13	.01	—	.06	—	—	—	.03	.15	10
NOV.	2.92	0.61	10	22	.02	.02	.01	—	.17	.01	.14	—	11
DEC.	0.83	0.20	7	18	—	.04	—	.03	—	—	.05	.10	12
Total	19.95	—	—	176	.10	.01	.06	—	—	—	.11	.15	13
Signed J. S. Davis					.26	—	.02	—	.01	.01	.02	.21	14
K. 10M/12/05. [Please fill in the other side also.]					.04	—	.07	—	.37	—	.01	.02	15
17	—	.04	—	—	—	.43	.07	—	—	.01	—	.01	16
18	.01	.06	.02	—	—	—	—	—	.18	.01	.21	.02	17
19	—	—	—	.02	—	—	.01	—	—	.05	—	.15	18
20	—	.01	—	.01	—	—	—	.29	.04	.44	—	.06	19
21	—	.01	—	—	—	—	—	.06	—	.06	.25	.04	20
22	.02	.08	.19	.08	.02	—	—	.18	—	—	.07	—	21
23	.01	—	—	.58	—	—	—	.89	.08	.01	—	—	22
24	—	.01	.45	.18	.01	—	—	.23	—	.02	.07	—	23
25	.02	—	.32	1.70	.02	—	—	.01	.07	.02	.01	—	24
26	—	.08	.01	—	—	—	—	.31	—	.08	—	—	25
27	—	.06	.08	.36	—	—	—	.06	.06	.03	.01	.05	26
28	.10	.04	—	.32	—	—	—	.31	—	.02	.03	.10	27
29	.03	—	.06	.35	.04	—	—	.05	.01	—	.12	.30	28
30	.01	—	.17	.03	.04	—	—	.03	.01	—	—	.10	29
31	—	—	—	X	.06	—	—	.63	—	—	—	.06	30
Total	1.37	.75	2.54	3.96	1.06	1.23	1.68	3.11	2.23	1.20	1.18	2.06	TOTAL for year 2237
No. of Rain Days	12	15	18	16	15	7	12	14	17	22	18	23	109

Copied ARR
So.

REGISTER OF RAINFALL IN 1908

Kept at Abingdon (Culham College)

in the County of Oxon

by J S Davis

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.06	—	—	.41	—	—	.13	.01	.01	—	1
2	—	.02	.05	.01	.25	—	—	—	.15	.01	—	.01	2
3	—	.04	.44	.02	—	—	—	—	.70	.01	.01	—	3
4	—	—	—	.01	.07	—	.28	—	.09	.02	.01	.10	4
5	.01	—	.36	.27	.07	—	—	.03	—	—	—	.07	5
6	.04	.01	.10	.01	—	—	—	—	—	.01	—	.01	6
7	1.07	.01	.04	—	.05	.02	.02	—	—	.01	—	.01	7
8	.03	—	.06	—	—	—	.25	—	.06	.02	—	.07	8
9	—	—	.05	—	—	—	.43	—	.06	.25	—	.22	9
10	—	—	—	—	.01	—	.06	—	—	—	.03	.15	10
11	—	—	—	—	.02	.02	.01	—	.17	.01	.14	—	11
12	—	—	—	.01	—	.04	—	.03	—	—	.05	.10	12
13	—	—	—	—	.10	.01	.06	—	—	—	.11	.15	13
14	.02	—	—	—	.26	—	.02	—	.01	.01	.02	.21	14
15	—	.04	.06	—	.04	—	.07	—	.37	—	.01	.02	15
16	—	.21	.02	—	—	.30	.40	—	.04	.09	.02	.05	16
17	—	.04	—	—	—	.43	.07	—	—	.01	—	.01	17
18	.01	.06	.02	—	—	—	—	—	.18	.01	.21	.02	18
19	—	—	—	.02	—	—	.01	—	—	.05	—	.15	19
20	—	.01	—	.01	—	—	—	.29	.04	.44	—	.06	20
21	—	.01	—	—	—	—	—	.06	—	.06	.25	.04	21
22	.02	.08	.19	.08	.02	—	—	.18	—	—	.07	—	22
23	.01	—	—	.58	—	—	—	.89	.08	.01	—	—	23
24	—	.01	.45	.18	.01	—	—	.23	—	.02	.07	—	24
25	.02	—	.32	1.70	.02	—	—	.01	.07	.02	.01	—	25
26	—	.08	.01	—	—	—	—	.31	—	.08	—	—	26
27	—	.06	.08	.36	—	—	—	.06	.06	.03	.01	.05	27
28	.10	.04	—	.32	—	—	—	.31	—	.02	.03	.10	28
29	.03	—	.06	.35	.04	—	—	.05	.01	—	.12	.30	29
30	.01	—	.17	.03	.04	—	—	.03	.01	—	—	.10	30
31	—	—	—	X	.06	—	—	.63	—	—	—	.06	31
Total	1.37	.75	2.54	3.96	1.86	1.23	1.68	3.11	2.23	1.20	1.18	2.06	TOTAL for year 2237
No. of Rain Days	12	15	18	16	15	7	12	14	17	22	18	23	197

Sh. S. A.

REGISTER OF RAINFALL IN 1909

Kept at *Culham College*

in the County of *Oxon* *Ex Jags.*

by *J. L. Davis Esq*

Lat. _____ Long. _____

Nearest Railway Station _____

Time of Observation _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
- 2 FEB 1910

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					01	55		44	03	01		18	1
2	03	01	06			05				06	02	34	2
3			04			05				63	01	14	3
4						59			31	02		11	4
5	02		08			17	03		01	03		16	5
6			80			23	26		02	01	02	20	6
7	10		01				03		08	18			7
8			01						04	01			8
9	05	04	07				37			05		14	9
10	13	21	03			05	05		11	26	03	23	10
11		01	01			04	16		09	07		01	11
12	02			03		06			13	08	02	02	12
13	04		22	17					04	21	06		13
14	08	03	01	01			02			01	21		14
15	08		03				13		10	05	02		15
16			01	06	23		06	04	07	38	01	08	16
17	01		01	02				157	53	07	01	37	17
18	10		13	01				16		01			18
19			03	25		01		03	01	02		06	19
20	02		01				04	23		22	01		20
21			13			33		01		05		48	21
22			10	16		06	01	03	01	06		01	22
23				08		64	18	05	21	15		10	23
24			20		70	10		11	22	02	05	01	24
25			06	01	11	18	01	24	01	08		02	25
26		04		01	07	27				37			26
27		01	16	32	16	01	47		09	07	03	07	27
28			04	01	07	15			45	25	01		28
29	04		05	40		25	06	13	14	01	24		29
30			01	08			24		05	01	08	02	30
31	08		02		12		01			13		01	31
Total	80	35	233	162	147	379	213	304	275	358	83	276	TOTAL for year. 2545
No. of Rain Days	14	7	26	15	8	19	17	12	22	31	16	21	208

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL
28 JAN 1911

Kept at Culham College Abingdon
in the County of Oxfordshire 4
by J. L. Davis Esq

Pattern
RAIN Diameter of top _____ in.
GAUGE Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	04	01		23	06		05		21		24	1
2		13			02	01	41	01		21		26	2
3			01		10		28	01			32	46	3
4	01	01	01	25	09					01		09	4
5		07		18	04	03	59	25			02	01	5
6	01	16	02	09	04		01			01	12	05	6
7		02	02		04	67	01				07	03	7
8	02				10							18	8
9	11		21		14	68		13				20	9
10	05	05			01	38				06	04	09	10
11	16	04	21	01	16			02		157	02		11
12	13	01	04	12	04	12		01	01	50	04	49	12
13	01	11		09	03		01	01		01	31	28	13
14		44	01	08				02	27		03	61	14
15	06	04	01	08			01		01	01	02	45	15
16	07	04	02	118				01		13		16	16
17	11	20	07		05		05	02		08		02	17
18	05	17	03	05	20			48		19	01		18
19		02		03	05					19	03	02	19
20		31					18			01		13	20
21		04		24	01			01	01			27	21
22		24				24	02	03		01		02	22
23	24	04		03		13		07			60		23
24	06	29				13	02			02		02	24
25		22		06		53	02	30		01			25
26		02						05			03	02	26
27	44	02				06	01			55	85		27
28	05	09		36	19		10	33	04	07		01	28
29				01		05		25			01		29
30					03	03	01		01		38		30
31	02				41			01		23			31
Total	1.61	2.82	67	2.86	1.78	3.12	1.73	2.07	35	4.08	2.90	4.11	28.10
No. of Rain Days	18	25	13	16	20	14	15	20	6	20	17	23	207

500
REGIST

CULHAM

Kept at Culham Sch
in the County of Oxon
by Frederick Mil

THE SCHOOL HOUSE

OXON

1905-08, 10

NOTE.—Full instructions respecting the
"Rules for Rainfall Observers,"

FORM A.
BRITISH RAINFALL.

ing. Culham G.W.R.
in. 9 a.m.
in.
round ft. 9 1/2 in.
a Level 80 ft.
all Organization are given in
quare, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	Nov.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03		.10	.07	.01	.03	.01	.01	.54		1
2	.05				.09			.20			.04		2
3				.12				.30		.01	.04	.02	3
4	.19		.02	.01				.04		.15	.35	.01	4
5	.03		.20			.60		.14	.09		.02	.08	5
6		.05		.07		.42		.02	.05			.07	6
7		.01	.13	.07		.13		.02	.08	.03		.24	7
8			.09								.02	.03	8
9	.11		.04	.37			.19	.01	.22		.01		9
10		.04	.35	.26		.13	.02	.01			.59		10
11			.12	.18		.20				.02	.20		11
12			.27			.02				.02	.26		12
13			.33	.09					.09		.02		13
14			.29	.04		.04					.01		14
15			.39			.05	.04			.14			15
16	.08	.05	.04			.45							16
17			.21	.18		.04		.08				.04	17
18		.02	.05	.01	.04	.09		.08				.02	18
19		.01		.09				.07				.01	19
20				.01		.02							20
21								.15		.02			21
22							.11	.16			.14		22
23		.02	.33				.02	.01					23
24													24
25	.01	.07	.08	.07		.01		.09	.28		.03		25
26		.12	.11	.08				.01	.03	.03	.33		26
27			.06					.54	.01			.11	27
28				.04				.86	.25	.14		.09	28
29					.13	.79		.07		.44	.03	.14	29
30	.01			.25	.45	.45	.03	.01		.03	.26		30
31			.01	.	.04					.44			31
Totals	.48	.39	3.15	1.94	.85	3.51	.42	2.90	1.11	1.48	2.89	.86	
Total from Jan. 1	19.98												

REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL.

Kept at Culham School House
in the County of Oxon.
by Frederick Mitchell

Lat. _____ Long. _____
Nearest Railway Station Culham G.W.R.
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground _____ ft. 9½ in.
" " Sea Level 8.0 ft. 9

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03		.10	.07	.01	.03	.01	.01	.54		1
2	.05				.09			.20			.04		2
3				.12				.30		.01	.04	.02	3
4	.19		.02	.01				.04		.15	.35	.01	4
5	.03		.20			.60		.14	.09		.02	.08	5
6		.05		.07		.42		.02	.05			.07	6
7		.01	.13	.07		.13		.02	.08	.03		.24	7
8			.09								.02	.03	8
9	.11		.04	.37			.19	.01	.22		.01		9
10		.04	.35	.26		.13	.02	.01			.59		10
11			.12	.18		.20				.02	.20		11
12			.27			.02				.02	.26		12
13			.33	.09					.09		.02		13
14			.29	.04		.04					.01		14
15			.39			.05	.04			.14			15
16	.08	.05	.04			.45							16
17			.21	.18		.04		.08				.04	17
18		.02	.05	.01	.04	.09		.08				.02	18
19		.01		.09				.07				.01	19
20			.01			.02							20
21								.15		.02			21
22							.11	.16			.14		22
23		.02	.33				.02	.01					23
24													24
25	.01	.07	.08	.07		.01		.09	.28		.03		25
26		.12	.11	.08				.01	.03	.03	.33		26
27			.06					.54	.01			.11	27
28				.04				.86	.25	.14		.09	28
29					.13	.79		.07		.44	.03	.14	29
30	.01			.25	.45	.45	.03	.01		.03	.26		30
31			.01		.04					.44			31
Totals	.48	.39	3.15	1.94	.85	3.51	.42	2.90	1.11	1.48	2.89	.86	
Total from Jan. 1	19.98												

50
REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL
1907

Kept at Culham School

in the County of Oxon:

by Frederick Mitchell

Lat. 51.39' Long. 1.16'

Nearest Railway Station Culham

Time of Observation 9 a.m.

Diameter 5 in.

Height of top above Ground ft. 9 1/2 in.

Sea Level 18.0 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10		.03		.01	.08		.11		.54		.02	1
2	.27		.02		.08			.36		.62		.01	2
3	.06	.09			.03			.01			.03		3
4	.46				.01					.22	.24		4
5	.47				.04		.03				.56	.20	5
6	.01				.01							.05	6
7	.17									.13	.41		7
8	.01	.10	.15		.01					.16	.84	.14	8
9	.14	.06			.01					.25			9
10		.10	.55					.02		.16			10
11	.16	.06	.05									.09	11
12	.42	.05	.04		.01		.13		.07	.22		.18	12
13	.02		.07	.06			.24	.06	.23			.08	13
14			.02			.08		.01	.22				14
15	.15	.12	.05		.01	.09	.02	.25	.15		.10	.31	15
16	.06	.25			.13	.35		.03	.03	.04	.22	.04	16
17	.19	.04	.01	.10				.37	.02	.28	.10		17
18	.15	.10					.07			.74		.09	18
19		.03								.01	.04		19
20	.07		.05		.30				.05	.01	.22		20
21	.02		.01	.04			.05		.03		.01		21
22		.11											22
23			.15	.05	.18	.25							23
24	.28	.03	.03	.08	.01			.19		.02		.09	24
25	.04		.02		.36						.01	.47	25
26		.06	.09		.20		.06					.09	26
27		.14		.13	.07	.02	.07					.06	27
28		.01		.02	.01	1.83	.25			.22		.07	28
29	.01			.02		.08	.01			.37			29
30				.02	.11					.09		.10	30
31					.04							.01	31
Totals	3.26	1.35	1.34	.52	1.63	2.78	.93	1.41	.80	4.08	2.78	2.10	
Total from Jan. 1	22.98												

REGISTER OF RAINFALL IN 1907

Kept at The School House Culham.
in the County of Oxford
by Fred Mitchell

Lat. 51° 39' Long. 1° 16'
Nearest Railway Station Culham G.W.
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 9½ inches in.
" " " Sea Level 180 ft. ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32				.06	.58	.17			.28	.03		1
2	.06		.02	.02	.01	.02	.04	.39	.10			.64	2
3				.01	.21		.18		.12		.01	.07	3
4		.02				.10	.14		.18		.02	.97	4
5	.03		.10	.04		.27	.11		.02	.31			5
6			.01	.06		.06	.01	.16		.40		.06	6
7			.08	.41	.10					.01	.01	.27	7
8		.11	.01	.01	.12		.15			.14	.02	.34	8
9		.04	.13	.01		.08	.16	.14		.18		.10	9
10	.14	.08	.03			.02	.07			.37		.07	10
11		.04				.35				.03	.04	.51	11
12		.27	.14	.25	.02	.03		.05			.06	.29	12
13		.07	.11		.41	.03		.01		.21		.28	13
14			.02			.08	.01	.08		.54		.07	14
15			.07			.14		.04		.11			15
16			.16		.02			.02		.65			16
17			.01	.03				.20		.01	.30		17
18	.01	.01	.03			.02				.31	.14	.02	18
19		.17						.20		.25			19
20		.06		.21		.02		.04		.42			20
21				.30	.02		.48						21
22			.01		.22	.24	1.26	.02		.08	.20	.23	22
23					.12	.03				.01		.02	23
24	.04					.22					.18		24
25				.05	.28	.07	.03	.02	.05	.03	.34		25
26				.24	.08	.05	.10	.06			.65		26
27				.18		.07	.04				.01		27
28	.07			.06						.04	.01		28
29						.52	.17		.12	.63			29
30				.20	.17	.26	.09	.02		.34	.05	.03	30
31					.16								31
Total	.67	.87	.93	2.08	2.00	3.26	3.21	1.45	.59	5.35	2.02	3.97	TOTAL for year 26.40
No. of Rain Days	7	10	15	16	15	22	17	15	6	22	15	16	

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

Kept at *The School House . Culham.*
in the County of *Oxford*
by *Fred. Mitchell*

Lat. *51° 39'* Long. *1° 16'*
Nearest Railway Station *Culham. G.W.*
Time of Observation *9. a.m.*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *9½* ft.
" " " Sea Level *180* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N. W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.05			.47			.07	.01			1
2			.13						.12				2
3		.04	.28	.04	.22				.77				3
4				.03	.08		.24		.05			.09	4
5	.04	.01	.32	.29	.07		.01	.01				~~.07~~	5
6	.03		.10	.01	.01							~~.07~~	6
7	1.12		.04		.04	.02	.03			.02		~~.01~~	7
8			.08		.01		.23		.06	.04		.06	8
9			.07	.01			.40		.06	.23		.23	9
10							.06				.03	.14	10
11					.04	.03			.24		.10		11
12						.04		~~.01~~			.07	.10	12
13					.14	.01	.07		.01		.10	.15	13
14					.32				.40		.03	.20	14
15		~~.05~~	.05		.03		.10				.02		15
16		.08	.03			.34	.40		.03	.09		.08	16
17	.01	.04				.44	.09			.01			17
18	.01	~~.05~~	.02				.01		.18	.04	.17	.04	18
19								~~.33~~		.01		.11	19
20				.01				.33	.07	.05	.43	.07	20
21								.07	.19		.25	.03	21
22	.01	.11	.12	.10	.05			.19	.42		.07		22
23	.01			.48				.92	.25	.07	.03		23
24		.01	.53	.19				.25	~~.04~~	.04	.07		24
25	.02		.32	2.00	.02			.04	.25	.07	.01		25
26	.01	.08						.25	.06		.08		26
27		.06	.07	.44				.06	.36	.07	.02	.07	27
28	.11	.03		.30				.36	.08	.01	.04	.09	28
29	.03		.08	.35	.04			.08			.10	.25	29
30	.01		.21	.01	.04			.03				.12	30
31					.07			.66				.03	31
Total	1.41	.51	2.50	4.26	1.18	1.35	1.64	3.26	2.25	1.07	1.05	1.94	TOTAL for year 22.42
No. of Rain Days	12	10	17	14	15	7	11	14	15	15	12	19	161

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.

Kept at Culham School House

in the County of Oxon 4

by Frederick Mitchell

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 9 1/2 ft.
" " " Sea Level 180 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Culham G.W.R.
Distance 1 1/2 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.05			.04	.05		.03		.22	.01	.27	1
2		.09			.02		.52	.05		.22	.01	.26	2
3					.14		.22	.05		.19	.31	.46	3
4				.24	.05							.11	4
5		.06	.01	.19	.08	.04	.61	.38			.01	.02	5
6	.01	.18	.01	.07	.05		.01				.19	.06	6
7		.02	.01		.09	.73	.01				.01	.03	7
8	.04	.01			.12			.12				.19	8
9	.11		.20			.89						.22	9
10	.07	.02				.38				.07	.02	.09	10
11	.13	.04	.15	.02	.12	.01		.01		1.89	.01	.02	11
12	.11		.02	.10	.04	.55			.01	.45	.05	.57	12
13		.09		.09	.03			.02		.01	.28	.16	13
14		.38		.08					.24		.03	.68	14
15	.07	.04		.07					.01		.01	.35	15
16	.08	.04	.03	.95						.10		.18	16
17	.12	.23	.07		.05		.05			.07	.01	.03	17
18	.06	.13	.03	.05	.18					.20		.07	18
19		.03	.25	.03	.05			.60		.18	.04	.01	19
20		.27					.18	.01		.01		.14	20
21		.04		.24	.01							.29	21
22		.23				.25	.01	.02				.02	22
23	.23	.03		.04		.12		.08			.60	.01	23
24	.07	.30				.07				.02		.02	24
25		.18		.07		.52	.03	.29		.01	.01	.01	25
26		.02						.05			.01	.03	26
27	.40	.01				.07	.02			.49	.85		27
28	.05	.08		.39	.22		.11		.03	.03			28
29						.06		.35			.01		29
30					.04	.03		.25			.18		30
31					.50			.01		.27			31
Total	1.57	2.57	.78	2.63	1.83	3.77	1.77	2.27	.29	4.21	2.64	4.24	TOTAL for year 28.57
No. of Rain Days	15	24	10	15	18	14	11	15	4	16	19	26	187

Copied ARR

REC

OXFORD.

9 OF

FORM A.
BRITISH RAINFALL

Kept at Abingdon (C)

CULHAM VIC.

in the County of Oxon

by Rev. F. B.

1908-1910.

ing.
on
age in.
e above Ground ft. in
Sea Level ft.

NOTE.—Rain should be measured as follows:—Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.07	.01	—	.42	—	—	.07	.01	—	—	2
2	—	.02	.14	.01	.23	—	—	—	.14	—	—	—	3
3	—	.04	.56	.03	—	—	—	—	.75	.01	—	—	4
4	—	—	—	.03	.08	—	.29	—	.05	.01	—	.10	5
5	.02	—	.35	.32	.08	—	.01	.04	—	—	—	.08	6
6	.05	.02	.12	.01	—	—	—	—	—	.01	—	.01	7
7	1.18	—	.04	—	.04	.02	.03	—	—	—	—	.01	8
8	.05	—	.08	—	.01	—	.25	—	.07	.05	—	.07	9
9	—	—	.07	.01	.01	—	.42	—	.07	.22	—	.22	10
10	—	—	—	—	—	—	.07	—	—	—	.02	.15	11
11	—	—	—	—	.03	.03	.01	—	.27	—	.14	.01	12
12	—	—	—	—	—	.04	—	.02	—	—	.07	.10	13
13	—	—	—	—	.14	.01	.07	.01	—	—	.08	.14	14
14	.01	—	—	—	.26	—	.92	—	.01	.02	.04	.21	15
15	—	.08	.05	—	.04	.33	.08	—	.37	—	.01	.03	16
16	—	.22	.03	—	—	.43	.45	—	.04	.08	.02	.05	17
17	—	.05	—	—	—	—	.10	—	—	.01	—	—	18
18	.02	.04	.02	—	—	—	.02	—	.18	.05	.19	.02	19
19	—	—	—	.02	—	—	—	.01	—	—	—	.15	20
20	—	.02	—	.02	—	—	—	.29	.04	.46	.01	.07	21
21	—	—	—	—	—	—	—	.08	—	.02	.24	.02	22
22	.07	.11	.17	.10	.04	—	—	.25	—	—	.08	—	23
23	.07	—	.01	.75	—	—	—	.85	.07	—	—	—	24
24	.01	.02	.58	.20	—	—	—	.21	.01	.04	.07	—	25
25	.07	—	.25	.80	.02	—	—	.05	.07	.02	.01	—	26
26	—	.08	.01	—	—	—	—	.31	—	.09	—	—	27
27	—	.07	.07	.40	—	—	—	.06	.08	.03	—	.05	28
28	.11	.04	—	.33	—	—	—	.32	—	.01	.04	.10	29
29	.04	—	.07	.38	.04	—	—	.08	—	—	.12	.30	30
30	.01	—	.21	.02	.03	—	—	.08	—	—	—	.10	31
31	.01	—	—	X	.08	—	—	.77	.01	—	—	.06	
Total	1.55	.81	2.90	4.44	1.13	1.28	1.82	3.38	2.30	1.14	1.14	2.11	TOTAL for year 21.00
No. of Rain Days	14	13	19	17	15	7	13	16	17	17	15	22	185

Copied ARR

RE

08

FORM A.
BRITISH RAINFALL

Kept at Abingdon (Culham Vic)

in the County of Oxon

by Rev. F. C. Clutterbuck

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.07	.01	—	.42	—	—	.07	.01	—	—	2
2	—	.02	.14	.01	.23	—	—	—	.14	—	—	—	3
3	—	.04	.56	.03	—	—	—	—	.75	.01	—	—	4
4	—	—	—	.03	.08	—	.29	—	.05	.01	—	.10	5
5	.02	—	.35	.32	.08	—	.01	.04	—	—	—	.08	6
6	.05	.02	.12	.01	—	—	—	—	—	.01	—	.01	7
7	1.18	—	.04	—	.04	.02	.03	—	—	—	—	.01	8
8	.05	—	.08	—	.01	—	.25	—	.07	.05	—	.04	9
9	—	—	.07	.01	.01	—	.42	—	.07	.22	—	.25	10
10	—	—	—	—	—	—	.07	—	—	—	.02	.15	11
11	—	—	—	—	.03	.03	.01	—	.24	—	.14	.01	12
12	—	—	—	—	—	.04	—	.02	—	—	.07	.10	13
13	—	—	—	—	.14	.01	.07	.01	—	—	.08	.14	14
14	.01	—	—	—	.26	—	.02	—	.01	.02	.04	.21	15
15	—	.08	.05	—	.04	.33	.08	—	.37	—	.01	.03	16
16	—	.22	.03	—	—	.43	.45	—	.04	.08	.02	.05	17
17	—	.05	—	—	—	—	.10	—	—	.01	—	—	18
18	.02	.04	.02	—	—	—	.02	—	.18	.05	.19	.02	19
19	—	—	—	.02	—	—	—	.01	—	—	—	.15	20
20	—	.02	—	.02	—	—	—	.29	.04	.46	.01	.07	21
21	—	—	—	—	—	—	—	.08	—	.02	.24	.02	22
22	.01	.11	.17	.10	.04	—	—	.25	—	—	.08	—	23
23	.01	—	.01	.75	—	—	—	.85	.07	—	—	—	24
24	.01	.02	.58	.20	—	—	—	.21	.01	.04	.07	—	25
25	.02	—	.25	.80	.02	—	—	.05	.07	.02	.01	—	26
26	—	.08	.01	—	—	—	—	.31	—	.09	—	—	27
27	—	.07	.07	.40	—	—	—	.06	.08	.03	—	.05	28
28	.11	.04	—	.33	—	—	—	.32	—	.01	.04	.10	29
29	.04	—	.07	.38	.04	—	—	.08	—	—	.12	.30	30
30	.01	—	.21	.02	.03	—	—	.08	—	—	—	.10	31
31	.01	—	—	X	.08	—	—	.77	.01	—	—	.06	
Total	1.55	.81	2.90	4.44	1.13	1.28	1.82	3.38	2.30	1.14	1.14	2.11	TOTAL for year
No. of Rain Days	14	13	19	17	15	7	13	16	17	17	15	22	185

H. S. A.

REGISTER OF RAINFALL IN 1909

163
FORM A.
BRITISH RAINFALL.

Kept at Culham Vic
in the County of Oxon Ex gas
by Rev F. C. Gutterbuck

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " Sea Level 200 ft.

2 FEB 1910

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					01	56		47	04			17	1
2	03		17			07				10	02	38	2
3			07			10	01			65	01	14	3
4		02				58	03		38	05		11	4
5			10			15				01		15	5
6	02		92			24	27		03			18	6
7	07		01				04		09	18			7
8			02						05	02			8
9	06	04	06				37			04		15	9
10	13	24	03			06	06		15	27	01	23	10
11	02	02	02			04	18		11	08		02	11
12	02			04		05			15	20		02	12
13	05		24	17			01		04	07	13		13
14	11	02	01	02			02			01	14		14
15	09		04				19	04	12	05	04	01	15
16				07	24		02		06	18		09	16
17	02			02				165	61			44	17
18	11		13	01				27					18
19			03	25		01		03		04		07	19
20			01				04	24		23			20
21			10			30		01		05		43	21
22			08	18		10	01	03		05		03	22
23				08		48	20	05	28	14		09	23
24			20		68	11	01	12	24	02	03	02	24
25			09		10	19	02	28	02	09		02	25
26		09		02	10	31				37		07	26
27		03	14	32	24	01	50		10	09	03		27
28	01		05	02	08	15	08		47	27	02		28
29	03		05	42		19	27	14	08		27		29
30				11			01		06		10	01	30
31	08		02		24					16		01	31
Total	85	46	259	173	169	370	234	333	308	342	80	284	TOTAL for year 2683
No. of Rain Days	15	7	23	14	8	19	20	12	19	25	11	22	195

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL.
13 JAN 1911

Kept at Culham Vicarage.

Lat. _____ Long. _____

Nearest Railway Station Culham

Time of Observation _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.06			0.04	0.06		0.06		0.23		0.27	1
2		0.09			0.03		0.43	0.02		0.20		0.26	2
3					0.11		0.25	0.01			0.01	0.46	3
4				0.25	0.07						0.33	0.11	4
5		0.01		0.22	0.05	0.03	0.62	0.39				0.02	5
6		0.16	0.02	0.06	0.07		0.07			0.07	0.18	0.06	6
7		0.03	0.07		0.07	0.70	0.02		0.07		0.03	0.03	7
8	0.04	0.01			0.10							0.19	8
9	0.12		0.22		0.12	0.90		0.13				0.22	9
10	0.06	0.02				0.36			0.07	0.07	0.03	0.09	10
11	0.16	0.05	0.12	0.02	0.19			0.42		<u>2.00</u>	0.03	0.02	11
12	0.14		0.04	0.13	0.05	0.64		0.01	0.07	0.56	0.03	0.57	12
13		0.11		0.13	0.04			0.02		0.02	0.21	0.16	13
14		0.53		0.05				0.02	0.30		0.02	0.68	14
15	0.07	0.05		0.08					0.02		0.03	0.25	15
16	0.08	0.04	0.03	0.98						0.10		0.18	16
17	0.12	0.22	0.07	0.07	0.05		0.07	0.02		0.09	0.07	0.03	17
18	0.07	0.16	0.03	0.06	0.20			0.54		0.21		0.01	18
19		0.02		0.04	0.05		~~0.20~~			0.19	0.04	0.07	19
20		0.41					0.19	0.02				0.44	20
21		0.05		0.25	0.07							3.29	21
22		0.23				0.25	0.62	0.01				0.02	22
23	0.22	0.03		0.05		0.12		0.09		0.02	0.62	0.07	23
24	0.07	0.32		0.07		0.14	0.03			0.02	0.02	0.02	24
25		0.15		0.08		0.45	0.03	0.28		0.02	0.02	0.07	25
26		0.03						0.04				0.03	26
27	0.48	0.07				0.07	0.03			0.52	0.85		27
28	0.06	0.09		0.39	0.21	0.07	0.12	0.40	0.04	0.11			28
29				0.07		0.07		0.26					29
30					0.04	0.03	0.03				0.45		30
31					0.41			0.07		0.26			31
Total	4.71	2.94	0.64	2.85	1.93	3.83	1.95	~~2.35~~	0.39	4.62	3.01	4.24	TOTAL for year
No. of Rain Days	14	24	8	18	19	14	13	19	6	17	17	26	195

OXFORD.

REGIS

Kept at

in the County of

by

DORCHESTER

1901-1903

Lon.

Observation

of top above Ground

„

Sea Level

NOTE.—Full instructions respecting the
of the Rainfall,” which is sent post-free on

the Systematic Observation and Record
2, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13		.02							.02			1
2		.08	.30	.07			.12						2
3	.01			.45		.07				.16			3
4		Snow .55	.07					.01		.04			4
5			.14					.14					5
6			.12	.10	.09					.15		.01	6
7	Snow .12	.05	.14	.03	.48				.01	.01		.12	7
8	Snow .10		.01	.17	.35				.20	.01		.12	8
9				.07	.25				.01			.17	9
10		.03		.25	.01					.03			10
11				.22				+ (.20) .04	.08	.01		.13	11
12	.01			.01				.04		.10	.06	1.14	12
13				.24				.02		.11	.07	.12	13
14				.04				.37			.24	.03	14
15				.21				.01					15
16	.12			.05		.10			.61	.33			16
17	.21	Snow .02				.01			.38	.02			17
18	.07	Snow .04									.01	.01	18
19	.14	.02	.24			.10			.01			.02	19
20	.01					.11			.60				20
21		.05				.04			.17		.03		21
22						.02	.02			.83	.08		22
23		.01					.03					.36	23
24			.01				.37			.06		.56	24
25	.10	.01			.01		.34	.23			.03		25
26	.03	.13	.03	.02			.45	.13			.01	.01	26
27	.20						.53	.39				.01	27
28	.02	.19			.25		.93					.42	28
29			.04		.10	.10				.04		.25	29
30			.44			.74		.08				.02	30
31			.05					.23				.04	31
Totals	1.27	1.18	1.61	2.01	1.54	1.29	2.79	1.64	2.07	1.16	.53	3.54	
Total from Jan. 1		2.45	4.06	6.07	8.27	9.50	12.29	13.48	15.55	17.21	17.74	21.25	
					7.41	8.90	11.69	13.48	15.55	17.21	17.74	21.25	

REGIS

Kept at Borchester
in the County of Weymouth
by John Blunt

RAIN GAUGE.

Lat. _____ Lon. _____
Time of Observation 8. a.m.
Diameter 5
Height of top above Ground 6 in
Sea Level 168

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13		.02							.02			1
2		.08	.30	.07			.12						2
3	.01			.45		.07				.16			3
4		^{snow} .55	.07					.01		.04			4
5			.14					.14					5
6			.12	.18	.09					.15		.01	6
7	^{snow} .12	.05	.14	.03	.48				.01	.01		.12	7
8	^{snow} .10		.01	.17	.35				.20	.01		.12	8
9				.07	.25				.01			.17	9
10		.03		.25	.01					.03			10
11				.22				+.20 .04	.08	.01		.13	11
12	.01			.01				.04		.10	.06	1.14	12
13				.24				.02		.11	.07	.12	13
14				.04				.37			.24	.03	14
15				.21				.01					15
16	.12			.05		.10			.61	.33			16
17	.21	^{snow} .02				.01			.38	.02			17
18	.07	^{snow} .04									.01	.01	18
19	.14	.02	.24			.10			.01			.02	19
20	.01					.11			.60				20
21		.05				.04			.17		.03		21
22						.02	.02			.87	.08		22
23		.01					.03					.36	23
24			.01				.37			.06		.56	24
25	.10	.01			.01		.34	.23			.03		25
26	.03	.13	.03	.02			.45	.13			.01	.01	26
27	.20						.53	.39				.01	27
28	.02	.19			.25		.93					.42	28
29			.04		.10	.10				.04		.25	29
30			.44			.74		.08				.02	30
31			.05					.23				.04	31
Totals	1.27	1.18	1.61	2.01	1.54	1.29	2.79	1.64	2.07	1.16	.53	3.51	
Total from Jan. 1		2.45	4.06	6.07	8.27	9.50	12.29	13.48	15.55	17.21	17.74	21.25	

S. v

early S.

REGISTER OF RAINFALL IN 1902

Kept at Lynton
in the County of Devon
by Colonel Blunt

RAIN GAUGE.

Lat. Lon. 8 11 11
Time of Observation 8 11 11
Diameter 5 inches
Height of top above Ground 9 1/2 inches
Sea Level 160

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20		.11		.04		.10		.01			.23	1
2		.09	.02		.03			.14	.10				2
3					.34	.03		.01				.01	3
4	.12					.04				.05	.03		4
5					.04	.01		.29			.19		5
6						.22		.23			.18		6
7					.07	.16		.25					7
8					.01						.23		8
9		~~Snow~~ .12	.01				.13						9
10									1.30	.45	.02		10
11	.107			.47	.04	.10		.19	.32	.05	.03		11
12					.04	.15		.09				.06	12
13					.06	.57		.01		.07		.02	13
14			.44	.09	.09	.22				.10		.17	14
15				.41	.10	.04			.02	.12		.06	15
16					.12	.05		.20		.02		.03	16
17					.09			.02		.39		.60	17
18					.13			.32					18
19						.24	.05			.16			19
20			.04			.03							20
21				.01		.07				.02			21
22		.11		.18	.40	.06	.04	.09			.02		22
23	.03	.12		~~Salt Sticks~~ .15				.30	.02		~~.10~~ .23		23
24		.19	.27					.01			.23		24
25	.01	.07					.21			.01	.18		25
26	.24	.18	.19				.05				.04		26
27	.05	.14					.01		.01		.07	.02	27
28		.06								.03	.62	.18	28
29			.14		.14			.02		.02	.53		29
30			.03	.03	.20	.03	.01	.03			.17	.12	30
31					.04			.45		.01			31
Totals	.72	1.08	1.25	1.24	1.95	2.02	.60	2.65	1.78	1.50	2.54	1.50	
Total from Jan. 1	1.80	3.05	4.29	6.24	8.26	8.86	11.51	13.82	14.82	17.34	18.88		

5a

24 RL

REGISTER OF RAINFALL IN 1903

Kept at Wychester Manor House
in the County of Oxford
by Colonel Blunt

RAIN GAUGE.

Lat. Long.
Time of Observation 8 am
Diameter 5 inches
Height of top above Ground 9 inches
" " Sea Level 168 ft

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14		.25	.11	.02					.02			1
2	.32		.40		.32			.29	.23		.44		2
3	.04			.06	.45					.18		.12	3
4	.76		.21	.06	.51				.10	.28	.02		4
5	.18		.02		.17		.01		.01	.14			5
6	.01		.13		.46					.16		.12	6
7			.03	.02	.02				.01	.12	.01	.03	7
8	.08					.22			.03	.76	.03	.18	8
9			.09		.06	.27			.05	.02	.02	.25	9
10	.01		.05		.02	1.14		.39	.58	.10		.08	10
11	.35			.02		.34		.57	.03	.96	.02		11
12				.01				.08	.01	.34	.01	.32	12
13						.61		.18		.14	.05	.02	13
14			.19	.07		1.55		.13		.46	.07		14
15		.02			.12	.84	.09	.34		.11			15
16			.03		.22	.06				.06			16
17	.12		.24		.05	.03	.02	.05			.08		17
18	.02				.01		.23	.01		.16			18
19	.01	.01				.73	.09			.09		.05	19
20							.24	.26		.03	.04		20
21		.01					.26		.03	.19			21
22	.14	.15					.08			.10		.01	22
23		.07	.77				.48	.11			.03	.01	23
24	.03	.31						.64	.71	.31		.01	24
25		.21	.11			.02	.38	.12		.49			25
26		.17	.18	.45					.46	.19	.03		26
27	.30	.13	.06				.21	.10	.01	.98	.86	.01	27
28		.04	.09	.80	.37		.26	.13	.14	.14	.17		28
29			.12	.45	.15		.17	.01	.22				29
30			.08	.14	.23		.01	.01		.01			30
31	.09						.01			.31			31
Totals.	2.60	1.12	3.05	2.19	3.18	5.81	2.54	3.42	2.22	6.85	1.88	1.19	
Total from Jan. 1		3.72	6.77	8.96	12.14	17.95	20.49	23.91	26.13	32.98	34.86	36.05	

REGIS

OXFORD.

Kept at Bishop's Court
in the County of Oxford
by Thomas L.

DORCHESTER.
"BISHOP'S COURT"

1901-1910

Lon. 8 a.m.
Observation 5 miles
top above Ground 2 1/2
Sea Level 16.9

NOTE.—Full instructions respecting the
of the Rainfall," which is sent post-free on

The Systematic Observation and Record
Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.13	0.03	0.03	0.03	0.00	0.00	0.01	0.00	0.00	0.02	0.00	0.00	1
2	0.00	0.06	0.28	0.08	0.00	0.00	0.12	0.00	0.00	0.00	0.00	0.00	2
3	0.02	0.00	0.42	0.43	0.00	0.08	0.00	0.00	0.00	0.19	0.00	0.00	3
4	0.00	0.50	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.03	0.00	4
5	0.00	0.00	0.15	0.04	0.00	0.02	0.00	0.17	0.00	0.01	0.01	0.01	5
6	0.00	0.00	0.24	0.20	0.09	0.00	0.00	0.00	0.02	0.15	0.03	0.01	6
7	0.14	0.05	0.18	0.03	0.48	0.00	0.00	0.00	0.02	0.02	0.00	0.07	7
8	0.10	0.00	0.22	0.22	0.35	0.00	0.00	0.00	0.20	0.02	0.00	0.10	8
9	0.00	0.00	0.00	0.07	0.26	0.00	0.00	0.00	0.00	0.00	0.00	0.15	9
10	0.00	0.02	0.00	0.32	0.01	0.00	0.00	0.00	0.00	0.04	0.00	0.06	10
11	0.01	0.00	0.00	0.26	0.00	0.00	0.00	0.21	0.09	0.01	0.02	0.11	11
12	0.01	0.00	0.02	0.03	0.00	0.06	0.00	0.05	0.00	0.09	0.06	1.06	12
13	0.00	0.00	0.00	0.25	0.00	0.01	0.00	0.03	0.00	0.00	0.28	0.10	13
14	0.00	0.00	0.00	0.09	0.00	0.01	0.00	0.40	0.01	0.01	0.00	0.03	14
15	0.00	0.00	0.00	0.24	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.01	15
16	0.10	0.00	0.00	0.07	0.00	0.06	0.00	0.00	0.59	0.32	0.00	0.01	16
17	0.32	0.03	0.00	0.00	0.00	0.03	0.00	0.00	0.37	0.02	0.02	0.06	17
18	0.12	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.00	0.00	18
19	0.05	0.03	0.26	0.00	0.00	0.12	0.00	0.00	0.00	0.01	0.00	0.00	19
20	0.00	0.00	0.03	0.00	0.00	0.12	0.00	0.00	0.47	0.00	0.00	0.00	20
21	0.00	0.06	0.00	0.00	0.00	0.05	0.00	0.00	0.19	0.01	0.03	0.00	21
22	0.00	0.01	0.00	0.00	0.00	0.03	0.03	0.00	0.00	0.01	0.09	0.00	22
23	0.00	0.00	0.00	0.60	0.00	0.00	0.04	0.00	0.00	0.01	0.00	0.25	23
24	0.04	0.00	0.03	0.00	0.00	0.02	0.46	0.00	0.00	0.06	0.00	0.50	24
25	0.09	0.02	0.03	0.00	0.02	0.00	0.41	1.20	0.01	0.00	0.03	0.07	25
26	0.03	0.12	0.00	0.00	0.00	0.00	0.43	0.13	0.00	0.01	0.01	0.00	26
27	0.25	0.00	0.00	0.05	0.00	0.00	0.57	0.38	0.00	0.00	0.01	0.02	27
28	1.00	0.18	0.00	0.00	0.00	0.00	0.67	0.01	0.00	0.00	0.00	0.31	28
29	0.04	0.00	0.06	0.00	0.25	0.12	0.00	0.00	0.00	0.04	0.00	0.21	29
30	0.00	0.00	0.40	0.00	0.12	0.76	0.00	0.08	0.00	0.00	0.00	0.01	30
31	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.23	0.00	0.00	0.00	0.03	31
Totals	1.45	1.16	1.79	2.41	1.58	1.49	2.74	1.90	1.97	1.33	0.62	3.18	
Total from Jan. 1	1.45	2.61	4.40	6.81	8.39	9.88	12.62	14.52	16.49	17.82	18.44	21.62	

S. a

REGIS

Kept at *Bishop's Court - Dorking*
in the County of *Surrey*
by *Thomas Latham*

RAIN GAUGE.

Lat. Lon.
Time of Observation *8 a.m.*
Diameter *5 inches*
Height of top above Ground *2 1/2*
" " Sea Level *169*

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.13	0.03	0.03	0.03	0.00	0.00	0.01	0.00	0.00	0.02	0.00	0.00	1
2	0.00	0.06	0.28	0.08	0.00	0.00	0.12	0.00	0.00	0.00	0.00	0.00	2
3	0.02	0.00	0.42	0.43	0.00	0.08	0.00	0.00	0.00	0.19	0.00	0.00	3
4	0.00	0.50	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.03	0.00	4
5	0.00	0.00	0.15	0.04	0.00	0.02	0.00	0.17	0.00	0.01	0.01	0.01	5
6	0.00	0.00	0.24	0.20	0.09	0.00	0.00	0.00	0.02	0.15	0.03	0.01	6
7	0.14	0.05	0.18	0.03	0.48	0.00	0.00	0.00	0.02	0.02	0.00	0.07	7
8	0.10	0.00	0.22	0.22	0.35	0.00	0.00	0.00	0.20	0.02	0.00	0.10	8
9	0.00	0.00	0.00	0.07	0.26	0.00	0.00	0.00	0.00	0.00	0.00	0.15	9
10	0.00	0.02	0.00	0.32	0.01	0.00	0.00	0.00	0.00	0.04	0.00	0.06	10
11	0.01	0.00	0.00	0.26	0.00	0.00	0.00	0.21	0.09	0.01	0.02	0.11	11
12	0.01	0.00	0.02	0.03	0.00	0.06	0.00	0.05	0.00	0.09	0.06	1.06	12
13	0.00	0.00	0.00	0.25	0.00	0.01	0.00	0.03	0.00	0.00	0.28	0.10	13
14	0.00	0.00	0.00	0.09	0.00	0.01	0.00	0.40	0.01	0.01	0.00	0.03	14
15	0.00	0.00	0.00	0.24	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.01	15
16	0.10	0.00	0.00	0.07	0.00	0.06	0.00	0.00	0.59	0.32	0.00	0.01	16
17	0.32	0.03	0.00	0.00	0.00	0.03	0.00	0.00	0.37	0.02	0.02	0.06	17
18	0.12	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.00	0.00	18
19	0.05	0.03	0.26	0.00	0.00	0.12	0.00	0.00	0.00	0.01	0.00	0.00	19
20	0.00	0.00	0.03	0.00	0.00	0.12	0.00	0.00	0.47	0.00	0.00	0.00	20
21	0.00	0.06	0.00	0.00	0.00	0.05	0.00	0.00	0.19	0.01	0.03	0.00	21
22	0.00	0.01	0.00	0.00	0.00	0.03	0.03	0.00	0.00	0.01	0.09	0.00	22
23	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.01	0.00	0.25	23
24	0.04	0.00	0.03	0.00	0.00	0.02	0.46	0.00	0.00	0.06	0.00	0.50	24
25	0.09	0.02	0.03	0.00	0.02	0.00	0.41	0.20	0.01	0.00	0.03	0.07	25
26	0.03	0.12	0.00	0.00	0.00	0.00	0.43	0.13	0.00	0.01	0.01	0.00	26
27	0.25	0.00	0.00	0.05	0.00	0.00	0.57	0.38	0.00	0.00	0.01	0.02	27
28	0.00	0.18	0.00	0.00	0.00	0.00	0.67	0.01	0.00	0.00	0.00	0.31	28
29	0.04	0.00	0.06	0.00	0.25	0.12	0.00	0.00	0.00	0.04	0.00	0.21	29
30	0.00	0.00	0.40	0.00	0.12	0.76	0.00	0.08	0.00	0.00	0.00	0.01	30
31	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.23	0.00	0.00	0.00	0.03	31
Totals	1.45	1.16	1.79	2.41	1.58	1.49	2.74	1.90	1.97	1.33	0.62	3.18	
Total from Jan. 1	1.45	2.61	4.40	6.81	8.39	9.88	12.62	14.52	16.49	17.82	18.44	21.62	

REGISTER OF RAINFALL IN 1902

Kept at *Bishop's Court, Rochester*
in the County of *Kent*
by *Thomas Kitcham*

RAIN GAUGE

Lat. _____ Long. _____
Time of Observation *8 am*
Diameter *4 in*
Height of top above Ground *2 ft*
" " Sea Level *169*

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.15		0.01	0.01	0.05	0.09	0.11		0.02			0.10	1
2	0.01		0.11		0.04			0.15	0.11		0.07	0.07	2
3		0.09	0.01	0.03	0.27	0.02		0.02					3
4	0.11			0.12	0.02	0.05				0.06	0.07		4
5			0.01	0.15	0.04	0.03		0.40			0.17		5
6			0.02			0.21		0.19	0.07	0.07	0.15		6
7			0.02		0.08	0.18		0.27			0.07		7
8		0.13			0.01	0.01		0.14			0.18	0.02	8
9			0.02		0.01		0.14		0.01	0.24	0.07		9
10	0.04		0.01				0.05	0.05	1.00	0.19	0.07		10
11	0.06			0.15	0.05	0.10		0.07	0.30	0.07	0.03		11
12			0.02	0.01	0.05	0.15		0.01	0.07			0.07	12
13					0.07	0.38		0.01		0.07		0.07	13
14			0.35	0.21	0.09	0.24				0.11		0.13	14
15				0.25	0.02	0.04			0.02	0.08		0.05	15
16	0.01				0.09	0.10		0.17	0.03	0.03		0.07	16
17		0.03			0.12			0.09		0.36		0.58	17
18		0.03			0.15			0.32		0.01			18
19		0.01			0.06	0.22	0.06	0.01		0.13			19
20		0.02	0.05	0.01		0.05				0.07			20
21			0.03	0.08		0.10	0.01			0.02			21
22	0.07	0.09		0.12	0.34	0.03	0.06	0.08	0.03				22
23		0.11		0.02	0.02			0.25	0.07		0.07		23
24	0.02	0.18	0.25				0.03				0.20	0.07	24
25	0.01	0.09	0.01				0.20	0.01	0.07	0.02	0.16		25
26	0.21	0.17	0.18				0.06		0.07	0.07	0.06		26
27	0.04	0.13					0.02		0.07		0.17	0.02	27
28	0.04	0.04								0.02	0.40	0.18	28
29			0.10		0.15					0.03	0.48		29
30	0.01		0.09	0.04	0.19	0.04	0.01	0.04		0.07	0.07	0.10	30
31			0.01		0.06			0.47					31
Totals	0.72	1.12	1.30	1.20	1.98	2.06	0.75	2.75	1.57	1.42	2.13	1.29	
Total from Jan. 1		1.84	3.14	4.34	6.32	8.38	9.13	11.88	13.45	14.87	17.00	18.29	

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL

Kept at *Bishop's Court, Rochester upon*
in the County of *Hampshire*
by *Thomas Latham*

Lat. _____ Long. _____
Nearest Railway Station *Culham Gt. R.*
Time of Observation *8. A.M.*
Diameter *4* in.
Height of top above Ground *2* ft. in.
Sea Level *16.9* ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.13	0.00	0.20	0.10	0.31	0.00	0.00	0.02	0.01	0.03	0.00	0.00	1
2	0.31	0.01	0.29	0.00	0.41	0.00	0.00	0.28	0.21	0.00	0.40	0.00	2
3	0.05	0.00	0.00	0.06	0.42	0.00	0.00	0.00	0.00	0.17	0.01	0.05	3
4	0.69	0.00	0.20	0.07	0.04	0.00	0.00	0.01	0.11	0.19	0.01	0.00	4
5	0.09	0.00	0.03	0.00	0.14	0.00	0.01	0.00	0.01	0.12	0.01	0.01	5
6	0.01	0.00	0.12	0.00	0.44	0.00	0.00	0.00	0.00	0.12	0.00	0.01	6
7	0.00	0.00	0.04	0.02	0.07	0.00	0.00	0.00	0.01	0.09	0.01	0.13	7
8	0.07	0.00	0.00	0.00	0.09	0.22	0.00	0.02	0.04	0.67	0.03	0.15	8
9	0.00	0.00	0.07	0.00	0.03	0.34	0.00	0.01	0.06	0.03	0.02	0.25	9
10	0.29	0.00	0.06	0.00	0.00	0.90	0.00	0.36	0.45	0.08	0.00	0.08	10
11	0.00	0.00	0.00	0.03	0.10	0.28	0.03	0.60	0.03	0.83	0.01	0.01	11
12	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.02	0.44	0.02	0.28	12
13	0.00	0.00	0.00	0.00	0.00	0.62	0.00	0.01	0.00	0.15	0.03	0.06	13
14	0.00	0.00	0.18	0.07	0.00	1.53	0.00	0.27	0.00	0.35	0.06	0.00	14
15	0.00	0.02	0.01	0.00	0.11	0.90	0.00	0.10	0.00	0.16	0.00	0.00	15
16	0.00	0.00	0.31	0.01	0.21	0.03	0.08	0.29	0.00	0.07	0.01	0.00	16
17	0.14	0.00	0.19	0.00	0.09	0.03	0.02	0.06	0.00	0.00	0.07	0.00	17
18	0.01	0.00	0.01	0.00	0.00	0.00	0.27	0.02	0.00	0.16	0.00	0.00	18
19	0.03	0.00	0.00	0.00	0.00	0.75	0.10	0.21	0.00	0.10	0.00	0.05	19
20	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.05	0.03	0.01	20
21	0.01	0.02	0.00	0.00	0.00	0.00	0.25	0.00	0.04	0.06	0.00	0.00	21
22	0.02	0.09	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.20	0.00	0.00	22
23	0.01	0.08	0.74	0.00	0.00	0.00	0.47	0.00	0.00	0.01	0.02	0.01	23
24	0.02	0.26	0.01	0.00	0.00	0.00	0.00	0.80	0.60	0.23	0.01	0.02	24
25	0.00	0.21	0.08	0.41	0.00	0.01	0.45	0.02	0.01	0.29	0.00	0.00	25
26	0.00	0.11	0.18	0.34	0.00	0.00	0.01	0.01	0.07	0.32	0.02	0.00	26
27	0.27	0.14	0.07	0.35	0.01	0.00	0.20	0.10	0.01	0.84	0.80	0.02	27
28	0.02	0.03	0.07	0.46	0.31	0.00	0.23	0.14	0.16	0.20	0.17	0.00	28
29	0.00	0.00	0.09	0.06	0.19	0.00	0.17	0.00	0.25	0.01	0.00	0.00	29
30	0.00	0.00	0.08	0.09	0.29	0.00	0.01	0.04	0.00	0.00	0.00	0.00	30
31	0.07	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.29	0.00	0.00	31
Totals	2.35	0.97	3.04	2.08	3.26	5.61	2.42	3.37	2.09	6.26	1.74	1.14	
Total from Jan. 1	2.35	3.32	6.36	8.44	11.70	17.31	19.73	23.10	25.09	31.45	33.19	34.33	

5a

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.

Kept at *Bishop's Court, Dorchester*
in the County of *Dorsetshire*
by *Thomas Latham*

Lat. Long.
Nearest Railway Station *Culham*
Time of Observation *5 am.*
Diameter *4* in.
Height of top above Ground *2* ft. in.
" " Sea Level *169* ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	000	054	005	002	023	023	025	000	001	004	002	000	1
2	002	026	010	003	006	001	004	000	014	003	000	010	2
3	004	014	009	008	000	000	001	000	000	001	000	001	3
4	012	006	011	002	000	000	000	022	000	000	000	007	4
5	001	002	001	012	001	000	000	001	000	009	001	014	5
6	001	006	000	000	006	000	000	000	000	014	040	050	6
7	005	036	014	003	000	000	000	000	011	004	029	003	7
8	001	007	000	001	000	000	000	000	007	003	004	002	8
9	002	045	000	003	015	012	000	000	000	000	001	024	9
10	015	040	000	000	005	000	000	000	000	004	041	016	10
11	000	001	000	000	002	000	000	029	000	000	000	022	11
12	006	024	000	012	000	000	000	000	020	000	000	004	12
13	021	011	000	014	000	007	000	000	000	000	001	029	13
14	012	005	005	000	000	025	000	017	049	000	000	010	14
15	000	000	000	029	000	003	000	002	001	001	001	002	15
16	002	014	000	000	003	000	000	000	000	019	000	000	16
17	006	005	000	000	000	000	000	054	000	003	001	002	17
18	000	002	000	000	000	000	000	000	000	002	001	000	18
19	000	008	007	000	000	000	006	000	000	001	001	002	19
20	009	000	000	000	062	000	000	000	000	000	000	000	20
21	000	000	003	000	006	000	000	002	000	017	014	000	21
22	000	000	000	018	001	000	000	030	002	000	002	000	22
23	000	000	000	000	010	000	002	001	000	021	009	000	23
24	000	000	003	000	010	021	000	000	000	001	000	001	24
25	002	000	001	000	002	002	060	002	000	000	000	004	25
26	003	002	000	001	035	003	055	000	000	001	000	001	26
27	015	000	000	000	1.31	000	033	000	001	001	001	001	27
28	007	000	014	000	001	000	000	000	025	000	002	000	28
29	017	000	008	003	001	000	030	000	000	001	001	005	29
30	040	000	014	000	004	001	014	000	026	001	001	000	30
31	043	000	010	000	002	000	000	046	000	002	000	000	31
Totals	2.26	3.08	1.15	1.11	3.26	0.98	2.30	2.06	1.57	1.13	1.53	2.12	
Total from Jan. 1	2.26	5.34	6.49	7.60	10.86	11.84	14.14	16.20	17.77	18.90	20.43	22.55	193

REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL

Kept at *Bishop's Court, Dorchester*
in the County of *Dorsetshire*
by *Thomas Sathorn*

Lat. Long.
Nearest Railway Station *Cusham & G. Tr. S.*
Time of Observation *8 am*
Diameter *4* in.
Height of top above Ground *2* ft.
" " Sea Level *169* ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.00	0.05	0.00	0.18	0.10	0.10	0.01	0.01	0.02	0.63	0.01	1
2	0.06	0.00	0.01	0.00	0.06	0.00	0.00	0.14	0.00	0.00	0.02	0.01	2
3	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.45	0.00	0.02	0.07	0.01	3
4	0.21	0.00	0.04	0.00	0.00	0.00	0.00	0.03	0.00	0.10	0.35	0.00	4
5	0.04	0.00	0.18	0.01	0.00	0.60	0.01	0.09	0.05	0.03	0.01	0.05	5
6	0.00	0.02	0.01	0.06	0.00	0.45	0.00	0.03	0.24	0.00	0.00	0.06	6
7	0.00	0.05	0.08	0.08	0.00	0.15	0.00	0.04	0.11	0.02	0.00	0.15	7
8	0.00	0.00	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	8
9	0.10	0.04	0.05	0.27	0.00	0.00	0.71	0.05	0.26	0.00	0.01	0.01	9
10	0.00	0.00	0.11	0.34	0.00	0.13	0.04	0.02	0.00	0.01	0.55	0.00	10
11	0.00	0.00	0.10	0.26	0.00	0.20	0.00	0.00	0.00	0.02	0.18	0.00	11
12	0.00	0.01	0.24	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.25	0.02	12
13	0.00	0.00	0.36	0.08	0.00	0.02	0.00	0.00	0.08	0.02	0.06	0.01	13
14	0.01	0.00	0.24	0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.01	0.00	14
15	0.00	0.00	0.34	0.00	0.00	0.15	0.05	0.00	0.00	0.15	0.01	0.00	15
16	0.06	0.05	0.05	0.18	0.00	0.35	0.00	0.00	0.00	0.00	0.01	0.00	16
17	0.00	0.00	0.11	0.00	0.00	0.03	0.01	0.07	0.00	0.00	0.00	0.01	17
18	0.00	0.01	0.18	0.01	0.05	0.00	0.00	0.05	0.00	0.00	0.00	0.02	18
19	0.00	0.00	0.00	0.05	0.00	0.15	0.00	0.10	0.00	0.00	0.00	0.01	19
20	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	20
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.05	0.00	0.00	21
22	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.12	0.00	0.00	0.08	0.00	22
23	0.00	0.04	0.31	0.00	0.00	0.00	0.06	0.01	0.00	0.01	0.02	0.00	23
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	24
25	0.00	0.05	0.09	0.08	0.00	0.01	0.00	0.04	0.39	0.03	0.03	0.00	25
26	0.00	0.09	0.09	0.09	0.00	0.00	0.00	0.02	0.09	0.00	0.17	0.00	26
27	0.01	0.00	0.05	0.00	0.00	0.00	0.03	0.46	0.03	0.01	0.00	0.09	27
28	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.86	0.16	0.23	0.08	0.15	28
29	0.01		0.05	0.00	0.02	0.50	0.01	0.80	0.00	0.35	0.01	0.18	29
30	0.00		0.00	0.13	0.45	0.56	0.00	0.06	0.00	0.04	0.30	0.00	30
31	0.01		0.00		0.04		0.00	0.00		0.22		0.00	31
Totals	0.57	0.38	2.79	1.78	0.81	3.42	1.14	2.78	1.44	1.33	2.85	0.86	
Total from Jan. 1	0.51	0.89	3.68	5.46	6.27	10.69	10.83	13.61	15.05	16.38	19.23	20.09	

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.

Kept at Broms Court Rochester
in the County of Essex
by Thomas Latham

Lat. Long.
Nearest Railway Station Culham
Time of Observation 8 A.M.
Diameter 5 in.
Height of top above Ground 2 ft. in.
" " Sea Level 169 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	004	000	001	000	000	011	000	002	000	055	000	001	1
2	029	003	002	000	009	000	000	043	000	076	001	000	2
3	003	004	000	000	001	000	000	000	000	001	001	003	3
4	034	001	000	000	003	000	000	000	001	020	030	001	4
5	049	000	000	000	005	000	000	000	000	000	001	018	5
6	000	002	000	000	001	000	000	000	000	000	006	003	6
7	018	001	000	000	000	000	000	000	000	015	030	000	7
8	000	008	011	000	004	000	000	000	000	020	006	015	8
9	015	005	000	000	002	000	000	000	000	037	007	000	9
10	000	012	050	000	000	000	007	004	000	003	000	000	10
11	008	005	003	000	000	000	000	000	000	000	001	008	11
12	042	000	004	000	000	000	008	000	008	017	000	017	12
13	002	005	007	001	000	000	023	011	022	000	000	018	13
14	000	005	002	000	002	005	000	002	029	000	001	000	14
15	014	005	004	000	000	012	001	015	013	000	007	022	15
16	005	027	001	000	012	024	000	004	003	003	050	006	16
17	008	009	001	010	000	000	000	030	002	025	012	000	17
18	016	011	000	000	000	000	005	000	000	086	001	010	18
19	000	004	010	000	000	000	001	000	002	002	004	000	19
20	012	000	006	000	035	000	000	000	006	002	020	000	20
21	004	000	026	005	001	000	003	000	005	001	000	000	21
22	000	006	004	001	000	000	000	000	000	002	000	000	22
23	000	001	006	004	023	034	001	000	000	000	000	000	23
24	016	004	000	007	000	000	002	022	000	002	000	009	24
25	006	000	000	000	027	000	000	000	000	000	000	29	25
26	001	005	006	000	030	000	002	000	000	000	002	001	26
27	000	012	000	012	006	001	009	000	000	001	000	002	27
28	000	000	000	002	000	164	012	000	000	012	000	050	28
29	002		000	009	000	007	002	000	000	033	000	000	29
30	000		000	002	010	000	000	000	001	010	000	011	30
31	000		000		003		000	000		001		001	31
Totals	2.88	1.35	1.44	0.53	1.74	2.58	0.74	13.3	0.92	4.46	3.10	22.5	
Total from 1	2.88	4.23	5.67	6.20	7.94	10.52	11.26	12.59	13.51	17.97	21.07	23.32	

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Kept at Bishop's Court
in the County of Dorchester Devon
by Thomas Latham

Lat. _____ Long. _____
Nearest Railway Station Cullham 9.50
Time of Observation 8 am
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground 2 ft. in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.29				002	040	001			024			1
2	008		004			002	001	047	010			043	2
3				001	015		018		013		001	003	3
4		003		001		005	004		016		002	1.00	4
5	0.03	001	009	003		030	026		002	033			5
6				006		005	001	022	011	036	001	006	6
7			007	041	009	002				001	001	027	7
8		008	001	002	003		001			010		027	8
9		005	014			002	010	012		009	001	009	9
10	016	006	003	002		002	034			072		1.008	10
11		005	001	023		040			001	004	004	048	11
12		031	016			003		005			003	025	12
13		001	013		028	004				009		029	13
14		004	002		001	008		007		067		005	14
15		003	009			013		003		009			15
16			008		002			003		091	001		16
17			005	004	002			021		001	025		17
18		001				003		002		035	024	001	18
19	001	013	002					005		025	001		19
20		003		019	003	001		012		048	003		20
21				015	004	001	30			001	001		21
22					017	006	1.00	003		009	018	026	22
23					010	001	001		001	002		007	23
24	004				002	017				001	019	001	24
25					035	007	002		001	002	025	000	25
26				031	017	002	008	009		000	062	000	26
27				010	000	010	001			001	003	000	27
28	005			008			005			001	003	000	28
29				001		028	021		003	050		000	29
30				018	019	031	3			21	001	000	30
31					024					001		00.3	31
Total	0.15	0.84	0.94	1.85	1.93	2.63	2.67	1.51	0.58	5.63	2.00	3.62	24.68
No. of Rain Days	1	4	2	3	4	2	1	8	4	11	5	13	02

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.

Waterlow and Sons Limited, Printers, London Wall, London

5,000, XI '07.

Price 2d.

194

REGISTER OF RAINFALL IN 1908

Kept at *Bishops Court, Dorchester*
in the County of *Dorsetshire*
by *Thomas Hatham*

Lat. _____ Long. _____
Nearest Railway Station *Culham*
Time of Observation *8 a.m.*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *2* ft.
Sea Level *160* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0'05						0'13	0'02			1
2		0'03	0'10	0'01	0'30	0'46			0'19	0'01			2
3		0'02	0'54	0'02					0'55	0'01			3
4			0'02	0'13	0'09		0'18		0'10			0'10	4
5	0'03		0'34	0'29	0'03			0'04			0'01	0'08	5
6	0'02	0'02	0'10	0'03	0'03					0'01		0'02	6
7	1'14	0'02	0'03		0'04	0'02	0'04					0'01	7
8	0'04		0'12				0'18		0'04			0'07	8
9	0'03		0'05		0'01	0'01	0'45		0'03	0'25		0'20	9
10			0'01				0'06	0'01	0'01		0'04	0'15	10
11				0'01	0'05	0'02	0'01		0'10		0'07	0'01	11
12				0'02		0'04		0'03		0'01	0'06	0'10	12
13	0'01	0'01			0'04	0'01	0'04	0'01			0'14	0'14	13
14					0'22		0'16		0'02		0'04	0'20	14
15		0'08	0'09		0'23		0'09		0'25		0'01	0'01	15
16		0'21	0'03			0'29	0'38		0'04	0'10	0'03	0'05	16
17	0'01	0'05				0'10	0'13		0'01	0'02		0'05	17
18	0'02	0'03					0'01		0'13	0'04	0'23	0'04	18
19		0'01		0'10						0'10	0'01	0'12	19
20		0'01	0'02	0'02				0'26	0'05	0'45		0'05	20
21		0'01						0'27	0'01	0'05	0'20	0'04	21
22	0'01	0'08	0'18	0'11	0'04			0'31			0'08		22
23	0'01	0'01		0'72				0'70	0'06				23
24		0'01	0'46	0'09	0'01			0'05	0'01	0'02	0'04		24
25	0'02		0'35	0'55				0'02	0'17	0'03			25
26	0'01	0'09	0'01					0'20		0'05		0'05	26
27		0'05	0'08	0'33				0'05	0'06	0'06			27
28	0'09	0'05		0'28				0'58		0'02	0'03	0'05	28
29	0'02		0'08	0'22	0'07			0'11			0'10	0'19	29
30	0'01		0'15	0'15	0'17			0'02	0'01		0'01	0'05	30
31					0'04			0'44				0'09	31
Total	1'47	0'79	2'81	3'08	1'37	0'95	1'73	3'10	1'97	1'22	1'10	1'87	TOTAL for year
No. of Rain Days	15	18	20	14	15	8	12	16	20	17	16	23	197

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL

Kept at *Bishop's Court, Dorchester*
in the County of *Dorset*
by *Thomas Latham*

Pattern
RAIN GAUGE Diameter of top *4* in.
Height of top above Ground *2* ft.
" " " Sea Level *155* ft.
Time of Observation *3 am*
Nearest Railway Station { Name *Weymouth*
Distance *4* Direction *West*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	0.09	0.00	0.00	0.00	0.50	0.00	0.42	0.05	0.01	0.00	0.15	1
2	0.03	0.02	0.10	0.00	0.00	0.14	0.00	0.00	0.00	0.06	0.01	0.27	2
3	0.00	0.00	0.06	0.00	0.00	0.06	0.00	0.00	0.00	0.50	0.01	0.11	3
4	0.00	0.03	0.00	0.00	0.00	0.63	0.00	0.00	0.26	0.02	0.00	0.72	4
5	0.01	0.00	0.08	0.00	0.00	0.20	0.03	0.00	0.01	0.04	0.00	0.70	5
6	0.00	0.00	0.48	0.00	0.00	0.23	0.30	0.00	0.03	0.04	0.00	0.06	6
7	0.15	0.00	0.05	0.00	0.00	0.00	0.04	0.00	0.07	0.17	0.00	0.00	7
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.01	0.00	0.00	8
9	0.06	0.03	0.03	0.00	0.00	0.00	0.35	0.00	0.00	0.06	0.00	0.15	9
10	0.12	0.23	0.03	0.00	0.00	0.09	0.01	0.00	0.70	0.19	0.02	0.16	10
11	0.00	0.04	0.03	0.00	0.00	0.03	0.12	0.00	0.07	0.08	0.00	0.00	11
12	0.02	0.00	0.01	0.03	0.00	0.08	0.00	0.00	0.03	0.13	0.01	0.00	12
13	0.05	0.00	0.23	0.16	0.02	0.00	0.00	0.00	0.15	0.15	0.08	0.00	13
14	0.06	0.04	0.03	0.03	0.00	0.00	0.01	0.00	0.00	0.07	0.16	0.00	14
15	0.06	0.00	0.03	0.00	0.00	0.00	0.12	0.00	0.08	0.04	0.04	0.00	15
16	0.00	0.00	0.00	0.03	0.25	0.00	0.12	0.04	0.07	0.23	0.01	0.07	16
17	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.92	0.32	0.04	0.00	0.25	17
18	0.08	0.00	0.09	0.00	0.00	0.00	0.00	0.70	0.00	0.00	0.00	0.00	18
19	0.00	0.00	0.03	0.35	0.00	0.07	0.00	0.00	0.01	0.00	0.00	0.06	19
20	0.07	0.00	0.00	0.00	0.00	0.00	0.04	0.19	0.00	0.07	0.00	0.00	20
21	0.00	0.00	0.10	0.00	0.00	0.40	0.00	0.00	0.00	0.04	0.00	0.40	21
22	0.00	0.00	0.06	0.16	0.00	0.03	0.03	0.03	0.00	0.03	0.00	0.07	22
23	0.00	0.00	0.00	0.06	0.00	0.54	0.20	0.04	0.10	0.09	0.00	0.04	23
24	0.00	0.00	0.09	0.00	0.60	0.18	0.00	0.72	0.28	0.03	0.03	0.00	24
25	0.00	0.00	0.05	0.10	0.22	0.19	0.02	0.14	0.07	0.04	0.00	0.03	25
26	0.00	0.04	0.00	0.02	0.07	0.26	0.02	0.00	0.00	0.27	0.00	0.02	26
27	0.00	0.03	0.73	0.11	0.22	0.03	0.50	0.00	0.07	0.12	0.02	0.05	27
28	0.00	0.00	0.04	0.01	0.06	0.71	0.01	0.00	0.45	0.50	0.00	0.00	28
29	0.03		0.05	0.37	0.00	0.06	0.03	0.15	0.20	0.00	0.27	0.00	29
30	0.00		0.04	0.08	0.00	0.07	0.27	0.00	0.03	0.00	0.04	0.07	30
31	0.00		0.02		0.20		0.03	0.00		0.77		0.00	31
Total	0.67	0.55	2.16	1.50	1.67	3.98	2.25	2.75	2.42	3.13	0.70	2.06	TOTAL for year 23.64
No. of Rain Days	13	9	23	13	9	20	19	10	21	27	12	18	190

REGISTER OF RAINFALL IN 1910

Kept at Bishop's Court, Dorchester
in the County of Dorsetshire
by Thomas Latham

RAIN GAUGE
Pattern
Diameter of top 5 1/4 in.
Height of top above Ground 2 ft.
" " " Sea Level 168 ft.
Time of Observation 8 a.m.
Nearest Railway Station { Name Culham G. R.
Distance 4 Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. 002	in. 004	in. 000	in. 000	in. 004	in. 005	in. 000	in. 005	in. 002	in. 031	in. 002	in. 021	1
2	000	014	000	000	003	000	035	006	000	009	000	015	2
3	000	000	000	000	013	000	042	011	000	000	034	036	3
4	000	000	000	026	012	000	000	000	000	000	000	009	4
5	000	006	001	013	006	003	059	017	000	000	000	002	5
6	000	018	000	008	007	040	005	000	000	001	013	002	6
7	000	003	012	000	004	042	002	000	000	000	004	003	7
8	003	002	005	000	006	000	000	000	000	000	000	020	8
9	015	000	001	000	013	065	000	016	000	000	000	016	9
10	002	001	000	000	001	037	000	000	004	008	004	015	10
11	013	004	026	001	035	000	000	003	000	111	004	002	11
12	010	000	005	013	005	040	000	000	001	054	002	033	12
13	002	010	000	008	003	000	000	002	000	003	031	021	13
14	000	025	000	008	000	000	000	003	026	001	001	048	14
15	006	004	000	013	000	000	000	000	004	000	004	035	15
16	007	004	004	020	000	000	000	001	000	011	000	014	16
17	011	006	006	000	001	000	005	000	000	008	000	003	17
18	005	021	003	004	025	000	000	054	000	015	000	000	18
19	000	003	000	004	005	000	000	000	001	021	004	001	19
20	000	033	000	000	004	000	016	002	000	002	000	011	20
21	000	008	001	000	000	000	001	000	001	000	000	016	21
22	002	026	000	021	000	014	003	004	000	001	000	001	22
23	021	003	000	003	000	005	000	015	000	001	050	001	23
24	008	027	000	000	000	010	003	000	000	003	000	000	24
25	000	024	000	009	000	032	006	024	001	001	000	004	25
26	000	004	000	004	000	001	000	007	000	000	003	002	26
27	037	002	000	000	000	006	002	000	000	063	085	000	27
28	010	010	000	033	016	000	009	040	003	008	000	003	28
29	000		000	001	000	005	000	028	002	002	002	000	29
30	000		000	000	004	003	001	000	001	000	040	000	30
31	000		000		003		000	002		023		000	31
Total	1.54	26	20.64	1.89	1.70	2.71	1.89	2.38	0.46	3.77	2.83	3.34	TOTAL for year 25.77
No. of Rain Days	16	24	10	17	20	14	14	17	11	21	16	24	204

S. 2

REGISTER

ELSFIELD

Kept at *Elsfield*in the County of *Oxon*by *H. Parson*

HOME FARM

OXON

Lon. *N 10° 12'*ation *10 A.M.*bove Ground *1 ft*Sea Level *330 ft*

NOTE.—Full instructions respecting the method of the Rainfall," which is sent post-free on application.

1901-10

Systematic Observation and Record
den Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.08	.18	.11	—	—	—	—	—	—	—	—	1
2	.01	.05	.17	.09	—	.01	.14	—	—	—	—	—	2
3	.01	—	.06	.58	—	.14	—	—	—	.25	—	—	3
4	—	.54	.03	—	—	—	—	—	—	.01	.02	—	4
5	—	.04	.14	.16	—	—	—	.11	—	.01	.01	.02	5
6	.04	—	.11	.03	.07	—	—	—	—	.08	.01	.01	6
7	.12	.09	.13	.03	.68	—	—	—	.08	—	—	.21	7
8	.05	—	—	.04	.21	—	—	—	.49	.02	—	.02	8
9	.01	—	—	.25	.24	—	—	—	—	—	—	.07	9
10	—	.03	—	.12	—	—	—	—	—	—	—	—	10
11	—	—	—	.05	—	—	.03	.19	.07	—	.15	.20	11
12	—	—	.01	.05	—	.12	—	.18	—	.02	.08	1.05	12
13	—	—	—	.18	—	—	.23	.06	—	—	.17	.11	13
14	—	—	—	.10	—	—	—	.60	—	—	—	.02	14
15	.01	—	—	.20	—	—	—	—	—	—	—	.03	15
16	.08	—	—	.09	—	—	—	—	.55	.36	—	—	16
17	.19	.03	—	—	—	—	—	—	.24	.06	—	.04	17
18	.16	.08	—	—	—	—	—	—	—	.15	—	—	18
19	.03	.01	.30	—	—	.13	—	—	—	.01	—	—	19
20	—	—	—	—	—	.12	—	—	.50	—	—	—	20
21	—	.05	—	—	—	.09	—	—	.09	—	.06	—	21
22	—	—	—	—	—	.15	—	—	—	.27	.03	—	22
23	—	—	—	—	—	—	.08	—	—	.03	—	—	23
24	—	—	.04	—	—	—	1.50	—	—	.08	—	—	24
25	.04	—	.02	—	.01	—	.80	.15	—	—	.04	—	25
26	.03	.25	.01	.02	—	—	.75	.22	—	—	—	—	26
27	.18	—	—	—	—	—	.29	.41	—	—	—	.14	27
28	.03	.27	.01	—	—	—	.13	—	—	—	—	.37	28
29	—	—	.16	—	.14	.08	—	—	—	.11	—	.26	29
30	—	—	.09	—	.12	.80	—	.02	—	—	—	.03	30
31	—	—	.08	—	—	—	—	.14	—	—	—	.05	31
Totals	1.01	1.52	1.54	2.10	1.47	1.69	3.95	2.08	2.02	1.46	.57	3.34	
Total from Jan. 1		2.53	4.07	6.17	7.64	9.33	13.28	15.36	17.38	18.84	19.41	22.75	

REGISTER OF RAINFALL IN 1901

Kept at Elfield
in the County of Oxon
by H. Parsons

RAIN GAUGE.

Lat. 51° 47' Lon. N 1° 12'
Time of Observation 10 AM
Diameter 5 in.
Height of top above Ground 1 ft
Sea Level 330 ft

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.08	.18	.11	—	—	—	—	—	—	—	—	1
2	.01	.05	.17	.09	—	.01	.14	—	—	—	—	—	2
3	.01	—	.06	.58	—	.14	—	—	—	.25	—	—	3
4	—	.54	.03	—	—	—	—	—	—	.01	.02	—	4
5	—	.04	.14	.16	—	—	—	.11	—	.01	.01	.02	5
6	.04	—	.11	.03	.07	—	—	—	—	.08	.01	.01	6
7	.12	.09	.13	.03	.68	—	—	—	.08	—	—	.21	7
8	.05	—	—	.04	.21	—	—	—	.49	.02	—	.02	8
9	.01	—	—	.25	.24	—	—	—	—	—	—	.07	9
10	—	.03	—	.12	—	—	—	—	—	—	—	—	10
11	—	—	—	.05	—	—	.03	.19	.07	—	.15	.20	11
12	—	—	.01	.05	—	.12	—	.18	—	.02	.08	1.05	12
13	—	—	—	.18	—	—	.23	.06	—	—	.17	.11	13
14	—	—	—	.10	—	—	—	.60	—	—	—	.02	14
15	.01	—	—	.20	—	—	—	—	—	—	—	.03	15
16	.08	—	—	.09	—	—	—	—	.55	.36	—	—	16
17	.19	.03	—	—	—	—	—	—	.24	.06	—	.04	17
18	.16	.08	—	—	—	—	—	—	—	.15	—	—	18
19	.03	.01	.30	—	—	.13	—	—	—	.01	—	—	19
20	—	—	—	—	—	.12	—	—	.50	—	—	—	20
21	—	.05	—	—	—	.09	—	—	.09	—	.06	—	21
22	—	—	—	—	—	.15	—	—	—	.27	.03	—	22
23	—	—	—	—	—	—	.08	—	—	.03	—	—	23
24	—	—	.04	—	—	—	1.50	—	—	.08	—	—	24
25	.04	—	.02	—	.01	—	.80	.15	—	—	.04	—	25
26	.03	.25	.01	.02	—	—	.75	.22	—	—	—	—	26
27	.18	—	—	—	—	—	.29	.41	—	—	—	.14	27
28	.03	.27	.01	—	—	—	.13	—	—	—	—	.37	28
29	—	—	.16	—	.14	.08	—	—	—	.11	—	.26	29
30	—	—	.09	—	.12	.80	—	.02	—	—	—	.03	30
31	—	—	.08	—	—	—	—	.14	—	—	—	.05	31
Totals	1.01	1.52	1.54	2.10	1.47	1.69	3.95	2.08	2.02	1.46	.57	3.34	
Total from Jan. 1		2.53	4.07	6.17	7.64	9.33	13.28	15.36	17.38	18.84	19.41	22.75	

REGISTER OF RAINFALL IN 1902

Kept at *Uxfield*

in the County of *OXON*

by *H. Parsons*

RAIN GAUGE.

Lat. *51° 47'* Long. *W 1° 12'*

Time of Observation *10 A.M.*

Diameter *5 in.*

Height of top above Ground *1 1/2*

Sea Level *330 ft.*

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	—	.19	.02	.02	.11	.11	—	—	—	—	.21	1
2	—	—	.07	—	.05	.01	—	.06	.14	—	.01	—	2
3	—	.08	—	.02	.26	.03	—	.02	—	—	—	.03	3
4	.09	—	—	.12	.02	.05	—	.06	—	.07	.03	—	4
5	—	—	—	.15	.02	.08	—	.23	—	.01	.10	—	5
6	—	—	—	—	.02	.14	—	.28	—	.01	.14	—	6
7	—	.10	—	—	.04	.36	—	.44	—	—	—	.01	7
8	—	.04	—	—	.07	.05	—	.11	—	—	.35	—	8
9	.03	—	.02	—	—	—	.18	.01	.12	.46	.02	—	9
10	.02	—	.01	—	—	.02	.08	.01	.64	.19	.01	—	10
11	.02	—	—	.09	.02	.09	—	.04	.24	—	.03	—	11
12	—	—	—	.01	—	.16	—	—	—	.01	—	.07	12
13	—	—	—	—	.01	.50	—	.16	—	.11	—	.03	13
14	—	—	.40	.36	.08	.12	—	.05	—	.01	—	.12	14
15	—	—	—	.27	.06	.25	—	—	.02	.15	—	.12	15
16	—	—	—	—	.09	.04	—	.03	.01	.01	—	.03	16
17	—	—	—	—	.08	—	—	.11	—	.28	—	.32	17
18	—	.03	—	—	.11	—	—	.36	—	.01	—	—	18
19	—	—	.02	.02	.06	.21	.05	.06	—	.17	—	.02	19
20	—	.01	.05	.01	—	.01	.05	—	—	—	—	—	20
21	—	—	.02	.13	—	—	—	—	—	.07	—	—	21
22	—	.27	—	.06	.37	.01	.08	.04	.05	—	—	—	22
23	.01	.19	—	.01	—	—	—	.23	.02	—	—	—	23
24	.03	.14	.22	—	—	—	—	.03	—	—	.32	—	24
25	—	.05	—	—	—	—	.17	—	—	.04	.06	—	25
26	.24	.17	.20	—	—	—	.18	—	—	—	.07	—	26
27	.02	.10	—	—	—	—	—	—	—	.02	.19	.08	27
28	—	—	.04	—	—	—	—	.02	—	.05	.70	.20	28
29	—	—	.08	—	.12	—	—	.02	—	.02	.28	—	29
30	.01	—	.03	.09	.16	.06	—	.10	—	—	.10	.13	30
31	—	—	—	—	.06	—	—	.31	—	—	—	—	31
Totals	.62	1.18	1.35	1.36	1.72	2.30	.90	2.78	1.24	1.69	2.41	1.37	
Total from Jan. 1		1.80	3.15	4.51	6.23	8.53	9.43	12.21	13.45	15.14	17.55	18.92	

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at *Uxfield*

in the County of *Oxon*

by *H. Parsons*

Lat. *51° 47'* Long. *1° 12'*

Nearest Railway Station *Oxford*

Time of Observation *10 A.M.*

Diameter *5 in.* in.

Height of top above Ground *1* ft. in.

Sea Level *330* ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24	—	.50	.08	.29	—	—	.03	.01	.07	—	—	1
2	.31	—	.24	—	.35	—	—	.30	.31	.02	.25	—	2
3	.10	—	—	.06	.40	—	—	—	—	.27	—	.08	3
4	.81	—	.20	.07	.04	—	—	—	.15	.40	.01	—	4
5	.11	—	.01	—	.59	—	.01	—	—	.16	.01	—	5
6	—	.01	.11	—	.67	—	—	—	—	.18	—	.05	6
7	.03	—	.05	.01	.06	—	—	—	—	.08	—	.06	7
8	.07	—	—	—	—	.22	—	—	.08	.30	.03	.26	8
9	.03	—	.42	—	.39	.33	—	.37	.02	.01	—	.16	9
10	.31	—	.05	—	.13	.76	—	.10	.37	.14	—	.04	10
11	—	—	—	.02	.01	.03	—	.34	.03	1.08	.01	—	11
12	—	—	—	.01	—	—	—	—	.05	.29	.02	.31	12
13	—	—	—	.02	—	.53	.01	.22	—	.14	.07	.02	13
14	—	—	.25	.04	—	1.79	—	.14	—	.28	.04	—	14
15	—	.02	—	—	.29	.87	.04	.11	—	.13	—	—	15
16	—	—	—	.016	.28	—	.10	.35	—	.08	—	—	16
17	.15	—	.29	—	.15	.07	.18	.18	—	—	.06	—	17
18	.01	—	.01	—	—	—	.87	.01	—	.17	—	—	18
19	.04	—	—	—	—	.62	.04	—	.01	.13	—	.04	19
20	.01	—	—	—	—	—	—	.28	—	.07	—	.02	20
21	—	.01	—	—	—	—	.24	—	.04	.09	—	—	21
22	.14	.06	—	—	—	—	.45	—	—	.02	.02	—	22
23	—	.06	.67	—	—	—	.56	.36	—	—	.06	.01	23
24	.01	.23	—	—	—	—	—	.46	.21	.45	—	.04	24
25	—	.24	.04	.38	—	—	.68	—	—	.92	—	—	25
26	—	.10	.28	.36	—	—	.12	—	.02	.18	.05	—	26
27	.25	.01	.02	.32	.02	—	.14	.09	.01	.78	.62	.04	27
28	—	—	.15	.51	.34	—	.24	.05	.11	.26	.22	—	28
29	—	—	.04	.33	.07	—	.06	—	.29	.01	—	—	29
30	—	—	.03	.06	.12	—	—	.01	—	—	—	—	30
31	.06	—	.03	—	—	—	.02	—	—	.19	—	—	31
Totals	2.68	.74	3.39	2.28	4.20	5.22	3.76	3.40	1.71	6.90	1.47	1.13	
Total from Jan. 1		3.42	6.81	9.09	13.29	18.51	22.27	25.67	27.38	34.28	35.75	36.88	

5.A

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.
27 MAR 1905

Kept at Uxfield
in the County of Oxon
by H. Parsons

RAIN GAUGE.

Lat. 51° 47' Long. 1° 12'
Nearest Railway Station Oxford
Time of Observation 12 AM
Diameter 5 in.
Height of top above Ground 1 ft. in.
" " Sea Level 330 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	Nov.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.03	.06	—	.34	.08	.06	—	—	—	.06	—	1
2	—	.59	.09	.01	.06	—	.16	—	.18	—	—	.07	2
3	.09	.10	.19	.01	—	—	.26	—	—	—	—	—	3
4	.09	.06	.02	.03	—	—	—	.18	—	—	—	.16	4
5	.02	.01	.01	.08	.02	—	—	—	—	.08	.01	.11	5
6	—	.07	.01	—	.03	—	—	—	—	.10	.41	.41	6
7	.22	.35	.26	.02	—	—	—	—	.21	.03	.31	—	7
8	—	.05	.01	—	—	—	—	—	.04	.02	.06	.05	8
9	.01	.80	.09	.03	.09	.25	—	—	—	—	—	.13	9
10	.25	.35	—	—	.02	—	—	.02	—	.02	.40	.11	10
11	.02	—	—	—	.02	—	—	.17	—	—	—	.24	11
12	.08	(.33)	—	.08	—	—	—	—	.32	—	—	.03	12
13	.22	—	—	—	—	.08	—	—	.06	—	—	.25	13
14	.24	.05	.07	.08	—	.34	—	.15	.28	—	—	.10	14
15	—	.01	—	.27	—	.04	—	—	—	—	—	.02	15
16	—	.12	—	—	—	—	—	.20	—	.21	—	—	16
17	.07	.05	—	—	—	—	—	.11	—	—	—	.03	17
18	—	.01	—	—	.01	—	—	—	—	.01	.02	—	18
19	—	.09	.05	—	—	—	.08	—	—	—	—	—	19
20	.06	—	—	—	.59	—	—	—	—	—	—	—	20
21	—	.02	.03	—	.06	—	—	.05	—	.07	.16	—	21
22	—	—	—	.05	—	—	—	.57	.03	—	—	—	22
23	.01	—	—	—	.09	—	—	—	.02	.14	.06	—	23
24	—	—	.03	—	.04	.22	—	—	.02	.05	—	—	24
25	—	.05	—	—	—	.03	1.08	.04	.06	—	—	—	25
26	.10	.03	—	—	.65	.06	.78	—	—	—	—	.03	26
27	.30	—	—	—	.45	—	.10	—	—	—	—	—	27
28	.02	—	.14	—	—	—	.12	—	—	—	—	.02	28
29	.26	—	.05	.02	—	—	.23	—	—	—	.04	.06	29
30	.47	—	.06	.01	.06	.01	.11	—	.39	.03	—	—	30
31	.67	—	.07	—	.02	—	—	.42	—	.05	—	—	31
Totals	3.20	3.17	1.24	.69	3.05	1.11	2.98	1.91	1.61	.81	1.53	1.82	
Total from Jan. 1		6.37	7.61	8.30	11.35	12.46	15.44	17.35	18.96	19.77	21.30	23.12	162

REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL.

Kept at Elfield
in the County of Oxon
by H. Parsons

Lat. 51° 47' Long. 1° 12'
Nearest Railway Station Oxford
Time of Observation 10 A.M.
Diameter 5 in.
Height of top above Ground 1 ft. 330 in.
" " Sea Level 330 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.016	—	.05	—	.06	.05	.01	—	.03	.01	.49	—	1
2	.05	—	—	.02	.07	—	—	.34	—	—	.07	—	2
3	—	—	.02	.01	.03	—	—	.26	—	.01	—	.02	3
4	.24	—	.02	—	—	—	—	.04	—	.17	.37	.01	4
5	.05	—	.25	.02	—	.42	—	.18	.04	.02	.02	.11	5
6	—	.06	—	.09	—	.44	—	.01	.22	—	—	.07	6
7	—	—	.05	.10	—	.13	—	.05	.03	.03	—	.27	7
8	.19	—	.23	.02	—	—	—	—	.12	.01	.01	.01	8
9	.03	—	.01	.34	—	.01	.01	—	.17	—	—	—	9
10	—	.04	.37	.20	—	.18	.03	—	—	.02	.72	—	10
11	.04	—	.10	.23	—	.43	—	—	—	.01	.07	—	11
12	—	—	.27	—	—	.01	—	—	—	.03	.17	—	12
13	—	—	.40	.11	—	—	—	—	.02	—	.02	.01	13
14	—	—	.30	.06	.01	—	—	—	—	—	.01	—	14
15	—	—	.18	.03	—	.10	.03	.03	—	.14	.02	—	15
16	.146	.04	.06	—	—	.43	—	—	—	—	—	—	16
17	—	.01	.11	—	—	.53	.01	.18	—	—	—	.04	17
18	—	—	—	.02	.03	.01	—	.03	—	—	—	.03	18
19	—	.04	—	.02	—	.07	—	.04	.01	—	—	.01	19
20	—	—	—	—	—	.02	—	—	—	—	—	—	20
21	—	.02	—	—	—	—	—	.20	—	—	—	—	21
22	.01	—	—	—	—	—	.05	.11	—	—	.12	—	22
23	—	.05	.22	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	.05	—	—	—	24
25	—	.09	.06	.15	—	—	—	.11	.25	—	.05	—	25
26	—	.09	.15	.07	—	—	—	.03	.03	.07	.60	—	26
27	—	—	.03	.01	—	—	—	.60	.05	—	—	.15	27
28	—	.02	—	.03	—	—	—	1.11	.33	.12	.03	.10	28
29	.01	—	.02	.02	.08	.64	—	.05	.02	.41	—	.10	29
30	—	—	.03	.41	.46	.55	—	.01	—	.01	.19	—	30
31	.02	—	—	—	.28	—	—	—	—	.20	—	—	31
Totals	.79	.46	2.93	1.96	1.02	4.02	.14	3.38	1.42	1.26	2.96	.93	
Total from Jan. 1		1.25	4.18	6.14	7.16	11.18	11.32	14.70	16.12	17.38	20.34	21.27	

REGISTER OF RAINFALL IN 1906

Kept at Elfield
in the County of Oxon
by H. Parsons

Lat. 51° 47' Long. 1° 12'
Nearest Railway Station Oxford
Time of Observation 10 A.M.
Diameter 5 in.
Height of top above Ground 1 ft. in.
Sea Level 330 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	.03	—	.02	.21	—	.03	—	.57	—	—	1
2	.30	.08	—	—	.11	.01	—	.21	—	.73	.02	.03	2
3	.10	—	—	—	.04	—	—	.10	—	—	.08	.03	3
4	.41	—	—	—	—	—	—	—	.03	.30	.14	.02	4
5	.61	—	—	—	.18	—	—	—	—	.01	—	.12	5
6	—	—	—	—	.02	—	—	—	—	.04	.63	.04	6
7	.33	—	.04	—	.01	—	—	—	—	.22	.40	—	7
8	.06	.09	.13	—	—	—	—	—	—	.18	.96	.04	8
9	.04	.10	—	—	.01	—	—	—	—	.56	.04	—	9
10	—	.14	.44	—	—	—	—	.09	—	—	—	—	10
11	.14	.04	.11	—	—	—	—	—	—	—	—	.08	11
12	.42	—	.04	—	—	—	.15	—	.05	.13	—	.12	12
13	.06	.036	.02	.03	—	—	.27	.18	.37	—	—	.18	13
14	—	.08	.04	—	—	.05	—	.01	.32	—	—	.02	14
15	.17	.13	.06	—	.01	.08	—	.12	.08	.02	.07	.32	15
16	.08	.24	—	—	.12	.11	—	—	.07	.04	.20	.07	16
17	.23	—	.05	.08	—	—	—	.04	—	.11	.13	—	17
18	.07	.06	.02	—	—	—	.04	—	.02	.62	—	.08	18
19	—	.03	—	—	.01	—	—	—	.01	—	.04	—	19
20	.14	—	.07	—	.41	—	—	—	.02	.03	.35	—	20
21	.02	—	.04	.01	—	—	.03	—	—	.01	—	—	21
22	—	.056	.02	.01	—	—	—	—	—	.13	—	—	22
23	—	—	.136	.03	.18	.71	.09	—	—	—	—	—	23
24	.28	.06	.02	—	.02	—	—	.27	—	.01	.01	.10	24
25	—	—	.01	—	.20	—	—	—	—	—	—	.246	25
26	—	.10	.06	—	.18	—	.02	—	—	.02	—	.026	26
27	—	.12	—	.11	.06	.27	.16	—	—	—	—	.026	27
28	—	.02	—	.09	.02	1.77	.37	—	—	.14	—	.04	28
29	.02	—	—	.02	—	.02	—	—	—	.33	—	—	29
30	—	—	—	.01	.04	—	—	—	—	.10	—	.16	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
Totals	3.51	1.37	1.33	.39	1.64	3.23	1.13	1.05	.97	4.30	3.07	1.83	
Total from Jan. 1		4.88	6.21	6.60	8.24	11.47	12.60	13.65	14.62	18.92	21.99	23.82	

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Kept at Uxfield

in the County of Oxon

by M. J. Parsons

Lat. 51° 47' Long. 1° 12'

Nearest Railway Station Oxford

Time of Observation 10 A.M.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 330 in.

" " " Sea Level 330 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.34	—	—	—	.09	.63	.01	—	.04	.22	.04	—	1
2	.02	—	—	.02	.06	—	.08	.38	.20	—	—	.72	2
3	—	.01	—	—	.17	—	.27	—	.21	—	.01	—	3
4	—	.03	—	—	—	.13	.25	—	.12	—	.02	.75	4
5	.01	—	.10	.08	—	.10	.02	.02	.03	.24	—	.01	5
6	—	—	.01	.11	—	—	.01	.05	—	.32	—	.10	6
7	—	—	.08	.18	.08	.02	—	—	—	.07	.02	.43	7
8	—	.25	.03	.57	.08	—	.01	.01	—	.04	.03	.21	8
9	—	.07	.11	.02	—	.04	.14	.09	—	.06	—	.19	9
10	.11	.07	.03	—	—	.01	.03	—	—	.34	—	.02	10
11	—	.06	.01	—	—	.35	—	.03	—	—	.03	.48	11
12	—	.31	.13	.27	.02	.02	—	.03	—	.01	.10	.13	12
13	—	—	.04	—	.40	.06	.01	.02	—	.29	—	.37	13
14	—	.07	.01	—	—	.04	—	.04	—	.53	—	.03	14
15	—	—	.03	—	—	.13	—	.03	—	.07	—	—	15
16	—	—	.10	—	—	—	—	—	—	1.02	.01	—	16
17	—	—	—	.05	—	—	—	.49	—	—	.29	—	17
18	—	.04	.01	—	.01	.02	—	—	—	.23	.16	.03	18
19	—	.15	.10	—	—	—	—	.10	—	.32	.01	—	19
20	—	.04	—	.23	.05	.02	—	.04	—	.38	—	.10	20
21	—	—	—	.36	.06	.01	.84	—	—	.02	—	—	21
22	—	—	—	—	.17	.07	.66	.05	—	.05	.22	.22	22
23	—	—	—	—	.14	.01	—	—	—	.02	—	.02	23
24	.02	—	—	—	—	.18	—	—	—	—	.28	—	24
25	—	—	—	.02	.54	.03	.01	.03	.04	.07	.38	—	25
26	—	—	—	.15	.07	.02	.07	.03	—	—	.50	—	26
27	.03	—	—	.13	—	.08	.06	—	—	.01	.06	—	27
28	.03	—	—	.06	—	—	.02	—	—	.02	.02	—	28
29	—	—	—	.01	—	—	.09	—	.01	.63	—	—	29
30	—	—	—	.10	.14	.03	—	.02	—	.37	—	.02	30
31	—	—	—	—	.16	—	—	—	—	.01	—	—	31

Total	.56	1.10	.84	2.36	2.29	2.00	2.63	1.46	.85	5.34	2.18	3.83	TOTAL for year
No. of Rain Days		1.66	2.50	4.86	7.15	9.15	11.78	13.24	14.89	19.43	21.61	25.24	25.24

REGISTER OF RAINFALL IN 1908

Kept at Elstfield

in the County of Oxon

by Mr. J. Parsons.

Lat. 51° 47' Long 1° 12'

Nearest Railway Station Oxford

Time of Observation 10 A M

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 330 in.

Sea Level 330 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.056	—	—	.42	—	—	.01	—	—	—	1
2	—	—	.16 (2.15)	—	.47	—	—	—	.07	.016	—	—	2
3	—	.03	.22 (2.2)	—	—	—	—	—	.47	—	—	—	3
4	—	—	.02	.07	.09	—	.20	—	.04	—	—	.12	4
5	.07	—	.41	.27	.09	—	.07	.04	—	—	—	.08	5
6	.08	—	.10	—	.15	—	—	—	—	—	—	.01	6
7	1.22	—	.03	—	.09	.02	.02	—	—	.01	—	—	7
8	.04	—	.02	—	.02	—	.14	—	.05	.08	—	.08	8
9	—	—	.06	—	—	.01	.38	—	.48	.25	—	.18	9
10	—	—	.01	—	—	.04	.11	.03	—	—	—	.08	10
11	—	—	—	.01	.03	.08	.01	—	.04	—	.15	—	11
12	—	—	—	—	—	.02	.21	.04	—	—	.05	.15	12
13	—	—	—	.04	.04	—	.14	.04	—	—	.06	.65	13
14	.01	—	—	—	.25	—	.20	—	—	—	.09	.24	14
15	—	.07	.07	—	.07	.33	.03	—	.18	—	.01	.01	15
16	.02	.26	.02	—	—	.27	.38	—	.04	.13	—	.10	16
17	—	.07	—	—	—	—	.15	—	—	—	—	—	17
18	—	.07	—	—	—	—	—	—	.15	.03	.16	.01	18
19	—	—	—	.05	—	—	—	—	—	.01	—	.14	19
20	—	—	—	—	—	—	—	.26	.06	.20	—	.09	20
21	—	.01	—	—	.04	—	—	.09	—	.08	.26	.04	21
22	—	.11	.12	.14	.12	—	—	.23	—	—	.11	—	22
23	—	.05	—	.75 (2.4)	—	—	—	.63	.05	.02	—	—	23
24	.03	.02	.48	.23 (3)	—	—	—	.04	—	.01	.08	—	24
25	.03	.03	.26 (1.45)	.01	—	—	—	.03	.04	.04	—	—	25
26	—	.08	—	—	—	—	—	.31	—	.08	—	.01 (3)	26
27	—	.04	.22	.39	—	—	—	.13	.05	.04	—	.03 (3)	27
28	.04	.08 (3)	—	.55	—	—	—	.19	.01	.02	.09	.20 (3)	28
29	.02	—	.09	.38	.05	—	—	.04	—	—	.15	.20 (3)	29
30	—	—	.26	—	—	—	—	.02	—	.02	.01	.15	30
31	—	—	—	—	.03	—	—	.70	—	—	—	.02	31
Total	1.56	.42	2.60 (4.33)	1.55	1.19	2.04	2.82	1.74	1.03	1.22	1.99	22.49	TOTAL for year
No. of Rain Days	10	13	18	12	15	8	13	16	15	16	12	21	169

50' REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL.

7 JAN 1910

Kept at Elfield
in the County of Oxon
by W. J. Parsons.

RAIN GAUGE Pattern Standard
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 330 ft.
Time of Observation 10 A M
Nearest Railway Station { Name Oxford
Distance 4 miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	.02	.47	—	.55	.09	.07	—	.20	1
2	.05	—	.10	—	—	.04	—	—	—	.17	.03	.34	2
3	—	—	.06	—	—	.04	.04	—	—	.15	.02	.23	3
4	—	.05	—	—	—	.50	—	—	.23	.10	—	.20	4
5	—	.01	.12	—	—	.16	.05	—	—	.03	—	.14	5
6	.01	—	.66	—	—	.16	.25	—	.06	—	—	.15	6
7	.03	—	.09	—	—	—	.03	—	.05	.14	—	—	7
8	—	—	.03	—	—	—	—	—	.05	.05	—	—	8
9	.05	.09	.02	—	—	—	.36	—	.01	.02	—	.17	9
10	.13	.22	.02	—	—	.10	—	—	.05	.50	.01	.38	10
11	.01	—	.02	—	—	.07	.14	—	—	.07	—	—	11
12	.06	.02	—	.03	—	.02	—	—	.14	.16	—	.03	12
13	.06	—	.19	.15	.11	—	—	—	.05	—	.15	—	13
14	.05	.03	.02	—	—	—	—	—	—	.01	.24	—	14
15	.16	—	.03	—	—	—	.16	.03	.12	.13	.03	.01	15
16	—	—	—	.03	.45	—	.02	—	.02	.32	—	.09	16
17	.02	—	—	—	—	—	—	1.60	.33	.04	.01	.08	17
18	.06	—	.07	—	—	—	.02	.09	—	—	—	—	18
19	—	—	—	.36	—	—	—	.04	—	.09	—	.04	19
20	—	—	—	—	—	.32	.05	.30	—	.21	—	—	20
21	—	—	.07	—	—	.46	—	—	.03	.03	—	.35	21
22	—	—	.03	.22	—	.06	—	.05	—	.04	—	.04	22
23	—	—	—	.05	—	.88	.05	.18	.18	.20	.02	.18	23
24	—	—	.36	—	.84	.10	—	.21	.35	—	.02	.03	24
25	—	—	.09	.05	.12	.10	.25	.03	.06	.09	—	.04	25
26	—	.07	—	.01	.18	.06	.05	—	—	.54	—	—	26
27	—	.05	.24	.06	.38	—	.55	.01	.17	.04	.04	.10	27
28	—	—	.09	.08	.07	.05	—	—	.30	.14	—	—	28
29	.05	—	.05	.59	—	.10	.10	.10	.01	—	.15	—	29
30	—	—	—	.07	—	—	.15	—	.13	—	.07	.01	30
31	.12	—	.02	—	.23	—	.02	—	—	.09	—	—	31
Total	.86	.54	2.38	1.70	2.40	3.69	2.29	3.19	2.43	3.43	.79	2.81	TOTAL for year 26.51
No. of Rain Days	14	8	21	12	9	18	17	12	20	25	12	20	188

REGISTER OF RAINFALL IN 1910

Kept at Uxfield

in the County of Devon

by Mr. J. Parsons

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 330 ft.
Time of Observation 10 A.M.
Nearest Railway Station { Name Oxford
Distance 4 miles Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. <u>.03</u>	in. <u>.15</u>	in. <u>—</u>	in. <u>—</u>	in. <u>.03</u>	in. <u>.03</u>	in. <u>.15</u>	in. <u>.05</u>	in. <u>—</u>	in. <u>.20</u>	in. <u>.01</u>	in. <u>.38</u>	1
2	<u>—</u>	<u>.19</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>.48</u>	<u>.01</u>	<u>—</u>	<u>.10</u>	<u>—</u>	<u>.39</u>	2
3	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.09</u>	<u>—</u>	<u>.13</u>	<u>.23</u>	<u>—</u>	<u>—</u>	<u>.42</u>	<u>.56</u>	3
4	<u>—</u>	<u>—</u>	<u>—</u>	<u>.26</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.09</u>	4
5	<u>—</u>	<u>.09</u>	<u>—</u>	<u>.13</u>	<u>.04</u>	<u>.01</u>	<u>.58</u>	<u>.44</u>	<u>—</u>	<u>—</u>	<u>.05</u>	<u>.01</u>	5
6	<u>.01</u>	<u>.14</u>	<u>.02</u>	<u>.02</u>	<u>.03</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.17</u>	<u>.02</u>	6
7	<u>—</u>	<u>.02</u>	<u>.01</u>	<u>—</u>	<u>.02</u>	<u>.30</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.03</u>	7
8	<u>.07</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.15</u>	8
9	<u>.07</u>	<u>—</u>	<u>.25</u>	<u>—</u>	<u>.11</u>	<u>1.95</u>	<u>—</u>	<u>.10</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.10</u>	9
10	<u>.10</u>	<u>.03</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.25</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.09</u>	<u>.05</u>	<u>.10</u>	10
11	<u>.13</u>	<u>.01</u>	<u>.14</u>	<u>.04</u>	<u>.25</u>	<u>.01</u>	<u>—</u>	<u>.05</u>	<u>.03</u>	<u>2.14</u>	<u>.04</u>	<u>.02</u>	11
12	<u>.02</u>	<u>—</u>	<u>.04</u>	<u>.15</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>.32</u>	<u>.02</u>	<u>.30</u>	12
13	<u>.02</u>	<u>.11</u>	<u>—</u>	<u>.13</u>	<u>.04</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.07</u>	<u>.02</u>	<u>.45</u>	<u>.10</u>	13
14	<u>—</u>	<u>.30</u>	<u>—</u>	<u>.15</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.27</u>	<u>—</u>	<u>—</u>	<u>1.15</u>	14
15	<u>.08</u>	<u>.03</u>	<u>—</u>	<u>.09</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.01</u>	<u>.65</u>	15
16	<u>.11</u>	<u>.06</u>	<u>.03</u>	<u>.37</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.12</u>	<u>—</u>	<u>.13</u>	16
17	<u>.04</u>	<u>.19</u>	<u>.02</u>	<u>—</u>	<u>.17</u>	<u>—</u>	<u>.05</u>	<u>—</u>	<u>—</u>	<u>.12</u>	<u>—</u>	<u>.02</u>	17
18	<u>.05</u>	<u>.16</u>	<u>.03</u>	<u>.04</u>	<u>.26</u>	<u>—</u>	<u>—</u>	<u>.14</u>	<u>—</u>	<u>.23</u>	<u>—</u>	<u>—</u>	18
19	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.02</u>	<u>.05</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.08</u>	<u>.06</u>	<u>—</u>	19
20	<u>—</u>	<u>.28</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.14</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.42</u>	20
21	<u>—</u>	<u>.03</u>	<u>—</u>	<u>.14</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.42</u>	21
22	<u>.03</u>	<u>.39</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.09</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	22
23	<u>.16</u>	<u>.08</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>.10</u>	<u>—</u>	<u>.12</u>	<u>—</u>	<u>—</u>	<u>.56</u>	<u>—</u>	23
24	<u>.06</u>	<u>.19</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>.14</u>	<u>.14</u>	<u>.03</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.02</u>	24
25	<u>—</u>	<u>.13</u>	<u>—</u>	<u>.07</u>	<u>—</u>	<u>.40</u>	<u>.04</u>	<u>.19</u>	<u>.02</u>	<u>.05</u>	<u>.046</u>	<u>—</u>	25
26	<u>—</u>	<u>.04</u>	<u>—</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.07</u>	26
27	<u>.44</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.07</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>.59</u>	<u>.94</u>	<u>—</u>	27
28	<u>.05</u>	<u>.05</u>	<u>—</u>	<u>.31</u>	<u>.18</u>	<u>—</u>	<u>.18</u>	<u>.38</u>	<u>.02</u>	<u>.03</u>	<u>—</u>	<u>—</u>	28
29	<u>—</u>	<u>—</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>.07</u>	<u>—</u>	<u>.39</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	29
30	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.07</u>	<u>.07</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.35</u>	<u>—</u>	30
31	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.27</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.25</u>	<u>—</u>	<u>—</u>	31
Total	<u>1.47</u>	<u>2.71</u>	<u>.54</u>	<u>2.09</u>	<u>1.81</u>	<u>3.49</u>	<u>2.01</u>	<u>2.03</u>	<u>.42</u>	<u>4.35</u>	<u>3.22</u>	<u>5.15</u>	TOTAL 29.29
No. of Rain Days	<u>17</u>	<u>24</u>	<u>8</u>	<u>19</u>	<u>19</u>	<u>13</u>	<u>14</u>	<u>16</u>	<u>6</u>	<u>15</u>	<u>17</u>	<u>22</u>	<u>190</u>

REGISTERED

OXFORD.

FORM A.
BRITISH RAINFALL.

Kept at

Freeland

in the County of

Oxon

FREELAND LODGE.

by

Wm J S

1906.

1.20 W.

Handboro

9.20

in.

round ft. 9 in.

ea Level 345 ft.

fall Organization are given in square, London, N.W.

NOTE.—Full instructions respecting the
"Rules for Rainfall Observers," sent post

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03	.02		.16								1
2	.04	.11	.03			.17				.46		.04	2
3	.25		.02		.18			.40		1.03	.02		3
4	.14				.06							.07	4
5	.45									.80			5
6	.60				.28							.17	6
7										.01	0.68		7
8	.36		.01							.35	.42	.10	8
9		.14	.17							.25	1.07		9
10	.11	.17			.02					.23			10
11		.11	.41										11
12	.18	.06	.15									.08	12
13	.45		.07	.22	.07				.13	.14		.02	13
14	.12	.05	.03			.04	.36		.39			.27	14
15		.14	.05			.04			.30				15
16	.18	.15	.08			.05		.40	.02		0.10	.39	16
17	.30	.22			.09	.07			.08	.09	.19	.05	17
18	.20		.05					.03		.09	.14		18
19	.20	.11	.03				.05		.03	.76			19
20													20
21	.29		.01		.45				.02	.04	.38		21
22													22
23													23
24		.07	.09		.21	.72	.18						24
25	.28	.08	.05		.03		.04	.28				.08	25
26					.23		.02					.35	26
27		.13	.04		.25							.06	27
28		.15		.25	.06	.05						.03	28
29				.02	.01	1.53	.41			.19		.02	29
30				.07		.05				.13			30
31					.10					.09		.17	31
Totals	4.18	1.72	1.31	0.56	2.20	2.72	1.06	1.11	0.97	4.66	3.00	1.90	

Total from Jan. 1

Average depth Snow. 7 ins

Total. 25.36 ins

REGIST

FORM A.
BRITISH RAINFALL.
15 JAN 1907

Kept at

Freeland Lodge

in the County of

Oxon

by

Wm J Short

RAIN GAUGE.

Nearest Railway Station

1.20 W

Handboro

Time of Observation

9.20

Diameter

8

in.

Height of top above Ground

ft. 9

in.

Sea Level

345

ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03	.02		.16								1
2	.04	.11	.03			.17				.46		.04	2
3	.25		.02		.18			.40		1.03	.02		3
4	.14				.06							.07	4
5	.45									.80			5
6	.60				.28							.17	6
7										.01	0.68		7
8	.36		.01							.35	.42	.10	8
9		.14	.17							.25	1.07		9
10	.11	.17			.02					.23			10
11		.11	.41										11
12	.18	.06	.15									.08	12
13	.45		.07	.22	.07				.13	.14		.02	13
14	.12	.05	.03			.04	.36		.39			.27	14
15		.14	.05			.04			.30				15
16	.18	.15	.08			.05		.40	.02		0.10	.39	16
17	.30	.22			.09	.07			.08	.09	.19	.05	17
18	.20		.05					.03		.09	.14		18
19	.20	.11	.03				.05		.03	.76			19
20													20
21	.29		.01		.45				.02	.04	.38		21
22													22
23													23
24		.07	.09		.21	.72	.18						24
25	.28	.08	.05		.03		.04	.28				.08	25
26					.23		.02					.35	26
27		.13	.04		.25							.06	27
28		.15		.25	.06	.05						.03	28
29				.02	.01	1.53	.41			.19		.02	29
30				.07		.05				.13			30
31					.10					.09		.17	31
Totals	4.15	1.72	1.31	0.56	2.20	2.72	1.06	1.11	0.97	4.66	3.00	1.90	

Total from Jan. 1

Average depth Snow: 7 ins

Total: 25.36 in

OXFORD

REGIS

Kept at Goring-on
in the County of Exp
by Major Gambier

GORING-ON-THAMES

1901-1910

Lon. _____
Observation 9. am
4 5"
of top above Ground 19"
,, Sea Level _____

NOTE.—Full instructions respecting the arrangements respecting the Systematic Observation and Record of the Rainfall, which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	/	.28	.05	/	/	.71	/	.33	/	/	/	1
2	.06	/	.07	.09	/	.06	/	/	/	.04	/	/	2
3	/	.12	.28	.65	/	/	.15	/	.02	/	/	/	3
4	/	/	.03	/	/	.29	/	/	/	.22	/	/	4
5	/	{ 1.07 snow	.11	/	/	/	/	.01	/	/	.04	/	5
6	/		.07	.08	/	/	/	.10	/	.02	.02	.04	6
7	/		.10	.07	/	/	/	/	/	.04	/	.02	7
8	.25	.03	.05	.07	.21	/	/	/	/	/	/	.11	8
9	/	/	.05	.08	.14	/	/	/	.15	.01	/	.06	9
10	/	/	/	.27	.26	/	/	/	/	/	/	.18	10
11	/	.05	/	.31	/	/	/	.03	/	.05	/	.02	11
12	/	/	/	.21	/	/	/	.14	.08	.03	.02	.22	12
13	/	/	/	.05	/	.05	/	.07	/	.02	.06	.92	13
14	/	/	/	.22	/	.02	/	.03	/	/	.36	.05	14
15	/	/	/	.09	/	/	/	.43	/	/	/	.03	15
16	/	/	/	.23	/	/	/	.02	/	/	/	.06	16
17	.01	/	/	.04	/	.14	/	/	.75	.40	/	/	17
18	.26	/	/	/	/	.02	/	/	.14	.07	/	.08	18
19	.13	/	/	/	/	/	/	/	/	.32	/	/	19
20	.06	.08	.19	/	/	.08	/	/	/	.02	/	/	20
21	/	/	.03	/	/	.10	/	/	.47	/	/	/	21
22	/	.09	/	/	/	.03	/	/	.17	.01	.02	/	22
23	/	/	/	/	/	.03	.04	/	/	/	.06	/	23
24	/	/	/	/	/	/	.08	/	/	/	/	.29	24
25	.02	/	/	/	/	.02	.78	/	/	.08	/	.86 ^x	25
26	.07	/	.06	/	/	/	.38	.31	/	.02	/	/	26
27	.02	.13	/	/	/	/	.69	.07	/	/	.02	/	27
28	.09	/	/	/	/	/	.48	.46	/	/	/	.04	28
29	.08	/	/	/	/	/	/	/	/	/	/	.38	29
30	.01	/	.13	/	.18	.11	/	/	/	.05	/	.30	30
31	/	/	.33	/	.16	/	/	/	/	/	/	.03	31
Totals	1.14	1.57	1.78	2.51	.95	.95	3.31	1.67	2.11	1.40	.60	3.69	
Total from Jan. 1												21.68	

5.0

REGIS

Kept at Goring-on-Thames
in the County of Oxford
by Major Gambier Parry

RAIN GAUGE.

Lat. _____ Lon. _____
Time of Observation 9. am
Diameter 5"
Height of top above Ground 10"
" " Sea Level _____

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	/	.28	.05	/	/	.71	/	.33	/	/	/	1
2	.06	/	.07	.09	/	.06	/	/	/	.04	/	/	2
3	/	.12	.28	.65	/	/	.15	/	.02	/	/	/	3
4	/	/	.03	/	/	.29	/	/	/	.22	/	/	4
5	/	1.07 snow	.11	/	/	/	/	.01	/	/	.04	/	5
6	/		.07	.08	/	/	/	.10	/	.02	.02	.04	6
7	/	/	.10	.07	/	/	/	/	/	.04	/	.02	7
8	.25	.03	.05	.07	.21	/	/	/	/	/	/	.11	8
9	/	/	.05	.08	.14	/	/	/	.15	.01	/	.06	9
10	/	/	/	.27	.26	/	/	/	/	/	/	.18	10
11	/	.05	/	.31	/	/	/	.03	/	.05	/	.02	11
12	/	/	/	.21	/	/	/	.14	.08	.03	.02	.22	12
13	/	/	/	.05	/	.05	/	.07	/	.02	.06	.92	13
14	/	/	/	.22	/	.02	/	.03	/	/	.36	.05	14
15	/	/	/	.09	/	/	/	.43	/	/	/	.03	15
16	/	/	/	.23	/	/	/	.02	/	/	/	.06	16
17	.01	/	/	.04	/	.14	/	/	.75	.40	/	/	17
18	.26	/	/	/	/	.02	/	/	.14	.07	/	.08	18
19	.13	/	/	/	/	/	/	/	/	.32	/	/	19
20	.06	.08	.19	/	/	.08	/	/	/	.02	/	/	20
21	/	/	.03	/	/	.10	/	/	.47	/	/	/	21
22	/	.09	/	/	/	.03	/	/	.17	.01	.02	/	22
23	/	/	/	/	/	.03	.04	/	/	/	.06	/	23
24	/	/	/	/	/	/	.08	/	/	/	/	.29	24
25	.02	/	/	/	/	.02	.78	/	/	.08	/	.86 ^x	25
26	.07	/	.06	/	/	/	.38	.31	/	.02	/	/	26
27	.02	.13	/	/	/	/	.69	.07	/	/	.02	/	27
28	.09	/	/	/	/	/	.48	.46	/	/	/	.04	28
29	.08	/	/	/	/	/	/	/	/	/	/	.38	29
30	.01	/	.13	/	.18	.11	/	/	/	.05	/	.30	30
31	/	/	.33	/	.16	/	/	/	/	/	/	.03	31
Totals	1.14	1.57	1.78	2.51	.95	.95	3.31	1.67	2.11	1.40	.60	3.69	
Total from Jan. 1												21.68	

REGISTER OF RAINFALL IN 1902

Kept at Goring-on-Thames
in the County of Oxford
by Major Gambier-Parry

RAIN GAUGE.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Diameter _____
Height of top above Ground 10 inches
" " Sea Level 150 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	/	.16	/	.03	.10	.04	/	.37	/	/	.06	1
2	.12	/	.09	/	/	.13	.28	/	.02	/	/	.15	2
3	.02	/	.02	/	.02	/	/	.06	.09	/	/	.01	3
4	.01	.11	/	.09	/	.03	/	.06	/	/	/	/	4
5	.13	/	/	.08	.02	.04	/	.03	/	.06	/	/	5
6	.02	/	/	.11	.04	.03	/	.28	/	.02	.19	/	6
7	/	/	/	/	/	.14	/	.25	/	.02	.22	/	7
8	/	/	/	/	.10	.34	/	.33	/	/	.06	/	8
9	/	.09	/	/	.04	.06	/	.08	/	/	.17	/	9
10	/	/	/	/	.02	/	.12	.01	/	.28	/	/	10
11	/	/	/	/	/	/	.03	.04	.38	.21	.02	/	11
12	.03	/	/	.14	.10	.09	/	.12	.39	/	.07	/	12
13	.34	/	/	.02	.07	.31	/	.03	.02	/	/	.12	13
14	.08	/	/	/	.09	.74	/	.01	/	.07	/	.03	14
15	.03	/	.54	.18	.11	.05	/	/	/	.08	/	.12	15
16	/	/	/	.25	.02	.19	/	/	.10	.11	/	.14	16
17	/	/	/	/	.07	.07	/	.26	.08	/	/	.06	17
18	/	/	/	/	.16	.02	/	.10	/	.39	/	.45	18
19	/	/	/	/	.15	/	/	.46	/	/	/	.01	19
20	/	/	/	/	.07	.58	.06	.03	/	.11	/	/	20
21	/	/	.07	.02	/	.02	/	.02	/	.03	/	/	21
22	/	/	.05	.16	/	/	/	/	/	.02	/	/	22
23	/	.16	.03	.13	.34	.04	.04	.06	.02	/	/	/	23
24	/	.19	.04	.05	.02	/	/	.30	.02	/	/	/	24
25	.06	.18	.26	/	/	/	.06	.02	/	/	.30	/	25
26	/	.08	.24	/	/	/	.21	.05	/	.03	.16	/	26
27	.04	.25	/	/	/	/	.05	/	/	/	.07	/	27
28	/	.18	/	/	/	/	.04	.01	/	.09	.14	.04	28
29	/	/	/	/	/	/	/	/	/	/	.23	.19	29
30	/	/	.10	/	.19	/	/	.03	/	.03	.40	/	30
31	/	/	.09	/	.24	/	/	.15	/	/	/	.14	31
Totals	.95	1.24	1.69	1.23	1.90	2.98	.93	2.79	1.49	1.55	2.03	1.52	
Total from Jan. 1	.95	2.19	3.88	5.11	7.01	9.99	10.92	13.71	15.20	16.75	18.78	20.30	

5.a

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at Goring-on-Thames
in the County of Oxford
by Major Gambier Parry

Lat. Long.
Nearest Railway Station Goring GWR
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground — ft. 10 in.
" " Sea Level 150 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.06	.04	—	.05	—	—	.03	—	.02	.43	—	1
2	.18	.04	.22	.13	.18	—	—	.02	—	.04	—	—	2
3	.20	.01	.38	—	.45	—	—	.12	.17	.04	.33	—	3
4	.66	—	.01	.06	.38	—	—	.01	.05	.22	—	.16	4
5	.11	—	.21	.03	.06	—	—	—	.22	.28	—	—	5
6	.07	—	.08	—	.16	—	.02	—	—	.13	—	—	6
7	.02	.02	.29	—	.07	—	—	—	—	.36	—	.03	7
8	.12	—	.04	.04	.21	—	—	—	—	.09	—	.13	8
9	.05	—	—	—	—	.20	—	—	.07	.72	.04	.20	9
10	.28	—	.08	—	.04	.18	—	.12	.06	.02	.04	.24	10
11	—	—	.05	—	.07	.69	—	—	.46	.17	—	.26	11
12	—	—	—	—	.07	.44	.03	.49	.22	1.12	—	.03	12
13	—	—	—	—	—	—	—	—	.02	.05	.02	.38	13
14	—	—	—	.07	.03	.59	.01	.33	—	.07	.04	.19	14
15	—	—	.09	.04	—	1.23	—	.05	—	.39	.04	.02	15
16	—	.03	.02	—	.11	1.19	—	.03	—	.09	—	—	16
17	—	—	—	—	.25	.13	.05	.24	—	.07	—	—	17
18	.11	—	.23	—	.07	.02	.45	.09	—	.02	.08	—	18
19	.04	—	.03	—	—	—	.50	.02	—	.18	—	—	19
20	.05	—	.03	—	—	.78	.03	—	—	.13	—	.03	20
21	.02	—	—	—	—	.01	.01	.22	—	.07	—	.02	21
22	—	.02	—	—	—	—	.11	—	.04	.51	—	—	22
23	.16	.08	—	—	—	—	.04	—	—	.15	—	—	23
24	.02	.07	.64	—	—	—	.54	.27	—	.02	.05	.03	24
25	.02	.13	.03	—	—	—	.01	.75	.26	.23	.03	—	25
26	.02	.14	.10	.34	—	—	.59	.02	—	.69	—	—	26
27	—	.18	.24	.44	—	—	.05	—	.04	.24	—	.01	27
28	.32	.18	.06	.18	—	—	.25	.08	.03	1.04	.73	.01	28
29	—	—	.08	.58	.41	—	.22	.08	.12	.13	.13	—	29
30	.02	—	.09	.20	.09	—	.33	—	.29	.04	.02	—	30
31	—	—	.04	—	.48	—	.02	.05	—	—	—	—	31
Totals	2.63	.96	3.08	2.11	3.18	5.46	3.26	3.02	2.06	7.33	1.98	1.74	
Total from Jan. 1													

36.81

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.

Kept at Goring
in the County of Oxford
by Major Gambier-Parry

Lat. Long.
Nearest Railway Station 1 1/2 mile
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground 0 ft. 10 in.
" " Sea Level 150 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	/	.44	/	.08	/	.04	.02	/	.66	.02	/	/	1
2	/	.10	.05	/	.24	.20	.06	/	.01	.05	/	.05	2
3	/	.38	.05	.04	.08	.01	/	/	.11	/	/	.02	3
4	.08	.13	.10	.08	/	/	.04	/	/	/	/	.21	4
5	.19	.09	.03	.02	/	/	.02	.29	/	.08	.02	.22	5
6	.02	.03	.02	.09	.04	/	/	/	/	.32	.45	.51	6
7	/	.07	.02	/	.04	/	.01	/	/	.05	.40	.05	7
8	.09	.39	.20	.04	/	/	/	/	.10	.06	.02	.06	8
9	.02	.07	/	.01	.03	/	/	/	.07	.02	/	.37	9
10	.03	.31	/	/	.12	.12	/	/	/	.01	.41	.12	10
11	.16	.26	/	/	.03	/	/	.03	/	/	.02	.32	11
12	.03	.02	/	/	.03	/	/	.38	.03	/	/	.09	12
13	.09	.37	/	.11	/	/	/	/	.36	/	/	.16	13
14	.16	.04	/	.01	/	.08	/	/	.04	/	/	.13	14
15	.09	.08	.02	.22	/	.33	/	.15	.29	/	/	.02	15
16	/	/	/	.33	/	.04	/	.01	/	.25	/	/	16
17	.04	.12	/	/	/	/	/	.13	/	.04	/	/	17
18	.06	.11	/	/	/	/	/	.09	/	/	/	.03	18
19	.02	.05	/	/	/	/	/	/	/	/	.04	.03	19
20	/	.09	.06	/	/	/	.08	/	/	/	/	/	20
21	.08	.02	.01	/	.66	/	/	/	/	.23	.08	/	21
22	/	.03	.03	/	.10	/	/	/	/	/	/	/	22
23	/	/	/	.10	.11	/	/	.30	/	.27	/	/	23
24	/	/	/	.02	.09	/	/	/	.01	/	/	.03	24
25	/	/	.03	/	.04	.13	/	/	/	/	/	/	25
26	.02	/	.02	/	/	/	.37	.04	.01	/	/	/	26
27	.12	.04	/	/	.22	.03	.44	/	/	/	/	/	27
28	.37	/	/	/	1.02	/	.20	/	.01	/	/	.03	28
29	.17	/	.26	/	/	/	.04	/	/	/	/	.02	29
30	.20	/	.07	.04	/	/	.27	.01	.29	/	.08	/	30
31	.51	/	.05	/	.05	/	.22	/	/	.03	/	/	31
Totals	2.55	3.24	1.02	1.19	2.90	.98	1.77	1.43	1.99	1.43	1.52	2.47	
Total from Jan. 1												22.49	

REGISTER OF RAINFALL IN 1905

Kept at Elmcroft, Goring

in the County of Oxford

by Major Gambier-Parry

Lat..... Long.....

Nearest Railway Station Goring

Time of Observation 9 a.m.

Diameter 5 in.

Height of top above Ground 100 ft. 10 in.

" " Sea Level 160 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.07	—	.12	.01	.02	—	.03	—	.61	.02	1
2	.04	—	—	.04	.05	.07	—	.21	—	—	.06	.02	2
3	—	—	.02	.08	—	—	—	.45	—	—	.11	—	3
4	.07	—	.06	.02	—	—	—	.02	—	.12	.31	—	4
5	.04	—	.14	—	—	.80	.05	.09	.07	.16	.04	.18	5
6	.02	.04	.02	.07	—	.64	—	.05	.07	—	—	.07	6
7	—	.03	.11	.21	—	.24	—	.09	.35	.02	—	.20	7
8	.02	—	.18	.02	—	.01	—	—	.03	—	—	—	8
9	—	—	.04	.34	—	—	.06	.08	.38	—	—	—	9
10	—	—	.36	.29	—	.10	.01	.03	.02	—	.58	—	10
11	—	—	.16	.17	—	.11	—	—	—	.04	.07	—	11
12	—	—	.14	—	—	.02	—	—	—	.03	.28	—	12
13	—	—	.47	.11	—	.01	—	—	—	—	.07	.03	13
14	—	—	.24	.08	.01	—	—	—	—	—	—	—	14
15	—	—	.61	—	—	.18	.09	.04	—	.14	—	—	15
16	—	—	.08	.03	.03	.44	—	—	—	—	—	—	16
17	.07	—	.24	—	—	.05	—	.04	—	—	—	—	17
18	—	.02	.03	—	.09	—	—	.05	—	—	—	.04	18
19	—	—	—	.02	—	—	—	.09	—	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	—	—	—	—	.29	—	—	—	—	21
22	—	—	—	—	—	—	.27	.17	—	—	.24	—	22
23	—	—	.22	—	—	—	—	—	—	—	—	—	23
24	—	—	.02	—	—	—	—	—	.03	—	—	—	24
25	—	.15	.07	.09	—	.03	—	.06	.36	—	.08	—	25
26	—	.18	.08	.04	—	—	—	.09	.12	.04	.24	—	26
27	—	—	.05	—	—	—	.04	.23	.03	—	.02	—	27
28	—	.06	.02	.02	—	—	—	.49	—	.24	.19	.07	28
29	—	—	.07	.06	.08	.68	—	.04	.10	.63	.02	.14	29
30	—	—	—	.16	.38	.51	—	—	—	.04	.23	.08	30
31	—	—	—	—	—	—	—	—	—	.34	—	—	31
Totals	.26	.48	3.50	1.85	.76	3.90	.54	2.61	1.59	1.80	3.15	.85	152
Total from Jan. 1			3.50									21.29	

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.

Kept at Elmcroft, Goring
in the County of Oxford
by Major Gambier Parry.

Lat. _____ Long. _____
Nearest Railway Station 1 1/2 mile
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " Sea Level 160 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	/	.01	/	/	/	/	/	/	.55	/	/	1
2	.44	.06	.03	/	.14	/	/	.18	/	.99	.02	.03	2
3	.19	.06	.02	/	.04	/	/	.02	/	/	.08	/	3
4	.34	/	/	/	/	/	/	/	/	.17	.35	/	4
5	.48	.03	/	/	.07	/	/	/	.03	.03	.03	.14	5
6	.02	/	.01	/	/	/	/	/	/	.04	.51	.04	6
7	.21	.03	/	/	.02	/	/	/	/	.22	.55	/	7
8	.03	.10	/	/	.19	/	/	/	/	.37	1.07	.14	8
9	.16	.10	.11	/	.03	/	/	/	/	.68	.04	/	9
10	.02	.15	.01	/	/	/	/	.04	/	.04	/	/	10
11	.26	.03	.48	/	/	/	/	/	/	/	/	.17	11
12	.54	/	.05	/	/	/	.03	/	.04	.09	/	.10	12
13	.03	.03	.06	.11	/	/	.19	.24	.19	/	.03	/	13
14	/	.14	.08	/	/	.05	/	.08	.27	/	.14	/	14
15	.12	.13	.09	/	.02	.19	/	.10	.04	/	/	.32	15
16	.29	.35	.04	/	.14	.22	/	.03	.03	.04	.27	.14	16
17	.22	.19	.02	.08	/	/	/	.31	/	.12	.17	.03	17
18	.22	.17	.03	/	/	/	.04	/	.03	1.04	.07	.09	18
19	/	.04	/	/	/	/	/	/	.19	.03	.03	/	19
20	.07	/	.17	/	.31	/	/	/	.03	/	.30	/	20
21	.03	/	/	.04	.02	/	.03	/	/	/	/	/	21
22	/	.07	.04	/	/	/	~~.03~~	/	/	/	.04	/	22
23	/	.03	.12	.07	.19	.09	/	/	/	.09	/	/	23
24	.32	.01	.07	.13	.02	/	/	.15	/	/	/	/	24
25	.05	.07	.11	.04	.20	/	/	/	/	/	/	/	25
26	/	/	.04	/	.26	/	.06	/	/	.01	/	snow .27	26
27	/	.06	/	.16	.07	/	.03	/	/	/	/	/	27
28	/	.11	.02	.03	/	1.69	.02	/	/	.22	/	(.24)	28
29	.05	/	/	/	/	.03	.02	/	/	.32	/	/	29
30	/	/	/	/	.06	/	/	/	/	.09	.02	snow (.44)	30
31	/	/	/	/	.07	/	/	/	/	.01	/	/	31
Total	4.18	1.96	1.61	.66	1.55	2.32	.42	1.15	.85	5.15	3.72	1.91	TOTAL for year 25.78
No. of Rain Days	20	21	21	8	17	6	8	9	9	20	17	12	168

S.O. April 1908

REGISTER OF RAINFALL IN 1908

BRITISH FORM A. RAINFALL.

Kept at Elmcraft, Goring
in the County of Oxford
by Major Gambier Parry

Lat. _____ Long. _____
Nearest Railway Station Goring
Time of Observation 9 a.m.
Diameter of Rain Gauge normal
Height of top of Gauge above Ground about 1 foot in.
" " " Sea Level 160 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	/	/	.14	/	/	.34	/	/	.34	/	/	/	1
2	/	/	.10	/	.24	/	/	/	.44	/	/	/	2
3	/	/	.47	.02	/	/	/	/	.96	/	/	/	3
4	/	/	.06	.05	.09	/	.13	/	.09	/	/	.09	4
5	.04	/	.41	.37	.13	/	/	.08	.02	/	/	.19	5
6	1.19	/	.07	.04	.04	/	/	/	/	/	/	.04	6
7	.04	.06	.04	/	.03	.03	/	/	/	/	/	/	7
8	/	/	.14	/	.01	/	.02	/	.04	.04	/	.02	8
9	/	/	.04	.04	.03	/	.49	/	.03	.31	/	.23	9
10	/	/	/	/	/	/	.26	/	/	/	.03	.19	10
11	/	/	/	/	/	.03	.08	.04	.10	/	.11	.02	11
12	/	/	/	.04	.04	.02	/	/	/	/	.04	.10	12
13	/	/	/	/	.08	.02	/	/	/	/	.07	.05	13
14	/	.02	/	/	.33	/	/	/	/	/	.03	.23	14
15	.02	.04	.09	/	.15	/	.14	/	.26	/	.02	.02	15
16	/	.27	/	/	/	.30	.04	/	.04	.10	.03	.08	16
17	/	.18	/	.02	/	.06	.57	/	/	.02	/	.03	17
18	.02	.05	/	/	/	/	.14	/	.19	.16	.08	.08	18
19	/	/	/	.04	/	/	.01	/	/	.11	/	.15	19
20	/	/	/	/	/	/	/	.21	.07	.34	/	.08	20
21	/	/	/	.15	/	/	/	.11	/	.02	.23	.06	21
22	/	.07	.23	/	/	/	/	.19	.03	/	.03	/	22
23	/	/	/	.34	/	/	/	.80	.14	/	.04	/	23
24	.02	/	.36	.11	.14	/	/	.17	.03	.08	/	/	24
25	/	.02	.42	1.43	.04	/	/	.05	.14	.07	/	/	25
26	.05	.08	/	/	/	/	/	.25	/	.13	/	/	26
27	/	.14	.15	.32	/	/	/	.14	.08	.08	/	.03	27
28	.08	.03	/	.47	/	/	/	.37	/	.02	.04	/	28
29	.04	.02	.09	.35	.36	/	/	.05	/	/	.08	.36	29
30	/	/	.30	.04	/	/	/	.03	/	/	/	/	30
31	/	/	/	/	.04	/	/	.40	/	/	/	.03	31
Total	1.50	.98	3.11	3.83	1.75	.80	1.88	2.89	3.00	1.48	.83	2.08	TOTAL for year
No. of Rain Days	9	12	16	16	15	7	10	14	17	13	13	20	

* Estimated from depth of S.

55

cont. by C. 15. I. 10

REGISTER OF RAINFALL IN 1909

FORM A.
BRITISH RAINFALL.

- 2 FEB 1910

Kept at *Long on Thame Elmore*
in the County of *Oxon*
by *Mary Elmhurst Parry*

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		02			—	83			08	03		24	1
2			27			07		24		13	02	38	2
3	02		11			08	03	02		15	05	14	3
4						76			24	05		05	4
5						33	03		06	07		17	5
6			1.11			21	28		02	03		02	6
7	04		04						11	32			7
8									06	06			8
9	06	12	06			07	25		03	04	02	13	9
10	13	26	04				04		18	35	01	21	10
11	04	06	04			03	07		03	11		03	11
12	06			04		08	13		12	14		04	12
13			28	16	02				11	21	04		13
14	06	03	08	02			03			04	15		14
15	05		02		03		14	02	19	14	02	02	15
16				06	06		04	01	08	23	03	11	16
17	02							1.19	26	35	01	46	17
18	11		14	02			06	19				02	18
19			09	32		04				06		07	19
20								29		15			20
21			04	33		21	03			06		58	21
22			08	07		09	03	07		07		04	22
23			03			57	14	03	86	30		14	23
24			30		86	14	05	20	29	04	02	04	24
25			11	07	09	22	03	37	04	08		06	25
26				05	15	58	04		02	49		01	26
27			21	09	12		71		09	14	05	06	27
28			14	05	07				63	77	08	03	28
29			14	38		53	05	06	44		16		29
30			13	13			07		03		07	02	30
31	10		03		40					14		01	31
Total	69	49	3.49	1.79	1.80	4.84	2.25	2.69	3.97	4.75	73	3.08	TOTAL for year 30.57
No. of Rain Days	11	5	22	14	9	17	20	12	22	28	14	25	199

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL
28 JAN 1911

Kept at *Goring* *Elmcroft-*
in the County of *Oxfordshire* *4*
by *Major E. G. Parry*

Pattern
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *±* ft. *10* in.
" " " Sea Level *160* ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>04</i>	<i>05</i>			<i>05</i>			<i>09</i>		<i>52</i>	<i>03</i>	<i>13</i>	1
2		<i>24</i>			<i>03</i>		<i>26</i>	<i>09</i>		<i>07</i>	<i>03</i>	<i>12</i>	2
3		<i>02</i>			<i>13</i>		<i>17</i>	<i>04</i>			<i>34</i>	<i>56</i>	3
4				<i>16</i>	<i>09</i>	<i>02</i>		<i>10</i>				<i>14</i>	4
5		<i>07</i>	<i>02</i>	<i>12</i>	<i>08</i>	<i>08</i>	<i>76</i>	<i>48</i>				<i>03</i>	5
6		<i>15</i>	<i>12</i>	<i>12</i>	<i>05</i>	<i>03</i>	<i>03</i>				<i>19</i>	<i>07</i>	6
7		<i>06</i>	<i>03</i>	<i>03</i>	<i>03</i>	<i>56</i>	<i>04</i>				<i>06</i>	<i>03</i>	7
8	<i>06</i>	<i>01</i>	<i>03</i>		<i>08</i>	<i>02</i>		<i>02</i>				<i>29</i>	8
9	<i>12</i>		<i>29</i>		<i>06</i>	<i>2.11</i>		<i>10</i>				<i>18</i>	9
10	<i>07</i>	<i>06</i>				<i>28</i>			<i>04</i>	<i>11</i>	<i>06</i>	<i>23</i>	10
11	<i>26</i>	<i>08</i>	<i>23</i>		<i>16</i>	<i>03</i>		<i>13</i>		<i>1.03</i>	<i>04</i>	<i>13</i>	11
12	<i>13</i>	<i>01</i>	<i>03</i>	<i>22</i>	<i>10</i>	<i>02</i>		<i>03</i>	<i>03</i>	<i>61</i>	<i>03</i>	<i>23</i>	12
13	<i>04</i>	<i>16</i>		<i>16</i>	<i>08</i>			<i>02</i>	<i>03</i>	<i>03</i>	<i>30</i>	<i>15</i>	13
14		<i>44</i>		<i>09</i>				<i>04</i>	<i>3.1</i>	<i>03</i>	<i>03</i>	<i>67</i>	14
15	<i>07</i>	<i>03</i>		<i>11</i>					<i>02</i>		<i>04</i>	<i>47</i>	15
16	<i>06</i>	<i>08</i>	<i>07</i>	<i>09</i>						<i>16</i>		<i>12</i>	16
17	<i>13</i>	<i>26</i>	<i>06</i>	<i>02</i>	<i>06</i>		<i>09</i>	<i>02</i>		<i>07</i>		<i>03</i>	17
18	<i>06</i>	<i>18</i>	<i>03</i>	<i>03</i>	<i>35</i>			<i>23</i>		<i>10</i>			18
19		<i>02</i>		<i>06</i>	<i>06</i>					<i>27</i>	<i>06</i>		19
20		<i>32</i>					<i>12</i>	<i>03</i>		<i>02</i>		<i>18</i>	20
21		<i>05</i>		<i>28</i>	<i>04</i>		<i>03</i>	<i>02</i>				<i>19</i>	21
22	<i>02</i>	<i>34</i>		<i>02</i>		<i>26</i>	<i>15</i>					<i>03</i>	22
23	<i>37</i>	<i>09</i>		<i>08</i>		<i>07</i>		<i>16</i>			<i>58</i>		23
24	<i>11</i>	<i>36</i>		<i>03</i>		<i>17</i>	<i>08</i>			<i>03</i>	<i>02</i>		24
25		<i>10</i>		<i>17</i>		<i>27</i>	<i>13</i>	<i>39</i>		<i>01</i>			25
26		<i>05</i>		<i>05</i>				<i>05</i>				<i>05</i>	26
27	<i>52</i>	<i>02</i>				<i>14</i>	<i>03</i>			<i>39</i>	<i>83</i>		27
28	<i>06</i>	<i>12</i>		<i>31</i>	<i>09</i>		<i>13</i>	<i>39</i>	<i>03</i>	<i>05</i>	<i>02</i>		28
29				<i>03</i>	<i>04</i>	<i>19</i>		<i>21</i>					29
30					<i>07</i>	<i>03</i>		<i>05</i>			<i>37</i>		30
31	<i>02</i>				<i>13</i>			<i>04</i>		<i>30</i>			31
Total	<i>2.14</i>	<i>3.37</i>	<i>91</i>	<i>2.18</i>	<i>1.78</i>	<i>4.28</i>	<i>2.02</i>	<i>2.73</i>	<i>46</i>	<i>3.80</i>	<i>3.03</i>	<i>4.03</i>	<i>30.73</i>
No. of Rain Days	<i>17</i>	<i>26</i>	<i>10</i>	<i>20</i>	<i>20</i>	<i>16</i>	<i>13</i>	<i>22</i>	<i>6</i>	<i>17</i>	<i>17</i>	<i>21</i>	<i>205</i>

REGIS

OXFORD.

Kept at Haseley Manor
in the County of Oxford
by F. Gelderd-Somerwell

HASELEY MANOR.

1907-1908, 1910

FORM A. 1
BRITISH RAINFALL
JAN 1908
Haddington
15 a.m.
5 in.
e Ground 1 ft.
Sea Level 280 ft.
instructions for the measurement
sent post-free on application

NOTE.—Rain should be measured daily
of rain and particulars as to the British Rain
to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					'05	1'19				'15			1
2	'41		'01		'03	'01	'05	'47	'13			'53	2
3	'04				'18		'15		'13				3
4						'07	'05		'16		'03	'92	4
5			'15	'07		'32	'11		'04	'34			5
6				'06	'02			'20	'01	'44		'07	6
7			'11	'30	'17	'03				'04		'35	7
8			'04	'11				'01		'06		'30	8
9		'25	'12			'04		'14		'52		'11	9
10		'08	'03	'08		'06	'45			'24		'05	10
11	'18	'10			'03	'24					'03	'47	11
12		'03	'15	'27		'02		'04			'13	'05	12
13		'24	'10			'05				'64		'33	13
14			'01		'23	'09		'12				'04	14
15		'06	'06			'11		'01		'31			15
16		'11						'02		'85			16
17				'12				'23		'13	'28		17
18			'01		'03	'05				'26	'26	'03	18
19		'01						'08		'24			19
20		'16		'27	'08			'03					20
21		'05		'43	'01		'47						21
22					'17	'09	'73	'06		'11	'26	'15	22
23					'10							'05	23
24						'26				'02	'27		24
25	snow '05				'26	'06		'01	'08		'42		25
26				'25	'31		'11				'50		26
27				'13		'15	'02						27
28				'06			'02						28
29				'01		'04	'10		'03	'47			29
30				'15	'11	'36	'02			'24		'02	30
31					'05								31
Total	'68	'98	'90	2'31	1'83	3'24	2'28	1'42	'58	5'06	2'18	3'47	TOTAL for year 24'93
No. of Rain Days	4	9	12	14	16	19	12	13	7	17	9	15	147

REGIS

FORM A.
BRITISH RAINFALL.
7 JAN 1908

Kept at Hareley Manor
in the County of Oxford
by F. Gelderd-Somerville

Lat. _____ Long. _____
Nearest Railway Station Tiddington
Time of Observation 8.45 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " Sea Level 280 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.05	1.19				.15			1
2	.41		.01		.03	.01	.05	.47	.13			.53	2
3	.04				.18		.15		.13				3
4						.07	.05		.16		.03	.92	4
5			.15	.07		.32	.11		.04	.34			5
6				.06	.02			.20	.01	.44		.07	6
7			.11	.30	.17	.03				.04		.35	7
8			.04	.11				.01		.06		.30	8
9		.25	.12			.04		.14		.52		.11	9
10		.08	.03	.08		.06	.45			.24		.05	10
11	.18	.10			.03	.24					.03	.47	11
12		.03	.15	.27		.02		.04			.13	.05	12
13		.24	.10			.05				.64		.33	13
14			.01		.23	.09		.12				.04	14
15		.06	.06			.11		.01		.31			15
16			.11					.02		.85			16
17				.12				.23		.13	.28		17
18			.01		.03	.05				.26	.26	.03	18
19		.01						.08		.24			19
20		.16		.27	.08			.03					20
21		.05		.43	.01		.47						21
22					.17	.09	.73	.06		.11	.26	.15	22
23					.10							.05	23
24						.26				.02	.27		24
25	snow .05.				.26	.06		.01	.08		.42		25
26				.25	.31		.11				.50		26
27				.13		.15	.02						27
28				.06			.02						28
29				.01		.04	.10		.03	.47			29
30				.15	.11	.36	.02			.24		.02	30
31					.05								31
Total	.68	.98	.90	2.31	1.83	3.24	2.28	1.42	.58	5.06	2.18	3.47	TOTAL for year 24.93
No. of Rain Days	4	9	12	14	16	19	12	13	7	17	9	15	147

REGISTER OF RAINFALL IN 1908.

FORM A.
BRITISH RAINFALL.

Kept at Hareley Manor

in the County of Oxford

by F. Gelderd Somerville

Lat. _____ Long. _____
Nearest Railway Station 2 mi.
Time of Observation 8.30 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 280 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			'03			'49			'01				1
2			'06		'14				'17				2
3			'56		'04				'52				3
4				'13	'06		'19					'10	4
5	'02		'36	'27		'01	'01	'02				'07	5
6	'05		'11	'01								'02	6
7	1'15	'06	'05		'08	'02	'03		'06				7
8	'05		'05				'19		'07			'10	8
9					'01		'41			'22		'16	9
10			'05				'09		'08		'01	'15	10
11					'07						'11	~~'15~~	11
12						'07		'05			'05	'15	12
13					'19		'01				'10	'10	13
14					'18		'47		'39		'08	'24	14
15	'01	'09	'08		'15		'03		'04		'01		15
16		'25	'02			'26	'44			'11	'01	'05	16
17		'08				'22	'19		'12			'06	17
18		'08					'01			'13	'14	'02	18
19				'09					'07			'15	19
20				'03				'33	'03	'27	'01	'04	20
21		'01						'23		'04	'25	'03	21
22		'05	'12	'14	'04			'14			'04		22
23				'80				'80	'05				23
24		'03	'40					'21		'08	'06		24
25	'03	'01	'61	1'32	'03			'24	'16	'03			25
26	'03	'09								'05			26
27		'04	'11	'42				'10	'02	'04			27
28	'07	'03		'28				'23	'02	'01	'04		28
29		'04	'07	'34	'06			'04			'14	'26	29
30	'01		'21					'04					30
31								'48				'16	31
Total	1'42	'86	2'89	3'83	1'05	1'07	2'07	2'91	1'81	'98	1'05	1'86	TOTAL for year 21'80
No. of Rain Days	9	13	16	11	12	6	12	13	15	10	14	17	148

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL
- 3 JAN 1911

Kept at Hareley Manor
in the County of Oxford 4
by F. Gelderd-Lomewell (S)

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 280 ft.
Time of Observation 8.30 a.m.
Nearest Railway Station { Name Liddington G.W.B.
Distance 2 mi. Direction North.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.03			.04	.05	.01	.02		.39	.01	.34	1
2		.18			.03		.36			.07	.39	.24	2
3					.12		.10	.08				.45	3
4				.29	.10							.08	4
5		.10		.06	.09		.62	.30				.02	5
6		.13	.06		.06		.01				.26	.01	6
7					.01	.34	.01				.05		7
8	.02	.03	.01		.14			.02				.19	8
9	.08		.19	.01	.10	1.80		.20				.20	9
10	.03	.05				.37				.10	.04	.16	10
11	.18	.03	.22		.25			.08		.80	.05		11
12	.01		.05	.13	.02				.01	.48	.02	.39	12
13		.12		.05	.04			.04		.01	.34	.16	13
14		.42		.04				.03	.26			.53	14
15	.11			.04					.06		.03	.41	15
16	.15	.05	.01	.08						.07		.10	16
17	.05	.13	.05		.19		.04			.06		.03	17
18	.07	.11	.01	.01	.27			.38		.20			18
19		.05		.01						.37	.06		19
20		.26					.19	.01				.14	20
21				.17	.01							.21	21
22	.03	.43				.10	.04						22
23	.20	.03		.02		.14		.15			.47	.01	23
24	.09	.43				.13	.05	.15		.02			24
25		.18		.01		.32	.18	.31					25
26		.05		.03				.10			.04		26
27	.33					.08			.01	.39	.88		27
28	.08	.10		.35	.23		.11	.28		.06			28
29				.02		.06		.51					29
30					.09	.20	.01				.39		30
31					.54					.17			31
Total	1.45	2.91	.60	1.32	2.33	3.59	1.73	2.66	.34	3.19	3.03	3.67	26.82
No. of Rain Days	15	20	8	16	18	11	13	16	4	14	14	18	167

5a

REGIS

OXFORD.

23

10
FORM A.
BRITISH RAINFALL.

Kept at *Greys Green Farm*
in the County of *Coxford*
by *Col. Howard De*

HENLEY-ON-THAMES.

"GREYS GREEN"

1903-1910

Long. *2.50 W*
Lat. *Henley on Thames*
on *9.30 a.m.*
in.
Ground *4* ft. - in.
Sea Level *350* ft.

NOTE.—Full instructions respecting the use of the British Rainfall Organization are given in "Rules for Rainfall Observers," obtainable on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	.02	.40	.18	.23	—	—	.02	—	.02	—	—	1
2	.09	—	.25	—	.49	—	—	.20	.08	.03	.32	—	2
3	.27	—	—	.09	.69	—	—	—	—	.22	—	.20	3
4	.75	—	.25	.05	.13	—	—	.01	.31	.28	—	—	4
5	.15	—	.07	—	.48	—	.03	—	—	.30	—	—	5
6	—	—	.30	—	.13	—	—	—	—	.27	—	—	6
7	—	—	—	—	.29	—	—	—	—	.10	—	.20	7
8	.15	—	—	—	—	.24	—	—	.06	.96	.03	.28	8
9	.12	—	.28	—	.10	.27	—	.15	.05	.05	.04	.22	9
10	.22	—	.06	—	.13	1.39	—	.02	.69	.24	—	.41	10
11	—	—	—	.05	.03	.40	—	.58	.04	1.30	.07	.11	11
12	—	—	—	.02	—	—	—	—	—	.08	.01	.49	12
13	—	—	—	—	—	.57	—	.31	—	.03	.05	.09	13
14	—	—	.09	.09	—	1.48	.01	.03	—	.33	.06	—	14
15	—	—	—	—	.12	.85	—	.04	—	.08	—	—	15
16	—	—	.01	.01	.47	.04	.08	.28	—	.03	—	—	16
17	.25	—	.25	—	.10	.04	.46	.11	—	—	.08	—	17
18	—	—	—	—	—	—	1.06	.02	—	.15	—	—	18
19	—	—	—	—	—	.76	—	—	—	.22	—	.07	19
20	—	—	—	—	—	—	—	.25	.06	.11	.03	.01	20
21	—	—	—	—	—	—	.12	—	—	.46	.01	—	21
22	.21	.10	—	—	—	—	.07	—	—	.17	—	—	22
23	—	—	.61	—	—	—	.53	.38	—	—	.01	.01	23
24	.01	—	.03	—	—	—	—	.76	.23	.30	—	—	24
25	—	—	.13	.50	—	—	.62	.02	—	.40	—	—	25
26	—	—	.16	.39	—	—	.02	—	.12	.14	.09	—	26
27	.40	.15	.06	.20	.08	—	.21	.09	—	.99	1.38	.03	27
28	—	.35	.10	.65	.29	—	.25	.10	.10	.20	.21	—	28
29	—	—	.09	.19	.03	—	.29	—	.20	.07	—	—	29
30	—	—	.09	—	.18	—	.01	.02	.01	—	—	—	30
31	.08	—	—	.09	—	—	.03	—	—	.51	—	—	31
Totals	2.91	0.62	3.22	2.51	3.97	6.04	3.79	3.39	1.95	8.04	2.33	2.12	
Total from Jan. 1	2.91	3.53	6.75	9.26	13.23	19.27	23.06	26.45	28.40	36.44	38.77	40.89	

5a

REGISTER OF RAINFALL IN 1903

10
FORM A.
BRITISH RAINFALL.

Kept at *Greys Green Farm, Kentley on Thames*
in the County of *Oxford*
by *Col Howard Davis*

RAIN GAUGE.

Lat. *51.32* Long. *0.50 W*
Nearest Railway Station *Kentley on Thames*
Time of Observation *9.30 a.m.*
Diameter *5* in.
Height of top above Ground *4* ft. - in.
" " Sea Level *350* ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	.02	.40	.18	.23	—	—	.02	—	.02	—	—	1
2	.09	—	.25	—	.49	—	—	.20	.08	.03	.32	—	2
3	.27	—	—	.09	.69	—	—	—	—	.22	—	.20	3
4	.75	—	.25	.05	.13	—	—	.01	.31	.28	—	—	4
5	.15	—	.07	—	.48	—	.03	—	—	.30	—	—	5
6	—	—	.80	—	.13	—	—	—	—	.27	—	—	6
7	—	—	—	—	.29	—	—	—	—	.10	—	.20	7
8	.15	—	—	—	—	.24	—	—	.06	.96	.03	.28	8
9	.12	—	.28	—	.10	.27	—	.15	.05	.05	.04	.22	9
10	.22	—	.06	—	.13	1.39	—	.02	.69	.24	—	.41	10
11	—	—	—	.05	.03	.40	—	.58	.04	1.30	.07	.11	11
12	—	—	—	.02	—	—	—	—	—	.08	.01	.49	12
13	—	—	—	—	—	.57	—	.31	—	.03	.05	.09	13
14	—	—	.09	.09	—	1.48	.01	.03	—	.33	.06	—	14
15	—	—	—	—	.12	.85	—	.04	—	.08	—	—	15
16	—	—	.01	.01	.47	.04	.08	.28	—	.03	—	—	16
17	.25	—	.25	—	.10	.04	.46	.11	—	—	.08	—	17
18	—	—	—	—	—	—	1.06	.02	—	.15	—	—	18
19	—	—	—	—	—	.76	—	—	—	.22	—	.09	19
20	—	—	—	—	—	—	—	.25	.06	.11	.03	.01	20
21	—	—	—	—	—	—	.12	—	—	.46	.01	—	21
22	.21	.10	—	—	—	—	.07	—	—	.17	—	—	22
23	—	—	.61	—	—	—	.53	.38	—	—	.01	.01	23
24	.01	—	.03	—	—	—	—	.76	.23	.30	—	—	24
25	—	—	.13	.50	—	—	.62	.02	—	.40	—	—	25
26	—	—	.16	.39	—	—	.02	—	.12	.14	.09	—	26
27	.40	.15	.06	.20	.08	—	.21	.09	—	.99	1.38	.03	27
28	—	.35	.10	.65	.29	—	.25	.10	.10	.20	.21	—	28
29	—	—	.09	.19	.03	—	.29	—	.20	.07	—	—	29
30	—	—	.09	—	.18	—	.01	.02	.01	—	—	—	30
31	.08	—	—	.09	—	—	.03	—	—	.51	—	—	31
Totals	2.91	0.62	3.22	2.51	3.97	6.04	3.79	3.39	1.95	8.04	2.33	2.12	
Total from Jan. 1	2.91	3.53	6.75	9.26	13.23	19.27	23.06	26.45	28.40	36.44	38.77	40.89	

50 Rainfall in 1904. (See over page 1905)
 Henderson, Kansas, Grays

	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	
1	—	.05	.03	—	.32	.15	.04	—	—	.06	—	—	1
2	—	.52	.08	.07	.11	—	.08	—	.13	.08	—	.20	2
3	.12	.43	.15	.10	—	—	.03	—	.02	—	—	.03	3
4	.22	.12	.01	.03	—	—	—	.30	—	—	—	.21	4
5	—	.01	—	.09	.03	—	.01	—	—	.18	.01	.28	5
6	—	.06	.01	—	.09	—	—	—	—	.30	.45	.55	6
7	.12	.46	.18	.02	.01	—	—	—	.20	—	.49	.05	7
8	.03	.08	—	—	—	—	—	—	.11	.05	.05	.02	8
9	.03	.37	—	.01	.15	.13	—	—	—	—	.02	.36	9
10	.20	.28	—	—	.02	—	—	—	—	.44	.62	.06	10
11	.05	—	—	—	.03	—	—	.49	—	—	—	.43	11
12	.12	.45	—	.13	—	—	—	—	.50	—	—	.04	12
13	.23	.02	—	—	—	.07	—	—	.4	—	—	.30	13
14	.09	.06	.01	.27	—	.33	—	.18	.21	—	—	.20	14
15	—	—	—	.37	—	.07	—	—	—	—	—	.02	15
16	—	.21	—	—	—	—	—	.18	—	.28	—	.03	16
17	.09	.08	—	—	—	—	—	.13	—	.02	.04	.01	17
18	.04	—	—	—	—	—	—	.10	—	—	—	.03	18
19	.01	.13	.08	—	—	—	.04	—	—	.02	.03	—	19
20	.06	—	.05	—	.76	—	—	—	—	—	—	—	20
21	—	—	—	—	.08	—	—	—	—	.21	.10	—	21
22	—	—	—	.17	.04	—	—	.28	—	.01	.02	—	22
23	—	—	—	—	.15	—	—	.07	—	.39	—	—	23
24	—	—	.02	—	.07	.19	—	—	.01	—	—	—	24
25	—	—	—	—	—	.09	.50	.07	—	—	—	—	25
26	.16	.08	.01	.01	.31	.04	.25	—	—	—	—	.04	26
27	.42	—	—	—	.89	—	.19	—	—	—	—	—	27
28	.20	—	.25	—	—	—	.02	—	.04	—	—	.03	28
29	.19	.03	.09	.04	.02	—	.25	—	—	—	—	.02	29
30	.45	.3	.19	—	.08	—	.34	—	.36	.01	—	—	30
31	.46	.3	.13	—	.04	—	—	.37	—	.02	—	—	31
Total	3.28	3.44	1.29	1.31	3.18	1.07	1.75	2.17	1.62	1.67	1.83	2.91	
Total from Jan 1st		6.72	8.01	9.32	12.50	13.57	15.32	17.49	19.11	20.78	22.61	25.52	166

REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL.

Kept at Gips Green Farm, Henley on Thames
in the County of Oxford
by Col. Howell Davis

Lat. 51.32 Long. 0.58 W
Nearest Railway Station Henley on Thames
Time of Observation 9.30 a.m.
Diameter 5 in.
Height of top above Ground 2 ft. - in.
Sea Level 350 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	.01	.16	.12	-	.01	.01	-	.24	-	1
2	.07	-	-	-	.22	-	-	.26	-	-	.66	.03	2
3	-	-	-	-	-	.01	-	.36	-	-	.06	-	3
4	.10	-	-	.05	-	-	-	.01	-	.19	-	-	4
5	.04	-	.13	-	-	.80	.06	.04	.10	.06	.37	.19	5
6	-	-	.21	.03	-	.55	-	.01	-	-	.02	.10	6
7	-	-	-	.20	-	.10	-	.02	.15	.01	-	.27	7
8	-	.12	.08	.03	-	-	-	-	.08	-	-	.04	8
9	.08	-	.29	.43	-	-	.55	.10	.46	-	-	-	9
10	-	-	.04	.34	-	.12	-	.02	.02	-	.73	-	10
11	-	-	.50	.11	-	.13	-	-	-	-	.08	-	11
12	-	-	.32	-	-	.04	-	-	-	-	.33	-	12
13	-	-	.09	.10	-	-	-	-	.05	-	.09	-	13
14	-	-	.50	.09	-	-	-	-	-	-	.02	.03	14
15	-	-	.36	-	-	.60	-	-	.19	-	-	-	15
16	.21	-	.59	.08	.05	.48	.17	-	-	-	-	-	16
17	-	-	.21	-	-	-	-	-	-	-	-	.03	17
18	-	-	.32	.01	.12	.01	-	-	-	-	-	.02	18
19	-	.03	.03	-	-	-	-	.16	-	-	-	-	19
20	-	-	-	-	-	-	-	-	-	-	-	-	20
21	-	-	-	.02	-	-	-	-	-	.05	-	-	21
22	-	-	-	-	-	-	.26	.21	-	-	.26	-	22
23	-	-	-	-	-	-	.07	.13	-	-	-	-	23
24	-	.09	.31	-	-	-	-	-	-	-	-	-	24
25	-	-	-	.13	-	.03	-	-	.13	-	.09	-	25
26	-	.31	.09	.06	-	-	-	.21	.10	.05	.21	-	26
27	-	-	.11	-	-	-	.06	.11	.07	-	-	.15	27
28	-	-	-	.02	-	-	-	.31	-	.33	.15	.29	28
29	-	-	-	.13	.16	.96	-	.72	.10	.48	.01	.13	29
30	-	-	.11	.18	.70	.50	-	-	.01	.03	.30	-	30
31	-	-	.01	-	-	-	-	-	-	-	-	-	31
Totals	.50	.55	4.30	2.02	1.41	4.53	1.17	2.68	1.47	1.20	3.62	1.28	
Total from Jan. 1		1.05	5.35	7.37	8.78	13.31	14.48	17.16	18.63	19.83	23.45	24.73	

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.

Kept at *Greys Green, Henley on Thames*
in the County of *Oxford*
by *Col Homer Davis*

Lat. *51.32* Long. *0.58 W*
Nearest Railway Station *Henley on Thames*
Time of Observation *9 a.m.*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *2* ft. *350* in.
Sea Level *350* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	—	.02	—	—	.10	—	—	—	—	—	—	1
2	.60	.15	—	—	.17	—	—	.29	—	.53	.02	—	2
3	.10	—	—	—	.01	—	—	—	—	1.01	.08	.03	3
4	.47	—	—	—	—	—	—	—	—	.20	.36	—	4
5	.46	—	—	—	.07	—	—	—	—	.01	—	.22	5
6	—	—	—	—	.02	—	—	—	—	.02	.60	.08	6
7	.26	—	.07	—	—	—	—	—	—	.37	.33	—	7
8	.04	—	—	—	<u>2.24</u>	—	—	—	—	.47	.81	—	8
9	.16	.16	—	—	—	—	—	—	—	.64	.02	—	9
10	—	.17	.58	—	—	—	—	.01	—	—	—	—	10
11	.28	.15	.04	—	—	—	.02	—	—	—	—	.16	11
12	.56	—	.06	—	—	—	.02	—	.01	.08	—	.27	12
13	.03	—	.11	.07	—	—	.15	.37	.36	—	—	.03	13
14	—	—	.05	—	—	.03	—	—	.30	—	—	—	14
15	.12	.19	.01	—	.02	.23	—	.15	.02	—	.14	.42	15
16	.24	.11	—	—	.26	—	—	.02	.07	.07	.23	.22	16
17	.30	.38	—	.10	.02	—	—	.06	.04	.04	.18	—	17
18	.11	.35	—	—	—	—	—	—	.01	1.07	.04	.03	18
19	—	.03	.05	—	—	—	.04	—	—	.03	.05	—	19
20	.14	—	.19	—	.42	—	—	—	.12	.01	.38	—	20
21	—	—	.05	.03	—	—	—	—	—	—	—	—	21
22	—	—	—	—	—	—	.03	—	—	.18	—	—	22
23	—	—	.10	.04	.25	.11	—	—	—	—	.01	—	23
24	—	.15	.10	.21	—	—	—	—	—	.02	—	.08	24
25	.38	—	.09	—	.23	—	—	.20	—	—	—	.70	25
26	—	.10	—	—	.36	—	—	—	—	—	—	.10	26
27	—	.15	—	.19	.40	—	.02	—	—	.02	—	.10	27
28	—	—	—	.02	—	1.53	—	—	—	.23	—	.20	28
29	—	—	—	.03	—	.11	—	—	—	.40	.01	—	29
30	.09	—	—	—	.11	—	—	—	—	.07	.02	—	30
31	—	—	—	—	.03	—	—	—	—	—	—	.21	31
Total	4.43	2.09	1.52	.69	4.31	2.11	0.28	1.10	0.93	5.47	3.28	2.85	TOTAL for year
No. of Rain Days		6.52	8.04	8.73	13.04	15.15	15.43	16.53	17.46	22.93	26.21	29.06	

REGISTER OF RAINFALL IN 1907

N 1908
FORM A.
BRITISH RAINFALL.

Kept at *Guys Sun Farm*

in the County of *Bedford*

by *John A. Davis or Miss Mary Davis*

Lat. *52.32* Long. *0.58 W*

Nearest Railway Station *Huntingdon*

Time of Observation *9 a.m.*

Diameter of Rain Gauge *6* in.

Height of top of Gauge above Ground *2* ft. in.

" " " Sea Level *850* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>32</i>				<i>13</i>	<i>50</i>			<i>1</i>	<i>12</i>	<i>1</i>		1
2	<i>0.5</i>						<i>6</i>	<i>45</i>	<i>21</i>			<i>67</i>	2
3					<i>15</i>		<i>26</i>		<i>26</i>	<i>2</i>	<i>2</i>		3
4				<i>8</i>			<i>17</i>		<i>24</i>		<i>1</i>	<i>47</i>	4
5		<i>2</i>	<i>12</i>	<i>5</i>		<i>13</i>	<i>18</i>		<i>2</i>	<i>24</i>	<i>1</i>		5
6				<i>7</i>				<i>35</i>	<i>1</i>	<i>12</i>	<i>1</i>	<i>5</i>	6
7			<i>10</i>		<i>19</i>			<i>1</i>			<i>1</i>	<i>60</i>	7
8				<i>27</i>	<i>3</i>			<i>1</i>		<i>12</i>	<i>3</i>	<i>18</i>	8
9		<i>17</i>	<i>17</i>	<i>21</i>		<i>2</i>		<i>11</i>		<i>10</i>	<i>1</i>	<i>18</i>	9
10		<i>2.6</i>	<i>3</i>	<i>3</i>		<i>6</i>	<i>30</i>			<i>42</i>	<i>1</i>	<i>2</i>	10
11	<i>29</i>	<i>10</i>			<i>20</i>	<i>26</i>				<i>4</i>	<i>3</i>	<i>60</i>	11
12		<i>54</i>	<i>21</i>	<i>41</i>	<i>2</i>	<i>10</i>		<i>6</i>				<i>19</i>	12
13		<i>2</i>	<i>17</i>		<i>47</i>	<i>3</i>		<i>5</i>		<i>24</i>	<i>4</i>	<i>53</i>	13
14		<i>3</i>	<i>3</i>		<i>3</i>	<i>10</i>		<i>12</i>		<i>67</i>	<i>2</i>	<i>3</i>	14
15		<i>5</i>				<i>14</i>		<i>8</i>		<i>11</i>		<i>1</i>	15
16		<i>11</i>						<i>2</i>		<i>71</i>			16
17								<i>35</i>		<i>2</i>	<i>33</i>		17
18		<i>2</i>		<i>6</i>		<i>1</i>		<i>1</i>		<i>59</i>	<i>19</i>	<i>6</i>	18
19		<i>6</i>						<i>21</i>		<i>26</i>	<i>1</i>		19
20		<i>24</i>		<i>19</i>	<i>5</i>			<i>12</i>		<i>26</i>		<i>4</i>	20
21		<i>2</i>		<i>24</i>	<i>1</i>	<i>2</i>	<i>27</i>					<i>1</i>	21
22					<i>5</i>	<i>1</i>	<i>37</i>			<i>12</i>	<i>26</i>	<i>36</i>	22
23					<i>10</i>	<i>10</i>	<i>7</i>	<i>4</i>		<i>6</i>		<i>5</i>	23
24						<i>4</i>				<i>1</i>	<i>25</i>	<i>3</i>	24
25				<i>30</i>	<i>32</i>	<i>20</i>	<i>7</i>		<i>7</i>	<i>7</i>	<i>44</i>		25
26				<i>27</i>	<i>1</i>	<i>0</i>		<i>1</i>	<i>7</i>		<i>75</i>		26
27				<i>17</i>		<i>7</i>		<i>7</i>			<i>8</i>		27
28				<i>15</i>		<i>4</i>	<i>2</i>	<i>7</i>					28
29	<i>6</i>			<i>2</i>		<i>11</i>	<i>9</i>		<i>2</i>	<i>9</i>			29
30				<i>23</i>	<i>20</i>		<i>2</i>			<i>49</i>	<i>1</i>		30
31					<i>10</i>								31
Total	<i>72</i>	<i>1.40</i>	<i>1.05</i>	<i>2.75</i>	<i>2.06</i>	<i>2.00</i>	<i>1.81</i>	<i>2.07</i>	<i>.84</i>	<i>4.84</i>	<i>2.53</i>	<i>4.08</i>	TOTAL for year <i>26.15</i>

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL

Kept at *Camp Green Farm, Bury on Thames*
in the County of *Bucks*
by *Miss Mary Davis*

Lat. *51.32* Long. *0.58 W*
Nearest Railway Station *Bury on Thames*
Time of Observation *9 a.m.*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *2* ft. in.
" " " Sea Level *350* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						1			8				1
2		1	16			53			10			1	2
3		6	9		12				80	4			3
4			66	2			10		9	1	1	12	4
5			1	21	8			3			1	26	5
6	5	2	61	39	15							2	6
7	1.40	1	7	2	16		5					1	7
8	8		7		5	3	40		6	2		15	8
9			12		1	2	36			20			9
10					1		12	5			3	32	10
11				1	10		2				15	23	11
12					12	2		2		2	17	13	12
13				14	8	2					11	4	13
14	4	1			28		17				3	36	14
15		8	12		11		6		23	19	2	2	15
16	2	40	5			27	65		3	2	4	10	16
17		23	2			17	17			45		4	17
18		6	2				1		11	9	18	6	18
19	1	1		7			1	1		10	1	20	19
20		2		3				25	6			7	20
21	2			1				5	1		37	8	21
22		8	21	25	10			37	2				22
23		1		55	9			76	15				23
24		4	35	3	12		1	28		3	5		24
25	2	1	48	1.04	2				8	3			25
26	5	15						30		13			26
27		4	16	36				9	12	12		5	27
28	12	1		67				26		2	2	17	28
29	1		12	41				8			5	21	29
30	2		30	4	45			4		2	2		30
31								51		1		26	31
Total	1.84	1.25	3.62	4.25	2.05	1.07	2.13	3.10	1.94	1.50	1.22	2.91	TOTAL for year 1908 26.88
No. of Rain Days	12	18	18	17	17	8	13	15	14	17	17	22	188

REGISTER OF RAINFALL IN 1909

Kept at Greys Green Farm
in the County of Wiltshire
by Mary Davis Spinster

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 2 ft.
" " " Sea Level 350 ft.
Time of Observation 1909
Nearest Railway Station { Name Wootton Bassett
Distance 3 Direction W

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	3		1	2	3	1.07		15		1		25	1
2	4					6			8	20	3	54	2
3			13			22	6			11	2	16	3
4		3	9			67			24	6		4	4
5			9			36	4		7	18		13	5
6			15			21	26		7	3		2	6
7	8		83			1	8		4	30			7
8			6				1		7	2			8
9	11	11	2				39			4		25	9
10	22	20	3			9	13		14	40	1	30	10
11		4	5			1	16			16		2	11
12	5		2	3		7			15	25		2	12
13	5			18	1		1		7	16			13
14	8	2	27	2			2			4	14		14
15	4		6				13	3	12	11		2	15
16			3	5	20		12	2		64	2	16	16
17	3			3	1		1	87		5		22	17
18	8							27	80	1			18
19			22	52				3		2		6	19
20			16			4	3	35		22			20
21			2			33	1	7		8		64	21
22			4	29		8	2	14		9		2	22
23			7	8		47	17	6	25	14		14	23
24			1	1	73	15	8	23	22	3	2	3	24
25			32	12	11	26	3	7	2	12		13	25
26			4	9	26	4	1		3	63		2	26
27		4	27	15	7	13	45		7	17	3	11	27
28		4	19	3	10		3		72	83	7		28
29	4		26	46		10	8	6	33		16		29
30			11	15			18		2	2	2	3	30
31	17		4		14					8		5	31
Total	1.02	.48	3.49	2.23	1.66	4.66	3.01	2.45	3.44	5.20	.52	3.37	31.51
No. of Rain Days	13	7	25	16	10	19	24	13	18	30	10	23	208

REGISTER OF RAINFALL IN 1910

Kept at Grey's Green

in the County of Wiltshire

by Mary Davis

Pattern
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 2 ft.
" " " Sea Level 350 ft.
Time of Observation 9 a.m.
Nearest Railway Station Name Wootton Bassett
Distance 3 Direction S.E.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.14	.5			.4	.9	.13	.10		.5	.2	.21	2
3					.2		.28	.3		.6		.21	3
4	.1	.23			.19		.13	.2			.46	.55	4
5	.1			.15	.11		.71	.75			.1	.20	5
6		.10	.2	.10	.14	.3		.24				.2	6
7	.1	.32	.4	.8	.4	.13	.7				.18	.2	7
8		.3	.14	.1	.3	.44	.12		.1		.3	.2	8
9	.4	.5	.1		.28						.1	.31	9
10	.11		.45		.3	.2		.3				.40	10
11	.6	.6			.35					.5	.7	.30	11
12	.22	.11	.19		.11	.1		.11		.14	.6	.10	12
13	.2	.1	.3	.20	.9	.6		.1		.45	.3	.27	13
14	.6	.12		.9	.12			.1		.3	.32	.20	14
15		.55		.6					.26	.1	.2	.70	15
16	.5	.1		.10			.2		.1	.1	.3	.60	16
17	.8	.19	.10	.13			.2			.17		.15	17
18	.15	.44	.6	.1	.6		.2	.7		.15		.5	18
19	.4	.29	.8	.6	.34			.29		.16		.2	19
20		.1		.3	.3					.21	.5		20
21		.52					.25	.5		.3	.2	.26	21
22		.2		.19	.3			.3				.20	22
23	.3	.35				.20	.12	.23				.1	23
24	.37	.7		.9		.12					.60	.03	24
25	.12	.36		.2		.27	.12			.3	.5	.2	25
26		.13		.30		.14	.12			.4			26
27		.6		.7		.1		.12		.1	.2	.2	27
28	.75	.2				.24	.1			.55	.95		28
29	.15	.12		.38	.10	.1	.9	.4		.5		.1	29
30				.3	.2	.12		.32			.2		30
31				.11	.2			.33			.44	.1	31
Total	2.32	4.22	1.02	2.10	2.00	4.26	2.21	2.27	.28	3.58	3.45	5.13	TOTAL for year 32.84
No. of Rain Days	19	25	10	19	20	17	15	19	3	19	20	26	212

REGI

HENLEY-ON-THAMES

W.W

OXON

1909-10

Kept at Henley on Th

in the County of Oxon

by Geo Potter Esq

5 in.

Ground - ft. 9 in.

Sea Level 123 ft.

Name

Distance Direction

the result entered to the

IMPORTANT NOTE.—If an Observer

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.04		.02	1.35		.23	.06			.22	1
2			.07			.04				.12		.57	2
3			.06			.08	.05			.13	.03	.13	3
4	.04	.03				.66	.04		.19	.06		.03	4
5						.25			.04	.12			5
6			.90			.12	.30					.16	6
7	.11		.03				.05		.02	.26			7
8			.03						.10				8
9	.07	.09					.35		.02	.03		.16	9
10	.20	.13	.04			.08			.14	.30		.25	10
11		.02					.15			.15			11
12	.04			.01		.03	.02		.09	.09			12
13			.21	.14					.07	.10			13
14	.13		.04				.02			.03	.16		14
15	.04						.10		.11	.13		.03	15
16				.04	.27		.13	.03	.02	.45		.10	16
17								.58	.79	.39		.20	17
18	.06		.19					.37					18
19			.06	.46		.03		.03				.05	19
20							.02	.34		.19			20
21						.19		.05		.05		.49	21
22			.10	.26		.09		.01		.07			22
23			.30	.06		.51	.22	.04	.37	.10		.09	23
24			.05		.70	.15		.24	.20	.03			24
25				.08	.08	.44	.03	.10	.02	.10		.10	25
26				.13	.23	.30				.59			26
27			.22	.08	.12	.04	.92		.07	.14	.04	.08	27
28			.13	.02	.06	.05	.02		.57	.70	.05		28
29			.26	.29		.14	.06	.04	.32		.19		29
30			.20	.08			.21		.03			.02	30
31	.17		.02		.12					.05			31
Total	.86	.27	2.95	1.65	1.60	4.55	2.69	2.06	3.23	4.38	.47	2.68	TOTAL for year
No. of Rain Days	9	4	19	12	8	18	17	12	19	24	5	16	27.39

4.38

REGISTER OF RAINFALL IN 1909

FORM A.
BRITISH RAINFALL.

Kept at Henley on Thames Grey Road
in the County of Oxon
by Geo Potter Esq

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground - ft. 9 in.
" " " Sea Level 123 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			04		02	135		23	06			22	1
2			07			04				12		57	2
3			06			08	05			13	03	13	3
4	04	03				66	04		19	06		03	4
5						25			04	12			5
6			90			12	30					16	6
7	11		03				05		02	26			7
8			03						10				8
9	07	09					35		02	03		16	9
10	20	13	04			08			14	30		25	10
11		02					15			15			11
12	04			01		03	02		09	09			12
13			21	14					07	10			13
14	13		04				02			03	16		14
15	04						10		11	13		03	15
16				04	27		13	03	02	45		10	16
17								58	79	39		20	17
18	06		19					37					18
19			06	46		03		03				05	19
20							02	34		19			20
21						19		05		05		49	21
22			10	26		09		01		07			22
23			30	06		51	22	04	37	10		09	23
24			05		70	15		24	20	03			24
25				08	08	44	03	10	02	10		10	25
26				13	23	30				59			26
27			22	08	12	04	92		07	14	04	08	27
28			13	02	06	05	02		57	70	05		28
29			26	29		14	06	04	32		19		29
30			20	08			21		03			02	30
31	17		02		12					05			31
Total	86	27	295	165	160	455	269	206	323	438	47	268	TOTAL for year
No. of Rain Days	9	4	19	12	8	18	17	12	15	24	5	16	2739

438

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL
28 JAN 1911

Kept at Henley on Thames
in the County of Oxfordshire
by Geo. Potter

Pattern
RAIN GAUGE Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	07			03	07	17	06				22	1
2		14			02		21	07		12		20	2
3					12		13	43			58	52	3
4				11	11	01		16				15	4
5		07	03	10	12	02	66	42				03	5
6		27	03	08	05	08	05				19		6
7			02		02	30	02				04	02	7
8	04	07			26							26	8
9	11		37		03	2.12		04				32	9
10	06	04				35				05	07	32	10
11	22	11	16		09			06		1.05	03	18	11
12	08		02	13	07					35	04	29	12
13	02	11		05	13			01			27	16	13
14		54		04					22		02	53	14
15	05			07						01	02	51	15
16	07	12	12	45			02			12		24	16
17	12	25	05		04			04		11		06	17
18	04	22	04	06	33			18		15		02	18
19				03	03					26	03		19
20		36					23	02		05		08	20
21		03		17			01					30	21
22		23				29	12						22
23	40	11		09		10		17			62		23
24	14	32				30	09			05	03	03	24
25		13		26		10	12	27		04			25
26		06		05				04					26
27	56	02				17				41	72		27
28	13	13		37	13		05	27		03		03	28
29					02	13		55					29
30					10	02		18			32		30
31					11			03		46			31
Total	2.07	3.40	.84	2.06	1.81	4.06	1.88	3.00	.22	3.26	2.98	4.47	30.05
No. of Rain Days	15	21	9	15	19	14	13	18	1	15	14	21	175

REGISTER

HEADINGTON HILL

Kept at Headington Hill
in the County of Oxford
by Miss L. Davenport

OXON

1901-10

Lon.

n.

Ground

Sea Level

NOTE.—Full instructions respecting the measure of the Rainfall," which is sent post-free on application

See Observation and Record Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.17										1
2		.10	.07	.07		.01	.11						2
3			.16	.67						.25			3
4		.52	.05					.02					4
5			.08	.23		.01		.10		.01		.02	5
6			.13	.02	.10					.07			6
7	.16	.09		.03	.68				.07	.01		.24	7
8	.20	.01		.08	.20				.48				8
9	.04			.38	.21								9
10				.18				.01		.04			10
11				.16				.25	.07		.12		11
12			.01	.06		.17	.01	.16			.06	.36	12
13				.20			.03	.10		.05	.19	1.18	13
14				.13		.01		.70				.14	14
15		.01		.18								.04	15
16	.13			.04		.04			.75	.19			16
17	.16								.40	.28			17
18	.16	.04								.17			18
19	.01		.28			.13			.01				19
20						.17			.57				20
21		.16				.08			.08	.02	.07		21
22						.08	.01			.19	.03		22
23						.03	.22			.06		.20	23
24						.05	1.32			.05		.52	24
25	.03	.01	.04				.72	.10			.02		25
26		.13			.02		.78	.36				.07	26
27							.23	.34					27
28		.31	~~.24~~				.06					.32	28
29			.28		.14	.11				.07		.24	29
30			.18		.10	.82							30
31			.08					.19					31
Totals	.89	1.38	1.49	2.43	1.45	1.71	3.49	2.33	2.43	1.46	.49	3.33	
Total from Jan. 1													
	2.27	3.76	6.19	7.64	9.35	12.84	15.17	17.60	19.06	19.55	22.88		

REGISTER OF RAINFALL IN 1901

Kept at Headington Hill
in the County of Oxfordshire
by Miss L. Davenport

RAIN GAUGE.

Lat. Lon.
Time of Observation
Diameter
Height of top above Ground
" " Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.17										1
2		.10	.07	.07		.01	.11						2
3			.16	.67						.25			3
4		.52	.05					.02					4
5			.08	.23		.01		.10		.01		.02	5
6			.13	.02	.10					.07			6
7	.16	.09		.03	.68				.07	.01		.24	7
8	.20	.01		.08	.20				.48				8
9	.04			.38	.21								9
10				.18				.01		.04			10
11				.16				.25	.07		.12		11
12			.01	.06		.17	.01	.16			.06	.36	12
13				.20			.03	.10		.05	.19	1.18	13
14				.13		.01		.70				.14	14
15		.01		.18								.04	15
16	.13			.04		.04			.75	.19			16
17	.16								.40	.28			17
18	.16	.04								.17			18
19	.01		.28			.13			.01				19
20						.17			.57				20
21		.16				.08			.08	.02	.07		21
22						.08	.01			.19	.03		22
23						.03	.22			.06		.20	23
24						.05	1.32			.05		.52	24
25	.03	.01	.04				.72	.10			.02		25
26		.13			.02		.78	.36				.07	26
27							.23	.34					27
28		.31	~~.24~~				.06					.32	28
29			.28		.14	.11				.07		.24	29
30			.18		.10	.82							30
31			.08					.19					31
Totals	.89	1.38	1.49	2.43	1.45	1.71	3.49	2.33	2.43	1.46	.49	3.33	
Total from Jan. 1		2.27	3.76	6.19	7.64	9.35	12.84	15.17	17.60	19.06	19.55	22.88	

REGISTER OF RAINFALL IN 1902

Kept at Headington Hill
in the County of Oxfordshire
by Miss L. Saweaport

RAIN GAUGE.

Lat. Long.
Time of Observation
Diameter
Height of top above Ground
" " Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.23		.19	.04		.16	.09					.16	1
2			.05		.05			.04	.14				2
3		.09			.30	.06		.02					3
4	.09	.01		.11	.03	.04			.03	.09	.04		4
5				.14		.10		.22		.01	.08		5
6					.02	.15		.37		.03	.13		6
7		.14			.05	.13		.18					7
8		.04			.04	.03		.17			.24		8
9	.06		.04				.16		.11	.37			9
10				.10		.02	.03	.03	.57	.15	.01		10
11	.03		.01	.01	.03	.11		.03	.24		.04		11
12						.12		.02				.11	12
13						.48		.03				.02	13
14			.30	.40	.07	.08				.15		.15	14
15				.14	.04	.23		.0		.15		.11	15
16					.19	.08		.07				.07	16
17					.11		.01	.08		.29		.28	17
18								.33		.02			18
19			.03			.19	.07	.05		.16			19
20			.05	.04	.05								20
21		.28	.01	.13		.02				.12			21
22	.01	.17		.04	.41	.02	.07	.06	.08				22
23		.14		.02				.23					23
24		.03	.21					.03			.24		24
25		.17					.16			.06	.09		25
26	.21	.11	.18				.11						26
27	.03						.01				.19	.04	27
28		.02							.01	.06	.64	.25	28
29			.12		.12			.02		.02	.31		29
30				.12	.20	.10	.01	.12	.01		.06	.12	30
31					.05			.33					31
Totals	.66	1.20	1.19	1.29	1.76	2.12	.72	2.43	1.19	1.68	2.07	1.31	
Total from Jan. 1		1.86	3.05	4.34	6.10	8.22	8.94	11.37	12.56	14.24	16.31	17.62	

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at Headington Hill
in the County of Oxfordshire
by Wm L. C. Davenport.

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter in.
Height of top above Ground ft. in.
" " Sea Level ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16		.40	.05	.27				.01	.04			1
2	.25		.27		.29			.40	.35	.01	.28		2
3	.08			.07	.41				.01	.31		.07	3
4	.72		.19	.07	.07				.18	.39			4
5	.12		.03		.60					.14			5
6			.11		.52					.17		.04	6
7	.03		.05	.03	.06					.09		.08	7
8	.09					.22			.11	.38		.31	8
9		.03	.26		.21	.32		1.19	.03	.01	.05	.19	9
10	.31		.04		.10	.45		.19	.36	.27		.04	10
11					.02	.12	.03	.32	.05	.99		.15	11
12	.02			.05					.17	.11		.16	12
13				.02		.47		.20		.16	.14		13
14			.23			1.96		.12		.32	.06		14
15		.04			.07	.85	.05	.07		.11			15
16				.05	.18	.05	.05	.30		.10			16
17	.13		.22		.10	.02	.05	.16		.01			17
18	.02		.02				.81			.16			18
19	.02					.80	.05			.15		.05	19
20	.02	.01						.29		.06	.01	.02	20
21	.06						.37		.04	.08			21
22	.14	.09					.26			.02			22
23		.03	.63				.52	.57		.03	.04		23
24	.03	.22						.38	.20	.58		.05	24
25		.21	.05	.31			.41			1.08			25
26		.09	.25	.35			.17			.17	.07		26
27	.21	.01	.02	.20	.03		.06	.11	.04	.86	.61		27
28			.12	.47	.54		.27	.08	.12	.21	.20		28
29			.05	.26	.10		.02		.31				29
30			.03	.14	.28			.01		.01			30
31	.07		.07				.03			.28			31
Totals	2.48	.73	3.04	2.07	3.85	5.26	3.15	4.39	1.98	7.30	1.46	1.16	
Total from Jan. 1		3.21	6.25	8.32	12.17	17.43	20.58	24.97	26.95	34.25	35.71	36.87	

Good water.
So

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.

Kept at Headington Hill
in the County of Devonshire
by Miss L. Davenport.

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter _____ in.
Height of top above Ground _____ ft.
" " Sea Level _____ ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.06		.40	.19	.03				.05		1
2	.10	.70	.09						.17				2
3	.14		.15	.07									3
4		.05	.06					.24		.09		.24	4
5		.04		.11	.07						.01	.12	5
6		.08	.07		.08						.48	.46	6
7	.22	.36	.22	.04					.23	.06	.32		7
8		.10	.06						.02		.07	.04	8
9		.70	.07	.05	.08	.21						.14	9
10	.23	.33						.03		.05	.41	.10	10
11								.16				.27	11
12	.13	.23		.11					.29				12
13	.23	.10		.02		.08			.08			.29	13
14	.12	.06		.12		.31		.16	.31			.08	14
15		.02		.28		.04				.24		.04	15
16		.09			.03			.17					16
17	.05	.04										.06	17
18					.02								18
19		.12	.12				.08						19
20					.61								20
21			.03		.05		.19			.09	.19		21
22				.12				.25	.03				22
23					.11				.01	.19	.15		23
24			.03		.05	.24			.04				24
25		.06			.02		.97	.05					25
26	.13	.02			.69	.07	1.66					.04	26
27	.28				1.36		.17						27
28	.05		.18				.13						28
29	.27		.04	.03			.21					.06	29
30	.44		.07	.01	.05	.03	.14	.03	.40	.03			30
31	.57		.19		.01			.44		.04			31
Totals	2.96	3.12	1.44	.96	3.63	1.17	3.56	1.53	1.58	.79	1.68	1.94	
Total from Jan. 1		6.08	7.52	8.48	12.11	13.28	16.84	18.37	19.95	20.74	22.42	24.36	

REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL.

Kept at *Headington Hill*
in the County of *Oxfordshire*
by *Miss L. Sawenport*

Lat..... Long.....
Nearest Railway Station.....
Time of Observation.....
Diameter..... in.
Height of top above Ground..... ft. in.
" " Sea Level..... ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.09		.02	.02	.03		.49		1
2	.09			.02	.14	.05		.36			.10		2
3	.02			.05	.08			.32		.03	.05		3
4	.31		.05					.05		.23	.31	.04	4
5	.04		.28			.49		.05	.11	.05		.12	5
6		.07				.43			.24			.05	6
7			.02	.21		.10		.02	.08	.05	.04	.31	7
8			.26	.02			.02		.10				8
9	.18	.01		.34			.05	.04	.21				9
10	.04	.04	.37	.22		.22					.67		10
11	.06		.08	.29		.37					.10		11
12			.26			.01					.18		12
13			.35	.11	.13				.02		.03		13
14			.35						.02		.01		14
15		.02	.20			.17	.05			.19	.01		15
16	.15	.02	.05	.08		.39							16
17		.01	.18			.20		.20					17
18			.01	.03	.05	.03		.05					18
19				.02		.12			.03				19
20		.03						.01					20
21								.23		.03			21
22							.07	.18			.16		22
23		.06	.18				.02						23
24									.07				24
25		.15	.08	.12		.03		.13	.26		.15		25
26		.06	.21	.11				.11	.11	.05	.59		26
27		.03	.03	.01				.66	.06		.04	.24	27
28			.02	.04				.90	.26	.09		.01	28
29			.02	.04	.07	.88	.02	.06	.03	.34		.20	29
30	.03			.41	.48	.58				.01			30
31					.12					.30			31
Totals	.92	.50	3.00	2.12	1.16	4.07	.25	3.39	1.63	1.37	2.93	.97	
Total from Jan. 1		1.42	4.42	6.54	7.70	11.77	12.02	15.41	17.04	18.41	21.34	22.31	151

REGISTER OF RAINFALL IN 1906

Kept at *Headington Ash*
in the County of *Oxfordshire*
by *Miss L. Davenport*

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
52 JAN 1907

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.01	.04		.05	.14		.04		.63			1
2	.33	.10			.15	.02		.15		.61	.05	.03	2
3	.11				.09			.09			.07		3
4	.40									.20	.23	.03	4
5	.56				.25							.13	5
6	.01									.05	.66	.05	6
7	.36		.06							.16	.44		7
8	.05	.08	.15		.04					.17	1.04	.13	8
9	.03				.03					.68	.10		9
10		.13	.49				.03	.07		.03			10
11	.19	.10	.16									.09	11
12	.48	.07	.05				.18	.01	.07	.15		.14	12
13	.05	.09	.04	.06			.25	.14	.40			.14	13
14	.01	.07	.05			.06			.28				14
15	.19	.03	.10		.01	.08	.03	.13	.14	.04	.20	.34	15
16	.08	.35			.15	.27		.01	.08	.05	.10	.10	16
17	.27			.08	.01			.04	.02	.08	.09		17
18	.05	.09	.08				.05		.02	.73		.02	18
19		.04	.07						.01	.01	.05		19
20	.12				.43				.02	.03	.38		20
21	.03		.04				.06						21
22		.08	.01		.01					.08			22
23		.02	.16		.25	.50		.01					23
24	.28	.08	.02		.03			.30		.03		~~.05~~	24
25			.05		.33								25
26		.11	.05		.20		.04						26
27		.09		.15	.08	.18	.13			.03		.37	27
28		.03		.06		1.94	.36			.17		.05	28
29	.02									.55	.03		29
30					.13					.11		.21	30
31					.05							.02	31
Total	3.68	1.57	1.62	.35	2.29	3.19	1.13	.99	1.04	4.55	3.44	1.85	TOTAL for year 25.70
No. of Rain Days	21	18	17	4	18	8	9	11	9	20	13	15	

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Kept at *Headington Hill*
in the County of *Oxford*
by *W. P. Dawkins*.

Lat. _____ Long. _____
Nearest Railway Station *Oxford*
Time of Observation *10 a.m.*
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.34					1.66				.25	.03		1
2	.02		.01	.02	.10		.07	.50	.12	.01		.64	2
3				.01	.28		.32		.33			.02	3
4	.01	.04				.15	.47		.17		.04	.77	4
5		.01	.12	.10		.09		.05	.04	.22			5
6			.04	.08		.01	.09	.06	.01	.40		.11	6
7			.08	.25	.15	.06				.07	.02	.42	7
8	.01	.20	.02	.30	.07		.07	.01			.03	.29	8
9		.10	.14	.01		.05	.05			.13		.22	9
10	.11	.11	.04				.07	.10		.41		.02	10
11		.09	.08			.41					.04	.52	11
12		.29	.07	.27				.05			.04	.14	12
13			.06		.58	.08	.01	.04		.25		.36	13
14			.03			.06				.59		.02	14
15		.02	.03			.20		.07		.07			15
16		.03	.12							1.07			16
17								.34		.01	.28		17
18	.01	.05	.03			.03		.01		.29	.15	.04	18
19		.17	.04			.01		.13		.43			19
20		.05		.32	.05	.03		.05		.30			20
21				.33	.10		.89					.03	21
22					.20	.07	.76	.07		.08	.25	.25	22
23					.11	.03				.03		.02	23
24	.01					.18				.09	.33		24
25				.05	.51	.06	.03	.04			.39		25
26				.16	.03	.03	.11	.03	.04		.60		26
27				.14		.08					.04		27
28	.10			.06			.05			.03	.04		28
29	.01				.05		.15		.04	.63			29
30					.12	.02		.01		.38		.01	30
31					.40								31
Total	.62	1.16	.91	2.10	2.75	3.31	3.14	1.56	.75	5.74	2.28	3.88	28.20
No. of Rain Days		12	15	14	14	20	14	16	7	21	14	17	1.73

8x. 1136.
REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

So.
Kept at Readington Hill
in the County of Oxfordshire
by Miss Davenport.

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									.03				1
2			.15		.50				.07			.01	2
3		.04	.34	.01					.43				3
4				.03	.08		.28		.03			.10	4
5	.08		.35	.34	.07		.05	.04					5
6	.08	.02	.08		.14							.09	6
7	1-12		.04		.08	.02	.03			.04			7
8	.03		.04		.03		.25		.07	.09		.08	8
9							.41		.04	.26		.15	9
10			.04				.15	.04			.05	.09	10
11					.04				.10		.14	.01	11
12				.01		.11	.59	.04			.05		12
13					.07	.03	.02					.17	13
14				.03	.18		.14		.06		.05	.32	14
15		.07	.06		.08		.04	.03	.19			.02	15
16		.33				.42	.41		.06	.12		.10	16
17		.06	.03			.35	.15			.01			17
18	.03	.06	.02				.02		.17	.03	.16	.05	18
19				.04				.01				.15	19
20		.01						.26	.07	.34		.05	20
21								.32			.21	.08	21
22			.12	.20	.20			.27	.05		.05		22
23		.07		5.61				.69		.07			23
24			.65	10.31				.03			.15		24
25	.04	.03	.22	1.80				.06	.05	.04	.01		25
26		.06		.48				.38	.01	.09		.05	26
27		.03	.17	.66				.12	.07	.05		45	27
28	.05	.03	.07	.43				.15		.03	.07		28
29	.02							.09			.14		29
30	.01		.24					.07		.01		.17	30
31								.70					31
Total	1.46	.81	2.62	4.95	1.47	.93	2.54	3.30	1.50	1.18	1.08	2.14	TOTAL for year 23.98
No. of Rain Days	9	12	16	13	11	5	13	17	16	13	11	18	154

REGISTER OF RAINFALL IN 1909

FORM A2
BRITISH RAINFALL
JAN 1910

Kept at Headington Hill
in the County of Devonshire
by Mr. A. Daweport.

Pattern _____
RAIN Gauge { Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·04	·52		·51	·04	·25		·17	1
2	·06		·13			·06				·16	·05	·40	2
3			·06			·10	·03			·25	·02	·21	3
4						·42			·18	·13		·24	4
5	·02		·09			·15			·02	·01		·15	5
6			·53			·20	·30		·07			·13	6
7			·08						·73	·15		·01	7
8			·04						·05	·03			8
9	·02	·07	·02				·48			·02		·20	9
10	·15	·22	·05			·11	·02		·07	·57		·50	10
11	·04		·02			·08	·15		·02	·09		·01	11
12	·04					·03			·17	·18		·03	12
13	·05		·18	·03			·01		·04	·01	·16		13
14		·07	·01	·15						·01	·19		14
15	·22		·03				·27	·03	·09	·12	·05	·03	15
16					·43		·02		·03	·23	·02	·06	16
17	·03			·02				1·68	·59	·01		·21	17
18	·06		·09					·14		·02			18
19			·04	·32				·05		·13		·08	19
20								·25		·19			20
21			·08			·40	·07		·04	·03		·41	21
22	·02		·05	·19		·07	·03	·18		·03		·05	22
23				·05		·99	·07	·20	·14	·19		·11	23
24			·31		·78	·07		·19	·29			·03	24
25			·06		·15	·11	·28	·03	·12	·09		·06	25
26		·09			·24	·05	·07		·01	·52			26
27		·05	·29	·20	·41		·60		·18	·06	·07	·10	27
28	·02		·10	·09	·10				·32	·01		·02	28
29	·02		·03	·44		·18	·06	·15	·02	·01	·19	·01	29
30			·01				·15		·15	·10	·14	·01	30
31	·11		·04		·21		·02						31
Total	·86	·50	2·34	1·49	2·36	3·52	2·63	3·41	3·37	3·60	·89	3·23	28·20
No. of Rain Days	14	5	23	9	8	16	17	11	22	28	9	24	186

50
REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL
- 3 JAN 1911

Kept at Headington Hill
in the County of Oxfordshire 3
by Mrs Lucy Davenport

Pattern _____
RAIN Gauge Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	^{in.} ·03	^{in.} ·12	^{in.}	^{in.}	^{in.} ·02	^{in.} ·06	^{in.} ·06	^{in.} ·05	^{in.}	^{in.} ·29	^{in.}	^{in.} ·36	1
2	·01	·16			·03		·49	·02		·11	·01	·28	2
3							·10	·05			·43	·49	3
4				·28	·10							·10	4
5	·01	·10		·17	·05	·01	·59	·08			·04		5
6		·15	·04	·02	·04		·02				·18	·05	6
7	·02	·03	·02			·63	·02	·01	·03		·02	·05	7
8	·07	·02	·01		·07							·17	8
9	·08		·25	·02	·11	1·23		·16				·10	9
10	·10	·05				·31				·17	·06	·10	10
11	·13	·03	·17	·06	·28			·07	·02	1·89		·03	11
12	·06		·06	·13	·06					·38		·31	12
13		·11		·12	·04			·03	·05	·02	·43	·10	13
14	·08	·31		·19					·36	·02		·94	14
15	·07	·02		·10					·02		·03	·48	15
16	·06	·19	·03	·43				·02		·09		·16	16
17	·03	·06	·04	·04	·12		·06			·12		·03	17
18	·06	·25	·02	·01	·27			·26		·23			18
19		·02		·02	·03					·11	·05		19
20	·01	·27					·15	·03				·39	20
21		·05		·19				·01				·30	21
22	·03	·37				·06	·15						22
23	·13	·10		·03		·16		·11			·51	·04	23
24	·03	·23		·02		·18	·06	·05	·01			·03	24
25		·15		·15		·24	·04	·18		·09	·07		25
26		·04		·02		·01	·01	·01		·01			26
27	·35					·06	·04			·45	1·05		27
28	·11	·08	·02	·28	·08	·03	·15	·39	·04	·11	·01	·04	28
29				·05		·21	·03	·19					29
30				·01	·08	·06		·01			·39		30
31					·23					·16		·02	31
Total	1·47	2·91	·66	2·34	1·61	3·25	1·97	1·73	·53	4·25	3·28	4·57	TOTAL for year 28·57
No. of Rain Days	20	23	10	21	16	14	15	19	7	16	14	22	197

S. a.

REGIST

OXFORD.

HIGHMORE.

"ST. PAUL'S VIC."

1901-1905

Kept at *St Paul's Vicarage*
in the County of *Oxford*
by *Rev. Mr. Fraser*

1 *3' N* Lon. *59-20" W.*
ervation *99 m.*
5 inches
above Ground *175*
Sea Level *500 ft*

NOTE.—Full instructions respecting the Record of the Rainfall of the British Isles, which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04		.04	.01		.04				.10			1
2		.08	.33	.11			.16						2
3			.01	.74		.09				.29			3
4		.90 _{in}	.12							.02			4
5		.03 _{in}	.08	.05		.01		.10		.01		.04	5
6			.16	.11	.05					.11			6
7	.18 _{in}		.13	.07	.22							.16	7
8	.13 _{in}		.04	.08	.06				.19	.08		.09	8
9		.01		.34	.16							.20	9
10				.28				.05	.02	.04			10
11	.03	.05 _{in}		.09				.09	.06		.03	.17	11
12				.11		.12		.04			.12	.95	12
13				.26		.03					.43	.07	13
14				.12		.01		.45				.03	14
15			.03	.19						.01		.04 _{in}	15
16	.09			.11		.11			.81	.48			16
17	.09	.02 _{in}	.17			.01			.18	.14		.05 _{in}	17
18	.15	.03 _{in}								.50			18
19	.06	.09	.17 _{in}			.08			.02				19
20						.11			.32				20
21		.08				.04			.43		.01		21
22						.01	.01			.12	.06		22
23	.02					.01	.03					.35	23
24	.02						.83			.12		.73 _{in}	24
25	.04		.02 _{in}			.48	.24						25
26	.02	.19				.75	.13						26
27	.15	.01		.12		.65	.40					.04	27
28	.07	.29										.69	28
29		—	.09		.15	.23				.06		.34	29
30		—	.40		.20	<u>1.01</u>		.02				.02	30
31	.01 _{in}	—	.11	—		—		.33	—		—	.09	31
Totals	1.10	1.78	1.73	2.79	.84	1.91	2.91	1.85	2.03	2.08	.65	4.06	
Total from Jan. 1		2.88	4.61	7.40	8.24	10.15	13.06	14.91	16.94	19.02	19.67	23.73	

REGIST

Kept at *St Paul's Vicarage. Highmore*
in the County of *Oxford.*
by *Rev^d. Fras. Russell. Harnett*

RAIN GAUGE.

Lat. *51° 33' N* Lon. *59° 20' W.*
Time of Observation *9 a.m.*
Diameter *5 inches*
Height of top above Ground *175*
" " Sea Level *500 ft*

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04		.04	.01		.04				.10			1
2		.08	.33	.11			.16						2
3			.01	.74		.09				.29			3
4		.90 _{in}	.12							.02			4
5		.03 _{in}	.08	.05		.01		.10		.01		.04	5
6			.16	.11	.05					.11			6
7	.18 _{in}		.13	.07	.22							.16	7
8	.13 _{in}		.04	.08	.06				.19	.08		.09	8
9		.01		.34	.16							.20	9
10				.28				.05	.02	.04			10
11	.03	.05 _{in}		.09				.09	.06		.03	.17	11
12				.11		.12		.04			.12	.95	12
13				.26		.03					.43	.07	13
14				.12		.01		.45				.03	14
15			.03	.19						.01		.04 _{in}	15
16	.09			.11		.11			.81	.48			16
17	.09	.02 _{in}	.xv			.01			.18	.14		.05 _{in}	17
18	.15	.03 _{in}								.50			18
19	.06	.09	.17 _{in}			.08			.02				19
20						.11			.32				20
21		.08				.04			.43		.01		21
22						.01	.01			.12	.06		22
23	.02					.01	.03					.35	23
24	.02						.83			.12		.73 _{in}	24
25	.04		.02 _{in}			.48	.24						25
26	.02	.19				.75	.13						26
27	.15	.01		.12		.65	.40					.04	27
28	.07	.29										.69	28
29		—	.09		.15	.23				.06		.34	29
30		—	.40		.20	<u>1.01</u>		.02				.02	30
31	.01 _{in}	—	.11	—		—		.33	—		—	.09	31
Totals	1.10	1.78	1.73	2.79	.84	1.91	2.91	1.85	2.03	2.08	.65	4.06	
Total from Jan. 1		2.88	4.61	7.40	8.24	10.15	13.06	14.91	16.94	19.02	19.67	23.73	

REGISTER OF RAINFALL IN 1902

Kept at Highmore Vicarage
in the County of Oxford
by Revnd H. R. Harnett.

RAIN GAUGE.

Lat. 51° 33' 10" N Long. 0° 59' 25" W
Time of Observation 9 a.m.
Diameter 5 inches
Height of top above Ground 1 ft
Sea Level 500 ft

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rain Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	D
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17		.16		.09	.07	.12		.02			.18	
2			.01		.02			.05	.19		.02		
3		.09 sn		.05	.29 Hail	.02		.02				.02	
4	.16			.16	.01 Hail	.03		.03		.06	.01		
5				.14	.01	.03		.43			.39		5
6						.28		.26			.35		6
7		.07 sn			.07 T.S. Hail	.28		.31			.02		7
8		.03			.01 Hail	.01		.14			.26		8
9			.02		.01		.15	.01		.43	.01		9
10							.05	.02	.14	.39	.01		10
11	.07			.13	.08	.10		.06	.49		.13		11
12				.01	.05 Hail	.31			.03			.14	12
13					.07 Hail	.83				.15		.03	13
14			.72	.19	.15	.09				.12		.13	14
15				.17	.03	.06			.03	.18		.13	15
16					.11	.19 T.S.		.16	.03	.01		.09	16
17					.31	.05		.05		.53		.46	17
18					.09 Hail			.58					18
19			.03		.08 Hail	.17	.04	.03		.14		.01	19
20		.02	.13	.05		.02	.02			.04			20
21			.02 T.S. Hail	.34			.01			.01		.01	21
22		.20	.02 Hail	.46	.51	.02	.04	.06			.02		22
23		.19	.01	.06				.43	.02				23
24	.07	.24	.29				.02				.36		24
25		.05					.25			.02	.25		25
26	.29	.35	.24 Hail				.06			.01	.02		26
27	.11	.20					.04				.21	.03	27
28	.02	.08								.08	.20	.15	28
29		—	.19		.19	.01				.05	.49		29
30		—	.07	.03	.16	.06	.04	.13			.04	.13	30
31		—		—	.03	—		.37	—		—		31
Totals	.89	1.52	1.91	1.79	2.37	2.63	.84	3.14	.95	2.22	2.79	1.51	
Total from Jan. 1		2.41	4.32	6.11	8.48	11.11	11.95	15.09	16.04	18.26	21.05	22.56	

50

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at Highmore Vicarage.
 in the County of Oxford.
 by Mrs. Russell. Harnett M.A.

Lat. 51° 33' 10" Long. 0° 59' 25" W
 Nearest Railway Station Henley on Thames.
 Time of Observation 9 a.m.
 Diameter 5 in.
 Height of top above Ground 1 ft. - in.
 " " Sea Level 500 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	.03	.29	.16	.24			.01					1
2	.14	.03	.47	~~.29~~	.55			.20	.12	.07	.32		2
3	.20			.09	.64				.02	.21		.21	3
4	.71		.31	.06	.10			.01	.29	.36			4
5	.13		.08		.19		.02			.11			5
6	.05	.01	.31		.03					.43		.02	6
7			.01	.01	.18					.10	.03	.18	7
8	.14					.22			.11	.86	.02	.27	8
9	.13		.30		.07	.28		.17	.05	.04	.03	.28	9
10	.26		.08		.12	1.40		.03	.62	.23		.39	10
11				.02	.02	.30		.55	.04	1.26	.02	.08	11
12				.01						.14	.02	.50	12
13						.57		.38		.06	.05	.08	13
14			.10	.10		1.39	.01	.05		.41	.08		14
15		.02	.01		.15	.96		.04		.07			15
16					.32	.05	.06	.30		.03	.01		16
17	.25		.35		.09	.07	.27	.12			.09		17
18	.01		.03				.15	.01		.14		.01	18
19	.03		.01			.72	.01			.21		.03	19
20							.01	.30		.07	.03	.04	20
21							.12		.08	.44			21
22	.17	.10					.04		.01	.23	.02		22
23		.05	.62				.57	.17		.01	.02	.01	23
24		.16	.05			.01		.88	.14	.28	.01	.01	24
25		.13	.11	.40			.63	.01		.18		.01	25
26	.01	.22	.15	.45			.04		.12	1.07	.07		26
27	.44	.23	.07	.14	.01		.21	.10		.22	1.35	.03	27
28		.05	.10	.68	.63		.18	.16	.10	.05	.21	.01	28
29		—	.10	.12	.01		.46		.19	.78			29
30		—	.10	.06	.16		.01	.04			.01		30
31	.09	—		—		—	.03		—	.59	—		31
Totals	2.97	1.03	3.65	2.30	3.51	5.97	2.82	3.53	1.89	8.65	2.39	2.16	
Total from Jan. 1	2.97	4.00	7.65	9.95	13.46	19.43	22.25	25.78	27.67	36.32	38.71	40.87	✓

1904	Jan:	Feb:	Mar:	April:	May:	June:	July:	Aug:	Sept:	Oct:	Nov:
1:		.10	.03	.02	.29	.19	.08			.07	
2:		.52	.09	.07	.11	.01	.02		.18	.07	
3:	.14	.37	.11	.10			.01		.02		
4:	.22	.10	.01	.03				.34			
5:	.01	.01		.12	.04		.01			.16	
6:		.07			.06					.27	
7:	.12	.41	.19	.03	.01				.20	.05	
8:	.02	.09		.02	.02				.19	.04	
9:	.02	.37			.14	.13					
10:	.23	.28			.01			.02		.05	
11:	.04				.04			.38	.01		
12:	.15	.46		.12					.50		
13:	.22	.04				.07			.01		
14:	.08	.04	.02	.27		.35		.17	.27		
15:				.38		.06					
16:	.01	.17						.12		.32	
17:	.10	.12						.13		.03	
18:	.04			.01							
19:	.02	.11	.08				.08				
20:	.07		.01		.72						
21:		.01	.06		.10			.20		.28	
22:				.16	.04			.28			
23:				.01	.14			.07		.43	
24:			.02		.06	.21			.02	.02	
25:						.12	.58	.08			
26:	.16	.05		.01	.24	.05	.31		.04		
27:	.41				1.00		.20				
28:	.16	.01	.26				.02		.06		
29:	.21		.04	.04	.02		.24				
30:	.53	—	.18		.09		.34	.01	.47	.01	
31:	.50	—	.12	—	.04	—		.51	—	.03	
Total of Month	3.46	3.33	1.22	1.39	3.17	1.19	1.89	2.31	1.96	1.82	
Total to end of Month		6.79	8.01	9.40	12.57	13.76	15.65	17.96	19.92	21.74	
Rainy Days	22.	19.	14.	15.	19.	9.	11.	12.	12.	14.	

Year: March 1st. 1903 to Feb 29th. 1904:

Total fall: 43.66 inches
Rainy Days: 215.

!!

Notes see over.

For Nov. & Dec. apply to

Ms. R. G. Lucas.

The School House

Higmore

is continuing

who will continue the record.

N.B. The gauge will not be moved until the completion of the year.

(the Schoolmaster)

Henley on Thames

End of

5a

REGISTER OF RAINFALL IN 1904

Kept at Highmoor Vicarage
in the County of Oxford
by Robt. b. Lucas

Lat. 51° 33' 10" N Long. 0° 59' 25" W
Nearest Railway Station Denley on Thames
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground 1 ft. in.
" " Sea Level 500 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											nil	nil	1
2											"	.20	2
3											"	.03	3
4											"	.23	4
5											"	.51	5
6											.48	~~nil~~ .33	6
7											.49	nil	7
8											.06	"	8
9											nil	.50	9
10											.61	.12	10
11											nil	.43	11
12											"	nil	12
13											"	.19	13
14											"	.23	14
15											.01	nil	15
16											nil	"	16
17											"	"	17
18											"	"	18
19											"	"	19
20											.03	"	20
21											.11	"	21
22											nil	"	22
23											"	"	23
24											"	"	24
25											"	"	25
26											"	"	26
27											"	"	27
28											"	"	28
29											.04	"	29
30											nil	"	30
31											"	"	31
Totals	3.46	3.33	1.22	1.39	3.17	1.19	1.89	2.31	1.96	1.82	1.83	2.77	
Total from Jan. 1												26.34	

REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL.

Kept at *The Schoolhouse Highmoor*
in the County of *Oxford*
by *Robt. L. Lucas*

RAIN GAUGE.

Lat. *51° 33' 10"* Long. *0° 59' 25"*
Nearest Railway Station *Henley-on-Thames*
Time of Observation *9-0 AM.*
Diameter *5* in.
Height of top above Ground *1* ft. *0* in.
Sea Level *500 T* ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.11</i>	<i>.09</i>	<i>nil</i>	<i>.01</i>	<i>nil</i>	<i>.07</i>	<i>1.10</i>	<i>nil</i>	1
2	<i>-</i>	<i>"</i>	<i>"</i>	<i>.01</i>	<i>.21</i>	<i>nil</i>	<i>"</i>	<i>nil</i>	<i>"</i>	<i>nil</i>	<i>.03</i>	<i>"</i>	2
3	<i>-</i>	<i>"</i>	<i>"</i>	<i>.05</i>	<i>nil</i>	<i>.02</i>	<i>"</i>	<i>nil</i>	<i>"</i>	<i>"</i>	<i>nil</i>	<i>.29</i>	3
4	<i>-</i>	<i>"</i>	<i>.09</i>	<i>nil</i>	<i>"</i>	<i>nil</i>	<i>"</i>	<i>.47</i>	<i>"</i>	<i>.14</i>	<i>.36</i>	<i>nil</i>	4
5	<i>.31</i>	<i>"</i>	<i>.21</i>	<i>nil</i>	<i>"</i>	<i>.71</i>	<i>.07</i>	<i>.10</i>	<i>"</i>	<i>nil</i>	<i>nil</i>	<i>"</i>	5
6	<i>.03</i>	<i>.06</i>	<i>nil</i>	<i>.04</i>	<i>"</i>	<i>.50</i>	<i>nil</i>	<i>nil</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>.09</i>	6
7	<i>nil</i>	<i>.06</i>	<i>.06</i>	<i>.17</i>	<i>"</i>	<i>.18</i>	<i>"</i>	<i>"</i>	<i>.11</i>	<i>"</i>	<i>"</i>	<i>.26</i>	7
8	<i>.01</i>	<i>nil</i>	<i>.26</i>	<i>nil</i>	<i>"</i>	<i>nil</i>	<i>"</i>	<i>"</i>	<i>nil</i>	<i>.10</i>	<i>"</i>	<i>nil</i>	8
9	<i>.08</i>	<i>"</i>	<i>.06</i>	<i>.40</i>	<i>"</i>	<i>nil</i>	<i>.44</i>	<i>.21</i>	<i>.86</i>	<i>nil</i>	<i>"</i>	<i>nil</i>	9
10	<i>nil</i>	<i>"</i>	<i>.50</i>	<i>.33</i>	<i>"</i>	<i>.06</i>	<i>nil</i>	<i>nil</i>	<i>.47</i>	<i>nil</i>	<i>1.28</i>	<i>nil</i>	10
11	<i>"</i>	<i>"</i>	<i>.27</i>	<i>.14</i>	<i>"</i>	<i>.16</i>	<i>"</i>	<i>"</i>	<i>nil</i>	<i>"</i>	<i>.09</i>	<i>"</i>	11
12	<i>.01</i>	<i>"</i>	<i>.11</i>	<i>nil</i>	<i>"</i>	<i>nil</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>.04</i>	<i>.34</i>	<i>"</i>	12
13	<i>nil</i>	<i>.02</i>	<i>.45</i>	<i>.10</i>	<i>"</i>	<i>.04</i>	<i>"</i>	<i>"</i>	<i>.04</i>	<i>nil</i>	<i>.13</i>	<i>"</i>	13
14	<i>"</i>	<i>nil</i>	<i>.37</i>	<i>.07</i>	<i>.02</i>	<i>nil</i>	<i>"</i>	<i>"</i>	<i>nil</i>	<i>"</i>	<i>nil</i>	<i>"</i>	14
15	<i>"</i>	<i>"</i>	<i>.65</i>	<i>nil</i>	<i>nil</i>	<i>.50</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>.18</i>	<i>.14</i>	<i>"</i>	15
16	<i>.22</i>	<i>.02</i>	<i>.14</i>	<i>.09</i>	<i>.01</i>	<i>nil</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>nil</i>	<i>nil</i>	<i>"</i>	16
17	<i>nil</i>	<i>nil</i>	<i>.34</i>	<i>nil</i>	<i>nil</i>	<i>.45</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	17
18	<i>"</i>	<i>"</i>	<i>.04</i>	<i>nil</i>	<i>.10</i>	<i>.04</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>.12</i>	18
19	<i>"</i>	<i>.04</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>"</i>	<i>.11</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	19
20	<i>"</i>	<i>nil</i>	<i>"</i>	<i>nil</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>.09</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	20
21	<i>"</i>	<i>.01</i>	<i>"</i>	<i>.02</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>.29</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	21
22	<i>"</i>	<i>nil</i>	<i>"</i>	<i>nil</i>	<i>"</i>	<i>"</i>	<i>.24</i>	<i>nil</i>	<i>"</i>	<i>.04</i>	<i>.27</i>	<i>"</i>	22
23	<i>.01</i>	<i>.05</i>	<i>.30</i>	<i>nil</i>	<i>"</i>	<i>"</i>	<i>.13</i>	<i>"</i>	<i>nil</i>	<i>nil</i>	<i>.02</i>	<i>"</i>	23
24	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>"</i>	<i>"</i>	<i>nil</i>	<i>"</i>	<i>~~nil~~</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	24
25	<i>"</i>	<i>"</i>	<i>.09</i>	<i>.12</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>.25</i>	<i>"</i>	<i>.09</i>	<i>"</i>	25
26	<i>"</i>	<i>.29</i>	<i>.10</i>	<i>.09</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>1.10</i>	<i>.10</i>	<i>"</i>	<i>nil</i>	<i>(.50)</i>	26
27	<i>"</i>	<i>nil</i>	<i>.05</i>	<i>nil</i>	<i>"</i>	<i>"</i>	<i>.03</i>	<i>nil</i>	<i>.05</i>	<i>"</i>	<i>nil</i>	<i>nil</i>	27
28	<i>"</i>	<i>.05</i>	<i>nil</i>	<i>nil</i>	<i>"</i>	<i>"</i>	<i>nil</i>	<i>1.20</i>	<i>nil</i>	<i>"</i>	<i>.22</i>	<i>nil</i>	28
29	<i>"</i>	<i>"</i>	<i>.12</i>	<i>.11</i>	<i>"</i>	<i>1.03</i>	<i>nil</i>	<i>nil</i>	<i>"</i>	<i>1.26</i>	<i>nil</i>	<i>nil</i>	29
30	<i>"</i>	<i>"</i>	<i>nil</i>	<i>.20</i>	<i>.91</i>	<i>.46</i>	<i>nil</i>	<i>"</i>	<i>"</i>	<i>.05</i>	<i>nil</i>	<i>nil</i>	30
31	<i>"</i>	<i>"</i>	<i>.01</i>	<i>"</i>	<i>nil</i>	<i>"</i>	<i>nil</i>	<i>"</i>	<i>"</i>	<i>.25</i>	<i>"</i>	<i>"</i>	31
Totals	<i>.67</i>	<i>.60</i>	<i>4.22</i>	<i>1.94</i>	<i>1.36</i>	<i>4.24</i>	<i>.91</i>	<i>3.58</i>	<i>1.88</i>	<i>2.13</i>	<i>4.07</i>	<i>(1.26)</i>	
Total from Jan. 1	<i>-</i>	<i>1.27</i>	<i>5.49</i>	<i>7.43</i>	<i>8.79</i>	<i>13.03</i>	<i>13.94</i>	<i>17.52</i>	<i>19.40</i>	<i>21.53</i>	<i>25.60</i>	<i>26.86</i>	

no observations

S.m.a.

REGI

OXFORD

Kept at Holton

HOLTON PARK.

in the County of OX

by Capt. Alford

1901-1902, 1910.

in. 3 ft. in.
ve Ground 3 ft. in.
Sea Level ft.
Name Wheatley
Distance 1 mi Direction

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in. <u>.16</u>	in.	in.	in.	in.	in. <u>.07</u>	in. <u>.04</u>	in.	in. <u>.35</u>	in.	in. <u>.36</u>	1
2							<u>.38</u>			<u>.05</u>		<u>.26</u>	2
3							<u>.15</u>					<u>.14</u>	3
4				<u>.25</u>								<u>.12</u>	4
5				<u>.10</u>	<u>.19</u>	<u>.05</u>	<u>.56</u>	<u>.75</u>					5
6				<u>.02</u>	<u>.15</u>		<u>.07</u>					<u>.03</u>	6
7			<u>.07</u>		<u>.07</u>	<u>.31</u>	<u>.13</u>				<u>.16</u>	<u>.03</u>	7
8			<u>.22</u>		<u>.19</u>						<u>.06</u>	<u>.14</u>	8
9	<u>.06</u>				<u>.19</u>	<u>4.98</u>						<u>.15</u>	9
10	<u>.07</u>					<u>.41</u>				<u>.08</u>	<u>.07</u>	<u>.18</u>	10
11	<u>.06</u>		<u>.12</u>		<u>.15</u>					<u>1.29</u>			11
12	<u>.21</u>				<u>.05</u>			<u>.08</u>		<u>.35</u>	<u>.06</u>	<u>.22</u>	12
13								<u>.05</u>			<u>.33</u>	<u>.25</u>	13
14									<u>.27</u>			<u>.50</u>	14
15		<u>.37</u>		<u>.05</u>					<u>.04</u>			<u>.60</u>	15
16	<u>.19</u>			<u>.05</u>						<u>.10</u>		<u>.25</u>	16
17		<u>.27</u>					<u>.00</u>			<u>.11</u>			17
18					<u>.41</u>					<u>.25</u>			18
19		<u>.27</u>			<u>.11</u>					<u>.27</u>			19
20							<u>.15</u>				<u>.06</u>	<u>.15</u>	20
21		<u>.29</u>		<u>.18</u>								<u>.43</u>	21
22		<u>.45</u>				<u>.11</u>	<u>.08</u>						22
23						<u>.10</u>		<u>.11</u>			<u>.57</u>	<u>.03</u>	23
24	<u>.20</u>	<u>.30</u>				<u>.15</u>	<u>.08</u>	<u>.02</u>		<u>.07</u>			24
25		<u>.15</u>				<u>.25</u>		<u>.39</u>					25
26								<u>.08</u>					26
27	<u>.31</u>			<u>.44</u>	<u>.08</u>					<u>.47</u>	<u>1.00</u>		27
28						<u>.11</u>		<u>.28</u>	<u>.05</u>	<u>.11</u>			28
29						<u>.11</u>	<u>.09</u>	<u>.15</u>					29
30						<u>.16</u>					<u>.26</u>		30
31	<u>.15</u>				<u>.23</u>					<u>.21</u>			31
Total	<u>1.25</u>	<u>2.26</u>	<u>.41</u>	<u>1.09</u>	<u>1.82</u>	<u>6.82</u>	<u>1.84</u>	<u>1.95</u>	<u>.36</u>	<u>3.71</u>	<u>2.57</u>	<u>4.16</u>	<u>28.24</u>
No. of Rain Days	<u>8</u>	<u>8</u>	<u>3</u>	<u>7</u>	<u>11</u>	<u>11</u>	<u>11</u>	<u>10</u>	<u>3</u>	<u>13</u>	<u>9</u>	<u>17</u>	<u>111</u>

S.M.A.

REGD

FORM A2.
BRITISH RAINFALL
JULY 1917

Kept at *Holton Cottage*
in the County of *Devon*
by *Capt. A. Gordon Russell*

Pattern _____
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground *3* ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation *9. AM*
Nearest Railway Station { Name *Wheatley*
Distance *1 1/2* Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.16					.07	.04		.35		.36	1
2							.38			.05		.26	2
3							.15					.18	3
4				.25								.12	4
5				.10	.19	.05	.56	.75					5
6				.02	.15		.07					.03	6
7			.07		.07	.31	.13				.16	.03	7
8			.22		.19						.06	.14	8
9	.06				.19	.49						.15	9
10	.07					.41				.08	.07	.18	10
11	.06		.12		.15					1.29			11
12	.21				.05			.08		.35	.06	.22	12
13								.05			.33	.25	13
14									.27			.50	14
15		.37		.08					.04			.60	15
16	.19			.05						.10		.25	16
17		.27					.08			.11			17
18					.41					.25			18
19		.27			.11					.27			19
20							.15				.06	.15	20
21		.29		.18								.43	21
22		.45				.11	.08						22
23						.18		.11			.57	.03	23
24	.20	.30				.15	.08	.02		.07			24
25		.15				.25		.39					25
26								.08					26
27	.31			.44	.08					.47	1.00		27
28						.11		.28	.05	.11			28
29						.11	.09	.15					29
30						.16					.26		30
31	.15				.23					.21			31
Total	1.25	2.26	.41	1.09	1.82	6.82	1.84	1.95	.36	3.71	2.57	4.16	TOTAL FOR YEAR
No. of Rain Days	8	8	3	7	11	11	11	10	3	13	9	17	111

REGISTER OF RAINFALL IN 1902

Kept at *Hollow Park*

in the County of *Essex*

by *T. F. Freeman*

RAIN GAUGE.

Lat. *57° 45' N* Long. *1° 2' W*

Time of Observation *9 a.m.*

Diameter *5 in.*

Height of top above Ground *12 in.*

„ „ Sea Level *290 ft*

NOTE.—Full instructions respecting the measurement of rain are given in “*The British Rainfall Organization—Rules for Rainfall Observers*,” which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	.	.14	.02	.01	.05	.07	.	.	.	.	.15	1
2	.	.	.05	.	.03	.	.	.	.10	.	.	.	2
3	.	.04	.	.	.30	.	.	.02	.	.	.	.	3
4	.12	.	.	.12	.03	.08	.	.02	.	.	.	.	4
5	.	.	.	.10	.03	.03	.	.30	.	.	.17	.	5
6	.	.	.	.	.	.18	.	.11	.	.	.13	.	6
7	.	.02	.	.	.05	.08	.	.26	.	.	.	.	7
8	.	.13	.	.	.	.	.	.10	.	.	.18	.	8
9	.04	.	.	.	.	.	.17	.03	.03	.32	.01	.	9
10	.	.	.	.	.	.	.01	.06	1.08	.18	.	.	10
11	.02	.	.	.09	.	.08	.	.	.35	.	.03	.	11
12	.	.	.	.	.	.13	.	.	.	.	.	.08	12
13	.	.	.	.	.	.35	.	.30	.	.14	.	.05	13
14	.	.	.41	.12	.10	.25	.	.	.	.	.	.11	14
15	.	.	.	.36	.05	.11	.	.	.01	.20	.	.07	15
16	.	.	.	.	.09	.10	.	.	.	.	.	.08	16
17	.	.	.	.	.13	.	.	.18	.	.40	.	.30	17
18	.	.	.	.	.04	.	.	.41	.	.	.	.	18
19	.	.	.	.	.02	.18	.04	.04	.	.15	.	.01	19
20	.	.	.01	.	.	.02	.	.	.	.	.	.	20
21	.	.	.	.05	.	.	.	.	.	.08	.	.	21
22	.	.27	.	.05	.32	.02	.04	.33	.03	.	.	.	22
23	.	.08	.	.	.	.	.	.04	.	.	.	.	23
24	.	.13	.18	.	.	.	.	.	.	.	.21	.	24
25	.	.04	.	.	.	.	.16	.	.	.02	.03	.	25
26	.23	.12	.19	.	.	.	.32	.	.	.03	.07	.	26
27	.02	.07	.	.	.	.	.	.	.	.	.15	.02	27
28	.	.02	.	.	.	.	.	.	.	.04	.40	.28	28
29	.	/	.10	.	.10	.	.	.	.	.02	.28	.	29
30	.01	/	.14	.10	.12	.06	.	.05	.	.	.05	.18	30
31	.	/	.	.	.08	/	.	.27	/	.	/	.	31
Totals	.66	.92	1.22	1.01	1.50	1.72	.81	2.72	1.60	1.58	1.71	1.33	
Total from Jan. 1	.66	1.58	2.80	3.81	5.31	7.03	7.84	10.56	12.16	13.74	15.45	16.78	

REGISTER OF RAINFALL IN 1901

Kept at Holton Park
in the County of Bedford
by Hon. J. F. Fermanthe

RAIN GAUGE.

Lat. 51°45'N Lon. 1°8'W
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground 12 in.
" " Sea Level 290 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.	.06	.02	.	.	.	.	.	.	.	.	1
2	.	.02	.20	.05	.	.	.10	.	.	.	.	.	2
3	.	.	.03	.58	.	.16	.	.	.	.24	.	.	3
4	.	.35	.07	.	.	.	.	.02	.	.	.	.	4
5	.	.03	.06	.17	.	.	.	.10	.	.	.	.01	5
6	.02	.	.09	.03	.06	.	.	.	.	.07	.	.	6
7	.10	.01	.10	.03	.50	.	.	.	.04	.	.	.21	7
8	.07	.	.	.15	.30	.	.	.	.35	.	.	.02	8
9	.	.	.	.23	.23	.	.	.	.	.	.	.10	9
10	.	.03	.	.07	.	.	.	.	.	.02	.	.	10
11	.	.	.	.28	.	.	.	.17	.18	.	.05	.10	11
12	.	.	.	.06	.	.16	.	.14	.	.01	.12	.91	12
13	.	.	.	.18	.	.	.	.03	.	.	.20	.10	13
14	.	.	.	.08	.	.	.	.72	.	.	.	.	14
15	.	.	.	.18	.	.	.	.	.	.	.	.02	15
16	.15	.	.	.11	.	.	.	.	.69	.30	.	.	16
17	.23	.02	.	.	.	.	.	.	.55	.05	.	.02	17
18	.05	.05	.	.	.	.	.	.	.	.17	.	.	18
19	.06	.	.24	.	.10	.	.	.	.	.	.	.	19
20	.	.02	.	.	.09	.	.	.	.29	.29	.	.	20
21	.	.07	.	.	.03	.	.	.	.10	.	.04	.	21
22	.	.	.	.	.05	.	.	.	.	.29	.03	.	22
23	.	.	.	.	.	.	.	.	.	.	.	.24	23
24	.	.	.	.	.	.	.44	.	.	.09	.	.50	24
25	.	.	.03	.	.	.	.39	.17	.	.	.03	.02	25
26	.03	.08	.01	.	.	.	.79	.30	.	.	.	.	26
27	.23	.	.	.05	.	.	.80	.29	.	.	.	.03	27
28	.04	.20	.02	.	.	.	.05	.	.	.	.	.35	28
29	.	/	.05	.	.25	.13	.	.	.	.05	.	.27	29
30	.	/	.38	.	.05	.75	.	.02	.	.	.	.02	30
31	.	/	.06	/	.	/	.	.15	/	.	/	.05	31
Totals	1.02	.88	1.40	2.27	1.39	1.47	2.57	2.11	2.20	1.29	.47	2.97	
Total from Jan. 1	1.02	1.90	3.30	5.57	6.96	8.43	11.00	13.11	15.31	16.60	17.07	20.04	

50

REGI

OXFORD.

04

FORM A.
BRITISH RAINFALL.

Kept at Islip IS
in the County of Oxford
by Colonel G. E. Ellis

ISLIP.

1904, 1908-1910.

Long. _____
Station Islip
tion 9 a.m.
in. _____
ve Ground 1 ft. _____ in.
Sea Level 200 ft.

NOTE.—Full instructions respecting the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.04			.34						.32		1
2		.20	.07										2
3		.36	.31				.28		.18			.10	3
4	.06	.05						.17					4
5	.08			.20								.05	5
6					.15			.01		.14		.18	6
7	.17	.42	.31						.19		.53	.37	7
8		.12								.03			8
9	.01	.81		.08	.10	.23					.30		9
10	.25	.38										.27	10
11								.30					11
12		.47		.08					.34			.21	12
13	.12												13
14	.31	.11	.06	.23		.37		.11	.35			.22	14
15	.18	.12		.18								.05	15
16										.19			16
17								.23					17
18	.07												18
19		.10	.05				.13						19
20					.63								20
21	.05	.02								.10			21
22				.12			.04	.91	.04				22
23					.12					.14			23
24					.05	.17							24
25							1.04	.06	.10				25
26		.09			.48	.05	.72				.10		26
27	.09				<u>1.12</u>							.13	27
28	.21		.23				.18				.09		28
29	.41						.40				.11	.05	29
30	.38		.10		.11		.05		.35	.05			30
31	.70							.31					31
Totals	3.09	3.39	1.13	.89	3.10	.82	2.84	2.10	1.55	.65	1.45	1.63	
Total from Jan. 1		6.48	7.61	8.50	11.60	12.42	15.26	17.36	18.91	19.56	21.01	22.64	
									Grand Total	22.64			

50

REGI

04

FORM A.
BRITISH RAINFALL.Kept at *Islip* *ISLIP*in the County of *Oxford*by *Colonel G. E. Elliot*

Lat. Long.

Nearest Railway Station *Islip*Time of Observation *9.2 m*

Diameter in.

Height of top above Ground *1* ft. in." " Sea Level *200* ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in
"Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.04			.34						.32		1
2		.30	.07										2
3		.36	.31				.28		.18			.10	3
4	.06	.05						.17					4
5	.08			.20								.05	5
6					.15			.01		.14		.18	6
7	.17	.42	.31						.19		.53	.37	7
8		.12								.03			8
9	.01	.81		.08	.10	.23					.30		9
10	.25	.38										.27	10
11								.30					11
12		.47		.08					.34			.21	12
13	.12												13
14	.31	.11	.06	.23		.37		.11	.35			.22	14
15	.18	.12		.18								.05	15
16										.19			16
17								.23					17
18	.07												18
19		.10	.05				.13						19
20					.63								20
21	.05	.02								.10			21
22				.12			.04	.91	.04				22
23					.12					.14			23
24					.05	.17							24
25							1.04	.06	.10				25
26		.09			.48	.05	.72				.10		26
27	.09				<u>1.12</u>							.13	27
28	.21		.23				.18				.09		28
29	.41						.40				.11	.05	29
30	.38		.10		.11		.05		.35	.05			30
31	.70							.31					31
Totals	3.09	3.39	1.13	.89	3.10	.82	2.84	2.10	1.55	.65	1.45	1.63	
Total from Jan. 1		6.48	7.61	8.50	11.60	12.42	15.26	17.36	18.91	19.56	21.01	22.64	
									Grand Total	22.64			

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

Kept at *Islip*

in the County of *Oxon*

by *Colonel Geo E Elliot*

Lat.

Long.

Nearest Railway Station *Islip*

Time of Observation *9 a.m.*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. in.

" " " Sea Level *200* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						<i>.46</i>			<i>.14</i>				1
2			<i>.18</i>		<i>.40</i>								2
3		<i>.07</i>	<i>.23</i>	<i>.03</i>					<i>.46</i>				3
4				<i>.05</i>			<i>.10</i>		<i>.07</i>			<i>.13</i>	4
5				<i>.13</i>	<i>.11</i>			<i>.03</i>				<i>.07</i>	5
6	<i>.11</i>		<i>.47</i>		<i>.20</i>								6
7	<i>.13</i>				<i>.10</i>		<i>.04</i>			<i>.05</i>			7
8	<i>.42</i>				<i>.03</i>		<i>.14</i>		<i>.05</i>	<i>.05</i>		<i>.12</i>	8
9			<i>.05</i>				<i>.44</i>		<i>.20</i>	<i>.27</i>		<i>.17</i>	9
10								<i>.02</i>			<i>.03</i>	<i>.13</i>	10
11			<i>.07</i>			<i>.13</i>	<i>.18</i>		<i>.10</i>				11
12							<i>.20</i>	<i>.06</i>			<i>.11</i>	<i>.15</i>	12
13				<i>.06</i>			<i>.21</i>	<i>.05</i>				<i>.08</i>	13
14					<i>.26</i>		<i>.62</i>		<i>.06</i>		<i>.09</i>	<i>.15</i>	14
15		<i>.08</i>	<i>.08</i>		<i>.15</i>				<i>.14</i>				15
16		<i>.21</i>				<i>.44</i>	<i>.50</i>		<i>.07</i>	<i>.14</i>		<i>.15</i>	16
17		<i>.09</i>				<i>.61</i>	<i>.23</i>					<i>.04</i>	17
18		<i>.06</i>											18
19									<i>.25</i>	<i>.04</i>	<i>.29</i>	<i>.14</i>	19
20								<i>.26</i>	<i>.09</i>	<i>.24</i>		<i>.07</i>	20
21		<i>.06</i>						<i>.28</i>	<i>.02</i>	<i>.18</i>			21
22		<i>.16</i>	<i>.10</i>	<i>.19</i>	<i>.06</i>			<i>.18</i>			<i>.25</i>		22
23				<i>.71</i>				<i>.67</i>					23
24		<i>.03</i>	<i>.38</i>							<i>.04</i>			24
25	<i>.09</i>		<i>.43</i>	<i>1.30</i>				<i>.02</i>	<i>.08</i>		<i>.09</i>		25
26		<i>.11</i>						<i>.39</i>	<i>.10</i>	<i>.09</i>			26
27		<i>.03</i>	<i>.22</i>	<i>.38</i>				<i>.06</i>		<i>.05</i>			27
28	<i>.10</i>	<i>.06</i>						<i>.22</i>		<i>.04</i>	<i>.11</i>	<i>.26</i>	28
29			<i>.11</i>	<i>.50</i>	<i>.03</i>						<i>.15</i>	<i>.30</i>	29
30			<i>.36</i>	<i>.40</i>				<i>.06</i>		<i>.02</i>			30
31					<i>.04</i>			<i>.90</i>					31
Total	<i>1.35</i>	<i>.96</i>	<i>2.68</i>	<i>3.75</i>	<i>1.38</i>	<i>1.64</i>	<i>2.66</i>	<i>3.20</i>	<i>1.83</i>	<i>1.21</i>	<i>1.12</i>	<i>2.04</i>	TOTAL for year <i>23.82</i>
No. of Rain Days	<i>5</i>	<i>11</i>	<i>12</i>	<i>10</i>	<i>10</i>	<i>4</i>	<i>10</i>	<i>14</i>	<i>14</i>	<i>12</i>	<i>8</i>	<i>14</i>	<i>124</i>

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL.

Kept at *Selkirk*

in the County of *Oxford*

by *Colonel Geo. E. Elliot*

Pattern
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *3* ft.
" " " Sea Level *200* ft.
Time of Observation *9 a.m.*
Nearest Railway Station { Name *Selkirk*
Distance *1/2 m.* Direction *NE*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03			.03	.57		.55	.05	.18		.15	1
2						.08				.02	.05	.37	2
3	.10		.18				.06			.28		.18	3
4	.14					.55			.16	.11		.18	4
5						.10	.05			.12			5
6			.80			.59	.32		.04	.15			6
7	.07		.06				.03		.07	.02			7
8													8
9	.06	.04	.04				.37			.53		.40	9
10	.12	.24				.09			.04	.08		.33	10
11						.05	.15			.05			11
12	.05			.02		.07			.13	.16	.03		12
13	.08		.18	.19	.11		.05		.10				13
14		.03								.01	.31		14
15	.23		.05				.28		.12	.19			15
16					.24		.03		.04	.18		.13	16
17					.02			1.10	.36	.03		.08	17
18	.10		.07				.01	.84				.03	18
19			.02	.39						.08			19
20			.08			.52	.10	.29		.22			20
21			.04			.36	.01		.05	.04		.43	21
22				.20						.08		.02	22
23			.38	.5		.78		.30	.18	.20		.18	23
24			.12		.83	.09		.16	.48			.03	24
25					.17	.09	.23	.17	.03	.05		.07	25
26		.07		.02	.23	.18				.59		.12	26
27		.04	.23		.09		.67		.14	.03			27
28			.08	.11	.09	.10			.34	.09			28
29	.08			.66		.35	.07	.12	.02		.10		29
30				.08			.16		.17		.76		30
31	.13				.13		.02			.05			31
Total	1.16	.45	2.33	1.72	1.94	4.52	2.61	3.53	2.52	3.54	.65	2.70	TOTAL for year 21.61
No. of Rain Days	11	6	14	19	10	16	17	8	18	25	5	15	154

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.

Kept at Islip

in the County of Oxon

by Colonel G. E. Eliot

RAIN GAUGE
Pattern
Diameter of top 6 in.
Height of top above Ground 3 ft.
" " " Sea Level 200 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Islip
Distance 1/2 mile Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.00	.34			.02	.02	.01	.05		.34		.40	2
3					.12		.56			.08		.35	3
4							.15	.10			.46		4
5					.06			.30				.56	5
6	.05	.09		.41	.04		.63					.08	6
7		.18		.07	.05						.21		7
8		.04				.33					.12		8
9	.08		.04		.02							.18	9
10	.09		.30		.04	1.41		.22				.09	10
11	.07	.04				.25					.11	.10	11
12	.27	.04			.12			.12		1.85	.06		12
13	.08		.13		.08			.02		.22	.38	.16	13
14	.05	.10		.20	.05			.05				.25	14
15	.08	.26							.28		.02	.70	15
16	.08	.05		.90								.69	16
17	.10	.05		.06			.08			.12		.25	17
18	.04	.16	.13		.25			.01		.03		.04	18
19	.05	.14		.18	.26			.17		.22			19
20		.06			.10		.15			.06	.06		20
21		.12					.14	.05				.63	21
22		.08						.01				.50	22
23		.40											23
24	.17						.12	.20			.62	.02	24
25	.08	.10		.17				.19				.03	25
26		.18				.60	.03	.09	.02	.05			26
27		.11		.10				.13				.05	27
28	.42	.06		.03		.21	.03			.47	1. -		28
29	.06	.06		.22	.19		.21	.37	.01	.09			29
30				.02				.21					30
31					.05	.08		.02			.33		31
					.08					.24			31
Total	1.56	2.66	.60	2.36	1.53	2.90	2.11	2.31	0.31	3.77	3.37	5.06	TOTAL for year 28.57
No. of Rain Days	13	22	4	11	16	7	11	18	3	12	11	18	145

S.O.

REGIS

OXFORD

Kept at Kidmore End

in the County of Oxford

by Thomas F. Higg

KIDMORE END SCH'

1909-1910.

in bottle
5 in.
Ground ft. 11
Sea Level 330 ft.
L.m.
Name Reading
Distance 5 m. Direction South

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					03	1.23		22	16	25		20	1
2			10			05		01				60	2
3						12	06			08		16	3
4		03				80			36	08			4
5			25			33	05			20		25	5
6			80			22	49						6
7	04		03				04			38	05		7
8			05						20				8
9	08	07	03				40			10		15	9
10	15	22				04				35		25	10
11			01				16		20	14			11
12	03			02		02				30		04	12
13	09	02	28	28					20	15			13
14	08			10			02			02	10		14
15	03									20			15
16				02	12		25	04		44		15	16
17				01				82	55	27		25	17
18	06		20		04			28					18
19			18	47				04					19
20							02	32		20			20
21			05			22						65	21
22			06	34		05	02			15			22
23			01	06		49	13		16	10			23
24			31		80	36	06	28	25		02		24
25			10	07	02	30	13	26	04	12		12	25
26				02	16	46			03	64			26
27			20	12	08	01	1.06		02	95	04		27
28			16	01	06	06			70	20	08		28
29			23	38		02	06		34	08	14		29
30			26	16			11		08				30
31	21		04		11								31
Total	77	34	3.35	1.86	1.42	4.78	3.06	2.29	3.29	5.32	43	2.82	TOTAL for year 29.71
No. of Rain Days	9	4	20	14	9	17	16	9	14	22	6	11	151

REGIS

Kept at Kidmore End School

in the County of Oxford

by Thomas F Higgins

RAIN
GAUGE

Pattern Funnel in bottle

Diameter of top 5 in.

Height of top above Ground 11 ft.

" " " Sea Level 330 ft.

Time of Observation 9 a.m.

Nearest Railway Station

Name Reading

Distance 5 m. Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					03	1.23		22	16	25		20	1
2			10			05		01				60	2
3						12	06			08		16	3
4		03				80			36	08			4
5			25			33	05			20		25	5
6			80			22	49						6
7	04		03				04			28	05		7
8			05						20				8
9	08	07	03				40			10		15	9
10	15	22				04				35		25	10
11			01				16		20	14			11
12	03			02		02				30		04	12
13	09	02	28	28					20	15			13
14	08			10			02			02	10		14
15	03									20			15
16				02	12		25	04		44		15	16
17				01				82	55	27		25	17
18	06		20		04			28					18
19			18	47				04					19
20							02	32		20			20
21			05			22						65	21
22			06	34		05	02			15			22
23			01	06		49	13		16	10			23
24			31		80	36	06	28	25		02		24
25			10	07	02	30	13	26	04	12		12	25
26				02	16	46			03	64			26
27			20	12	08	01	06		02	95	04		27
28			16	01	06	06			70	20	08		28
29			23	38		02	06		34	08	14		29
30			26	16			11		08				30
31	21		04		11								31
Total	77	34	3.35	1.86	1.42	4.78	3.06	2.29	3.29	5.32	43	2.82	TOTAL for year 29.71
No. of Rain Days	9	4	20	14	9	17	16	9	14	22	6	11	151

REGISTER OF RAINFALL IN 1910

Kept at Kidmore End Sch.

in the County of Oxford 4

by J. F. Higgins Headmaster.

Pattern A funnel in bottle
 RAIN GAUGE Diameter of top 5 in.
 Height of top above Ground 1 ft. — in.
 " " " Sea Level 332 ft.
 Time of Observation 9 a.m.
 Nearest Railway Station { Name Reading
 Distance 5m. Direction S.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. <u>.12</u>	in. <u>.06</u>	in.	in.	in. <u>.03</u>	in. <u>.08</u>	in. <u>.07</u>	in. <u>.07</u>	in.	in. <u>.15</u>	in.	in. <u>.21</u>	1
2		<u>.24</u>					<u>.36</u>	<u>.08</u>		<u>.07</u>		<u>.24</u>	2
3					<u>.18</u>		<u>.13</u>	<u>.10</u>			<u>.52</u>	<u>.53</u>	3
4				<u>.14</u>				<u>.20</u>				<u>.49</u>	4
5		<u>.10</u>		<u>.12</u>			<u>.78</u>	<u>.30</u>				<u>.01</u>	5
6		<u>.31</u>		<u>.09</u>	<u>.03</u>	<u>.05</u>	<u>.01</u>				<u>.20</u>	<u>.02</u>	6
7			<u>.10</u>			<u>.50</u>			<u>.01</u>		<u>.04</u>		7
8	<u>.02</u>	<u>.10</u>			<u>.13</u>							<u>.31</u>	8
9	<u>.12</u>		<u>.46</u>			<u>5.51</u>						<u>.42</u>	9
10	<u>.05</u>	<u>.05</u>				<u>.35</u>		<u>.03</u>		<u>.06</u>	<u>.07</u>	<u>.38</u>	10
11	<u>.20</u>	<u>.06</u>	<u>.19</u>					<u>.06</u>		<u>1.16</u>	<u>.05</u>	<u>.09</u>	11
12	<u>.14</u>		<u>.03</u>	<u>.17</u>	<u>.23</u>			<u>.01</u>		<u>.50</u>	<u>.02</u>	<u>.95</u>	12
13	<u>.02</u>	<u>.15</u>		<u>.06</u>	<u>.17</u>					<u>.03</u>	<u>.37</u>	<u>.23</u>	13
14		<u>.63</u>		<u>.05</u>					<u>.24</u>		<u>.02</u>	<u>.70</u>	14
15	<u>.06</u>			<u>.10</u>	<u>.10</u>						<u>.01</u>	<u>.65</u>	15
16	<u>.04</u>	<u>.15</u>	<u>.07</u>	<u>.16</u>						<u>.17</u>		<u>.38</u>	16
17	<u>.10</u>	<u>.69</u>	<u>.05</u>					<u>.03</u>		<u>.15</u>		<u>.05</u>	17
18	<u>.03</u>	<u>.26</u>	<u>.07</u>	<u>.02</u>	<u>.39</u>			<u>.20</u>		<u>.16</u>		<u>.01</u>	18
19					<u>.06</u>					<u>.16</u>	<u>.05</u>		19
20		<u>.67</u>					<u>.15</u>	<u>.02</u>				<u>.12</u>	20
21		<u>.01</u>		<u>.25</u>								<u>.40</u>	21
22	<u>.01</u>	<u>.30</u>		<u>.10</u>		<u>.30</u>	<u>.14</u>						22
23	<u>.45</u>	<u>.13</u>				<u>.13</u>		<u>.16</u>		<u>.01</u>	<u>.68</u>	<u>.04</u>	23
24	<u>.15</u>	<u>.30</u>				<u>.23</u>	<u>.08</u>			<u>.04</u>	<u>.05</u>	<u>.02</u>	24
25		<u>.09</u>		<u>.15</u>		<u>.13</u>	<u>.12</u>	<u>.12</u>		<u>.02</u>			25
26				<u>.01</u>		<u>.01</u>		<u>.07</u>					26
27	<u>.65</u>	<u>.08</u>				<u>.16</u>				<u>.60</u>	<u>.90</u>		27
28	<u>.20</u>	<u>.14</u>		<u>.37</u>	<u>.08</u>		<u>.12</u>	<u>.34</u>		<u>.05</u>			28
29				<u>.01</u>	<u>.02</u>	<u>.14</u>		<u>.30</u>			<u>.02</u>		29
30								<u>.05</u>			<u>.37</u>		30
31					<u>.23</u>			<u>.05</u>		<u>.38</u>			31
Total	<u>2.36</u>	<u>4.52</u>	<u>.97</u>	<u>1.80</u>	<u>1.65</u>	<u>7.59</u>	<u>1.96</u>	<u>2.19</u>	<u>.25</u>	<u>3.71</u>	<u>3.37</u>	<u>6.25</u>	TOTAL for year <u>36.62</u>
No. of Rain Days	<u>16</u>	<u>20</u>	<u>7</u>	<u>15</u>	<u>12</u>	<u>12</u>	<u>10</u>	<u>18</u>	<u>2</u>	<u>16</u>	<u>15</u>	<u>21</u>	<u>164</u>

S.A.

REGI

OXFORD

53

Kept at

Kingham

KINGHAM

in the County of

by

Thomas

1903-1905.

Long.

f Observation

7 PM

er

5 1/2 In

of top above Ground

3 feet

„

Sea Level

440 feet

NOTE.—Full instructions respecting Observers," which is sent post-free on application to MR. SOWERBY WALLIS or DR. H. R. MILL, at 62, Camden Square, London, N.W.

nfall Organization—Rules for Rainfall

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		10	38	14	16			2		1	6		1
2	28		34		11			2	14	4	10		2
3	35		6	6	63			35	16	3	11		3
4	36		1	5	36					24		16	4
5	102		16		68				3	55			5
6	7				60				19	23			6
7	4	2	12		10							22	7
8	16			4					7	42		5	8
9	1		8		26	30			21	7	4	31	9
10			26		11	76		3	35			7	10
11	15				8	28		12	30	75		1	11
12				13			2	9	6	79		5	12
13				3	3	6				6		40	13
14			30		60	5	43		12	11	2		14
15				5	6	163		5	51				15
16		3			26	46	6			7	1		16
17			20		47	10		27		25	10	2	17
18	10		33				31	25		4			18
19	2					18	27	8		15			19
20	2					36	8	21		1	9	6	20
21	1	3					10	21		1		2	21
22	5	6	42				93		11	14			22
23	18	25					13					5	23
24	1	4					46	38	15	8	8	10	24
25	1	56						15		28		1	25
26		25	9	43			39			49		2	26
27	15	31	41	54			38	5		16	33		27
28	18		14	6	74		69			50	68	1	28
29			17	71	26			52	52	15	29		29
30			13	17	16			1	10	1			30
31			4					3		8			31
Totals	317	161	364	224	507	473	357	275	229	624	200	1-58	
Total from Jan. 1													

S.A.

REGISTER OF RAINFALL IN 1903

Kept at Kingham
in the County of Wexford
by Thomas Shipps

KINGHAM

RAIN GAUGE.

Lat. Long.
Time of Observation 7 PM
Diameter 5 1/2 In
Height of top above Ground 3 Feet 3
" " Sea Level 440 Feet

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		10	38	14	16			2		1	6		1
2	28		34		11			2	14	4	10		2
3	35		6	6	63			35	16	3	11		3
4	36		1	5	36					24		16	4
5	102		16		68				3	55			5
6	7				60				19	23			6
7	4	2	12		10							22	7
8	16			4					7	42		5	8
9	1		8		26	30			21	7	4	31	9
10			26		11	76		3	35			7	10
11	15				8	28		12	30	75		1	11
12				13			2	9	6	79		5	12
13				3	3	6				6		40	13
14			30		6	60	5	43		12	11	2	14
15				5	6	163		5		51			15
16		3			26	46	6			7	1		16
17			20		47	10		27		25	10	2	17
18	10		33				31	25		4			18
19	2					18	27	8		15			19
20	2					36	8	21		1	9	6	20
21	1	3					10	21		1		2	21
22	5	6	42				93		11	14			22
23	18	25					13					5	23
24	1	4					16	38	15	8	8	10	24
25	1	56						15		28		1	25
26		25	9	43			39			49		2	26
27	15	31	41	54			38	5		16	33		27
28	18		14	6	74		69			50	68	1	28
29			17	71	26			52	52	15	29		29
30			13	17	16			1	10	1			30
31			4					3		8			31
Totals	317	161	364	224	507	473	357	275	239	624	200	158	
Total from Jan. 1													

38.99

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.

Kept at

Kingham

in the County of

Oxford

by

Thomas Shipps

Lat. Long.

Nearest Railway Station

Worton

Time of Observation

Diameter 5 in. $\frac{1}{2}$

Height of top above Ground 3 ft. in.

" " Sea Level 4.40 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		6		4						4.4	5		1
2		9	21		37	10	1					3	2
3	11	5.6	11	7			22		2.4			7	3
4	1	6	2.4					2.9				8	4
5	8	9								8		2.2	5
6			4	8							3	3.7	6
7	1.8		1.5						1	1.2	5.8	2	7
8	2	9.5	2.3	1					3.1	4			8
9	2	6.8		1							1.2	2.0	9
10	3.3	1.6			11	3.4				5	5	1.7	10
11	3	1.6						2.1			4.3		11
12	2	4.5			1				4.1			2.1	12
13	2.6	3.1		1.5								1	13
14	2.3	2.4	3			2.2		1.1	5.0			3.9	14
15		1	1	3.5		1.2		3				2	15
16		3				6					3		16
17		2.8						2.2		2.0			17
18	1.1	2										5	18
19	2	4	9							1.1			19
20		7					1.2	2.2				1	20
21		5	2		6.8			2.8	1		1.8		21
22		1		2.4				6.5	1.0	2	1.1		22
23				2	3		1.0	1.1		5	1.0		23
24					6				1.3				24
25			6			6	2.6		1	2		3	25
26	5	2.5	2		1.2		6.5	4					26
27	2.2				2.14		1.4						27
28	3.0		3		2		2					2	28
29	1		1.9				2.1					2	29
30	8.0			1			4.5	5	1.2				30
31	6.4		5		7								31
Totals	3.44	4.53	1.48	9.8	3.61	9.0	21.8	1.99	1.84	10.2	16.8	1.93	
Total from Jan. 1	3.44	4.53	1.48	9.8	3.61	9.0	21.8	1.99	1.84	10.2	16.8	1.93	25.62

REGISTER OF RAINFALL IN 1903

Kept at

Kingham

in the County of

Oxford

by

Thos. Phipps

Lat.

Long.

Nearest Railway Station

Time of Observation

Diameter

in.

Height of top above Ground

ft.

in.

"

"

Sea Level

ft.

in.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			5		8	1	78						1
2	3		2	3	17	6							2
3	1			6	1	1							3
4				1		7							4
5	26		21	1		2	3						5
6	5		3	31		85							6
7		11	4			9							7
8			2			16							8
9	35		18	8			36						9
10		3	15	34		3	5						10
11			49	41	5	17							11
12	5		56			9							12
13			12			2							13
14			43	26	1								14
15			37			35							15
16			23	6		73	1						16
17	20	1				5							17
18			5	1		12							18
19		4		3									19
20		6		5									20
21													21
22													22
23							3						23
24		3	26										24
25			4	18									25
26		38	3	8									26
27		5	11										27
28				3									28
29				4									29
30	3		2	17		74							30
31													31
Totals	101	72	341	208	32	357							
Total from Jan. 1	101	173	514	722	754								

Sea

REGIS

OXFORD.

Kept at Lewknor

LEWKNOR.

in the County of Oxon

by Miss M. F. S

1910

FORM A2.
BRITISH RAINFALL
17 MAR 1911

in.
Ground ft.
Sea Level ft.
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2											03		2
3											34		3
4													4
5													5
6											19		6
7											05		7
8													8
9													9
10											09		10
11											05		11
12													12
13											38		13
14											03		14
15											03		15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24											40		24
25													25
26													26
27											90		27
28													28
29													29
30											45		30
31													31
Total											2		TOTAL for year
No. of Rain Days													

Sea

REGIS

FORM A2.
BRITISH RAINFALL
17 MAR 1917

Kept at Lewknor
in the County of Oxon
by Miss M. F. Spencer

PATTERN
RAIN GAUGE Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2											03		2
3											34		3
4													4
5													5
6											19		6
7											05		7
8													8
9													9
10											07		10
11											05		11
12													12
13											38		13
14											03		14
15											03		15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24											40		24
25													25
26													26
27											90		27
28													28
29													29
30											45		30
31													31
Total											2		TOTAL for year
No. of Rain Days													

S. a.

REGIST

LYNEHAM

Kept at Lyneham
in the County of Wilt
by Reginald de Moh

OXON

1901-10

Lon.
Observation 9.0 AM
5.6
p above Ground 1.7
,, Sea Level 351.1

NOTE.—Full instructions respecting the
of the Rainfall," which is sent post-free on a

Systematic Observation and Record
Hamden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.14	.07	.06						.10			1
2		.08	.25	.14		.01	.15						2
3				.61		.02				.29			3
4		.37	.23							.02			4
5			.28					.10					5
6			.45	.11	.07				.03	.17		.06	6
7	.11		.17	.11	.32				.05			.34	7
8	.07		.02	.34	.29				.41	.03		.09	8
9				.30	.03				.01			.11	9
10	.02			.21					.02				10
11				.34				.10	.05		.19	.29	11
12				.06		.11		.12			.31	1.17	12
13				.14			.64	.06			.32	.21	13
14		.13		.24		.04		.64				.02	14
15				.18				.03				.05	15
16						.01			.61	.13			16
17									.15	.16		.06	17
18	.18	.07								.57			18
19	.15	.01	.21			.11			.02				19
20	.13					.20			.09				20
21		.06				.05			.02		.05		21
22						.07					.05		22
23							.12			.10		.57	23
24	.05						.78			.15		.25	24
25	.01		.03				.22	.22					25
26	.02	.23	.01				.25	.30					26
27	.25		.01				.20	.36					27
28	.07	.34					.04	.01				1.15	28
29	.01		.26		.37	.10				.07		.25	29
30			.17		.21	1.08		.01				.06	30
31			.05					.11				.13	31
Totals	1.11	1.43	2.21	2.84	1.29	1.80	2.40	2.06	1.46	1.79	.92	4.81	
Total from Jan. 1	1.11	2.54	4.75	7.59	8.88	10.68	13.08	15.14	16.60	18.39	19.31	24.12	

S. 0.

REGISTER OF RAINFALL IN 1901

Kept at Lynnham
in the County of Oxford
by Reginald de Mohun Pratt

RAIN GAUGE.

Lat. _____ Lon. _____
Time of Observation 9.0 AM
Diameter 5.6
Height of top above Ground 1.7
" " Sea Level 351.

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.14	.07	.06						.10			1
2		.08	.25	.14		.01	.15						2
3				.61		.02				.29			3
4		.37	.23							.02			4
5			.28					.10					5
6			.45	.11	.07				.03	.17		.06	6
7	.11		.17	.11	.32				.05			.34	7
8	.07		.02	.34	.29				.41	.03		.09	8
9				.30	.03				.01			.11	9
10	.02			.21					.02				10
11				.34				.10	.05		.19	.29	11
12				.06		.11		.12			.31	1.17	12
13				.14			.64	.06			.32	.21	13
14		.13		.24		.04		.64				.02	14
15				.18				.03				.05	15
16						.01			.61	.13			16
17									.15	.16		.06	17
18	.18	.07								.57			18
19	.15	.01	.21			.11			.02				19
20	.13					.20			.09				20
21		.06				.05			.02		.05		21
22						.07					.05		22
23							.12			.10		.57	23
24	.05						.78			.15		.25	24
25	.01		.03				.22	.22					25
26	.02	.23	.01				.25	.30					26
27	.25		.01				.20	.36					27
28	.07	.34					.04	.01				1.15	28
29	.01		.26		.37	.10				.07		.25	29
30			.17		.21	1.08		.01				.06	30
31			.05					.11				.13	31
Totals	1.11	1.43	2.21	2.84	1.29	1.80	2.40	2.06	1.46	1.79	.92	4.81	
Total from Jan. 1	1.11	2.54	4.75	7.59	8.88	10.68	13.08	15.14	16.60	18.39	19.31	24.12	

50

REGISTER OF RAINFALL IN 1902

Kept at *dyneham*
in the County of *Oxford*
by *Reginald de Mohun Pratt*

RAIN GAUGE.

Lat. _____ Lon. _____
Time of Observation *9.0 AM*
Diameter *5.4*
Height of top above Ground *16.7*
Sea Level *257*

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29		.17	.05	.03	.55			.09	.05		.31	1
2			.02		.13			.08	.15		.05		2
3	.02	.07		.02	.20			.01	.28			.03	3
4	.16			.05	.01	.02		.04	.01	.08			4
5				.09	.02			.14			.20		5
6					.02	.19		.28		.03	.12		6
7		.04			.15	.52		.17					7
8		.05						.10			.28	.01	8
9	.07				.04		.17	.02	.24	.57	.02		9
10	.02			.15			.15	.10	.95				10
11	.05				.01	.08		.17	.22	.06	.27		11
12			.04			.17		.02	.01		.01	.03	12
13					.11	.21		.02		.37		.05	13
14			.61	.19	.06	.46		.04				.36	14
15				.69	.03	.10			.04	.09		.20	15
16					.12	.25						.09	16
17					.25	.02	.13	.18		.25		.31	17
18					.14	.75		.33		.01		.02	18
19			.10	.04	.08		.04	.24		.19			19
20			.08	.02		.10		.01					20
21				.17									21
22		.27		.25	.53		.10	.07	.04	.05			22
23	.02	.24		.01				.05	.04				23
24	.06	.24	.40					.06			.41		24
25	.02	.11					.28				.20		25
26	.26	.22	.25				.18			.07	.03		26
27	.02	.19									.17	.09	27
28		~~.05~~						.09		.02	.58	.30	28
29			.07		.13	.14		.30		.05	.50	.02	29
30			.04	.04	.70	.14		.04			.10	.20	30
31					.18			.22					31
Totals	.99	148	178	177	294	370	105	278	207	189	294	202	
Total from Jan. 1	299	247	425	602	896	1266	1371	1649	1856	2045	2339	2541	

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at Limham
in the County of Oxford
by Reginald de Mohun Pratt

Lat. Long.
Nearest Railway Station Shipton
Time of Observation 9 A.M.
Diameter 5 in.
Height of top above Ground 1 ft. 7 in.
" " Sea Level 357 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28	.02	.47	.13	.18			.02	.03	.01			1
2	.18		.33		.72			.30	.13	.06	.21		2
3	.41		.02	.08	.44				.23	.21		.2-	3
4	.80		.12	.03	.15				.29	.45			4
5	.19				.73					.04	.03		5
6	.02	.01	.08		.07					.25			6
7			.03	.05	.09					.15		.27	7
8	.13					.28			.18	.25	.01	.25	8
9	.01		.36		.17	.23		.03	.07	.09	.05	.13	9
10	.24		.01		.05	.71		.08	.63	.21	.01	.04	10
11				.01				.24	.03	.64			11
12				.02			.03		.08	.37	.02	.38	12
13						.22		.39		.07	.05	.08	13
14			.27	.05		1.45		.19		.71	.03		14
15		.03	.02		.07	.97	.04	.04		.03			15
16					.35	.11		.31		.4-			16
17	.1-		.50		.36	.07	.1-	.24		.2-	.08		17
18	.02		.03				.06			.03			18
19	.03		.03			.68	.19	.03	.02	.01	.02	.07	19
20							.39	.39		.08	.05		20
21	.01	.02					.07		.11		.01	.03	21
22	.15	.14					.51					.05	22
23	.01	.07	.4-				.14	.27		.03	.07		23
24	.02	.48	.02				.43	.27	.22	.36		.1-	24
25	.02	.25	.02	.29			.04	.01		.31			25
26	.	.26	.43	.35			.51	.02	.02	.32	.03		26
27	.26		.1-	.47	.1-		.04	.07		.7-	.92		27
28	.01		.13	.72	.53		.25	.04	.37	.18	.3-		28
29			.18	.09	.37		.12		.22	.08			29
30			.09	.13	.18		.14	.04		.02			30
31	.07						.01			.24			31
Totals	2.96	1.28	3.64	2.42	4.56	4.67	3.07	2.98	2.63	6.50	1.89	1.60	
Total from Jan. 1	2.96	4.24	7.88	10.3-	14.86	19.53	22.6-	25.58	28.21	34.71	36.6-	38.20	

50

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.
21 JAN 1905

Kept at Lymington
in the County of Bedford
by W. Deane Pratt

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter _____ in.
Height of top above Ground _____ ft. _____ in.
" " Sea Level _____ ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.05	.02		.25	.12				.01	.01		1
2	.06	.28	.24	.02	.05		.24		.24			.11	2
3	.09	.38	.24	.06			.12		.01			.03	3
4	.11	.11	.01					.13				.19	4
5		.02	.03							.14	.02	.14	5
6		.11	.01	.09	.04			.02		.06	.33	.28	6
7	.22	.52	.31						.23	.06	.33	.03	7
8	.03	.54		.02					.12	.04	.12	.18	8
9	.03	.88			.14	.34					.03	.15	9
10	.32	.21		.04	.01			.09		.04	.49	.06	10
11	.05				.02			.14				.24	11
12	.22	.77			.01				.52			.02	12
13	.28	.12		.14		.03						.24	13
14	.23	.07	.04	.07		.37		.15	.57			.14	14
15		.01		.07		.14						.02	15
16		.16		.24	.02			.14	.01	.23			16
17	.11	.08				.02		.22				.03	17
18	.02	.03			.04		.17			.02	.05		18
19	.01	.11	.05							.01			19
20		.01			.58								20
21		.14	.02		.07		.05	.19		.03	.24		21
22				.14			.02	.71	.02		.03		22
23					.08	.06		.02	.04	.07	.11		23
24			.05		.02	.02	.61		.07	.03			24
25		.16	.03				.11	.06					25
26	.2-	.16			.25		.23						26
27	.35				<u>1.42</u>		.06			.02			27
28	.04		.25				.65					.08	28
29	.43		.09	.03								.17	29
30	.34		.03		.14	.02	.05		.57	.03			30
31	.72		.12				.02	.04		.03			31
Totals	3.86	4.84	1.50	.92	3.06	1.04	2.33	1.87	2.44	.78	1.76	2.03	
Total from Jan. 1	3.86	8.70	10.20	11.12	14.18	15.22	17.55	19.42	21.82	22.60	24.36	26.39	

50. REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL.

Kept at *Symcham*
in the County of *Oxford*
by *Reginald de Mohun Pratt*

Lat. Long.
Nearest Railway Station *Two mile*
Time of Observation *9.0 A.M.*
Diameter *5* in.
Height of top above Ground *1* ft. *7* in.
" " Sea Level *351* ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02		.12	.08	.07	.02	.02		.64	.02	1
2	.05		.05	.02	.08	.08	.03	.41			.03		2
3			.01	.10		.01		1.11		.03			3
4	.22		.03	.03				.13		.17	.32		4
5	.03		.20	.01		.18		.17	.02	.04	.05	.14	5
6	.01	.08	.02	.11		.88		.14	.21			.06	6
7		.01	.07	.15		.14		.12	.11	.06		.19	7
8	.24	.01	.27	.03				.01	.09			.02	8
9	.05	.01	.04	.31			.08		.24				9
10		.06	.48	.25		.06	.04	.01			.72		10
11	.05		.22	.30		.24				.01	.14		11
12		.01	.43			.03					.21		12
13		.01	.51	.27					.01		.06		13
14			.25	.11	.08		.01				.01		14
15			.48			.50		1.30		.12	.03		15
16	.27	.01	.06	.08		.63	.01						16
17		.01	.10			.17		.26				.08	17
18		.02		.01		.06		.03				.00	18
19		.06		.05		.07		.05	.04				19
20						.01							20
21							.04	.12		.03			21
22							.02	.12			.27		22
23	.03	.04	.24										23
24													24
25		.27	.10	.14				.12	.10		.18		25
26		.23	.08	.08				.04	.01	.07	.82		26
27	.01	.02	.04	.01				.50	.03			.10	27
28		.06	.04	.05				.78	.06	.10	.13	.14	28
29			.03	.03	.03	.36		.02	.08	.22		.16	29
30	.03			.34		1.15				.05	.18		30
31	.01				.03					.23			31
Totals	1.00	.91	3.76	2.47	.34	4.60	.30	5.46	1.02	1.13	3.79	1.00	
Total from Jan. 1	1.	1.91	5.67	8.14	8.48	13.08	13.38	18.84	19.86	20.99	24.78	25.78	

52
REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.

Kept at Syngham
in the County of Worcester
by Reginald de Mohun Poole

Lat. _____ Long. _____
Nearest Railway Station 2 miles
Time of Observation 9 AM
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " Sea Level 357 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24	.01	.03		.01	.15		.04		.35	.01	.01	1
2	.39	.07	.02		.13			.18		1.17		.08	2
3	.10				.10			.25			.06	.04	3
4	.60				.01					.75	.12	.01	4
5	.79		.01		.12		.12					.28	5
6	.09	.01					.01			.06	.83	.03	6
7	.43		.02		.03					.33	.43		7
8	.04	.09	.16							.20	1.15	.11	8
9	.09	.23								.19	.04		9
10		.12	.33				.06			.23			10
11	.20	.03	.21	.13						.02		.10	11
12	.35		.05	.05	.01				.06	.10		.09	12
13	.16	.04	.03			.05	.27		.30	.01	.01	.15	13
14	.02	.24	.09			.02		.05	.26		.09		14
15	.15	.21	.08		.02	.20		.03			.14	.38	15
16	.26	.22	.01	.14	.39	.29		.04	.18	.11	.13	.07	16
17	.36		.06		.01			.01	.01	.10	.02		17
18	.19	.22					.03		.04	.75	.04	.08	18
19	.11	.18							.02		.48		19
20	.03		.07	.02	.25				.01	.05	.01		20
21			.01				.01			.01			21
22		.03		.04	.02					.04	.01		22
23	.32	.02	.06	.04	.28			.01		.01			23
24	.02	.08	.06		.02			.23		.03	.01	.12	24
25		.01	.04		.12	.50						.40	25
26		.14	.09	.10	.32		.05			.03		.06	26
27		.25			.06	.13	.27			.01		.05	27
28		.03				1.20	.28			.34		.07	28
29	.01			.15		.08	.01			.07	.02		29
30				.06	.08					.07		.13	30
31										.01		.01	31
Total	4.95	2.23	1.43	.73	1.98	2.62	1.11	.04	.08	5.04	3.60	2.27	TOTAL for year 27.68
No. of Rain Days	22	20	19	9	18	9	10	9	8	25	18	20	187

20th April REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Kept at depreham
in the County of Oxford
by Reginald de Mohun Pratt.

Lat. _____ Long. _____
Nearest Railway Station Shipbourne
Time of Observation 9 AM
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " Sea Level 357 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.43			.02	.13	.22			.02	.39			1
2	.24		.04	.02	.11	.01		.60	.27	.02	.01	.53	2
3		.02		.01	.16	.15	.72		.15		.01	.04	3
4	.02				.01	.04	.20		.18		.01	.81	4
5	.01	.02	.07	.21		.09	.03	.02	.08	.21	.01		5
6			.05	.24	.03	.02	.02	.20		.34		.13	6
7			.09	.13	.06			.01			.02	.54	7
8		.17		.29	.08		.07			.04	.06	.24	8
9		.10	.20	.13	.03	.13	.03	.08		.18		.22	9
10	.07	.17	.06	.01		.39	.06			.44		.10	10
11		.16				.07		.09		.03	.02	.59	11
12		.27	.12	.70		.09		.01			.13	.07	12
13			.12		.60	.06		.03		.36		.44	13
14		.08	.02		.01	.22		.35		.41	.01	.03	14
15			.02							.03			15
16			.17					.03		1.15	.01		16
17			.04			.02		.49		.10	.18	.10	17
18		.10	.01					.01		.17	.09		18
19	.01	.30	.28			.07		.12		.22		.06	19
20		.08		.26	.02			.02		.75	.01		20
21		.03		.40	.06	.16	.95			.02		.22	21
22			.01		.19	.02	.74	.06		.09	.36	.02	22
23					.19	.19				.02		.03	23
24					.02	.06			.04		.16		24
25					.14	.02	.10	.03		.15	.29		25
26				.10	.08	.11	.09	.02			.56	.02	26
27	.03			.20			.07				.04		27
28	.08			.07			.02			.02	.08		28
29	.02			.01		.02	.05			.83			29
30				.09	.20	.07	.03	.04		.45		.01	30
31					.30								31
Total	.91	1.50	1.30	2.89	2.42	2.23	3.18	2.21	.74	6.42	2.06	4.20	TOTAL for year 3006
No. of Rain Days	9	12	15	17	19	22	15	18	6	23	19	19	194

REGISTER OF RAINFALL IN 1908

Lat. _____ Long. _____
 Nearest Railway Station Luton
 Time of Observation 9 AM
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 7 in.
 " " " Sea Level 351 ft.

Kept at Lymington
 in the County of Hampshire
 by Reginald de Mohun Pratt

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.08			.33			.04		.01		1
2			.08		.46				.05				2
3			.30		.13				.50				3
4				.16	.14		.20		.04			.10	4
5			.51	.27	.12		.37					.07	5
6	.11		.12	.01	.10								6
7	.75				.09	.04	.05			.06			7
8	.10		.12		.02		.16		.04	.13		.23	8
9	.02	.04	.11		.02		.52		.05	.74		.38	9
10			.02				.09	.03			.02	.23	10
11					.01	.07			.01		.15		11
12				.01		.02		.02		.02	.05	.15	12
13						.05	.10	.01			.05	.09	13
14	.01	.10			.53	.01	.05				.07	.15	14
15	.01	.28	.04		.13		.03		.08		.01	.01	15
16	.01	.12	.02			.08	.55		.05	.03		.13	16
17	.01	.04				.54	.21		.13				17
18		.01								.16	.12	.02	18
19									.06	.01		.14	19
20								.30		.73		.02	20
21		.23						.14		.05	.38	.04	21
22		.02	.17	.08	.06			.22	.22		.05	.02	22
23	.02	.03		.48				.75		.02			23
24			.54	.25				.02	.10	.02	.10		24
25	.03		.29	(.72)					.02	.02			25
26	.01	.06						.63	.05			.02	26
27		.03	.20	.40				.04		.12		.01	27
28	.14	.10		.64				.09		.05	.05	.07	28
29		.14	.10	.62	.04			.07		.07	.10	.22	29
30	.02		.26	.03				.08				.16	30
31	.02				.17			1.43		.01		.07	31
Total	1.26	1.2	2.96	3.67	2.02	1.14	2.33	3.83	1.44	1.64	1.11	2.33	TOTAL for year 24.53
No. of Rain Days	14	13	16	12	14	8	11	14	15	16	13	21	167

REGISTER OF RAINFALL IN 1909

Kept at Lynnham
in the County of Oxford
by Reginald de Mohun Pratt

Lat. _____ Long. _____
Nearest Railway Station 2 miles
Time of Observation 9 AM
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " Sea Level 357 ft.

FORM A.
BRITISH RAINFALL.
4 JAN 1910

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01					.64		.66	.11	.10		.18	1
2	.02		.26							.12	.04	.53	2
3			.09				.02			.25	.04	.19	3
4						.54			.26	.16		.09	4
5		.01	.47			.25	.03		.02	.05		.17	5
6	.01		1.32			.50	.32		.13			.13	6
7	.18						.01		.08	.38			7
8			.04						.04	.01			8
9	.03	.11	.01				.46			.02		.25	9
10	.16	.25	.01			.03			.02	.33	.07	.29	10
11	.01	.01	.02				.04		.01	.12		.03	11
12	.03			.07		.10			.15	.03		.03	12
13	.12		.28	.15	.07			.01	.10	.10	.05		13
14	.17		.03							.03	.24		14
15	.32						.16	.04	.07	.20			15
16	.02			.01	.04		.02	.03	.28	.88			16
17				.02				.79	.22	.08	.07	.22	17
18	.10		.27					.03				.37	18
19			.09	.28		.01		.03		.15			19
20			.09			1.07	.10	.15		.12		.10	20
21			.10			.33		.01	.03	.09			21
22			.07	.22		.27		.09		.03		.84	22
23			.01	.30		1.47	.03	.15	.03	.70		.02	23
24			.35	.01	.87	.07		.10	.43	.03	.04	.26	24
25			.08	.07	.05	.16	.17	.06	.01	.04	.02		25
26				.07	.45	.27	.02			.61		.12	26
27		.05	.17	.09	.01	.06	.60	.02	.23	.06	.12	.01	27
28			.23	.08	.09	.08	.02		.55	.06	.04	.18	28
29	.03			.68		.02	.01	.20	.05		.17	.01	29
30				.23			.12		.19		.09	.01	30
31	.02		.05		.31		.02			.07			31
Total	1.24	.43	4.06	2.28	1.89	5.87	2.15	2.37	3.01	4.12	.99	4.03	TOTAL for year 32.44
No. of Rain Days	15	5	21	14	8	17	17	15	21	27	12	21	193

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.
11 JAN 1911

Kept at Lyneham
in the County of Oxford 2
by Reginald de Mohun Pratt

Pattern
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 1 ft. 7 in.
" " " Sea Level 357 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Shipton
Distance 2 Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.38				.01		.12		.48		.45	1
2		.12			.05		.54	.03		.18		.30	2
3	.01				.11		.26	.13			.54	.57	3
4				.25	.05			.02				.20	4
5	.01	.08		.08	.09	.04	.56					.03	5
6	.02	.18	.03	.07	.01		.10				.41	.01	6
7		.13	.02		.04	3.11	.02				.20	.07	7
8	.06	.02	.03		.07							.17	8
9	.18	.01	.27			.83		.07				.27	9
10	.58	.12			.18	.34				.10	.07	.26	10
11	.15	.15	.11		.05	.01		.04	.09	.17	.10	.06	11
12	.37	.01	.09	.19	.03			.06		.50	.08	.44	12
13	.06	.11		.07				.06	.04	.02	.55	.22	13
14		.69		.14				.39	.30		.09	.69	14
15	.12	.12		.13					.01		.06	.79	15
16	.05	.12	.04	.37	.08					.11		.39	16
17	.07	.02	.03		.14		.36	.04		.10	.01	.09	17
18	.1	.34	.06	.03	.11			.36		.15	.01		18
19		.02		.05			.19	.03		.27	.05		19
20		.31		.23	.03			.10				.42	20
21		.12					.03	.05				.23	21
22	.03	.40				.16						.02	22
23	.15	.07		.02		.12		.32			.66	.01	23
24	.11	.45		.20		.15	.11				.01	.04	24
25		.33		.10		.50	.07	.16	.02	.08	.03		25
26		.10		.01				.06			.15	.11	26
27	.66	.02		.01		.17	.01			.33	.65		27
28	.06	.06		.29	.02	.06	.10	.66		.10			28
29				.02		.03		.28					29
30	.01			.02	.05	.05		.01			.41		30
31					.20					.43			31
Total	2.86	4.48	.68	2.28	1.31	5.58	2.35	2.99	.46	3.35	4.08	5.84	TOTAL for year 36.23
No. of Rain Days	20	26	9	19	17	14	12	20	5	14	18	23	197

Kept at *Magd.*
in the County of
by *J. J. Man*

NOTE.—Full instruction
Record of the Rainfall of the

MAGDALEN COLLEGE
OXFORDSHIRE
1901-1902

101
57° 45' N. Lon. 1° 15' W.
of Observation 10 am.
eter 5 inches
ht of top above Ground 1 ft.
Sea Level 186 ft.

pecting the Systematic Observation and
NS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	M								Oct.	Nov.	Dec.	Date.
	in.	in.									in.	in.	in.	
1	.01	.02									.02	-	-	1
2	-	.03									-	-	-	2
3	-	-									.22	-	-	3
4	-	.50	.024	-	-	-	-	.01	-	-	-	-	-	4
5	-	-	.10	.15	-	-	-	.11	-	-	-	-	.01	5
6	s. .05	.01	.10	.03	.07	-	-	-	-	.14	-	-	-	6
7	s. .11	.07	.12	.03	.55	-	-	-	.07	-	-	-	.19	7
8	s. .05	-	-	.07	.16	-	-	-	.40	.02	-	-	.01	8
9	-	-	-	.25	.16	-	-	-	-	-	-	-	.11	9
10	-	.02	-	.14	-	-	-	-	.01	.01	-	-	-	10
11	.01	-	-	.16	-	-	-	.16	.05	-	.08	.22	-	11
12	-	-	-	.06	-	.10	-	.15	-	-	.05	1.01	-	12
13	-	-	-	.17	-	-	.03	.07	-	-	.16	.12	-	13
14	-	-	-	.10	-	-	-	.61	-	-	-	s. .01	-	14
15	-	-	-	.16	-	-	-	-	-	-	-	s. .02	-	15
16	.14	-	-	.02	-	.03	-	-	.59	.32	-	-	-	16
17	.17	s. .03	-	-	-	-	-	-	.32	.06	-	.03	-	17
18	.14	s. .07	-	-	-	-	-	-	-	.11	-	-	-	18
19	.01	s. .01	s. .27	-	-	.10	-	-	-	-	-	-	-	19
20	-	-	-	-	-	.14	-	-	.52	-	-	-	-	20
21	-	.05	-	-	-	.08	-	-	.05	-	.07	-	-	21
22	.01	-	-	-	-	.07	-	-	-	.14	.03	-	-	22
23	-	-	-	-	-	-	.14	-	-	.03	-	s.r. .29	-	23
24	.01	-	.02	-	-	.02	1.43	-	-	.06	-	s.r. .41	-	24
25	.01	.01	.01	-	.02	-	1.24	.09	-	-	.02	-	-	25
26	.02	.17	-	.02	-	-	.99	.26	-	-	-	-	-	26
27	.25	-	-	-	-	-	.37	.29	-	-	-	.22	-	27
28	.01	.23	-	-	-	-	.05	-	-	-	-	.34	-	28
29	-	-	.14	-	.26	.08	-	-	-	.06	-	.24	-	29
30	-	-	.18	-	.05	.67	-	.02	-	-	-	.01	-	30
31	-	-	.08	-	-	-	-	.17	-	-	-	.024	-	31
Totals	1.00	1.22	1.41	1.95	1.27	1.39	4.34	1.94	2.01	1.19	0.41	3.28		
Total from Jan. 1	21.41													

REGISTER OF RAINFALL IN 1901.

Kept at *Magd. Coll. Laboratory. Oxford*
 in the County of _____
 by *J. J. Mansley*

RAIN GAUGE.

Lat. *51° 45' N.* Lon. *1° 15' W.*
 Time of Observation *10 am.*
 Diameter *5 inches*
 Height of top above Ground *1 ft.*
 „ „ Sea Level *186 ft.*

NOTE.—Full instructions respecting the measurement of rain are given in “*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles*,” which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.02	.17	-	-	-	-	-	-	.02	-	-	1
2	-	.03	.09	.05	-	-	.09	-	-	-	-	-	2
3	-	-	.09	.54	-	.10	-	-	-	.22	-	-	3
4	-	<i>s.</i> .50	.024	-	-	-	-	.01	-	-	-	-	4
5	-	-	.10	.15	-	-	-	.11	-	-	-	.01	5
6	<i>s.</i> .05	.01	.10	.03	.07	-	-	-	-	.14	-	-	6
7	<i>s.</i> .11	.07	.12	.03	.55	-	-	-	.07	-	-	.19	7
8	<i>s.</i> .05	-	-	.07	.16	-	-	-	.40	.02	-	.01	8
9	-	-	-	.25	.16	-	-	-	-	-	-	.11	9
10	-	.02	-	.14	-	-	-	-	.01	.01	-	-	10
11	.01	-	-	.16	-	-	-	.16	.05	-	.08	.22	11
12	-	-	-	.06	-	.10	-	.15	-	-	.05	1.01	12
13	-	-	-	.17	-	-	.03	.07	-	-	.16	.12	13
14	-	-	-	.10	-	-	-	.61	-	-	-	<i>s.</i> .01	14
15	-	-	-	.16	-	-	-	-	-	-	-	<i>s.</i> .02	15
16	.14	-	-	.02	-	.03	-	-	.59	.32	-	-	16
17	.17	<i>s.</i> .03	-	-	-	-	-	-	.32	.06	-	.03	17
18	.14	<i>s.</i> .07	-	-	-	-	-	-	-	.11	-	-	18
19	.01	<i>s.</i> .01	<i>s.</i> .27	-	-	.10	-	-	-	-	-	-	19
20	-	-	-	-	-	.14	-	-	.52	-	-	-	20
21	-	.05	-	-	-	.08	-	-	.05	-	.07	-	21
22	.01	-	-	-	-	.07	-	-	-	.14	.03	-	22
23	-	-	-	-	-	-	.14	-	-	.03	-	<i>s.r.</i> .29	23
24	.01	-	.02	-	-	.02	1.43	-	-	.06	-	<i>s.r.</i> .41	24
25	.01	.01	.01	-	.02	-	1.24	.09	-	-	.02	-	25
26	.02	.17	-	.02	-	-	.99	.26	-	-	-	-	26
27	.25	-	-	-	-	-	.37	.29	-	-	-	.22	27
28	.01	.23	-	-	-	-	.05	-	-	-	-	.34	28
29	-	-	.14	-	.26	.08	-	-	-	.06	-	.24	29
30	-	-	.18	-	.05	.67	-	.02	-	-	-	.01	30
31	-	-	.08	-	-	-	-	.17	-	-	-	.024	31
Totals	1.00	1.22	1.41	1.95	1.27	1.39	4.34	1.94	2.01	1.19	0.41	3.28	
Total from Jan. 1	21.41												

REGISTER OF RAINFALL IN 1902.

Kept at *Magdalen College Laboratory.*
in the County of *Arford*
by _____

RAIN GAUGE.

Lat. *51° 45' N.* Lon. *1° 15' W.*
Time of Observation *10 am.*
Diameter *5 inches*
Height of top above Ground *1 ft.*
Sea Level *186 ft.*

NOTE.—Full instructions respecting the measurement of rain are given in “Arrangements respecting the Systematic Observation and Record of the Rainfall,” which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	—	.18	.02	.02	.10	.08	—	—	—	—	.15	1
2	—	.01	.03	—	.04	—	—	.03	.11	—	.01	—	2
3	—	<i>s.</i> .06	—	.02	.30	.02	—	.01	—	—	—	—	3
4	.09	—	—	.15	.02	.03	—	—	.04	.08	.03	—	4
5	—	—	—	.12	—	.09	—	.22	—	—	.05	—	5
6	—	—	—	—	.01	.12	—	.35	—	.02	.12	—	6
7	—	<i>s.</i> .16	—	—	.08	.13	—	.28	—	—	.01	—	7
8	—	<i>s.</i> .02	—	—	.03	.03	—	.16	—	—	.25	—	8
9	.04	—	.02	—	—	—	.15	—	.10	.40	.01	—	9
10	—	—	—	—	—	—	.04	.02	.49	.15	.01	—	10
11	.02	—	—	.09	.02	.11	—	.07	.27	—	.01	—	11
12	—	—	.01	.01	—	.11	—	—	—	—	—	.09	12
13	—	—	—	—	.05	.48	—	—	—	.13	—	.03	13
14	—	—	.33	.32	.07	.06	—	.01	—	.03	—	.12	14
15	—	—	—	.25	.03	.18	—	—	—	.13	—	.09	15
16	—	—	—	—	.08	.07	—	.03	.01	—	—	.02	16
17	—	—	—	—	.11	—	—	.11	—	.31	—	.36	17
18	—	—	—	—	.05	—	—	.35	—	—	—	—	18
19	—	.01	.02	.02	.02	.19	.04	.04	—	.17	—	—	19
20	—	—	.04	.01	—	—	.03	—	—	—	—	—	20
21	—	—	—	.09	—	—	—	—	—	.14	—	—	21
22	—	.27	—	.05	.33	.01	.03	.06	.04	—	—	—	22
23	.01	.18	—	—	—	—	—	.22	.01	—	—	—	23
24	.02	.13	.22	—	—	—	—	.02	—	—	.27	—	24
25	—	.04	—	—	—	—	.16	—	—	.04	.08	—	25
26	<i>s.</i> .20	.14	.20	—	—	—	.11	—	—	—	.02	—	26
27	.02	.11	—	—	—	—	—	—	—	.02	.15	.02	27
28	—	—	.04	—	—	—	—	.01	—	.03	.75	.28	28
29	—	—	.06	—	.13	—	—	.03	—	.01	.37	—	29
30	<i>s.</i> .01	—	.02	.08	.22	.07	.01	.12	—	—	.08	.12	30
31	—	—	—	—	.05	—	—	.36	—	—	—	—	31
Totals	.62	1.13	1.17	1.23	1.66	1.80	.65	2.50	1.07	1.66	2.22	1.28	
Total from Jan. 1	16.99												

REGISTER OF RAINFALL IN 1903

Kept at *Magd. Coll. Laboratory*
in the County of *Bedford*
by *J. J. Mansley M.A.*

RAIN GAUGE.

Lat *51° 45' N.* Long. *1° 15' W.*
Time of Observation *10 A.M.*
Diameter *5 inches*
Height of top above Ground *1 ft.*
" " Sea Level *186 ft.*

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	—	.43	.07	.59	—	—	.02	.02	.04	—	—	1
2	.25	—	.25	—	.32	—	—	.32	.32	—	.26	—	2
3	.07	—	—	.05	.40	—	—	—	—	.26	—	.06	3
4	.77	—	.18	.06	.01	—	—	—	.13	.34	—	—	4
5	.10	—	.01	—	.38	—	—	—	—	.11	—	—	5
6	—	.01	.08	—	.54	—	—	—	—	.17	—	.03	6
7	.03	—	.04	.01	.05	—	—	—	—	.11	—	.07	7
8	.08	—	—	—	—	.21	—	—	.14	.31	.03	.28	8
9	—	—	.20	—	.23	.33	—	1.04	.01	.01	—	.16	9
10	<i>r.s.</i> .36	—	.02	—	.10	.53	—	.12	.34	.13	—	.04	10
11	—	—	—	—	.01	.13	.03	.26	.01	1.01	—	—	11
12	—	—	—	.03	—	—	—	—	.10	.10	.01	.27	12
13	—	—	.01	.01	—	.41	—	.20	—	.12	.08	.01	13
14	—	—	.17	.04	—	2.36	—	.13	—	.22	.04	—	14
15	—	.01	—	—	.04	.92	.04	.03	—	.11	—	—	15
16	—	—	—	—	.22	—	.05	.28	—	.10	—	—	16
17	.13	—	.22	—	.14	.01	.04	.14	—	—	.05	—	17
18	.01	—	—	—	—	—	.95	.02	—	.15	—	—	18
19	.04	—	—	—	—	.76	.02	.01	—	.12	—	.04	19
20	—	—	—	—	—	—	—	.20	—	.05	—	.01	20
21	—	.04	—	—	—	—	.34	—	.03	.07	.01	—	21
22	.15	.07	—	—	—	—	.29	—	—	.02	—	—	22
23	—	.04	.65	—	—	—	.52	.41	—	.01	.03	—	23
24	.01	.25	—	—	—	—	—	.37	.16	.51	—	.03	24
25	—	.24	.03	.37	—	—	.39	—	—	.87	—	.01	25
26	—	.07	.27	.39	—	—	.13	—	.02	.14	.06	—	26
27	.20	.02	—	.26	.03	—	.09	.16	—	.70	.64	.01	27
28	—	—	.11	.52	.39	—	.24	.07	.07	.29	.19	—	28
29	—	—	.04	.27	.26	—	.02	—	.25	—	—	—	29
30	—	—	.03	.05	.45	—	—	—	—	—	—	—	30
31	.05	—	.03	—	—	—	.02	—	—	.23	—	—	31
Totals	2.40	.75	2.77	2.13	4.16	5.66	3.17	3.78	1.60	6.30	1.40	1.02	
Total from Jan. 1	35.14												

REGISTER OF RAINFALL IN 1904

Kept at Magdalen College Laboratory
 in the County of Oxford
 by Edmund Chapman

RAIN GAUGE.

Lat. 51° 45' N Long. 1° 15' W
 Time of Observation 10 am
 Diameter 5
 Height of top above Ground 1 ft.
 „ „ Sea Level 186 ft.

NOTE.—Full instructions respecting the measurement of rain are given in “The British Rainfall Organization—Rules for Rainfall Observers,” which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. —	in. .02	s. in. .05	in. .07	in. .35	in. .13	in. .03	in. —	in. —	in. —	in. .04	in. —	1
2	.01	.58	.08	.01	.04	—	.09	—	.15	.01	—	.03	2
3	.08	.06	s. .15	.04	—	—	.02	—	—	—	—	.01	3
4	.10	.06	—	.02	—	—	—	.17	—	—	—	.11	4
5	—	.02	.02	.07	.01	—	—	—	—	.07	—	.11	5
6	—	.07	—	—	.08	—	—	—	—	.12	.43	.44	6
7	.20	.35	.26	.02	—	—	—	—	.26	.02	.30	—	7
8	—	.02	—	—	—	—	—	—	.01	.03	.05	.05	8
9	—	.73	.08	.03	.08	.17	—	—	—	—	—	.12	9
10	.20	.29	—	—	—	—	—	.02	—	.01	.38	.10	10
11	.01	—	—	—	.01	—	—	.13	.02	—	—	.24	11
12	.10	.20	—	.08	—	—	—	—	.26	—	—	.02	12
13	.25	.10	—	—	—	.07	—	—	.07	—	—	.25	13
14	.11	.05	.05	.11	—	.29	—	.06	.29	—	—	.10	14
15	—	.01	—	.28	—	.02	—	—	—	—	—	.03	15
16	.01	s. .09	—	—	—	—	—	.16	—	.21	—	—	16
17	.06	s. .03	—	—	—	—	—	.09	—	—	.01	.03	17
18	—	.02	—	—	.01	—	—	—	—	—	—	—	18
19	—	.10	.05	—	—	—	.08	—	—	—	—	—	19
20	.04	—	—	—	.52	—	—	—	—	—	—	—	20
21	—	—	—	—	.04	—	—	.01	—	.06	s.r. .17	—	21
22	—	—	—	.08	—	—	—	.41	.02	—	s. .02	—	22
23	—	—	—	—	.08	—	—	—	.02	.15	s. .04	—	23
24	—	—	s.r. .02	—	.04	—	—	—	—	.02	—	—	24
25	—	s. .03	—	—	.01	.01	.92	.02	.04	—	—	—	25
26	.09	s. .01	—	—	.50	.04	.97	—	—	—	—	.02	26
27	.26	—	—	—	1.08	—	.51	—	—	—	—	.01	27
28	.01	—	.13	—	—	—	.12	—	.02	—	—	.01	28
29	.20	—	s.r. .04	.02	—	—	.21	—	—	—	.02	.10	29
30	.44	—	s.r. .08	—	.04	.02	.10	—	.28	.01	—	—	30
31	.67	—	.11	—	—	—	—	.41	—	.03	—	—	31
Totals	2.84	2.84	1.12	.77	2.89	.75	3.05	1.48	1.44	.74	1.46	1.78	
Total from Jan. 1	21.16												158

REGISTER OF RAINFALL IN 1905

Kept at *Magdalen College Laboratory*
in the County of *Oxford*
by *J. J. Mearns*

RAIN GAUGE.

Lat. *51° 45' N* Long. *1° 15' W*
Time of Observation *10 A.M.*
Diameter *5 inches*
Height of top above Ground *1 ft.*
Sea Level *186 ft.*

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>s. .01</i>	-	<i>.06</i>	-	<i>.07</i>	<i>.03</i>	-	-	<i>.02</i>	<i>.01</i>	<i>.43</i>	-	1
2	<i>s. .05</i>	-	-	<i>.02</i>	<i>.10</i>	-	-	<i>.29</i>	-	<i>.01</i>	<i>.05</i>	-	2
3	-	-	<i>.02</i>	<i>.03</i>	<i>.11</i>	-	-	<i>.28</i>	-	<i>.01</i>	<i>.01</i>	<i>.01</i>	3
4	<i>.29</i>	-	<i>.02</i>	-	-	-	-	<i>.04</i>	-	<i>.23</i>	<i>.34</i>	<i>.01</i>	4
5	<i>.02</i>	-	<i>.25</i>	<i>.01</i>	-	<i>.46</i>	<i>.01</i>	<i>.03</i>	<i>.10</i>	<i>.01</i>	<i>.01</i>	<i>.09</i>	5
6	-	<i>.06</i>	-	<i>.08</i>	-	<i>.43</i>	-	<i>.02</i>	<i>.14</i>	-	-	<i>.06</i>	6
7	-	-	<i>.04</i>	<i>.08</i>	-	<i>.14</i>	-	-	<i>.03</i>	<i>.03</i>	<i>.02</i>	<i>.27</i>	7
8	<i>.17</i>	-	<i>.16</i>	<i>.01</i>	-	-	-	-	<i>.11</i>	-	-	-	8
9	<i>.03</i>	-	<i>.02</i>	<i>.31</i>	-	-	<i>.01</i>	<i>.02</i>	<i>.17</i>	-	<i>.01</i>	-	9
10	-	<i>.07</i>	<i>.29</i>	<i>.20</i>	-	<i>.17</i>	<i>.02</i>	-	-	-	<i>.52</i>	-	10
11	<i>.04</i>	-	<i>.08</i>	<i>.26</i>	-	<i>.35</i>	-	-	-	<i>.01</i>	<i>.09</i>	-	11
12	-	-	<i>.25</i>	-	-	-	-	-	-	<i>.01</i>	<i>.16</i>	-	12
13	-	-	<i>.28</i>	<i>.11</i>	-	-	-	-	<i>.01</i>	-	<i>.01</i>	-	13
14	-	-	<i>.29</i>	<i>.07</i>	<i>.01</i>	-	-	-	-	-	-	-	14
15	-	-	<i>.22</i>	-	-	<i>.18</i>	<i>.03</i>	<i>.04</i>	-	<i>.16</i>	<i>.01</i>	-	15
16	<i>s. .12</i>	<i>.03</i>	<i>.06</i>	<i>.05</i>	-	<i>.34</i>	-	-	-	-	-	-	16
17	-	<i>.01</i>	<i>.14</i>	-	-	<i>.09</i>	-	<i>.17</i>	-	-	-	<i>.03</i>	17
18	-	-	-	<i>.02</i>	<i>.02</i>	-	-	<i>.03</i>	-	-	-	<i>.02</i>	18
19	-	<i>s. .02</i>	-	-	-	<i>.04</i>	-	<i>.04</i>	-	-	-	-	19
20	-	-	-	<i>.01</i>	-	<i>.01</i>	-	-	-	-	-	-	20
21	-	<i>.01</i>	-	-	-	-	-	<i>.19</i>	-	-	-	-	21
22	-	-	-	-	-	-	<i>.06</i>	<i>.10</i>	-	-	<i>.12</i>	-	22
23	-	<i>.04</i>	<i>.23</i>	-	-	-	-	-	-	-	-	-	23
24	-	-	-	-	-	-	-	-	<i>.05</i>	-	-	-	24
25	-	<i>.09</i>	<i>.05</i>	<i>.14</i>	-	-	-	<i>.10</i>	<i>.23</i>	-	<i>.07</i>	-	25
26	-	<i>r.h. .09</i>	<i>.20</i>	<i>.09</i>	-	-	-	-	<i>.03</i>	<i>.03</i>	<i>.49</i>	-	26
27	-	-	<i>.01</i>	-	-	-	-	<i>.70</i>	<i>.04</i>	-	-	<i>.12</i>	27
28	-	<i>.01</i>	<i>.01</i>	<i>.02</i>	-	-	-	<i>.83</i>	<i>.22</i>	<i>.11</i>	<i>.02</i>	<i>.10</i>	28
29	-	-	<i>.01</i>	<i>.02</i>	<i>.08</i>	<i>.82</i>	<i>.01</i>	<i>.03</i>	<i>.01</i>	<i>.37</i>	-	<i>.13</i>	29
30	<i>.01</i>	-	-	<i>.37</i>	<i>.41</i>	<i>.45</i>	-	-	-	<i>.01</i>	<i>.21</i>	-	30
31	-	-	-	-	<i>.08</i>	-	-	-	-	<i>.28</i>	-	-	31
Totals	<i>0.74</i>	<i>0.43</i>	<i>2.69</i>	<i>1.90</i>	<i>0.88</i>	<i>3.51</i>	<i>0.14</i>	<i>2.91</i>	<i>1.16</i>	<i>1.28</i>	<i>2.57</i>	<i>.84</i>	
Total from Jan. 1	<i>19.05</i>												<i>156</i>

REGISTER OF RAINFALL IN 1906

Kept at Magd. Coll. Laboratory
in the County of Oxford
by John J. Hawley

Lat. 51° 45' N Long. 1° 15' W
Nearest Railway Station L. & N. W.
Time of Observation 10 A.M.
Diameter 5 in.
Height of top above Ground 1 ft. — in.
" " Sea Level 186 ft.

RAIN GAUGE.

FORM A.
BRITISH RAINFALL.

8 JAN 1907

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.01	.03	—	.02	.16	—	.03	—	.53	.01	—	1
2	.25	.09	—	—	.13	.01	—	.16	—	.63	—	.03	2
3	.09	—	—	—	.03	—	—	.10	—	—	.05	.01	3
4	.36	—	—	—	—	—	—	—	.01	.21	.19	.02	4
5	.57	—	—	—	.20	—	—	—	—	—	—	.15	5
6	—	—	—	—	.01	—	—	—	—	—	.68	.03	6
7	.34	—	.03	—	—	—	—	—	—	.19	.41	—	7
8	.05	^{h.s.} .15	.13	—	—	—	—	—	—	.19	1.05	.12	8
9	.02	.10	—	—	.01	—	—	—	—	.39	.03	—	9
10	—	.13	.43	—	—	—	—	.08	—	.04	—	—	10
11	.11	.03	.12	—	—	—	—	—	—	—	—	.05	11
12	.44	—	^{s.} .02	—	.01	—	.20	—	.04	.12	—	.13	12
13	.04	^{s.} .04	^{s.} .03	.09	—	—	.18	.13	.36	.01	—	.12	13
14	—	.06	.02	—	—	.06	.01	.01	.25	—	—	.01	14
15	.17	.09	.07	—	—	.09	.03	.07	.13	.01	.07	.29	15
16	.07	.22	—	—	.09	.29	—	—	.05	.02	.19	.04	16
17	.22	.01	.04	.07	—	—	—	.02	—	.10	.08	—	17
18	.07	.05	.02	—	—	—	.04	—	.01	.63	—	.08	18
19	—	.03	—	—	—	—	—	—	—	—	.05	—	19
20	.12	—	^{s.r.} .07	—	.41	—	—	—	—	.02	.37	—	20
21	.01	—	.03	—	—	—	.05	—	—	—	—	—	21
22	—	^{s.} .05	—	^{s.r.} .01	—	—	—	—	—	.11	—	—	22
23	—	^{s.} .01	.11	^{s.} .02	.28	.38	.02	—	—	—	—	—	23
24	.24	.06	^{s.r.} .02	—	.01	—	—	.26	—	.02	.01	.13	24
25	—	—	^{s.} .01	—	.26	—	—	—	—	—	—	.24	25
26	—	.10	^{s.} .09	—	.16	—	.04	—	—	.01	—	.03	26
27	—	.11	—	.10	.06	.13	.11	—	—	—	—	.01	27
28	—	.01	—	.03	.01	1.71	.32	—	—	.13	—	.03	28
29	.01	—	—	.01	—	.01	—	—	—	.48	.01	—	29
30	—	—	—	.01	.09	—	—	—	—	.08	—	.14	30
31	—	—	—	—	—	—	—	—	—	—	—	.01	31
Totals	3.16	1.35	1.27	.34	1.78	2.84	1.00	.86	.85	3.92	3.20	1.67	
Total from Jan. 1	22.24												168

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Kept at Magdalen College Laboratory
in the County of Oxford
by John J. Mauley

Lat. 51° 45' N. Long. 1° 15' W.
Nearest Railway Station L.M.W. Ry.
Time of Observation 10 am.
Diameter 5 in.
Height of top above Ground 1 ft. — in.
" " Sea Level 186 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	-	-	-	.06	1.57	-	-	.03	.19	.02	-	1
2	.01	-	-	.01	.02	-	.08	.41	.17	-	-	.67	2
3	-	s. .01	-	-	.18	-	.29	-	.21	-	-	.01	3
4	-	s. .02	-	-	-	.12	.43	-	.13	-	.02	.76	4
5	-	s. .01	.13	.08	-	.07	.03	-	.02	.20	-	-	5
6	-	-	.01	.08	-	-	.09	.08	-	.40	-	.09	6
7	-	-	.07	.26	.08	.04	-	-	-	.06	.01	.42	7
8	-	.21	.01	.15	.08	-	.05	-	-	.06	.01	.28	8
9	-	.04	.12	-	-	.04	.04	.08	-	.08	-	.19	9
10	.11	h. .10	.02	-	-	-	.16	-	-	.40	-	.02	10
11	-	.05	-	-	-	.41	-	.04	-	-	.02	.48	11
12	-	.29	.13	.22	.02	.01	-	.01	-	-	.08	.15	12
13	-	-	.07	-	.51	.06	-	.01	-	.29	-	.34	13
14	-	.06	.02	-	-	.03	-	.06	-	.54	-	.02	14
15	-	-	.02	-	-	.20	-	-	-	.06	-	-	15
16	-	-	.09	-	-	-	-	.01	-	1.02	-	-	16
17	-	-	.01	.04	-	-	-	.29	-	-	.28	-	17
18	-	.02	.02	-	-	-	-	-	-	.21	.13	.03	18
19	-	.17	.07	-	-	-	-	.07	-	.37	-	-	19
20	-	s. .06	-	.24	.03	.02	-	.08	-	.27	.01	.02	20
21	-	-	-	.34	.16	-	.78	-	-	.01	-	-	21
22	-	-	-	-	.23	.07	.85	.06	-	.05	.23	.24	22
23	-	-	-	-	.08	.02	-	-	-	.01	-	.01	23
24	-	-	-	-	-	.15	-	-	-	-	.30	-	24
25	-	-	-	.02	.46	.04	-	.03	.03	.06	.40	-	25
26	-	-	-	.14	.01	.02	.09	.01	-	-	.52	-	26
27	.01	-	-	.13	-	.06	.02	-	-	-	.04	-	27
28	.09	-	-	.06	-	-	.02	-	-	.02	.02	-	28
29	-	-	-	-	-	.01	.11	-	.04	.60	-	-	29
30	-	-	-	.10	.14	-	.02	.01	-	.28	-	.01	30
31	-	-	-	-	.31	-	-	-	-	-	-	-	31
Totals	.54	1.04	.79	1.87	2.37	2.94	3.06	1.25	.63	5.18	2.09	3.74	25.57
Total from Jan. 1	25.50	12	14	14	15	18	15	15	7	21	15	17	168

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

Kept at Magdalen College Laboratory
in the County of Oxford
by John J. Manley

Lat. 51° 45' N Long. 1° 15' W
Nearest Railway Station L.N.W.
Time of Observation 10 am.
Diameter 5 in.
Height of top above Ground 1 ft. — in.
" " Sea Level 186 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	S. in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	S. .03	—	—	.39	—	—	.01	—	—	—	1
2	—	.01	S. .12	—	.41	—	—	—	.11	—	—	—	2
3	—	.02	S.R. .26	.03	—	—	—	—	.42	—	—	—	3
4	—	—	—	.03	.05	—	.26	—	.01	—	—	.10	4
5	.06	—	.31	.27	.05	—	.03	.06	—	—	—	.09	5
6	.08	.01	.10	—	.14	—	—	—	—	—	—	—	6
7	1.24	—	.03	—	.05	.02	.02	—	—	—	—	—	7
8	.04	—	.02	—	.02	—	.21	—	.08	.07	—	.07	8
9	—	—	.03	—	—	.01	.38	—	.03	.25	—	.13	9
10	—	—	.01	—	—	—	.11	.05	.01	—	.02	.10	10
11	—	—	—	—	.03	.04	—	—	.10	—	.14	—	11
12	—	—	—	—	—	—	.23	—	—	—	.04	.14	12
13	—	—	—	.02	.06	.09	—	.01	—	—	.05	.05	13
14	—	—	—	—	.17	—	.21	—	.04	—	.01	.28	14
15	—	.05	S. .04	—	.06	—	.02	—	.16	—	—	—	15
16	.01	.33	.01	—	—	.38	.37	—	.04	.10	.01	.09	16
17	—	.06	S. .01	—	—	.58	.12	—	—	—	—	—	17
18	.01	.07	.01	—	—	—	.01	—	.19	.05	.28	.03	18
19	—	—	—	R.S. .02	—	—	—	—	—	—	—	.11	19
20	—	—	—	—	—	—	—	.26	.04	.38	—	.06	20
21	—	.01	—	—	.01	—	—	.19	—	.04	.21	.03	21
22	—	.06	.09	.11	.11	—	—	.26	—	—	.04	—	22
23	—	—	—	S.R. .58	—	—	—	.64	.05	.01	—	—	23
24	—	.01	.59	S. .26	—	—	—	.02	—	.02	.10	—	24
25	.02	.01	.22	S. 1.60	.01	—	—	.04	.03	.03	—	—	25
26	—	.06	—	—	—	—	—	.35	—	.06	—	—	26
27	—	.02	.15	.42	—	—	—	.10	.05	.03	—	S. .02	27
28	.06	S. .04	—	.52	—	—	—	.16	—	.01	.06	S. .12	28
29	.02	—	.06	.37	.05	—	—	.09	—	—	.14	S. .17	29
30	.01	—	.25	—	—	—	—	.06	—	—	—	.14	30
31	—	—	—	—	.03	—	—	.64	—	—	—	.03	31
Totals	1.55	.76	2.34	4.23	1.25	1.57	1.97	2.93	1.37	1.05	1.10	1.76	
Total from Jan. 1	21.82	14	19	12	15	7	12	15	16	92	12	18	162

REGISTER OF RAINFALL IN 1909

FORM A.
BRITISH RAINFALL.
1 JAN 1910

Kept at Magdalen College Lab:

in the County of Oxford

by John J. Manley

Lat. 51° 45' N Long. 1° 15' W.

Nearest Railway Station L. & N. W.

Time of Observation 10 am

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 186 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	.48	—	.50	.03	.37	—	.20	1
2	.02	—	S. .10	—	—	.03	—	—	—	.15	.02	.35	2
3	—	—	S. .03	—	—	.10	.01	—	—	.32	.01	.20	3
4	—	.02	—	—	—	.47	—	—	.17	.06	—	.22	4
5	—	—	S.T. .12	—	—	.13	.02	—	.01	—	—	.14	5
6	.01	—	S.T. .63	—	—	.18	.15	—	.06	—	—	S.T. .14	6
7	.05	—	.07	—	—	—	—	—	.15	.11	—	—	7
8	—	—	S.T. .03	—	—	—	—	—	.04	—	—	—	8
9	.05	.06	.02	—	—	—	.40	—	—	.02	—	.16	9
10	.14	S.T. .21	S. .02	—	—	.08	.01	—	.06	.52	—	.48	10
11	.01	.02	S.T. .03	—	—	.07	.13	—	—	.05	—	—	11
12	.04	—	—	.03	—	—	—	—	.16	.17	.01	.01	12
13	.03	—	.18	.13	.04	—	—	.01	.04	—	.12	—	13
14	.04	.03	S. .01	—	—	—	—	—	—	.01	.22	—	14
15	.19	—	S. .02	—	—	—	.24	.04	.08	.09	.02	S.T. .01	15
16	—	—	—	.02	.39	—	.01	—	.05	.21	.01	S.T. .07	16
17	.01	—	—	.01	—	—	—	1.56	.87	.01	—	.21	17
18	.06	—	.06	—	—	—	—	.26	—	.02	—	—	18
19	—	—	.01	.32	—	.01	—	.03	—	.08	—	.07	19
20	—	—	—	—	—	—	.06	.22	—	.21	—	—	20
21	—	—	.08	—	—	.50	—	—	.02	.02	—	S.T. .32	21
22	—	—	.08	.16	—	.07	.07	.18	—	.02	—	.04	22
23	—	—	—	.04	—	.90	.05	.17	.11	.17	—	.09	23
24	—	—	.29	—	.72	.17	—	.13	.28	—	.01	.02	24
25	—	—	.08	.01	.18	.12	.29	.13	.12	.08	—	.04	25
26	—	S.T. .06	—	.01	.28	.06	.02	—	—	.63	—	—	26
27	—	S.T. .05	.29	.14	.33	—	.56	.01	.15	.05	.03	.09	27
28	—	—	.07	.09	.06	.09	—	—	.32	.15	—	—	28
29	—	—	.03	.57	—	.10	.05	.13	—	—	.16	—	29
30	—	—	—	.08	—	—	.17	—	.14	—	.14	—	30
31	.10	—	.02	—	.22	—	.01	—	—	.10	—	.02	31
Total	.75	.45	2.27	1.55	2.22	3.56	2.19	3.37	2.86	3.62	.75	2.88	TOTAL for year 26.47
No. of Rain Days	13	7	22	13	8	17	17	13	19	24	11	20	184

50

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.
- 8 JAN 1911

Kept at Magdalen College Laboratory
in the County of Oxford 3
by John T. Manly

RAIN GAUGE
Pattern Circular
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 106 ft.
Time of Observation 10 am
Nearest Railway Station { Name L. & N. W.
Distance 1 mile Direction N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	^{in.} ·03	^{in.} ·09	^{in.} —	^{in.} —	^{in.} ·01	^{in.} ·03	^{in.} ·07	^{in.} ·05	^{in.} —	^{in.} ·25	^{in.} —	^{in.} ·30	1
2	—	·19	—	—	·02	—	^{rh.} ·33	·01	—	·09	·01	·27	2
3	—	—	—	—	·09	—	·06	·02	—	—	·40	·45	3
4	—	—	—	·24	^{rh.} ·11	—	—	—	—	—	—	·08	4
5	—	·07	—	·14	·04	·01	·58	·08	—	—	·04	—	5
6	—	·13	·01	·03	·03	—	·01	—	—	—	·16	·03	6
7	—	·02	·01	—	^{rh.} ·04	·56	·01	—	·02	—	·01	·02	7
8	·07	·01	—	—	·04	—	—	—	—	—	—	·13	8
9	·06	—	·22	·01	^{rh.} ·12	1·00	—	·15	—	—	—	·08	9
10	·13	·02	—	—	—	·31	—	—	·01	·13	·03	·07	10
11	·12	·03	·16	·04	·24	—	—	·06	—	1·79	·02	·01	11
12	^{s.} ·08	—	·05	·11	·04	·06	—	·03	—	·34	·01	·30	12
13	·01	·08	—	·09	·03	—	—	·02	·07	·01	·33	·09	13
14	—	·25	—	·13	—	—	—	—	·31	—	—	·99	14
15	·08	·01	—	·09	—	—	—	—	·01	—	·02	·48	15
16	·10	^{rh.} ·07	·04	^{rh.} ·72	—	—	—	—	—	·09	—	·12	16
17	·08	·22	·02	—	·08	—	·05	—	—	·10	—	·02	17
18	·06	·15	·03	·03	·23	—	—	·17	—	·18	—	—	18
19	—	—	—	·01	·03	—	—	—	—	·11	·04	—	19
20	—	·22	—	—	—	—	—	—	—	—	—	·31	20
21	—	·03	—	·16	·03	—	·13	·02	—	—	—	·36	21
22	^{s.} ·02	·37	—	—	—	·07	—	·01	—	—	—	—	22
23	·14	·08	—	·02	—	·14	·14	·09	—	—	·53	—	23
24	·07	·21	—	·03	—	·14	—	·08	—	·03	—	·02	24
25	—	·13	—	^{rh.} ·10	—	·23	·04	·18	—	·05	^{s.} ·06	—	25
26	—	·04	—	^{rh.} ·05	—	—	·06	—	—	—	·01	·03	26
27	^{s.} ·37	—	—	—	—	·05	—	—	—	·50	·85	—	27
28	^{s.} ·04	·05	—	·34	·07	·03	·01	·33	·03	·03	—	—	28
29	—	—	—	^{rh.} ·04	—	·17	·18	·20	—	—	—	—	29
30	—	—	—	—	·07	·03	—	—	—	—	·43	—	30
31	—	—	—	—	·21	—	·01	—	—	·17	—	—	31
Total	1·46	2·47	·54	2·38	1·53	2·83	1·68	1·50	·45	3·87	2·95	4·16	TOTAL for year 25·82
No. of Rain Days	16	22	8	19	19	14	14	16	6	15	16	20	185

82
Kept at Nettlebed
in the County of Ox
by A. Johnstone

OXFORD.
NETTLEBED.
"JOYCE GROVE"
1910.

1910

FORM A2.
BRITISH RAINFALL

of top _____ in.
top above Ground _____ ft. _____ in.
" " Sea Level _____ ft.
n _____
tation { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					04	05	03	12		07	01	30	1
2					05		36	14		16		15	2
3					22		13	04			47	50	3
4				24	12			11				20	4
5			05	13	07	03	67	24				10	5
6			07	07	06		08			02	18	07	6
7			05		03	85	05		01		06	04	7
8			01		25						01	30	8
9			47		03	187		04				38	9
10						38				09	10	43	10
11			20	01	17			14		106	08	10	11
12			03	21	08	04		01		52	05	36	12
13				11	14			01	05	02	43	17	13
14				06					29		02	87	14
15				10			01		01		04	69	15
16			08	09						15		24	16
17			08		06		03	08		10		05	17
18			08	05	32			25		16		02	18
19				04	01					17	04	01	19
20							24	03			01	29	20
21				21	02		03					27	21
22						13	05	02		01			22
23				16		11		23			67	03	23
24				02		24	12			03	04	04	24
25				22		28	11	28		02			25
26				08				07			02	03	26
27						16	01			58	103		27
28				41	20	06	18	34	01	05	01		28
29				01	04	11		39					29
30					06	02		03			42	01	30
31					12			04		30			31
Total			1.12	2.22	2.09	4.33	2.10	2.61	37	3.51	3.69	5.65	TOTAL for year
No. of Rain Days			10	18	20	14	15	20	5	17	19	25	

82
B. 100

1910

FORM A2
BRITISH RAINFALL

Kept at Nettlebed, Joyce Grove
in the County of Oxford
by A. Johnstone

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					04	05	03	12		07	01	30	1
2					05		36	14		16		15	2
3					22		13	04			47	50	3
4				24	12			11				20	4
5			05	13	07	03	67	24				10	5
6			07	07	06		08			02	18	07	6
7			05		03	85	05		01		06	04	7
8			01		25						01	30	8
9			47		03	187		04				38	9
10						38				09	10	43	10
11			20	01	17			14		106	08	10	11
12			03	21	08	04		01		52	05	36	12
13				11	14			01	05	02	43	17	13
14				06					29		02	87	14
15				10			01		01		04	69	15
16			08	09						15		24	16
17			08		06		03	08		10		05	17
18			08	05	32			25		16		02	18
19				04	01					17	04	01	19
20							24	03			01	29	20
21				21	02		03					27	21
22						13	05	02		01			22
23				16		11		23			67	03	23
24				02		24	12			03	04	04	24
25				22		28	11	28		02			25
26				08				07			02	03	26
27						16	01			58	103		27
28				41	20	06	18	34	01	05	01		28
29				01	04	11		39					29
30					06	02		03			42	01	30
31					12			04		30			31
Total			1.12	2.22	2.09	4.33	2.10	2.61	37	3.51	3.69	5.65	TOTAL for year
No. of Rain Days			10	18	20	14	15	20	5	17	19	25	

Dr. 

REGI

NETTLEBED

Kept at Nettlebed Joyce
in the County of Oxford
by A. Johnstone Esq

N^o1 JOYCE GROVE
OXON

1909-10

180 B
FORM A2.
BRITISH RAINFALL.
- 2 FEB 1910
in.
Ground ft.
Sea Level ft.

Name
Distance Direction
the result entered to the

IMPORTANT NOTE.—
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2											05	12	2
3											02	57	3
4												12	4
5										48		05	5
6												07	6
7													7
8										38			8
9													9
10										53	05	54	10
11												02	11
12										20	03	02	12
13											01		13
14											16		14
15											03		15
16										53	01		16
17										40		20	17
18												25	18
19										16		06	19
20										15			20
21												74	21
22										17			22
23										28		06	23
24										03		15	24
25										19			25
26										55		12	26
27										19	10	11	27
28										96	05		28
29											11		29
30											02		30
31										15		03	31
Total										535	64	323	TOTAL for year
No. of Rain Days										19	12	17	

Sh.

REGISTER OF RAINFALL IN 1909

180 B
FORM A2
BRITISH RAINFALL
- 2 FEB 1910

Kept at *Hettlebed Joyce Grove Gas Co*
in the County of *Oxford*
by *A. Johnstone Esq*

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2											.05	.12	2
3											.02	.57	3
4												.12	4
5										.48		.05	5
6												.07	6
7													7
8										.38			8
9													9
10										.53	.05	.54	10
11												.02	11
12										.20	.03	.02	12
13											.01		13
14											.16		14
15											.03		15
16										.53	.01		16
17										.40		.20	17
18												.25	18
19										.16		.06	19
20										.15			20
21												.74	21
22										.17			22
23										.28		.06	23
24										.03		.15	24
25										.19			25
26										.55		.12	26
27										.19	.10	.11	27
28										.96	.05		28
29											.11		29
30											.02		30
31										.15		.03	31
Total										5.35	.64	3.23	TOTAL for year
No. of Rain Days										19	12	17	

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.

Kept at Hettlebed Joyce Grove
in the County of Oxford
by A. Johnstone

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. 07	in. 08	in.	in.	in. 04	in. 05	in. 04	in. 11	in.	in. 06	in. 01	in. 29	1
2		37			06		36	14		15		15	2
3					22		13	04			47	47	3
4				24	13			11				18	4
5		18	05	13	10	02	68	19				02	5
6		16	07	07	05		07				19	05	6
7	02		05		10	1.01	04		01		05	03	7
8	04	10	01		23						01	37	8
9	12		44		03	1.62						35	9
10	02					34		05		10	10	44	10
11		11	20		17			15		1.04	08	10	11
12	32	48	03	24	10	04		01		53	05	35	12
13	02			10				02	05	03	47	16	13
14		45		05					30		03	81	14
15	05			10					01		04	67	15
16	09	13	10	09						15		27	16
17	18	23	08		06		03	07		12		07	17
18	03	14	10	05	31			25		13		02	18
19		03		05	01					20	04	01	19
20		32					24	04			01	25	20
21				21			04					30	21
22		33			03	13	08	02					22
23	42	07		21		14		26			67	03	23
24	10	38		02		24	13			05	05	04	24
25		12		22		28	11	24		02			25
26		06		10				04			02	03	26
27	65	01				14				53	1.00		27
28	05	19		48	20	06	19	35		05	02		28
29				02	04	11		35					29
30					08	02		03	02		45	01	30
31					10			03		33			31
Total	2.18	3.94	1.13	2.38	2.06	4.20	2.14	2.50	.39	3.49	3.76	5.47	33.64
No. of Rain Days	15	20	10	17	19	14	13	20	5	15	19	25	192

REGIST

OXFORD

Kept at *14 Norham*
in the County of
by *C.B. Moore*

NORHAM RD

1901 - 1907

Lon. *9. a.m.*
Observation *10 in*
f top above Ground *14 in*
Sea Level *200*

NOTE.—Full instructions respecting the method of the Rainfall," which is sent post-free on application.

the Systematic Observation and Record
2, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.04	.06	.02	—	—	—	—	✓	.02	—	—	1
2	.01	.05	.25	.07	—	—	.16	—	—	—	—	—	2
3	—	—	.02	.61	—	.06	—	—	—	.22	—	—	3
4	—	.49	.06	—	—	—	—	—	—	.01	.02	—	4
5	.01	—	.07	.05	—	—	—	.09	—	—	.01	.01	5
6	—	—	.11	.13	.04	—	—	—	—	.11	—	—	6
7	.12	—	.15	.02	.57	—	—	—	.04	—	—	.21	7
8	.07	.09	—	.04	.31	—	—	—	.49	.01	—	.03	8
9	—	.00	—	.12	.14	—	—	—	—	—	—	.12	9
10	—	.02	—	.06	—	—	—	—	—	.01	—	—	10
11	—	—	—	.29	—	—	—	.12	.04	—	.04	.11	11
12	.02	—	—	.02	—	.11	.02	.20	—	—	.17	1.24	12
13	—	—	—	.21	—	—	.07	.05	—	—	.18	.10	13
14	—	—	—	.10	—	—	—	.62	—	—	—	.01	14
15	—	—	—	.19	—	—	—	—	—	—	—	.03	15
16	.07	—	—	.02	—	.01	—	—	.54	.34	—	—	16
17	.18	.03	—	—	—	—	—	—	.26	.05	—	.03	17
18	.09	.07	—	—	—	—	—	—	—	.13	—	—	18
19	.09	—	.27	—	—	.14	—	—	—	.01	—	—	19
20	—	.04	—	—	—	.11	—	—	.45	—	—	—	20
21	—	.05	—	—	.77	.07	—	—	.10	—	.06	—	21
22	—	—	—	—	—	.06	—	—	—	.16	.05	—	22
23	—	—	—	—	—	.03	.09	—	—	—	—	.15	23
24	.01	—	.01	—	—	—	1.34	—	—	.10	—	.14	24
25	.01	—	.02	—	.07	—	1.13	.11	—	—	—	.07	25
26	.01	.34	—	—	—	—	.77	.40	—	—	—	—	26
27	.22	—	—	—	—	—	.58	.32	—	—	—	.02	27
28	.04	.28	.01	—	—	—	.05	—	—	—	—	.13	28
29	—	—	.09	—	.13	.09	—	—	—	.06	—	.08	29
30	—	—	.16	—	.07	.80	—	.01	—	—	—	.01	30
31	—	—	.05	—	—	—	—	—	—	—	—	.01	31
Totals	0.95	1.47	1.33	1.95	1.98	1.48	4.21	1.92	1.92	1.23	0.53	2.44	
Total from Jan. 1		2.42	3.75	5.40	7.68	9.10	13.31	15.29	17.21	18.44	18.97	21.41	

S. 1881

REGISTER OF RAINFALL IN 1901

Kept at 14 Notham Road
in the County of Derford
by C B Mount

RAIN GAUGE.

Lat. _____ Lon. _____
Time of Observation 9 a.m.
Diameter 10 in
Height of top above Ground 14 in
" " Sea Level 200

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.04	.06	.02	—	—	—	—	✓	.02	—	—	1
2	.01	.05	.25	.07	—	—	.16	—	—	—	—	—	2
3	—	—	.02	.61	—	.06	—	—	—	.22	—	—	3
4	—	.49	.06	—	—	—	—	—	—	.01	.02	—	4
5	.01	—	.07	.05	—	—	—	.09	—	—	.01	.01	5
6	—	—	.11	.13	.04	—	—	—	—	.11	—	—	6
7	.12	—	.15	.02	.57	—	—	—	.04	—	—	.21	7
8	.07	.09	—	.04	.31	—	—	—	.49	.01	—	.03	8
9	—	.004	—	.12	.14	—	—	—	—	—	—	.12	9
10	—	.02	—	.06	—	—	—	—	—	.01	—	—	10
11	—	—	—	.29	—	—	—	.12	.04	—	.04	.11	11
12	.02	—	—	.02	—	.11	.02	.20	—	—	.17	1.24	12
13	—	—	—	.21	—	—	.04	.05	—	—	.18	.10	13
14	—	—	—	.10	—	—	—	.62	—	—	—	.01	14
15	—	—	—	.19	—	—	—	—	—	—	—	.03	15
16	.07	—	—	.02	—	.01	—	—	.52	.34	—	—	16
17	.18	.03	—	—	—	—	—	—	.26	.05	—	.03	17
18	.09	.07	—	—	—	—	—	—	—	.13	—	—	18
19	.09	—	.27	—	—	.14	—	—	—	.01	—	—	19
20	—	—	—	—	—	.11	—	—	.45	—	—	—	20
21	—	.05	—	—	.77	.07	—	—	.10	—	.06	—	21
22	—	—	—	—	—	.06	—	—	—	.16	.05	—	22
23	—	—	—	—	—	.03	.09	—	—	—	—	.15	23
24	.01	—	.01	—	—	—	1.34	—	—	.10	—	.14	24
25	.01	—	.02	—	.07	—	1.13	.11	—	—	—	.07	25
26	.01	.34	—	—	—	—	.77	.40	—	—	—	—	26
27	.22	—	—	—	—	—	.58	.32	—	—	—	.02	27
28	.04	.28	.01	—	—	—	.05	—	—	—	—	.13	28
29	—	—	.09	—	.13	.09	—	—	—	.06	—	.08	29
30	—	—	.16	—	.07	.00	—	.01	—	—	—	.01	30
31	—	—	.05	—	—	—	—	—	—	—	—	.01	31
Totals	0.95	1.47	1.33	1.95	1.98	1.40	4.21	1.92	1.92	1.23	0.53	2.44	
Total from Jan. 1		2.42	3.75	5.70	7.68	9.10	13.31	15.20	17.21	18.44	18.97	21.41	

REGISTER OF RAINFALL IN 1902

Kept at 14 Northam Road
in the County of Oxford
by C.B. Mount

RAIN GAUGE.

Lat. Long.
Time of Observation 9 a.m.
Diameter 10 in.
Height of top above Ground 1.2
" " Sea Level 206.1

Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rainfall Observ." which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		-	.19	.01	.03	.11	.10	-	-	-	-	.21	1
2	-	-	.05	-	.05	-	-	.01	.11	-	.01	-	2
3	-	.09	-	-	.13	-	-	-	-	-	-	.01	3
4	.03	-	-	.11	.01	.02	-	-	-	.07	-	-	4
5	-	-	-	.04	-	.02	-	.19	-	-	.10	-	5
6	-	-	-	-	-	.20	-	.25	-	.01	.13	-	6
7	-	.03	-	-	.09	.52	-	.31	-	-	0	-	7
8	-	.05	-	-	.04	.03	-	.18	-	-	.30	-	8
9	.02	-	-	-	-	-	.17	-	.12	.40	.01	-	9
10	-	-	-	-	-	-	.02	-	(.75)	.09	.01	-	10
11	.02	-	-	.09	.07	.07	-	.05	-	.04	.03	-	11
12	-	-	-	-	-	.16	-	.81	-	-	-	.00	12
13	-	-	-	-	.01	.47	-	.01	-	.13	-	.02	13
14	-	-	.36	.37	.07	.15	-	.01	-	.01	-	.13	14
15	-	-	-	.30	.05	.11	-	-	.01	.15	-	.11	15
16	-	-	-	-	.08	.02	-	.03	-	-	-	.03	16
17	-	-	-	-	.10	-	-	.08	-	.29	-	.35	17
18	-	-	-	-	.04	-	-	.35	-	-	-	-	18
19	-	-	-	.01	.02	.13	.04	.02	-	.14	-	.01	19
20	-	-	.05	.01	-	.05	.01	-	-	0	-	-	20
21	-	-	-	.08	-	-	-	-	-	.10	-	-	21
22	-	.26	-	.09	.34	-	.03	.05	.03	-	-	-	22
23	-	.14	-	-	-	-	-	.21	-	-	-	-	23
24	.02	.18	.23	-	-	-	-	.02	-	-	.33	-	24
25	-	.03	-	-	-	-	.14	-	-	.02	.13	-	25
26	.15	.16	.21	-	-	-	.09	-	-	-	.02	-	26
27	-	.09	-	-	-	-	-	-	-	-	.15	.03	27
28	-	-	-	-	-	-	-	-	-	.09	.64	.30	28
29	-	-	.07	-	.14	-	-	.04	-	.01	.49	-	29
30	-	-	.04	.10	.24	.06	-	.04	-	-	.11	.14	30
31	-	-	-	~~.04~~	.02	-	-	.41	-	-	-	0	31
Totals	0.24	1.06	1.20	1.21	1.47	2.13	0.63	2.27	1.02	1.58	2.40	1.42	
Total from Jan. 1		1.30	2.50	3.71	5.18	7.31	7.94	10.21	10.48	12.06	14.52	15.94	

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at 14 Northam Road
in the County of Oxford
by C D Mount

Lat. Long.
Nearest Railway Station
Time of Observation 9 a.m.
Diameter 10 in.
Height of top above Ground 1 ft. 2 in.
" " Sea Level 206 ft. 7

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	-	.49	.11	.43	-	-	.03	.01	.06	-	-	1
2	.58	-	.31	-	.34	-	-	.30	.23	.01	.29	-	2
3	.10	-	-	.02	.45	-	-	-	-	.28	-	.07	3
4	.01	-	.19	.05	.01	-	-	-	.13	.39	-	-	4
5	.12	-	.01	-	.55	-	-	-	-	.12	-	-	5
6	-	.01	.09	-	.48	-	-	-	-	.24	-	-	6
7	.03	-	.06	-	.07	-	-	-	-	.09	-	.11	7
8	.10	-	-	-	.20	.22	-	-	.10	.38	.03	.25	8
9	.01	-	.34	-	.20	.38	-	.39	.02	.01	.01	.22	9
10	.41	-	.03	-	.10	.61	-	-	.41	.12	-	.07	10
11	-	-	-	-	-	.05	.01	.34	.04	.81	-	-	11
12	-	-	-	.01	-	-	-	-	.13	.36	.01	.32	12
13	-	-	-	-	-	.43	-	.22	-	.13	.07	.01	13
14	-	-	.22	-	-	1.94	-	.12	-	.32	.06	-	14
15	-	.02	-	-	.08	1.06	-	.11	-	.13	-	-	15
16	-	-	-	-	.25	-	.10	.33	-	.07	-	-	16
17	.15	-	.26	-	.12	-	.23	.17	-	-	.05	-	17
18	-	-	-	-	-	-	.76	-	-	.16	-	.01	18
19	.05	-	-	-	-	.79	.01	-	.01	.15	-	.04	19
20	.16	-	-	-	-	-	-	.30	-	.05	.01	.01	20
21	-	.01	-	-	-	-	.18	-	.02	.07	-	-	21
22	.01	.06	-	-	-	-	.42	-	-	.01	-	-	22
23	-	.05	.65	-	-	-	.58	.23	-	.01	.03	.01	23
24	-	.26	-	-	-	-	-	.54	.18	.46	-	.03	24
25	~~.25~~	.29	.01	.33	-	-	.71	-	-	.73	-	-	25
26	-	.09	.28	.43	-	-	-	-	.02	.17	.06	-	26
27	.25	.01	.01	.36	.01	-	.30	.09	-	.76	.69	.06	27
28	-	-	.02	.57	.53	-	.14	.07	.07	.33	.24	-	28
29	-	-	.14	.25	.19	-	.11	-	.30	-	-	-	29
30	-	-	.03	.07	.61	-	-	.01	-	-	-	-	30
31	.05	-	-	-	-	-	-	-	-	.25	-	-	31
Totals	3.05	0.80	3.14	2.20	4.42	5.48	3.53	3.25	1.67	6.68	1.55	1.21	
Total from Jan. 1		3.85	6.99	9.19	13.61	19.09	22.62	25.87	27.54	34.22	35.77	36.98	

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.

Kept at

Northampton

in the County of

Oxford

by

C. B. Mount

RAIN GAUGE.

Lat. Long.

Nearest Railway Station

Oxford

Time of Observation

9 a.m.

Diameter

in. *1.2*

Height of top above Ground

1 ft. *2* in.

"

"

Sea Level

206 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.01	.03	.02	.39	.21	.04	—	—	.02	.05	—	1
2	—	.44	.10	.01	.05	—	.07	.16	.14	.01	—	.05	2
3	.09	.22	.15	.03	—	—	.31	—	—	—	—	—	3
4	.12	.03	.01	.01	—	—	—	—	—	—	—	.18	4
5	.01	—	—	.08	.01	—	—	—	—	.08	.01	.10	5
6	.24	.08	.01	—	.05	—	—	—	.21	.12	.40	.46	6
7	—	.36	.30	.01	—	—	—	—	.21	.02	.34	.01	7
8	.01	.06	—	—	.01	—	—	—	.02	—	.08	.03	8
9	.01	.78	.01	.05	.07	.20	—	—	—	.03	.40	.12	9
10	.30	.32	—	—	.01	—	—	—	—	.01	—	.12	10
11	.07	—	—	—	.01	—	—	.18	—	—	—	.26	11
12	.08	.27	—	.08	—	—	—	—	.32	—	—	.03	12
13	.27	.06	—	—	—	—	—	—	—	—	—	.26	13
14	.13	.05	.06	.08	—	.34	—	.13	.41	—	—	.15	14
15	—	.01	—	—	—	.04	—	—	—	—	—	.01	15
16	.07	.08	—	.30	—	—	—	.10	—	.23	—	—	16
17	.06	.06	—	—	—	—	—	.18	—	—	—	.02	17
18	—	.01	—	—	.02	—	.07	—	—	—	.03	—	18
19	—	.09	.07	—	—	—	.09	—	—	—	—	—	19
20	.04	—	—	—	.52	—	—	—	—	—	—	—	20
21	—	.01	.02	—	.07	—	—	.01	.01	.06	.19	—	21
22	—	—	—	.06	—	—	—	.40	.03	—	.05	—	22
23	—	—	—	—	.08	—	—	—	.02	.16	.06	—	23
24	—	—	.02	—	.04	.25	.85	—	.03	.02	—	—	24
25	.01	.06	—	—	—	.01	.98	—	.02	—	—	—	25
26	.07	.02	—	—	.52	.01	.28	—	—	—	—	—	26
27	.26	—	—	—	1.38	—	.08	—	—	—	—	.07	27
28	.08	—	.14	—	—	—	.31	—	—	—	—	.08	28
29	.20	—	.04	.02	—	—	.10	—	—	—	—	—	29
30	.53	—	.06	—	.04	.01	—	.49	.32	.01	.02	—	30
31	.76	—	.14	—	—	—	—	—	—	.04	—	—	31
Totals	3.29	3.02	1.16	.75	3.23	1.07	3.11	1.55	1.55	.81	1.64	1.95	
Total from Jan. 1		6.31	7.47	8.22	11.45	12.52	15.63	17.18	18.73	19.54	21.18	23.13	

REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL.

Kept at 14 Northam Road
in the County of Oxford
by C B Mount

Lat. Long.
Nearest Railway Station Oxford
Time of Observation 9 a.m.
Diameter 10 in.
Height of top above Ground 1 ft. 2 in.
" " Sea Level 200 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.04	—	.07	.03	.03	—	—	—	.47	—	1
2	.07	—	—	.02	.13	—	—	.32	—	—	.02	—	2
3	—	—	—	.03	.15	—	—	.34	—	—	.02	.02	3
4	—	—	.03	—	—	—	—	.07	—	.31	.33	.01	4
5	.24	—	.27	—	—	.44	—	—	.10	—	.02	.11	5
6	.03	.06	—	.07	—	.45	—	.08	.13	—	—	.06	6
7	.01	—	.03	.11	—	.16	—	.02	.03	.03	—	.27	7
8	.13	—	.20	—	—	—	—	—	.12	—	.02	.07	8
9	.08	—	.07	.32	—	—	—	—	.18	—	—	—	9
10	—	.03	.35	.24	—	.14	—	—	—	—	.18	—	10
11	.06	—	.09	.27	—	.39	—	—	—	—	.08	—	11
12	—	—	.38	—	—	—	—	—	—	—	.19	—	12
13	—	—	.41	.14	—	—	—	—	.07	—	.01	—	13
14	—	—	.26	.08	—	—	—	—	—	.07	.01	—	14
15	—	—	.22	—	—	.14	.07	.04	—	—	.01	—	15
16	.15	.07	.06	.06	—	.34	—	—	—	—	—	—	16
17	—	.01	.16	—	—	.63	—	.14	—	—	—	.04	17
18	—	—	—	—	.07	—	—	.03	—	—	—	.03	18
19	—	.02	—	.07	—	.04	—	.03	.07	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	.07	—	—	—	.23	—	—	—	—	21
22	—	—	—	—	—	—	.03	.07	—	—	.15	—	22
23	—	.04	.24	—	—	—	.07	—	—	—	.01	—	23
24	—	—	—	—	—	—	—	—	.07	—	—	—	24
25	—	.07	.05	.14	—	.07	—	.10	.30	—	.05	—	25
26	—	.12	.15	.09	—	—	—	—	.02	.04	.53	—	26
27	—	.07	.05	.07	—	—	—	.53	.04	—	—	.12	27
28	—	.01	—	.02	—	—	—	1.12	.35	.12	.02	.12	28
29	—	—	.07	—	.06	.75	—	.07	.01	.38	.01	.13	29
30	.02	—	.02	.48	.35	.78	—	—	—	.04	.23	—	30
31	—	—	—	1	.12	—	—	.02	—	.27	1	—	31
Totals	.79	.38	3.03	2.12	.89	4.36	.08	3.20	1.31	1.20	2.36	0.98	
Total from Jan. 1		1.14	4.20	6.32	7.21	11.57	11.65	14.85	16.16	17.36	19.72	20.70	

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.
14 JAN 1907

Kept at 14 Northam Road
in the County of Oxford
by C B Mount

Lat. Long.
Nearest Railway Station
Time of Observation 9 a.m.
Diameter 10 in.
Height of top above Ground 1 ft. 2 in.
" " Sea Level 206 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	—	.02	—	.07	.28	—	.03	—	.45	—	—	1
2	.30	.09	—	—	.15	.01	—	.22	—	.85	.01	.01	2
3	.11	—	—	—	.04	—	—	.00	—	—	—	.03	3
4	.39	—	—	—	—	—	—	—	.03	.29	.24	—	4
5	.62	—	.07	—	.19	—	—	—	—	—	—	.18	5
6	—	—	—	—	.01	—	—	—	—	.01	.63	.04	6
7	.85	.01	—	—	—	—	—	—	—	.20	.37	—	7
8	.07	.19	.16	—	—	—	—	—	—	.15	.96	.14	8
9	.07	.10	—	—	.07	—	—	—	—	.45	.04	—	9
10	.0	.16	.43	—	~~.02~~	—	—	.25	—	—	—	—	10
11	.13	.03	.10	—	—	—	—	—	—	—	—	.07	11
12	.45	—	.03	—	.02	—	.12	—	.05	.13	—	.10	12
13	.05	.04	.02	.05	—	—	.22	.15	.41	.01	—	.14	13
14	—	.07	.02	—	—	.06	—	—	.32	—	—	—	14
15	.19	.13	.08	—	—	.08	—	.07	.09	.01	.00	.32	15
16	.08	.25	—	—	.08	.26	—	—	.06	.05	.17	.07	16
17	.14	—	.03	.08	—	—	.05	.02	—	.09	.14	—	17
18	.15	.04	.01	—	—	—	—	—	.01	.67	—	.07	18
19	.0	.05	.0	—	—	—	—	—	—	—	.05	—	19
20	.12	—	.06	—	.44	—	—	—	—	.02	.38	—	20
21	.01	—	.05	—	—	—	—	—	—	—	—	—	21
22	—	—	.01	—	—	.44	—	—	—	.08	—	—	22
23	—	.00	.09	—	.30	—	.09	—	—	—	—	—	23
24	.27	.06	.01	.02	.01	—	—	.29	—	.01	—	—	24
25	.01	—	—	—	.20	—	—	—	—	—	—	.34	25
26	—	.10	.06	—	.21	—	.04	—	—	.02	—	.05	26
27	—	.12	—	.10	.06	.31	.15	—	—	—	—	.01	27
28	—	.4	—	.03	.07	1.72	.39	—	—	.11	—	.02	28
29	—	—	—	.05	—	.06	—	—	—	.39	—	~~.02~~	29
30	—	—	—	—	.04	—	—	—	—	.11	—	.14	30
31	—	—	—	—	—	—	—	—	—	—	—	.01	31
Totals	3.52	1.54	1.19	0.33	1.78	3.22	1.06	1.11	0.97	4.10	3.05	2.03	
Total from Jan. 1	~~5.56 6.55 7.08 8.86 12.08 13.14 14.25 15.22 19.32 22.37 23.40~~												

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Kept at 14 Northam Road
in the County of Onford
by C. S. Mount

Lat. _____ Long. _____
Nearest Railway Station Onford
Time of Observation 9 a.m.
Diameter of Rain Gauge 10 in.
Height of top of Gauge above Ground 1 ft. 22 in.
" " " Sea Level 205 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	—	—	—	.08	1.54	—	—	—	.20	.01	—	1
2	.05	—	—	.01	.04	—	.05	.44	.24	—	—	.53	2
3	—	—	—	—	.19	—	.28	—	.23	—	—	—	3
4	—	.03	—	—	—	.13	.32	—	.15	—	.01	.79	4
5	—	—	.13	.10	—	.11	.02	.02	.02	.18	—	—	5
6	—	—	—	.10	—	—	.04	.08	—	.36	—	.11	6
7	—	—	.08	.26	.07	.01	—	—	—	.04	.01	.42	7
8	—	.18	.07	.46	.06	—	.03	—	—	.09	.01	.21	8
9	—	.11	.12	.02	—	.03	.03	.18	—	.08	—	.20	9
10	.10	.08	.02	—	—	—	.20	—	—	.38	—	.01	10
11	—	.04	—	—	—	.42	—	.44	—	—	.02	.57	11
12	—	.38	.14	.28	—	.07	—	.04	—	.01	.08	.14	12
13	—	—	.10	—	.72	.06	—	.02	—	.25	—	.38	13
14	—	.05	.01	—	—	.03	—	.03	—	.58	—	.03	14
15	—	—	.08	—	—	.15	—	—	—	.06	—	—	15
16	—	—	.12	—	—	—	—	.01	—	.01	—	—	16
17	—	—	.07	.04	—	—	—	.40	—	—	.27	—	17
18	—	.03	—	—	—	.01	—	—	—	.24	.19	.02	18
19	—	.14	.06	—	—	0	—	.12	—	.26	—	—	19
20	—	—	—	.21	.06	.04	—	.05	—	.40	.01	.01	20
21	—	.05	—	.41	.15	0	.92	—	—	.01	—	—	21
22	—	—	—	—	.25	.09	.88	.06	—	.05	.26	.24	22
23	—	—	—	—	.07	.01	—	—	—	.01	—	—	23
24	.07	—	—	—	—	.16	—	—	—	—	.32	—	24
25	—	—	—	—	.26	.03	.02	.04	.03	.07	.31	—	25
26	—	—	—	—	.22	.02	.10	.03	—	—	.66	.02	26
27	—	—	—	.19	—	.06	.05	—	—	—	.04	—	27
28	.09	—	—	.06	—	—	.02	—	—	.01	.05	—	28
29	—	—	—	—	—	.01	.11	—	—	.59	—	—	29
30	—	—	—	.06	.15	.01	.04	.02	—	.37	—	.01	30
31	—	—	—	—	.12	—	—	—	—	—	—	—	31
Total	0.58	1.12	0.81	2.20	2.44	2.90	3.11	1.46	0.67	5.22	2.25	3.64	TOTAL for year
of	10	12	12	13	14	20	16	15	5	15	15	16	156

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.

Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

June 1. Great Thunderstorm. 1 Inch apparently fell in half an hour

Copied ARR
Scanned
REGISTE
Kept at Oxford (Banbury)
in the County of Oxon.
by Miss E. M. O

OXFORD
14, NORTHMOOR ROAD
OXON
1908-10

31/1/40.
FORM A.
BRITISH RAINFALL.
16 FEB 1909
in.
und ft. in.
Level ft.
Instructions for the measurement
sent post-free on application

NOTE.—Rain should be measured daily at
of rain and particulars as to the British Rainfall
to Dr. H. R. MILL, 62, Camden Square, London

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.04	—	—	.40	—	—	.02	—	—	—	1
2	—	.01	.14	—	.41	—	—	—	.08	—	—	—	2
3	—	.02	.26	.02	.03	—	—	—	.43	.01	—	—	3
4	—	—	—	.01	.06	—	.39	—	.04	—	—	.10	4
5	.04	—	.37	.20	.08	—	.06	.04	—	.01	—	.09	5
6	.04	—	.10	—	.20	—	—	—	—	—	—	—	6
7	1.37	—	.04	—	.06	.02	.02	—	—	—	—	—	7
8	.04	—	.02	—	.01	—	.13	—	.05	.05	—	.08	8
9	—	—	.04	—	—	—	.38	—	.02	.27	—	.15	9
10	—	—	.01	—	—	—	.11	.03	.01	—	.01	.12	10
11	—	—	—	—	.03	.02	—	—	.15	—	.13	—	11
12	—	—	—	—	—	.06	.24	.03	—	—	.04	.15	12
13	—	—	—	.03	—	.01	.06	.02	—	—	.07	.04	13
14	—	—	—	—	.27	—	.26	—	.03	—	.02	.22	14
15	—	.08	.04	—	.07	—	.02	—	.16	—	.01	—	15
16	—	.32	.01	—	—	.40	.35	—	.04	.10	—	.10	16
17	—	.07	—	—	—	.04	.13	—	—	—	—	—	17
18	.02	.08	.01	—	—	—	—	—	.20	—	.16	.02	18
19	—	—	—	—	—	—	—	—	—	.04	—	.12	19
20	—	—	—	—	—	—	—	.27	.05	.37	—	.07	20
21	—	.01	—	—	.02	—	—	.16	—	.08	.20	.02	21
22	—	.07	.11	.07	.11	—	—	.17	—	—	.05	—	22
23	—	—	—	.61	—	—	—	.74	.06	—	—	—	23
24	.02	—	.47	.14	—	—	—	.01	—	.01	.11	—	24
25	.02	—	.33	1.67	.01	—	—	.04	.03	.02	—	—	25
26	.01	.07	—	—	—	—	—	.39	—	.08	—	—	26
27	—	.03	.17	.43	—	—	—	.13	.04	.02	—	—	27
28	.06	.07	—	.58	—	—	—	.02	—	.03	.07	.15	28
29	.04	—	.07	.42	.04	—	—	.06	—	—	.17	.23	29
30	—	—	.31	.03	—	—	—	.03	—	—	—	.13	30
31	—	—	—	X	.03	—	—	.67	—	—	—	.04	31
Total	1.66	.83	2.54	4.21	1.43	1.55	2.15	2.91	1.41	1.09	1.04	1.83	TOTAL for year
No. of Rain Days	10	11	18	12	15	7	12	16	16	13	12	10	159

Copied ARR

REGISTER OF RAINFALL IN 1920

Kept at Oxford (Banbury Road)

in the County of Oxon

by Miss E. M. Tawney

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.04	—	—	.40	—	—	.02	—	—	—	1
2	—	.01	.14	—	.41	—	—	—	.08	—	—	—	2
3	—	.02	.26	.02	.03	—	—	—	.43	.01	—	—	3
4	—	—	—	.01	.06	—	.39	—	.04	—	—	.10	4
5	.04	—	.37	.20	.08	—	.06	.04	—	.01	—	.09	5
6	.04	—	.10	—	.20	—	—	—	—	—	—	—	6
7	1.37	—	.04	—	.06	.02	.02	—	—	—	—	—	7
8	.04	—	.02	—	.01	—	.13	—	.05	.05	—	.08	8
9	—	—	.04	—	—	—	.38	—	.02	.27	—	.15	9
10	—	—	.01	—	—	—	.11	.03	.01	—	.01	.12	10
11	—	—	—	—	.03	.02	—	—	.15	—	.13	—	11
12	—	—	—	—	—	.06	.24	.03	—	—	.04	.15	12
13	—	—	—	.03	—	.01	.06	.02	—	—	.07	.04	13
14	—	—	—	—	.27	—	.26	—	.03	—	.02	.22	14
15	—	.08	.04	—	.07	—	.02	—	.16	—	.01	—	15
16	—	.32	.01	—	—	.40	.35	—	.04	.10	—	.10	16
17	—	.07	—	—	—	.64	.13	—	—	—	—	—	17
18	.02	.08	.01	—	—	—	—	—	.20	—	.16	.02	18
19	—	—	—	—	—	—	—	—	—	.04	—	.12	19
20	—	—	—	—	—	—	—	.27	.05	.37	—	.07	20
21	—	.01	—	—	.02	—	—	.16	—	.08	.20	.02	21
22	—	.07	.11	.07	.11	—	—	.17	—	—	.05	—	22
23	—	—	—	.61	—	—	—	.74	.06	—	—	—	23
24	.02	—	.47	.14	—	—	—	.01	—	.01	.11	—	24
25	.02	—	.33	(1.67)	.01	—	—	.04	.03	.02	—	—	25
26	.01	.07	—	—	—	—	—	.39	—	.08	—	—	26
27	—	.03	.17	.43	—	—	—	.43	.04	.02	—	—	27
28	.06	.07	—	.58	—	—	—	.02	—	.03	.07	.15	28
29	.04	—	.07	.42	.04	—	—	.06	—	—	.14	.23	29
30	—	—	.31	.03	—	—	—	.03	—	—	—	.13	30
31	—	—	—	X	.03	—	—	.67	—	—	—	.04	31
Total	1.66	.83	2.54	(4.21)	1.43	1.55	2.15	2.91	1.41	1.09	1.04	1.83	TOTAL for year
No. of Rain Days	10	11	18	12	15	7	12	16	16	13	12	10	159

Corr. by B. taur. stations 16. II. 10.
REGISTER OF RAINFALL IN 1909

Kept at Gafoed Banbury Rd
in the County of Oxon
by Mr E. M. Tawney

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
- 2 FEB 1910
170

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					—	.52		.54	.03	.17		.22	1
2	.02		.08			.05				.09	.01	.30	2
3			.04			.01	.02			.23		.19	3
4						.50				.05		.25	4
5		.03	.09			.15	.04			.02		.14	5
6			.76			.16	.17		.15			.15	6
7	.05		.07						.17	.09			7
8			.03						.10	.01			8
9	.05	.07	.02				.39			.02		.17	9
10	.14	.20	.01			.09			.02	.50			10
11	.01		.03			.08	.14		.04	.06			11
12	.05			.02		.08			.13	.08		.02	12
13	.08		.18	.15	.04		.01		.05	.07	.07		13
14	.04	.02	.01								.23		14
15	.19		.01				.24		.09	.12	.01	.01	15
16				.01	.45		.03	.03	.05	.27		.08	16
17	.02							1.60	1.42	.02		.19	17
18	.06		.06				.01	.09					18
19			.01	.34				.05		.06		.04	19
20			.01			.07	.05	.26		.23			20
21			.09			.43			.03	.01		.36	21
22			.06	.18		.13		.17		.02		.01	22
23			.01	.05		.62	.05	.17	.11	.16		.18	23
24			.26		.76	.12		.10	.33		.01	.03	24
25			.10	.04	.14	.13	.30	.05	.08	.04		.04	25
26		.05			.19	.10	.03			.69			26
27		.04	.24	.24	.23		.55		.11	.02	.04	.09	27
28			.14	.10	.07	.07			.36	.13			28
29			.02	.68		.24	.05	.12	.02		.14		29
30				.08			.20		.13			.01	30
31	.10		.02		.18		.01			.08		.01	31
Total	.81	.41	2.35	1.89	2.06	3.55	2.29	3.18	3.42	3.26	.51	2.52	TOTAL for year 26.23
No. of Rain Days	12	6	24	11	8	18	17	11	19	25	7	20	178

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL
28 JAN 1911

Kept at *Banbury Road*

in the County of *Oxford*

by *Miss E. M. Lawney*

Pattern
RAIN Gauge Diameter of top *5* in.
Height of top above Ground *1* ft. *1* in.
" " " Sea Level *211* ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>02</i>	<i>09</i>				<i>02</i>	<i>07</i>	<i>06</i>		<i>35</i>	<i>02</i>	<i>30</i>	1
2		<i>27</i>			<i>02</i>		<i>43</i>			<i>09</i>		<i>35</i>	2
3					<i>09</i>		<i>19</i>	<i>05</i>			<i>37</i>	<i>48</i>	3
4				<i>23</i>	<i>10</i>							<i>09</i>	4
5		<i>06</i>		<i>14</i>	<i>04</i>		<i>56</i>						5
6		<i>13</i>		<i>05</i>	<i>02</i>			<i>04</i>			<i>15</i>	<i>02</i>	6
7		<i>02</i>	<i>01</i>			<i>57</i>	<i>01</i>		<i>01</i>		<i>03</i>	<i>03</i>	7
8	<i>06</i>	<i>01</i>			<i>02</i>							<i>14</i>	8
9	<i>07</i>		<i>24</i>		<i>17</i>	<i>91</i>		<i>20</i>				<i>08</i>	9
10	<i>09</i>	<i>02</i>				<i>33</i>			<i>01</i>	<i>07</i>	<i>04</i>	<i>10</i>	10
11	<i>18</i>	<i>01</i>	<i>15</i>	<i>02</i>	<i>23</i>			<i>04</i>		<i>1.65</i>		<i>02</i>	11
12	<i>04</i>		<i>05</i>	<i>15</i>	<i>05</i>	<i>07</i>		<i>02</i>		<i>38</i>	<i>04</i>	<i>24</i>	12
13	<i>02</i>	<i>09</i>		<i>10</i>	<i>03</i>			<i>02</i>			<i>42</i>	<i>17</i>	13
14		<i>28</i>		<i>11</i>					<i>34</i>			<i>1.08</i>	14
15	<i>08</i>	<i>02</i>		<i>11</i>							<i>02</i>	<i>59</i>	15
16	<i>12</i>	<i>05</i>	<i>03</i>	<i>1.01</i>						<i>08</i>		<i>12</i>	16
17	<i>06</i>	<i>19</i>	<i>02</i>		<i>09</i>		<i>04</i>			<i>14</i>		<i>03</i>	17
18	<i>05</i>	<i>16</i>	<i>03</i>	<i>04</i>	<i>23</i>			<i>16</i>		<i>17</i>			18
19		<i>01</i>		<i>01</i>	<i>04</i>					<i>07</i>	<i>05</i>		19
20		<i>26</i>					<i>12</i>	<i>01</i>				<i>34</i>	20
21		<i>03</i>		<i>16</i>	<i>02</i>							<i>47</i>	21
22	<i>02</i>	<i>41</i>				<i>05</i>	<i>09</i>				<i>58</i>		22
23	<i>14</i>	<i>04</i>		<i>02</i>		<i>20</i>		<i>14</i>				<i>01</i>	23
24	<i>09</i>	<i>28</i>		<i>04</i>		<i>12</i>	<i>09</i>	<i>07</i>		<i>04</i>		<i>01</i>	24
25		<i>13</i>		<i>12</i>		<i>29</i>	<i>02</i>	<i>11</i>		<i>05</i>			25
26		<i>04</i>		<i>03</i>				<i>09</i>			<i>06</i>	<i>03</i>	26
27	<i>42</i>					<i>05</i>	<i>01</i>			<i>46</i>	<i>93</i>		27
28	<i>06</i>	<i>06</i>		<i>39</i>	<i>06</i>	<i>01</i>	<i>17</i>	<i>47</i>	<i>04</i>	<i>07</i>			28
29				<i>06</i>		<i>13</i>		<i>21</i>					29
30					<i>05</i>	<i>06</i>		<i>02</i>			<i>40</i>		30
31					<i>53</i>					<i>19</i>			31
Total	<i>1.52</i>	<i>2.66</i>	<i>53</i>	<i>2.79</i>	<i>1.79</i>	<i>2.81</i>	<i>1.80</i>	<i>1.71</i>	<i>40</i>	<i>3.81</i>	<i>3.11</i>	<i>4.70</i>	<i>27.63</i>
No. of Rain Days	<i>16</i>	<i>23</i>	<i>7</i>	<i>18</i>	<i>17</i>	<i>13</i>	<i>12</i>	<i>16</i>	<i>4</i>	<i>14</i>	<i>13</i>	<i>21</i>	<i>174</i>

NUNEHAM PARK GDWS

OXFORDSHIRE

1901 - 1910

Kept at *Nuneham*

in the County of

by *G. E. Mann*

NOTE.—Full instructions of the Rainfall," which is sent

907

Lat. *51° 41' N.* Lon. *1° 13' W.*

Time of Observation *9 a.m.*

Barometer *29.4*

Height of top above Ground *3 feet*

Sea Level *280*

Registering the Systematic Observation and Record at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.									Oct.	Nov.	Dec.	Date.
	in.	in.									in.	in.	in.	
1	.07										.01			1
2														2
3	.02										.25			3
4		.71 snow	.08	.52					.03		.01			4
5			.17	.18					.16		.02			5
6			.10	.06	.09					.01	.18			6
7	.15 snow		.12	.19	.57					.01			.07	7
8	.10 snow			.13	.27					.34	.04		.20	8
9				.19	.27								.11	9
10	.01 fog			.28					.18		.03		.10	10
11	.02 fog			.04					.30	.14			.16	11
12	.01 fog			.18		.06			.10		.04	.25	1.20	12
13				.24					.05			.15	.11	13
14				.08		.01			.83				.02	14
15				.18							.36	.02		15
16	.25			.05		.04				.67	.06			16
17	.28									.51				17
18	.17	.12 snow								.01	.20			18
19			.30			.16								19
20	.04					.12				.57				20
21		.03				.05				.10				21
22						.04					.18			22
23		.02					.12			.01			.60	23
24			.02 snow			.05	1.43				.09			24
25		.05					.65	.18	.02			.15	68	25
26	.09	.15	.04 snow	.02			.66	.19			.02			26
27	.17			.03			.41	.35						27
28	.04 snow	.26				.20							.42	28
29			.10		.20	.08					.09		.32	29
30			.53		.10	.82		.09					.02	30
31			.12					.25					.05	31
Totals	1.42	1.34	1.97	2.71	1.50	1.57	3.60	2.71	2.39	1.58	0.65	4.06		
Total from Jan. 1	1.42	2.76	4.73	7.44	8.94	10.51	14.11	16.82	19.21	20.79	21.44	25.50		

REGISTER OF RAINFALL IN 1907

Kept at *Rusham Park Gardens*
in the County of *Dorset*
by *C. E. Munday* (Gardener)

RAIN GAUGE.

Lat. *51° 41' N.* Lon. *1° 13' W.*
Time of Observation *9 a.m.*
Diameter *8 in.*
Height of top above Ground *3 feet*
,, ,, Sea Level *280*

NOTE.—Full instructions respecting the measurement of rain are given in “Arrangements respecting the Systematic Observation and Record of the Rainfall,” which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07		.08	.26		.02				.01			1
2			.26	.07		.12	.13						2
3	.02		.05	.01						.25			3
4		.71 snow	.08	.52				.03		.01			4
5			.17	.18				.16		.02	<i>fog</i>		5
6			.10	.06	.09				.01	.18	.04 <i>fog</i>		6
7	.15 snow		.12	.19	.57				.01			.07	7
8	.10 snow			.13	.27				.34	.04		.20	8
9				.19	.27							.11	9
10	.01 fog			.28				.18		.03		.10	10
11	.02 fog			.04				.30	.14			.16	11
12	.01 fog			.18		.06		.10		.04	.25	1.20	12
13				.24				.05			.15	.11	13
14				.08		.01		.83				.02	14
15				.18						.36	.02 <i>fog</i>		15
16	.25			.05		.04			.67	.06			16
17	.28								.51		.01 <i>fog</i>		17
18	.17	.12 snow							.01	.20			18
19			.30			.16							19
20	.04					.12			.57				20
21		.03				.05			.10				21
22						.04				.18			22
23		.02					.12		.01			.60	23
24			.02 snow			.05	1.43			.09			24
25		.05					.65	.18	.02		.15	<i>snow</i> 68	25
26	.09	.15	.04	.02			.66	.19		.02 <i>fog</i>			26
27	.17			.03			.41	.35					27
28	.04 snow	.26					.20					.42	28
29			.10		.20	.08				.09		.32	29
30			.53		.10	.82		.09				.02	30
31			.12					.25				.05	31
Totals	1.42	1.34	1.97	2.71	1.50	1.57	3.60	2.71	2.39	1.58	0.65	4.06	
Total from Jan. 1	1.42	2.76	4.73	7.44	8.94	10.51	14.11	16.82	19.21	20.79	21.44	25.50	

REGISTER OF RAINFALL IN 1902

Kept at Nuneham Park Gardens
in the County of Oxford
by C. E. Munday

RAIN GAUGE.

Lat. 51° 41' Long. 1° 13' W
Time of Observation 9 a.m.
Diameter 8 in.
Height of top above Ground 3 ft.
Sea Level 280 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.27		.22		.06	.10	.18						1
2			.10		.08				.11				2
3		.10			.25			.03			.02/09		3
4	.17			.20	.07	.05				.11			4
5	.02			.14		.08		.36			.12		5
6			.03/09			.30		.20		.02	.18		6
7		.12			.05	.20		.15					7
8						.03		.16			.35		8
9							.18		.05	.52	.02		9
10	.02						.09	.01	.60	.19	.02		10
11				.14		.16		.10	.30		.03		11
12			.03			.17		.02			.02	.08	12
13					.18	.77		.03		.08		.03	13
14			.47	.18	.09	.26		.07		.04		.18	14
15	.05			.45		.13			.09	.08		.06	15
16					.15	.05		.16	.04	.03		.03	16
17					.13			.52		.45		.58	17
18								.35		.02			18
19					.16	.30	.07	.04		.18			19
20			.04			.02				.02			20
21				.21						.12			21
22		.18			.42		.05	.09	.05				22
23								.23			.02		23
24	.05		.21					.05			.30		24
25		.30					.23			.04	.12		25
26	.25	.25	.28				.18				.05		26
27	.05	.13					.01		.02		.15	.03	27
28		.04								.06	.76	.35	28
29			.14	.05	.16			.03		.05	.52		29
30	.05		.07		.25	.02		.05			.15	.16	30
31					.05			.55					31
Totals	.88	1.12	1.59	1.37	2.10	2.64	.99	3.20	1.26	2.01	2.83	1.50	
Total from Jan. 1	.88	2.00	3.59	4.96	7.06	9.70	10.69	13.89	15.15	17.16	19.99	21.49	

REGISTER OF RAINFALL IN 1903

Kept at *Kuneham Park Gardens*
in the County of *Dorset*
by *E. E. Kunday*

Lat. *1° 13' N* Long. *51° 41' W*
Nearest Railway Station *Bulham*
Time of Observation *9 A.M.*
Diameter *8* in.
Height of top above Ground *3* ft. in.
Sea Level *280* ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.29	.14	.44			.03	.02	.02	.02		1
2	.20		.32		.43			.33	.32		.46		2
3	.10		.31	.07	.52				.01	.20	.01	.10	3
4	.90		.04	.09	.07				.12	.24	.02		4
5	.20		.07		.21		.01			.08	.01	.03	5
6	.02	.04			.04					.18	.01	.04	6
7			.07		.01					.02		.10	7
8	.11					.29		.03	.06	.50	.02	.02	8
9			.13		.16	.44		.51	.07	.04	.02	.34	9
10	.56		.08		.10	.91		.07	.53	.14	.03	.05	10
11				.02	.07	.30	.04	.47	.03	1.55	.02		11
12			.01	.02					.07	.36	.10	.26	12
13				.02		.75		.21		.10	.05	.05	13
14			.23	.05		1.97		.06		.24	.02	.02	14
15		.03	.02		.15	.98		.12		.15			15
16				snow -01	.32	.06	.07	.28		.10			16
17	.18		.27		.14	.03		.10		.02	.06		17
18	.02						.35	.02	.02	.16			18
19	.05					.78	.12			.13		.04	19
20	.01							.18		.07	.05		20
21		.02					.23	.02	.04	.14		.03	21
22	.10	.10					.18		.01	.06			22
23	.03	.02	.68				.52	.21		.02	.03	.02	23
24	.03	.46					.52	.27	thunder	.22		.04	24
25		.26	.08	.43			.43		.02	.43			25
26		.35	.29	.54					.06	.23	.08		26
27	.37	.15	.06	.39	.05		.18	.12	.02	.79	.76	.04	27
28	.01	.02	.05	.60	.70		.20	.16	.15	.25	.18		28
29			.04	.25	.21		.05		.33	.02			29
30			.13	.10	.42		.03	.04	.02	.02			30
31	.11		.02				.04			.33			31

Totals 3.00 1.45 3.19 2.73 4.04 6.51 2.45 3.48 2.17 6.81 1.95 1.18

Total from Jan. 1 3.00 4.55 7.74 10.47 14.51 21.02 23.47 26.92 29.40 36.21 38.16 39.34 38.96

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.

Kept at *Runham Park Gardens*
in the County of *Oxford*
by *E. E. Munday*

Lat. _____ Long. _____
Nearest Railway Station *Culham*
Time of Observation *9 A.M.*
Diameter *8* in.
Height of top above Ground *3* ft. in.
" " Sea Level *280* ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.10	.04	.03	.36	.40	.18			.10	.04	.42	1
2		.30	<i>more than</i> .10	.02	.05				.16				2
3	.05	.25	<i>snow</i> .16				.09						3
4	.15	.03	<i>snow</i> .02	.03				.32				.08	4
5	.02	.04	<i>snow</i> .01	.17	.02							.08	5
6		.06	.01		.14					.37	.40	.49	6
7	.07	.39	.17						.17	.04	.36		7
8	.02	.07		.05					.02		.05		8
9	.02	.61				.14						.18	9
10	.22	.47			.14					.06	.42	.05	10
11	<i>snow</i> .01				.02			.23				.30	11
12	.21	.31		.15					.24			.04	12
13	.29	.12				.08					<i>fog</i> .03	.25	13
14		.05	.06	.17		.37		.18	.47			.03	14
15				.32		.03							15
16	.03	<i>snow & hail</i> .12						.12			<i>fog</i> .02		16
17	.08	<i>snow</i> .05						.28		.25	<i>fog</i> .01	.02	17
18	.01	.03									<i>fog</i> .01	<i>fog</i> .02	18
19		.10					.05				<i>fog</i> .01		19
20	.10	.01	.07		.55								20
21			.03		.05			.04		.08			21
22				.12	.01			.38		.04			22
23					.12		.10		.04	.10			23
24						.20				.08			24
25		.03			.02		.52						25
26	.05	.02		.01	.50		.06			<i>fog</i> .01			26
27	.25				<u>1.47</u>		.32			<i>fog</i> .01		.06	27
28	.10		.17				.06		.36				28
29	.25		.10	.03			.20						29
30	.42				.05		.23		.20				30
31	.51							.43		.05			31
Totals	2.86	3.16	0.94	1.10	3.50	1.22	2.17	1.98	1.66	1.19	1.36	2.02	
Total from Jan. 1	2.86	6.02	6.96	8.06	11.56	12.78	14.89	16.87	18.53	19.72	21.08	23.10	✓ 144

REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL.

Kept at *Huneham Park Gardens*
in the County of *Oxford*
by *G. E. Munday*

Lat. *51° 41' N.* Long. *1° 13' W.*
Nearest Railway Station *Culham*
Time of Observation *9. A.M.*
Diameter *8* in.
Height of top above Ground *3* ft. in.
Sea Level *280* ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.06				.03	.02	.02	.01	.54	.02	1
2	.08			.10	.19	.06		.21			.04		2
3								.31				.10	3
4				.01						.11	.40	.10	4
5			.30			.60		.16	.07		.02		5
6		.20		.16		.63			.08				6
7		.03	.07			.13		.05	.09			.27	7
8			.10	.05								.02	8
9	.15		.03	.30			.15		.21		.02 fog		9
10		.05	.28	.25		.17		.03			.55		10
11			.16	.30		.21				.09	.15		11
12			.20							.02	.20	.02 fog	12
13			.40	.10					.05		.05	.02 fog	13
14			.33	.05							.03		14
15			.39			.09	.04	.04		.14			15
16		.06	.04	.10		.39							16
17			.22										17
18			.02	.05				.11				.04	18
19		.03		.04		.14		.19					19
20						.02							20
21								.18					21
22				.04			.08	.17			.14		22
23			.23				.17						23
24									.36				24
25		.12	.08	.08		.01		.12			.12		25
26		.10	.12	.10				.02	.05	.04	.23		26
27			.09					.53				.10	27
28								.97	.30	.14		.12	28
29			.03		.15	.68	.04	.06		.33		.17	29
30				.30	.52	.44				.02			30
31					.03					.32			31
Totals	.23	0.59	3.15	2.03	0.89	3.57	0.51	3.17	1.23	1.22	2.49	0.98	
Total from Jan. 1		0.82	3.97	6.00	6.89	10.46	10.97	14.14	15.37	16.59	19.08	20.06	

REGISTER OF RAINFALL IN 1906

Kept at Buncham Park Gardens
in the County of Oxford
by E. E. Munday

Lat. Long.
Nearest Railway Station Bulham
Time of Observation 9 a.m.
Diameter 8 in.
Height of top above Ground 3 ft. in.
" " Sea Level 280 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40		.15			.30				.61	.03		1
2	.22				.34			.70		.67			2
3	.36												3
4											.25		4
5	.42												5
6											.55		6
7	.22									.06	.30		7
8										.44	.80	.44	8
9		<i>N. J. Jones</i> .21								.53	.03		9
10			.60					.08					10
11	.10		.20									.10	11
12	.28		.05				.42			.24			12
13	.02		.04	.15			.33		.28			.15	13
14									.40				14
15	.15					.09		.38	.16		.18	.09	15
16		.70	.12			.19			.03	.10	.22		16
17								.10		.35			17
18									.10	.57			18
19		.12					.14						19
20	.25				.25						.20		20
21	.03			.12						.02			21
22													22
23					.23	<i>Heavy thunder</i> .30					.04		23
24	.32							.27				.06	24
25	.01				.40							.488.	25
26		.12								.30		.108.	26
27				.20	.25		.25					.088.	27
28			.40			1.80						.058.	28
29	.02									.21			29
30										.24		.158.	30
31					.03							.2158.	31
Totals	3.00	1.15	1.56	.47	1.50	2.68	1.14	1.53	0.97	4.34	2.60	1.91	
Total from Jan. 1		4.15	5.71	6.18	7.68	10.36	11.50	13.03	14.00	18.34	20.94	22.85	

REGISTER OF RAINFALL IN 1907

Kept at Kuncham Park Gardens
in the County of Oxford
by C. E. Munday

Lat. _____ Long. _____
Nearest Railway Station Culham
Time of Observation 9 a.m.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. in
" " " Sea Level 280 ft.

FORM A.
BRITISH RAINFALL
1908

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38				.10	.47							1
2	.09				.30			.42	.14	.23		.62	2
3				.03	.06		.20					.22	3
4				.06	.10	.06	.18		.30			.80	4
5			.18				.03		.05	.43			5
6				.04						.50	.01	.06	6
7					.20	.05					.02	.25	7
8							.03				.01	.26	8
9			.10				.07	.20		.08		.09	9
10		.10					.04			.48		.16	10
11		.40		.64		.40	.80					.30	11
12						.06						.26	12
13		.27	.15		.30	.04				.21		.27	13
14			.08			.08				.50		.06	14
15						.10					.05		15
16			.12							.75			16
17				.18						.03	.38	.04	17
18		.20								.50			18
19								.15		.27			19
20				.34				.03		.23			20
21				.33			.24	.05					21
22					.24	.20	1.51				.18		22
23										.04		.23	23
24						.20					.48		24
25						.10		.02		.06	.32		25
26				.22							.63		26
27				.16							.02		27
28							.15						28
29					.20	.25	.18		.11	.52			29
30						.11				.25		.01	30
31					.60								31
Total	.47	.97	.63	2.00	2.10	2.12	2.93	.90	.60	5.08	2.10	3.63	
No. of Rain Days	2	4	5	9	9	13	11	6	4	16	10	15	

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

Kept at Hamham Park Gardens
in the County of Oxford
by C. E. Munday

Lat. _____ Long. _____
Nearest Railway Station Bulham
Time of Observation 9 a.m.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. _____ in.
" " " Sea Level 280 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			~~1.25~~ 0.20			1.9			12				1
2									10			05	2
3			15		30				60				3
4			06	08	06		40		15				4
5				25	07			13	10			20	5
6	15		30	02	05		09			03			6
7	85		10							05			7
8	06		12				~~31~~ 21			08			8
9					02		20			40			9
10												10	10
11					02	06							11
12												05	12
13					08		10				33	35	13
14					32		14		06				14
15		30			04				30				15
16		17				30			09	05	05		16
17										05			17
18			12								18		18
19				03					04			40	19
20				02				25	08	09		20	20
21								19	04	30	35		21
22		35						15		06			22
23				1.10				91					23
24	03 fog		43					36					24
25			36					15					25
26		Paint down 12						06					26
27			10	1.38	10				08	08		20	27
28		snow 08		50				15				09	28
29				32				10			15	10	29
30			17					06		04			30
31								68					31
Total	1.09	1.02	2.11	3.80	1.06	.64	1.24	3.19	1.86	1.23	1.06	1.74	TOTAL for year
No. of Rain Days	4	5	11	9	10	3	6	11	12	11	5	10	95

REGISTER OF RAINFALL IN 1909

FORM A2
BRITISH RAINFALL
3 JAN 1910

Kept at *Bulham Park Gardens*

in the County of *Oxford*

by *G. E. Munday*

Pattern *Ordinary*
RAIN GAUGE Diameter of top *8* in.
Height of top above Ground *3* ft.
" " " Sea Level _____ ft.

Time of Observation *9 a.m.*

Nearest Railway Station { Name *Bulham 9 W. R.*
Distance *1 1/2* Direction *South*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			<i>.50</i>			<i>.90</i>		<i>.23</i>	<i>.05</i>			<i>.20</i>	1
2			<i>to Feb</i>								<i>.04</i>	<i>.40</i>	2
3						<i>.05</i>				<i>.95</i>	<i>.02</i>	<i>.10</i>	3
4						<i>.57</i>			<i>.10</i>			<i>.15</i>	4
5						<i>.06</i>	<i>.10</i>					<i>.12</i>	5
6			<i>no rain</i>			<i>.28</i>	<i>.20</i>		<i>.10</i>	<i>.05</i>		<i>.21</i>	6
7										<i>.20</i>			7
8									<i>.06</i>				8
9									<i>.04</i>	<i>.05</i>		<i>.09</i>	9
10	<i>.64</i>									<i>.30</i>		<i>.41</i>	10
11	<i>.20</i>					<i>.08</i>	<i>.30</i>			<i>.05</i>			11
12	<i>.20</i>			<i>.06</i>					<i>.22</i>	<i>.28</i>			12
13									<i>.07</i>	<i>.06</i>			13
14	<i>.06</i>		<i>no rain</i>							<i>.08</i>	<i>.35</i>		14
15	<i>.15</i>		<i>.10</i>										15
16	<i>.14</i>		<i>.04</i>	<i>.40</i>	<i>.20</i>		<i>.30</i>	<i>.10</i>	<i>.10</i>	<i>.10</i>		<i>.06</i>	16
17								<i>1.30</i>	<i>.15</i>	<i>.10</i>		<i>.30</i>	17
18								<i>.25</i>				<i>.04</i>	18
19	<i>.16</i>							<i>.06</i>					19
20			<i>.31</i>	<i>.41</i>		<i>.09</i>	<i>.06</i>	<i>.08</i>		<i>.36</i>		<i>.40</i>	20
21			<i>.10</i>			<i>.36</i>		<i>.04</i>					21
22				<i>.30</i>		<i>.22</i>		<i>.08</i>					22
23			<i>.20</i>	<i>.41</i>		<i>.30</i>	<i>.09</i>	<i>.15</i>	<i>.10</i>				23
24					<i>.42</i>	<i>.60</i>		<i>.30</i>	<i>.23</i>	<i>.15</i>			24
25					<i>.35</i>	<i>.15</i>	<i>.05</i>	<i>.60</i>	<i>.10</i>	<i>.20</i>			25
26					<i>.15</i>				<i>.09</i>	<i>.45</i>			26
27			<i>.14</i>	<i>.25</i>		<i>.05</i>	<i>.62</i>			<i>.08</i>		<i>.09</i>	27
28						<i>.09</i>			<i>.55</i>	<i>.32</i>	<i>.10</i>		28
29				<i>.30</i>		<i>.25</i>			<i>.10</i>		<i>.20</i>		29
30	<i>.10</i>			<i>.12</i>			<i>.30</i>		<i>.10</i>		<i>.08</i>		30
31	<i>.20</i>						<i>.05</i>			<i>.15</i>			31
Total	<i>1.85</i>	<i>(.50)</i>	<i>2.31</i>	<i>2.25</i>	<i>1.12</i>	<i>4.05</i>	<i>2.07</i>	<i>3.19</i>	<i>2.16</i>	<i>3.93</i>	<i>.79</i>	<i>2.57</i>	<i>16.29</i>
No. of Rain Days	<i>9</i>		<i>9</i>	<i>8</i>	<i>4</i>	<i>15</i>	<i>10</i>	<i>11</i>	<i>16</i>	<i>18</i>	<i>6</i>	<i>13</i>	<i>149</i>

S. mal. report made

cont. by obs. III. 11

REGISTER OF ~~W~~ RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL
3 JAN 1911

Kept at Kuneham Park Gardens
in the County of Oxford 3
by E. E. Munday Head Gardener

Pattern Ordinary
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 3 ft. 0.8 in.
" " " Sea Level 280 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Culham G.M.R.
Distance 2 1/2 Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							.08			.30	.24	.25	1
2		.09										.20	2
3							.90	.16		.10	.34	.40	3
4				.45	.20			.03				.25	4
5		.10		.12			.70	.20					5
6		.08	.62	.10		.06	.02					.06	6
7					.12	.47						.08	7
8								.06				.20	8
9	.11		.32	.04		1.08		.30				.18	9
10				.03		.37						.14	10
11	.06				.20					.26	.08		11
12	.35			.08						1.20		.50	12
13					.05			.10		.06	.40	.15	13
14		.62		.18					.36		.03	.75	14
15				.12						.10		.36	15
16	.15									.10		.16	16
17	.10	.15		.45									17
18					.25					.22			18
19					.03			.20		.10		.03	19
20		.47					.20						20
21		.12		.25	.10		.10			.10	.60	.42	21
22						.12							22
23	.26	.25						.10					23
24		.45				.06		.03					24
25		.12				.10		.30					25
26				.12									26
27	.45	.05				.04					.84		27
28	.05	.10		.40	.50	.06		.47	.07	.70			28
29						.05							29
30						.10					.45		30
31					.52							.03	31
Total	1.53	2.60	.34	2.34	1.97	2.51	2.00	1.95	.43	3.24 ~~1.20~~	2.98	4.16	26.05 ~~25.57~~
No. of Rain Days	8	12	2	12	9	11	6	11	2	8 ~~11~~	8	17	109 ~~109~~

Long. *104° 30' 00" W*
 Lat. *33° 45' 00" N*
 Time *10 AM*
 in. *10*
 Ground *1* ft. *—* in.
 Sea Level *186-80* ft.
 infall Organization are given in
 Square, London, N.W.

NOTE.—Full instructions respecting
“*Rules for Rainfall Obs.*”

Date.	JAN.	FEB.	MARCH							OCT.	Nov.	DEC.	Date.
	in.	in.	in.							in.	in.	in.	
1		.490								.220	.020	.005	1
2		.030	.01							.095	.040		2
3		.352	.090	.015	.035		.080	.160	.010		.030	3	
4	.045	.320	.120	.085			.050					4	
5	.109	.045	.085	.025			.185				.115	5	
6	.002	.015		.085	.015				.090		.100	6	
7		.100	.015		.110				.140	.360	.465	7	
8	.185	.320	.255	.015	.010			.245	.010	.420	.015	8	
9		.060						.040	.025	.050		9	
10		.400	.050	.010	.045	.130					.150	10	
11	.210	.355			.020					.390	.115	11	
12	.010				.020			.145	.010		.215	12	
13	.085	.240		.085				.280			.025	13	
14	.325	.125				.045					.105	14	
15	.020	.060	.045	.090		.300	.085	.345			.285	15	
16		.010		.320		.025				.012	.015	16	
17	.030	.062							.225			17	
18	.040	.060					.250					18	
19		.015			.030						.035	19	
20		.120	.055			.080			.010		.010	20	
21	.040				.450							21	
22			.020		.085		.010		.065	.225		22	
23				.060	.005		.325	.025	.005			23	
24					.090	.005	.015	.145				24	
25			.020	.045	.200		.010	.020	.055	.010		25	
26	.010		.005	.010	.050	.495	.025	.010				26	
27	.065	.050		.630	.040	.465					.030	27	
28	.138			.940		.590			.002			28	
29	.160		.155			.040	.020				.015	29	
30	.105		.065	.022		.290					.045	30	
31	.520		.105		.050	.100			.010		.000	31	
Totals	2.159	3.829	1.100	.924	2.990	1.080	2.545	1.055	1.610	1.082	1.542	1.815	
Total from Jan. 1	2.159	5.988	4.088	8.015	11.005	12.085	14.630	15.685	17.295	18.344	19.949	21.764	

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL

Kept at *Water Works Pumping Station*
in the *City* of *Oxford*
by *W. A. White to City Engineer*
M. Inst. C. E.

Lat. Long. *Oxford*
Nearest Railway Station *Oxford*
Time of Observation *8 AM*
Diameter *8* in.
Height of top above Ground *1* ft. *186.80* in.
" " Sea Level *186.80* ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.490		.095		.010		.460	.220	.020	.005		1
2		.030	.015	.020	.340	.230	.040		.095	.040			2
3		.352	.090	.015	.035		.080		.160	.010		.030	3
4	.045	.320	.120	.085			.050						4
5	.109	.045	.085	.025				.185				.115	5
6	.002	.015		.085	.015					.090		.100	6
7		.100	.015		.110					.140	.360	.465	7
8	.185	.320	.255	.015	.010				.245	.010	.420	.015	8
9		.060							.040	.025	.050		9
10		.400	.050	.010	.045	.130						.150	10
11	.210	.355			.020						.390	.115	11
12	.010				.020			.145		.010		.215	12
13	.085	.240		.085					.280			.025	13
14	.325	.125				.045						.105	14
15	.020	.060	.045	.090		.300		.085	.345			.285	15
16		.010		.320		.025					.012	.015	16
17	.030	.062								.215			17
18	.040	.060						.250					18
19		.015			.030							.035	19
20		.120	.055				.080			.010		.010	20
21	.040				.450								21
22			.020		.085			.010		.065	.225		22
23				.060	.005			.325	.025	.005			23
24					.090		.005		.015	.145			24
25			.020		.045	.200			.010	.020	.055	.010	25
26	.010		.005		.010	.050	.495	.025	.010				26
27	.065	.050			.630	.040	.465					.030	27
28	.138				.940		.590			.002			28
29	.160		.155				.040		.020			.015	29
30	.105		.065	.022			.290					.045	30
31	.520		.105		.050		.100			.010		.000	31
Totals	2.159	3.829	1.100	.924	2.990	1.080	2.545	1.055	1.610	1.082	1.542	1.015	
Total from Jan. 1	2.159	5.988	4.088	8.015	11.005	12.085	14.630	15.685	17.295	18.344	19.949	21.764	

S.a. *wrong way*

REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL.

Kept at *Waterworks Pumping Station*
in the *City* of *Oxford*
by *W. A. White. C.E.*

Lat. *51° 44' 30"* Long. *1° 14' 43"*
Nearest Railway Station *Oxford*
Time of Observation *P. A. M.*
Diameter *8* in.
Height of top above Ground *1* ft. *0* in.
" " Sea Level *186.80* ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	0.015	.	0.390	.	.910	.	.	.	.280	.240	1
2	.	0.005	0.050	.	0.060	.085	.065	.003	.010	.005	.490	.010	2
3	0.045	.	.	0.015	.110	.	.	.200	.	.065	.	.	3
4	.	.	.	0.015	.140	.	.	.360	.	.	.065	.010	4
5	0.210	.	0.020	0.010	.	.	.	.050	.	.235	.340	.	5
6	0.040	.	0.200	.	.	.370	.010	.130	.105	.040	.020	.100	6
7	0.005	0.025	.	0.095	.	.510	.	.015	.200	.	.	.060	7
8	.	0.023	0.030	0.070	.	.140	.	.010	.030	.025	.	.210	8
9	.	.	0.130	.	.	.	.	.	.080	.	.015	.090	9
10	0.215	.	0.080	0.255	.	.	.	.015	.200	.	.	.	10
11	.	0.060	0.245	0.270	.	.120	.030	.	.	.	.530	.	11
12	0.035	.	0.095	0.240	.	.330	.	.	.	.	.120	.005	12
13	.	.	0.285	.	.	.	.	.	.	.015	.145	.	13
14	.	.	0.305	0.102	.	.	.	.	.020	.	.010	.005	14
15	.	.	0.200	0.100	.010	.015	.	.	.	.	.	.	15
16	.	.	0.285	.	.	.200	.030	.150	.	.215	.	.	16
17	0.100	.	0.060	0.060	.	.370	.	.	.	.	.010	.	17
18	.	.	0.160	.	.	.035	.	.152	.	.	.	.005	18
19	.	.	0.015	0.015	.015	.	.010	.060	.	.	.	.030	19
20	.	0.020	.	.	.	.050	.	.050	.	.	.	.	20
21	.	.	.	.	.	.	.	.	.	.	.	.	21
22	.	.	.	.	.	.	.	.220	.	.	.	.	22
23	.	.	.	.	.	.	.010	.110	.	.	.080	.	23
24	.	0.030	0.240	.	.	.	.040	.	.	.	.060	.	24
25	.	.	.	.	.	.	.	.	.	.	.	.	25
26	.	0.040	0.070	0.165	.	.	.	.105	.250	.	.050	.	26
27	.	0.165	0.155	0.095	.	.	.	.015	.040	.030	.650	.	27
28	.	0.020	0.075	.	.	.	.	.420	.030	.	.	.100	28
29	.	.	.	0.020	.	.	.	.930	.230	.115	.020	.145	29
30	0.010	.	0.020	0.015	.050	.420	.020	.100	.010	.310	.	.140	30
31	.	.	.	.	.390	.	.	.	.	.040	.	.	31
Totals	.660	.380	2.895	1.550	1.165	2.645	1.125	3.095	1.205	1.035	2.915	1.155	
Total from Jan. 1		1.040	3.943	5.493	6.658	9.303	10.428	13.523	14.728	15.763	18.678	19.833	

151 149.8224

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.

Kept at *Honksey Pumping Station.*
in the *County* of *Worcester*
by *W. A. White. & Co*
Waterworks Engineer. Worcester.

Lat. *51° 44' 30"* Long. *1° 14' 43"*
Nearest Railway Station *St. N. H. 18 1/2 m.*
Time of Observation *8 AM*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *—* in.
Sea Level *186.80* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	.	0.025	0.010	.	.	.	.	.	.	1
2	0.020	0.003	0.020	.	.	0.190	.	0.030	.	0.465	.	.	2
3	0.300	0.060	0.020	.	0.160	0.010	.	0.770	.	0.780	0.005	.	3
4	0.110	0.050	.	.	0.035	.	.	0.090	.	.	0.045	0.025	4
5	0.310	.	0.005	.	.	.	.	.	0.010	0.225	0.195	.	5
6	0.560	.	.	.	0.230	.	.	.	.	.	.	0.100	6
7	.	.	.	.	0.015	.	.	.	.	.	0.710	0.040	7
8	0.340	.	.	.	0.010	.	.	.	.	0.190	0.365	.	8
9	0.005	0.120	0.150	.	.	.	.	.	.	0.095	1.140	0.100	9
10	0.075	0.110	.	.	0.010	.	.	.	.	0.460	0.070	0.010	10
11	.	0.130	0.460	.	.	.	.	0.085	.	0.080	.	.	11
12	0.120	0.040	0.115	.	.	.	.	.	.	.	.	0.065	12
13	0.420	.	0.040	.	0.010	.	0.055	.	0.045	0.135	.	0.120	13
14	0.070	0.055	0.035	0.090	.	.	0.190	0.140	0.615	0.010	.	0.220	14
15	.	0.050	0.035	.	.	0.060	.	.	0.250	.	.	.	15
16	0.150	0.100	0.060	.	.	0.110	.	0.110	0.070	0.025	0.060	0.295	16
17	0.075	0.240	0.005	.	0.095	0.270	.	.	0.055	0.015	0.165	0.090	17
18	0.080	0.015	0.035	0.080	.	0.010	.	0.040	0.005	0.110	0.120	.	18
19	0.255	0.060	0.010	.	.	.	0.045	.	0.080	0.670	.	0.080	19
20	.	0.050	.	.	0.005	.	.	.	.	.	0.045	.	20
21	0.100	.	0.060	.	0.420	.	.	.	.	0.020	0.400	.	21
22	0.010	.	0.020	.	.	.	0.065	.	.	.	.	.	22
23	.	0.025	.	.	.	.	.	.	.	0.125	.	.	23
24	.	0.045	0.120	0.015	0.300	0.360	0.015	.	.	.	.	.	24
25	0.170	0.045	0.020	0.005	0.075	.	.	0.270	.	0.015	.	0.123	25
26	0.100	.	0.015	.	0.290	.	.	.	.	.	.	0.360	26
27	.	0.110	0.120	.	0.295	.	0.080	.	.	0.015	.	0.040	27
28	.	0.120	.	0.100	0.070	0.100	0.150	.	.	.	.	0.012	28
29	.	.	.	0.050	0.020	1.740	0.300	.	.	0.165	.	0.039	29
30	.	.	.	0.015	.	0.125	0.035	.	.	0.430	0.010	.	30
31	.	.	.	.	0.060	.	.	.	.	0.120	.	0.156	31
Total	3.270	1.420	1.345	0.1355	2.065	2.905	0.935	0.935	1.050	4.150	3.330	1.963	TOTAL for year 23.211
No. of Rain Days	19	19	19	7	10	11	9	8	7	20	13	17	167

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Kept at City Waterworks Pumping Station.
in the City of Oxford
by W. A. White. C. E.
City Engineer

Lat. 51° 44' 30" Long. 1° 14' 43"
Nearest Railway Station Oxford. G.W.R.
Time of Observation P.A.M.
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 186.80 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.005	0.000	0.000	0.000	0.005	0.225	0.010	0.000	0.000	0.000	0.000	0.005	1
2	0.315	0.000	0.000	0.000	0.005	0.740	0.030	0.000	0.000	0.200	0.020	0.000	2
3	0.100	0.000	0.000	0.010	0.015	0.005	0.110	0.460	0.220	0.000	0.000	0.670	3
4	0.000	0.000	0.000	0.000	0.210	0.000	0.340	0.000	0.200	0.000	0.000	0.005	4
5	0.000	0.030	0.000	0.005	0.000	0.110	0.485	0.000	0.160	0.000	0.015	0.220	5
6	0.000	0.000	0.155	0.100	0.000	0.105	0.050	0.000	0.000	0.195	0.000	0.000	6
7	0.000	0.000	0.005	0.005	0.005	0.000	0.115	0.075	0.000	0.405	0.000	0.090	7
8	0.000	0.000	0.090	0.320	0.070	0.030	0.000	0.000	0.010	0.000	0.010	0.420	8
9	0.000	0.100	0.000	0.050	0.070	0.000	0.070	0.000	0.000	0.155	0.020	0.260	9
10	0.000	0.190	0.130	0.000	0.000	0.035	0.010	0.090	0.000	0.125	0.000	0.220	10
11	0.125	0.125	0.020	0.000	0.000	0.003	0.360	0.000	0.000	0.360	0.000	0.020	11
12	0.000	0.020	0.000	0.000	0.000	0.380	0.000	0.000	0.000	0.000	0.025	0.500	12
13	0.000	0.330	0.140	0.230	0.000	0.010	0.000	0.040	0.000	0.000	0.110	0.200	13
14	0.000	0.000	0.065	0.000	0.440	0.045	0.005	0.010	0.000	0.300	0.000	0.325	14
15	0.000	0.060	0.015	0.000	0.000	0.040	0.000	0.090	0.000	0.560	0.000	0.030	15
16	0.000	0.000	0.035	0.000	0.000	0.240	0.000	0.000	0.000	0.055	0.000	0.000	16
17	0.000	0.000	0.115	0.000	0.000	0.000	0.000	0.030	0.000	0.990	0.000	0.000	17
18	0.000	0.000	0.020	0.030	0.000	0.000	0.000	0.260	0.000	0.000	0.210	0.000	18
19	0.005	0.020	0.000	0.000	0.000	0.010	0.000	0.000	0.000	0.250	0.210	0.020	19
20	0.000	0.195	0.065	0.000	0.000	0.000	0.000	0.000	0.000	0.210	0.000	0.005	20
21	0.005	0.000	0.000	0.205	0.045	0.020	0.000	0.140	0.000	0.470	0.005	0.010	21
22	0.000	0.075	0.000	0.395	0.100	0.000	0.440	0.000	0.000	0.010	0.000	0.000	22
23	0.000	0.000	0.005	0.000	0.250	0.045	1.250	0.045	0.000	0.070	0.270	0.100	23
24	0.000	0.000	0.000	0.000	0.095	0.010	0.000	0.000	0.000	0.010	0.000	0.100	24
25	0.000	0.005	0.000	0.000	0.010	0.160	0.000	0.000	0.000	0.000	0.320	0.005	25
26	0.000	0.000	0.000	0.000	0.200	0.035	0.005	0.025	0.030	0.000	0.230	0.000	26
27	0.000	0.000	0.000	0.180	0.175	0.000	0.120	0.015	0.000	0.000	0.640	0.000	27
28	0.005	0.000	0.000	0.120	0.000	0.060	0.010	0.000	0.000	0.005	0.110	0.000	28
29	0.100		0.000	0.055	0.000	0.000	0.010	0.000	0.000	0.010	0.065	0.000	29
30	0.000		0.000	0.000	0.000	0.015	0.115	0.000	0.170	0.570	0.000	0.000	30
31	0.000		0.000		0.145		0.020	0.015		0.380		0.000	31
Total	0.660	1.145	0.860	1.785	2.000	2.323	3.555	1.295	0.790	5.410	2.260	3.885	TOTAL for year 25.960
No. of Rain Days	8	10	13	13	16	21	19	13	6	21	15	19	174

REGISTER OF RAINFALL IN 1908

Kept at *Stonksley Pumping Station*
in the *City* of *Oxford*
by *W. H. White, M. S. C. E.*
City Engineer.

Lat. *51° 44' 30"* Long. *1° 14' 43"*
Nearest Railway Station *Oxford G.W.R.*
Time of Observation *9 A.M.*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *"* in.
" " " Sea Level *126.00* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.010				0.090	0.030			0.490				1
2			0.035			0.040			0.100		0.005		2
3		0.005	0.100	0.005	0.480				0.140				3
4		0.010	0.340	0.020	0.045				0.400				4
5				0.030	0.010		0.200		0.090			0.100	5
6	0.020		0.295	0.200	0.095		0.025	0.055				0.095	6
7	0.040		0.150	0.015	0.005							0.005	7
8	1.400	0.015	0.040		0.050	0.020	0.020						8
9	0.040		0.020		0.010		0.230		0.055	0.050		0.000	9
10			0.040			0.050	0.420		0.030	0.200		0.120	10
11			0.020				0.120	0.040	0.005		0.030	0.145	11
12					0.030	0.020			0.230		0.160		12
13						0.005	0.120	0.025			0.040	0.150	13
14				0.030	0.035	0.020	0.010	0.015			0.065	0.070	14
15	0.005				0.230		0.220		0.040		0.005	0.300	15
16		0.070	0.060		0.060		0.020		0.190		0.005	0.005	16
17		0.300	0.040			0.365	0.370		0.040	0.105		0.000	17
18		0.000				0.660	0.135					0.010	18
19	0.015	0.095	0.005						0.210	0.010	0.150	0.025	19
20				0.005						0.040		0.140	20
21		0.005		0.005				0.200	0.045	0.365		0.050	21
22	0.005	0.010						0.110		0.115	0.220	0.075	22
23		0.060	0.110	0.120	0.040			0.090			0.065		23
24				0.710				0.000	0.030	0.010			24
25	0.005	0.005	0.350	0.155				0.015		0.030	0.005		25
26	0.010	0.010	0.500	1.661	0.010			0.010	0.040	0.030			26
27		0.060	0.005	0.000				0.300		0.045			27
28		0.030	0.130	0.440				0.110	0.055	0.045			28
29	0.000	0.050		0.530				0.140	0.005	0.045	0.055	0.115	29
30	0.030		0.060	0.310	0.040			0.070		0.000	0.145	0.170	30
31	0.010		0.230					0.000		0.000		0.185	31
Total	1.670	0.805	2.530	4.206	1.310	1.290	1.970	2.220	2.275	1.170	1.030	1.070	TOTAL for year 22.42
No. of Rain Days	13 ₂	15 ₄	19 ₁₈	16 ₁₄	15	9	12	15	10 ₁₇	13	13 ₁₂	19 ₁₈	17 ₄

Cor. for wrong day. 23. IV. 10.

REGISTER OF RAINFALL IN 1909.

FORM A2.
BRITISH RAINFALL
FEB 1910

Kept at Hinchley (Walsworths) Pumping Station.
in the County of Essex. Ex gauges
by Wm. H. White. City Engineer.

Pattern Marshall's
RAIN GAUGE
Diameter of top 8 in.
Height of top above Ground One ft. — in.
" " " Sea Level 126.80 ft.
Time of Observation 8 o'clock AM
Nearest Railway Station { Name Essex
Distance 1 1/2 m. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.005

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.075	.055	.	.040	.000	.130	.	0.010	.	0.155	0.110	0.130	1
2	.	.	.	.	.	.525	.	0.425	0.050	0.240	.	0.230	2
3	0.020	.	.130	.	.	.075	.	.	0.000	0.050	0.010	0.325	3
4	.	.	.040	.	.	.015	0.010	.	.	0.470	0.005	0.135	4
5	.	.020	.	.	.	.560	.	.	0.150	0.055	.	0.320	5
6	.010	.	.060	.	.	.145	0.035	.	0.015	0.020	.	0.130	6
7	.	.	.700	.	.	.175	0.200	.	0.110	.	.	0.145	7
8	.070	.	.040	.	.	.	0.005	.	0.065	0.130	.	0.005	8
9	.	.	.015	.	.	.	.	.	0.055	.	.	.	9
10	.055	.060	.030	.	.	.	0.365	.	.	0.025	.	0.160	10
11	.150	.215	.045	.	.	.005	.	.	0.045	0.570	.	0.525	11
12	.	.025	.035	.	.	.040	0.135	.	0.040	0.055	.	.	12
13	.020	.	.	.030	.	.040	.	.	0.110	0.160	0.020	0.020	13
14	.040	.	.220	.125	.070	.	.	.	0.100		0.025	.	14
15	.040	.030	.	.	.	.	.	.	.	0.005	0.335	.	15
16	.200	.	.030	.	.	.	0.120	.	0.070	0.005	0.030	0.015	16
17	.	.	.040	.390	.	.	0.110	0.030	0.160	0.140	0.010	0.070	17
18	.020	.	.	.	.015	.	.	1.550	0.775	0.040	.	0.260	18
19	.065	.	.070	.	.	.	.	0.360	.	0.020	.	.	19
20	.	.	.015	.325	.	.	.	0.025	.	0.030	.	0.000	20
21	.	.	.	.	.	.	0.045	0.205	.	0.250	.	.	21
22	.	.	.100	.	.	.470	0.005	.	0.030	0.035	.	0.350	22
23	.	.	.070	.100	.	.090	0.005	0.240	.	0.020	.	0.010	23
24	.	.	.	.045	.	.790	0.005	0.220	0.120	0.105	.	0.110	24
25	.	.	.300	.	.700	.395	.	0.125	0.290	.	0.010	0.030	25
26	.	.	.040	.	.230	.145	0.260	0.300	0.050	0.025	.	0.030	26
27	.	.070	.	.005	.190	.005	.	.	.	0.715	.	.	27
28	.	.030	.190	.140	.360	.	0.620	.	0.070	0.065	0.030	0.095	28
29	.	-	.190	.090	.075	.130	.	.	0.430	0.160	0.005	.	29
30	.030	-	.020	.520	.	.090	0.020	0.135	0.015	.	0.155	.	30
31	.	.	.020	.	.	.	0.220	.	.	.	.	0.005	31
Total	.055	-	.040	.080	.130	-	.010	-	.155	.110	.130	.005	TOTAL for year
No. of Rain Days	13	8	22	11	9	17	15	12	20	25	12	22	183
	.775	.450	2.480	1.580	2.160	3.855	2.250	3.675	2.905	3.660	.765	3.055	27.610

S.C.A. Monday

Cov. for many day. 21. III. 11.

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.
13 JAN 1911

Kept at Waterworks Pumping Station
Arundel
in the County of Worcester
by Wm. H. White City Engineer

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. - 10 in.
" " " Sea Level 106 - 80 ft.
Time of Observation 8 A.M.
Nearest Railway Station { Name Graham Weston
Distance 1 1/4 Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following,
0.000

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 0.005	in. .	in. 0.050	in. .	in. .	in. 0.210	in. 0.070	in. .	in. .	in. .	in. 0.165	in. 0.490	1
2	0.020	0.060	.	.	0.005	0.040	0.010	0.060	.	0.290	0.015	0.270	2
3	.	0.240	.	.	0.020	.	0.470	0.005	.	0.085	.	0.220	3
4	.	.	.	.	0.090	.	0.160	0.030	.	.	0.440	0.450	4
5	.	0.010	.	0.265	0.120	.	.	.	.	.	.	0.090	5
6	.	0.070	.	0.135	0.050	0.010	0.670	0.070	.	.	.	0.005	6
7	.	0.135	0.010	0.065	0.040	.	0.005	.	.	.	0.150	0.030	7
8	.	0.010	.	.	0.070	0.550	0.010	.	0.020	.	0.065	0.030	8
9	0.080	0.010	.	.	0.100	.	.	.	.	.	.	0.150	9
10	0.060	0.005	0.220	.	0.115	1.130	.	0.115	.	.	.	0.005	10
11	0.040	0.020	.	.	.	0.380	.	.	0.005	0.070	0.040	0.100	11
12	0.225	0.020	0.175	0.020	0.250	.	.	0.075	.	1.550	0.020	0.010	12
13	0.045	.	0.055	0.125	0.040	0.220	.	0.005	.	0.415	0.020	0.240	13
14	0.035	0.070	.	0.110	0.025	.	.	0.030	0.005	0.010	0.340	0.200	14
15	.	0.240	.	0.105	.	.	.	.	0.350	.	0.005	0.010	15
16	0.000	0.010	.	0.100	.	.	.	.	0.025	.	0.020	0.675	16
17	0.090	0.035	0.035	0.920	.	.	0.045	.	.	0.000	.	0.105	17
18	0.070	0.275	0.035	.	0.025	.	.	.	.	0.120	.	0.020	18
19	0.105	0.160	0.030	0.030	0.210	.	.	0.100	.	0.240	.	.	19
20	.	0.005	.	0.015	0.060	.	.	.	.	0.000	0.035	.	20
21	.	0.255	.	.	.	.	0.135	.	.	.	0.010	0.250	21
22	.	0.030	.	0.100	0.010	.	.	.	.	.	.	0.420	22
23	0.010	0.370	.	.	.	0.005	0.115	0.005	.	.	.	0.005	23
24	0.150	0.020	.	0.020	.	0.190	.	0.090	.	.	0.580	.	24
25	0.000	0.275	.	0.030	.	0.170	0.050	0.115	.	0.030	.	0.020	25
26	.	0.165	.	0.110	.	0.260	0.170	0.105	.	0.060	0.040	.	26
27	.	0.050	.	0.025	.	.	.	0.070	.	.	0.005	0.020	27
28	0.400	0.005	.	.	.	0.050	0.010	.	.	0.450	0.910	.	28
29	0.040	.	.	0.370	0.090	0.025	0.190	0.390	0.030	0.110	.	0.005	29
30	.	.	.	0.015	.	0.160	.	0.220	.	.	.	.	30
31	.	.	.	.	0.035	.	.	.	.	0.005	.	.	31
Total	1.535	2.545	0.610	2.640	1.355	3.470	2.110	1.565	0.435	3.595	2.060	4.780	TOTAL for year 27.610
No. of Rain Days	16	23	7	10	18	14	12	13	4	15	15	20	175

9,000, IX. '10.
1.535 2.595 560 2.640 1.565 3.340 2.040 1.565 4.35 3.760 3.185 4.290 27.51

REG

OXFORD.

PYRTON HILL.

1906-1910.

FORM A.
BRITISH RAINFALL.
22 JAN 1907

Kept at Pyrtou H
in the County of Oxon
by W H D

9. AM.
5 in.
above Ground 1 ft. — in.
Sea Level alt-530 ft.
Full instructions for the measurement
observers," sent post-free on application

NOTE.—Rain should be measured
of rain and particulars as to the British
to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												.02	1
2												.02	2
3												.01	3
4												.01	4
5												.17	5
6												.10	6
7													7
8												.17	8
9													9
10													10
11												.16	11
12												.07	12
13												.21	13
14													14
15												.42	15
16												.10	16
17													17
18												.10	18
19													19
20													20
21													21
22													22
23													23
24												.08	24
25												.14	25
26												.02	26
27												.03	27
28												.20	28
29													29
30												.20	30
31												.01	31
Total												2.24	TOTAL for year
No. of Rain Days													

REG

FORM A.
BRITISH RAINFALL.
22 JAN 1907

Kept at Pypton Hill
in the County of Oxon
by W H Dims

Nearest Railway Station _____
Time of Observation 9. AM
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " Sea Level alt-530 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												.02	1
2												.02	2
3												.01	3
4												.01	4
5												.17	5
6												.10	6
7													7
8												.17	8
9													9
10													10
11												.16	11
12												.07	12
13												.21	13
14													14
15												.42	15
16												.10	16
17													17
18												.10	18
19													19
20													20
21													21
22													22
23													23
24												.08	24
25												.14	25
26												.02	26
27												.03	27
28												.20	28
29													29
30												.20	30
31												.01	31
Total												2.24	TOTAL for year
No. of Rain Days													

REGISTER OF RAINFALL IN 1907

Kept at Pyton Hill
in the County of Oxfordshire
by W H Dines

Lat. _____ Long. _____
Nearest Railway Station Watlington
Time of Observation 9 AM
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " Sea Level 520 ft. ft.

FORM A.
BRITISH RAINFALL.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41				.07	.80				.20			1
2	.04		.02	.06	.01	.01	.02	.52	.23			1.00	2
3		.01		.03	.23		.15		.10		.04		3
4		.05			.02	.03	.09		.12		.02	.93	4
5	.03	.01	.17	.06		.18	.38	.05	.03	.50			5
6			.01	.03	.03	.05		.21		.31	.03	.06	6
7			.08	.37	.16	.02					.01	.38	7
8		.12	.02	.10	.05		.01			.06	.03	.24	8
9		.12	.12	.34			.07	.15		.06	.01	.06	9
10	.18	.17	.02	.27		.07	.12			.34		.02	10
11		.11	.01 ^s		.16	.30				.18	.03	.57	11
12		.43	.25	.41	.01	.11		.11			.05	.11	12
13	.01		.10		.35	.04				.40		.30	13
14		.05	.03			.15		.13		.63		.03	14
15		.01	.12			.25		.04		.11			15
16			.14					.04		.93	.02		16
17			.03					.28		.02	.35		17
18	.02	.02				.03		.02		.46	.23	.01	18
19	.01	.13	.12					.04		.51			19
20		.05 ^s		.35	.03			.16		.25		.02	20
21				.27	.05	.02	.35			.01	.01		21
22			.01		.05	.10	.73	.04		.07	.25	.19	22
23					.09	.02				.02		.02	23
24	.02 ^s					.20					.24		24
25				.09	.37	.10	.02	.04	.03	.06	.36		25
26				.24	.12		.05	.11			.67		26
27	.01			.17		.13	.04				.04		27
28	.02			.11			.01			.04	.01		28
29				.01		.20	.26		.02	.55			29
30				.20	.20	.10				.27		.02 ^s	30
31					.21								31
Total	.75	1.28	1.25	3.11	2.21	2.91	2.30	1.94	.53	5.98	2.40	3.96	TOTAL for year 18.62
No. of Rain Days	10	13	16	17	18	21	14	15	6	22	18	16	186

Copied ARR
5

REGISTER OF RAINFALL IN 1908

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

Kept at Watlington (Pynton Hill)
in the County of Oxon.
by W. H. Dines

BRITISH FORM A.
RAINFALL.
16 3/166

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.14	—	—	.48	—			—		.01	1
2	—	—	.07	—	.11	—	—			—		—	2
3	—	.03	.48	.04	—	—	—		1.07	—		—	3
4	—	—	—	.10	.09	—	.06			—		.13	4
5	.02	—	.55	.43	.14	.01	—			—		.16	5
6	.05	.05	.18	.03	.03	—	—			—		.03	6
7	1.17	—	.04	—	.06	.03	.03			.03		—	7
8	.14	—	.18	—	.01	—	.49			—		.12	8
9	.02	—	.03	—	—	.10	.45		.15	.29		.37	9
10	—	—	.01	—	.02	—	.07			—		.18	10
11	—	—	—	.02	.07	.03	.02			—	.09	—	11
12	—	—	—	.01	—	.10	.03			—	.22	.17	12
13	—	—	—	—	.02	.02	—			—	.10	.09	13
14	.01	—	—	—	.38	—	.30			—	.08	.35	14
15	—	.08	.08	—	.08	—	.07		.28	—	.01	.01	15
16	.01	.29	.02	—	—	.27	.62		.03	.17	—	.06	16
17	—	.04	—	—	—	.22	.15		—	.02	—	.05	17
18	.01	.10	.05	—	—	—	.01		.10	.16	.19	.04	18
19	—	—	—	.07	—	—	—		—	.15	—	.15	19
20	—	.01	—	.02	—	—	—		.05	.25	.01	.03	20
21	.01	—	—	—	—	—	—		—	—	.29	.02	21
22	—	.07	.27	.18	.09	—	—		.01	—	.07	—	22
23	.01	—	.63	.65	—	—	—		.08	.01	—	—	23
24	—	.06	.37	.15	.05	—	—		—	.08	.08	—	24
25	.01	.02	.64	1.88	.02	—	—		.10	.16	—	—	25
26	—	.15	—	—	—	—	—		—	.11	—	—	26
27	—	.03	.17	.37	—	—	—		.07	.07	—	.03	27
28	.07	.05	—	.43	—	—	—		—	.01	.03	.04	28
29	—	—	.10	.31	.05	—	—		—	—	.08	(.34)	29
30	.02	—	.20	—	.16	—	—		—	—	.01	.12	30
31	—	—	—	X	.02	—	—		—	—	—	.05	31
Total	1.55	.98	3.54	4.69	1.40	1.26	2.29	.295	1.94	1.51	1.26	2.55	TOTAL for year
No. of Rain Days	13	13	18	15	17	9	12	...	...	13	13	22	...

REGISTER OF RAINFALL IN 1909

Kept at Pypton Hill

in the County of Oxon

by W. H. Jones

Corr. for aith 26.11.10.

Lat. Long. Nearest Railway Station Time of Observation Diameter of Rain Gauge in. Height of top of Gauge above Ground ft. in. Sea Level ft.

FORM A. BRITISH RAINFALL.

2 FEB 1910

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.01		.01	.82		.37	.07			.22	1
2	.08		.20			.22				.15	.03	.34	2
3			.10			.06				.33	.02	.14	3
4		.02				.60			.27	.03		.10	4
5			.04			.18	.05		.02	.07		.22	5
6			1.26			.17	.32		.05	.02		.04	6
7	.05		.05				.05		.03	.47			7
8			.02						.17				8
9	.07	.10	.05				.40		.01	.05		.14	9
10	.20	.21	.02			.08			.13	.27		.24	10
11		.02	.04			.02	.17		.01	.09		.03	11
12	.02			.02		.06			.18	.17	.01	.02	12
13	.02		.26	.21	.07				.12	.22	.08		13
14	.10	.02	.05				.01			.02	.11		14
15	.01		.02				.22		.10	.03	.05	.03	15
16				.03	.06		.04		.01	.34		.15	16
17					.05				.34	.25		.17	17
18	.12		.28		.01								18
19			.07	.56								.05	19
20							.03			.17			20
21			.05			.21						.77	21
22			.03	.32		.15	.07			.17		.05	22
23				.06		.92	.10	2.60	.22	.32		.10	23
24			.23		.62	.12			.17			.01	24
25			.09	.03	.11	.24	.01		.05	.07		.05	25
26		.06		.18	.17	.22			.02	.63		.02	26
27		.05	.20	.07	.11		.73		.10	.11	.07	.07	27
28			.14		.07	.05			.41	.70	.02		28
29	.04		.11	.40		.33	.04		.17		.17		29
30			.02	.05			.18		.01		.02	.02	30
31	.20		.02		.22		.02			.18			31
Total	.91	.48	3.36	1.93	1.50	4.45	2.44	2.97	2.66	4.86	.58	2.98	TOTAL for year 29.62
No. of Rain Days	11	7	24	11	11	17	16	16	22	23	10	22	190

Sh
S.C.O.

REG^{END. 24.11.11}ISTER OF ^{W. H. H. H.}RAINFALL IN 1910

FORM A.
BRITISH RAINFALL.
28 JAN 1911

Kept at Pyndon Hill Watlington
in the County of Oxfordshire 4
by H. A. Dimes Esq

RAIN GAUGE { Pattern
Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	09			06	07		10		12	01	31	1
2		29			06		15	03		07		17	2
3					17		25				36	50	3
4				26	12			04				21	4
5		05		14	06	01	74	38			01	01	5
6		24	06	02	04		07				18	08	6
7		01	03		01	58	06		04		06	07	7
8	03	03	02		12							49	8
9	12		40		12	1.9.3		08				47	9
10	01	05				90				10	05	62	10
11	21	02	30	01	23			13		88	02	04	11
12	01		07	19	07					64	03	45	12
13	02	16		12	11			01	10	03	46	14	13
14		51		05					30		02	90	14
15	08	01		05					03		02	51	15
16	08	13	05	13				01		12		10	16
17	13	15	07		15		06			06		03	17
18	04	17	07		30			36		23			18
19				04	04					17	03	01	19
20		51					25			03		24	20
21		02		17	02		01	02				25	21
22	04	33				07				01			22
23	24	06		04		14		17			50	01	23
24	11	33				30	07				02	03	24
25		26		22		25	08	30		06	01		25
26		05		04				09			01	03	26
27	82	02				11	01			46	80		27
28	10	19		32	12		16	41		04			28
29						31		35			02		29
30					05	04					48		30
31	02				07			02		25		02	31
Total	2.09	3.68	1.07	1.80	1.92	4.71	1.91	2.50	47	3.27	3.09	5.67	TOTAL for year 32.18
No. of Rain Days	17	23	9	15	19	12	13	16	4	16	19	23	186

S. 2

REG

OXFORD.

PEPPARD.

Kept at Peppard, near
in the County of Oxford
by Hubert Shears

1906-1910

06

Long. 1° W
Station Henley
ation 9 a.m.
5 in.
bove Ground 1 ft. in.
Sea Level about 336 ft.

FORM A.
BRITISH RAINFALL.
17 JAN 1907

NOTE.—Full instructions respecting
“Rules for Rainfall Observations,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.01	—	—	—	.07	—	—	—	.55	—	.01	1
2	.56	.14	.03	—	.15	—	—	—	—	.99	.01	.02	2
3	.11	.05	—	—	.01	—	—	—	—	—	.07	.02	3
4	.44	—	—	—	—	—	—	—	.02	.20	.34	.01	4
5	.52	—	—	—	.08	—	—	—	—	—	.01	.20	5
6	—	.02	—	—	.02	—	—	—	—	.02	.57	.07	6
7	.22	—	—	—	—	—	—	—	—	.35	.31	—	7
8	.02	.13	.08	—	1.98	—	—	—	—	.50	.75	.23	8
9	.20	.14	—	—	—	—	—	—	—	.49	.01	.01	9
10	—	.20	.56	—	—	—	1	—	—	.01	—	—	10
11	.23	.02	.06	—	—	—	.05	—	—	—	—	.20	11
12	.54	—	.05	.02	—	—	—	—	.02	.07	—	.14	12
13	.03	.11	.08	.08	—	—	.16	—	.36	—	—	.17	13
14	—	.07	.05	—	—	.03	—	—	.25	—	—	.01	14
15	.16	1	.03	—	.02	.22	—	—	.01	—	.12	.38	15
16	.26	.45	—	—	.19	.29	—	—	.05	.07	.26	.22	16
17	.19	.29	—	.08	.02	—	—	—	.03	.05	.19	—	17
18	.18	.16	.02	—	—	—	.05	—	—	1.04	.05	.04	18
19	—	.03	.03	—	—	—	—	—	—	.02	.05	—	19
20	.12	—	.18	—	.43	—	—	—	.07	.01	.35	—	20
21	.02	—	.02	.05	—	.01	.03	—	—	—	—	—	21
22	—	.04	—	—	—	—	—	—	—	.16	.01	—	22
23	—	.01	.07	.04	.28	.10	—	—	—	—	.01	—	23
24	.31	.08	.08	.18	—	—	—	—	—	—	—	—	24
25	.06	—	.06	—	.16	—	—	—	—	—	—	—	25
26	—	.07	.01	—	.37	—	.03	—	—	.02	—	—	26
27	—	.15	—	.20	.09	—	.02	—	—	—	—	.56	27
28	—	—	—	.02	.01	1.45	.01	1.07	—	.24	—	.18	28
29	.09	—	—	.03	—	.08	—	—	—	.35	—	—	29
30	—	—	—	—	.08	—	—	—	—	.09	.01	.21	30
31	—	—	—	—	.05	—	—	—	—	—	—	.01	31
Totals	4.34	2.17	1.41	.70	3.94	2.25	.35	1.07	.81	5.23	3.12	2.69	
Total from Jan. 1	4.34	6.51	7.92	8.62	12.56	14.81	15.16	16.23	17.04	22.27	25.39	28.08	

S. 2

REG

06

FORM A.
BRITISH RAINFALL.
17 JAN 1907

Kept at Peppard, near Henley-on-Thames
in the County of Oxford
by Hubert Shears

Lat. 51° 31' N Long. 1° W
Nearest Railway Station Henley
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground 1 ft. — in.
Sea Level about 336 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.01	—	—	—	.07	—	—	—	.55	—	.01	1
2	.56	.14	.03	—	.15	—	—	—	—	.99	.01	.02	2
3	.11	.05	—	—	.01	—	—	—	—	—	.07	.02	3
4	.44	—	—	—	—	—	—	—	.02	.20	.34	.01	4
5	.52	—	—	—	.08	—	—	—	—	—	.01	.20	5
6	—	.02	—	—	.02	—	—	—	—	.02	.57	.07	6
7	.22	—	—	—	—	—	—	—	—	.35	.31	—	7
8	.02	.13	.08	—	1.98	—	—	—	—	.50	.75	.23	8
9	.20	.14	—	—	—	—	—	—	—	.49	.01	.01	9
10	—	.20	.56	—	—	—	1	—	—	.01	—	—	10
11	.23	.02	.06	—	—	—	.05	—	—	—	—	.20	11
12	.54	—	.05	.02	—	—	—	—	.02	.07	—	.14	12
13	.03	.11	.08	.08	—	—	.16	—	.36	—	—	.17	13
14	—	.07	.05	—	—	.03	—	—	.25	—	—	.01	14
15	.16	1	.03	—	.02	.22	—	—	.01	—	.12	.38	15
16	.26	.45	—	—	.19	.29	—	—	.05	.07	.26	.22	16
17	.19	.29	—	.08	.02	—	—	—	.03	.05	.19	—	17
18	.18	.16	.02	—	—	—	.05	—	—	1.04	.05	.04	18
19	—	.03	.03	—	—	—	—	—	—	.02	.05	—	19
20	.12	—	.18	—	.43	—	—	—	.07	.01	.35	—	20
21	.02	—	.02	.05	—	.01	.03	—	—	—	—	—	21
22	—	.04	—	—	—	—	—	—	—	.16	.01	—	22
23	—	.01	.07	.04	.28	.10	—	—	—	—	.01	—	23
24	.31	.08	.08	.18	—	—	—	—	—	—	—	—	24
25	.06	—	.06	—	.16	—	—	—	—	—	—	—	25
26	—	.07	.01	—	.37	—	.03	—	—	.02	—	—	26
27	—	.15	—	.20	.09	—	.02	—	—	—	—	.56	27
28	—	—	—	.02	.01	1.45	.01	1.07	—	.24	—	.18	28
29	.09	—	—	.03	—	.08	—	—	—	.35	—	—	29
30	—	—	—	—	.08	—	—	—	—	.09	.01	.21	30
31	—	—	—	—	.05	—	—	—	—	—	—	.01	31
Totals	4.34	2.17	1.41	.70	3.94	2.25	.35	1.07	.81	5.23	3.12	2.69	
Total from Jan. 1	4.34	6.51	7.92	8.62	12.56	14.81	15.16	16.23	17.04	22.27	25.39	28.08	

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Kept at Rotherfield Peppard
in the County of Oxford
by Hubert Shears

Lat. _____ Long. _____
Nearest Railway Station Ainley-on-Thames
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level about 334 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28	—	—	—	.18	.53	—	—	—	—	—	—	1
2	.08	—	—	.04	.01	.01	.08	.46	—	—	—	.66	2
3	—	—	—	.03	.17	—	.20	—	—	—	—	—	3
4	—	.01	—	.03	.01	.01	.19	—	—	—	—	.42	4
5	—	—	.11	.07	—	.14	.14	.02	—	—	—	—	5
6	—	—	.01	.05	.04	—	—	.33	—	—	—	.05	6
7	—	—	.12	.28	.19	—	—	—	—	—	—	—	7
8	—	.13	.01	.01	.03	—	.02	.01	—	—	—	—	8
9	—	.06	.16	.14	—	.01	.02	.10	—	—	—	.89	9
10	.29	.22	.07	—	—	.10	.34	—	—	—	—	.01	10
11	—	.06	—	—	.15	.25	—	—	—	—	.02	.56	11
12	—	.58	.20	.35	.02	.08	—	.07	—	—	.05	.22	12
13	—	—	.18	—	.47	.04	—	—	—	—	—	.49	13
14	—	.04	.04	—	—	*.10*	—	—	1.76	—	.01	.02	14
15	—	—	.08	—	—	.12	—	—	—	—	—	—	15
16	—	—	.11	—	.01	—	—	—	—	—	—	—	16
17	—	—	.03	—	—	—	—	—	—	—	.29	—	17
18	.02	.04	—	—	—	—	—	—	—	—	.21	.05	18
19	—	.27	.06	.02	—	—	—	—	—	—	—	.03	19
20	—	.01	—	.20	.03	—	—	—	—	—	.01	.02	20
21	—	.04	—	.29	.02	.01	—	—	—	—	—	—	21
22	—	—	—	—	.05	.05	.97	—	—	—	.24	.27	22
23	—	—	—	—	.07	.01	—	—	—	—	—	.07	23
24	—	—	—	—	—	.14	—	—	—	—	.20	.02	24
25	—	—	—	—	.41	.09	.07	—	—	—	.36	—	25
26	—	—	—	.54	.07	.01	.10	—	—	—	.71	—	26
27	.01	—	—	.15	—	.07	—	—	—	—	.12	—	27
28	.03	—	—	.13	—	—	.02	—	—	—	.01	—	28
29	—	—	—	.01	—	—	.09	—	—	—	—	—	29
30	—	—	—	.23	.17	.17	.03	—	—	—	—	—	30
31	—	—	—	—	.04	—	—	—	—	—	—	.01	31
Total	.71	1.46	1.18	2.57	2.44	1.94	2.27	9.82			3.79		TOTAL for year
No. of Rain Days	.71	2.17	3.35	5.92	8.06	10.00	12.27				22.09	(25.88)	(25.88)

* Gauge emptied at 8 a.m.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

* 1.00 estimated to have been lost. (25.88) Price 2d.

REGISTER OF RAINFALL IN 1908

Kept at Peppard
in the County of Oxford
by Rev. Hubert Shears

Lat. _____ Long. _____
Nearest Railway Station Henley-on-Thames
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 336 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.13	—	—	—	—	—	.42	.01	—	—	1
2	—	—	.08	—	.08	—	—	—	.19	.01	—	—	2
3	—	.03	.42	—	—	—	—	—	.77	—	—	—	3
4	—	—	.03	—	.07	—	.12	—	.05	.01	—	.10	4
5	.01	—	.46	—	.10	—	—	—	—	—	—	—	5
6	.02	—	.10	.57	.10	—	—	—	—	—	—	.27	6
7	<u>1.51</u>	—	.08	—	.04	—	—	—	—	.02	—	—	7
8	.08	.03	.14	—	—	—	—	—	.05	—	—	.13	8
9	—	—	.04	—	—	—	—	—	—	.20	—	.26	9
10	—	—	.01	—	.01	.53	—	—	—	—	.03	.21	10
11	—	—	—	.02	.09	.01	—	—	.03	.01	.11	—	11
12	—	—	—	.08	.23	.01	—	—	—	.01	.09	.12	12
13	—	—	—	—	.04	.02	—	—	—	—	.09	.04	13
14	.01	—	—	—	.29	—	1.06	—	—	—	.02	.31	14
15	.01	—	.11	—	.11	—	.05	—	.20	—	.01	.01	15
16	.02	—	.03	—	—	.23	.71	—	.03	.14	.04	.08	16
17	—	—	—	—	—	.12	.20	—	—	—	—	.04	17
18	.01	.69	.02	—	—	—	—	—	.10	—	.15	.06	18
19	.01	—	—	.07	—	—	—	.07	—	—	—	.17	19
20	—	.03	—	.01	—	—	—	.23	—	—	—	.04	20
21	.01	—	—	—	—	—	—	.05	—	—	*.30	.09	21
22	—	.09	.19	.24	.09	—	—	.21	—	—	.01	—	22
23	.01	—	—	.43	.02	—	—	.77	.23	—	—	—	23
24	.01	.04	.30	.14	.12	—	.01	.26	—	—	.06	—	24
25	.02	.01	.42	1.23	.02	—	—	.05	.07	—	—	—	25
26	.06	.15	—	—	—	—	—	.25	—	—	—	.01	26
27	—	.08	.12	.35	—	—	—	.08	.11	—	—	.03	27
28	.11	.03	—	.61	—	—	—	.24	—	—	*—	—	28
29	—	.01	.10	.36	.42	—	—	.12	—	—	.07	.26	29
30	.02	—	.29	.04	—	—	—	.03	—	.87	.01	.05	30
31	—	—	—	—	.01	—	—	.35	—	.01	—	.18	31
Total	1.92	1.19	3.07	4.15	1.84	.92	2.15	2.71	2.25	1.29	.99	2.46	TOTAL for year 24.9
No. of Rain Days	16		19		17								

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL

4 JAN 1910

Kept at Rotherfield Peppard
in the County of Oxford
by Hubert Pears

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. —
" " " Sea Level 336 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Henley
Distance 4 m. Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.01	—	—	.03	1.05	—	.22	.10	.01	—	.19	1
2	.04	—	.15	—	—	.05	—	—	—	.14	.03	.42	2
3	—	—	.06	—	—	.12	.06	—	—	.13	.02	.14	3
4	—	.03	—	—	—	.84	—	—	.21	.06	—	.04	4
5	—	—	.09	—	—	.32	1	—	.05	.14	—	.14	5
6	—	—	.81	—	—	.21	.32	—	.01	—	—	.01	6
7	.07	—	.05	—	—	—	.06	—	.04	.25	—	—	7
8	—	—	.01	—	—	—	—	—	.07	—	—	—	8
9	.10	.09	.03	—	—	—	.31	—	.02	.03	—	.16	9
10	.18	.19	.04	—	—	.09	—	—	.15	.34	.01	.22	10
11	—	.03	—	—	—	.01	.11	—	.02	.12	—	.01	11
12	.04	—	.02	.04	—	.06	—	—	.09	.20	—	.01	12
13	.06	—	.27	.18	.01	—	—	—	.08	.11	.02	—	13
14	.08	.01	.02	.01	—	—	.02	—	—	.03	.10	—	14
15	.03	—	.02	—	—	—	.14	.02	.10	.12	.01	.02	15
16	.01	—	—	.04	.21	—	.08	.02	.01	—	—	.14	16
17	.04	—	—	.01	—	—	—	.76	.39	—	—	.23	17
18	.07	—	.20	—	.01	—	—	.26	—	—	—	—	18
19	—	—	.16	.49	—	.01	—	.02	—	.58	—	.04	19
20	—	—	.01	—	—	.01	.02	.25	—	.18	—	—	20
21	—	—	.03	—	—	.22	.01	.01	—	.04	—	.58	21
22	—	—	.07	1	—	.06	.01	.02	—	.07	—	.02	22
23	—	—	—	.32	—	.42	.14	.04	.16	.10	—	.11	23
24	—	—	.24	—	.80	.23	.05	.21	.19	.03	.02	.01	24
25	—	—	.10	.09	.05	.22	.02	.09	.10	.12	—	.08	25
26	—	.01	—	.11	.18	.41	—	—	.02	.57	—	.01	26
27	—	.04	.21	.14	.05	.02	.81	—	.09	.16	.03	.09	27
28	.01	—	.16	.04	.07	—	.02	—	.65	.86	.06	—	28
29	.02	—	.22	.38	—	.09	.05	.06	.31	.01	.15	—	29
30	—	—	.16	.18	—	—	.19	—	.03	—	.01	.02	30
31	.17	—	.03	—	.13	—	—	—	—	.07	—	.02	31
Total	.93	.41	3.16	2.03	1.54	4.44	2.42	1.98	2.89	4.47	.46	2.71	
No. of Rain Days	15	8	24	14	10	19	19	13	22	*	11	23	

(28)

* not less than 25

† not less than 203

REGISTER OF RAINFALL IN 1910

Kept at Peppard, Henley-on-Thames
in the County of Oxford
by Hubert Shears

Pattern *Snowden*
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft.
" " " Sea Level *336* ft.
Time of Observation *9 a.m.*
Nearest Railway Station { Name *Henley*
Distance *4 m* Direction *E*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.05	.01	—	.04	.09	.11	.08	—	.08	.01	.16	1
2	—	.20	—	—	—	.01	.32	.02	—	.05	.01	.19	2
3	—	.01	—	—	.20	—	.11	.03	—	—	.45	.50	3
4	.01	—	.01	—	.08	—	—	.14	—	—	—	.17	4
5	—	.07	.03	—	.11	.04	.63	.12	—	—	—	.02	5
6	.01	.24	.04	—	.03	.03	.07	—	—	—	.17	.02	6
7	—	.03	.04	—	—	.57	.02	—	.01	—	.04	.02	7
8	.03	.07	.03	—	.19	—	—	—	—	—	—	.30	8
9	.11	.01	.33	—	.03	2.93	—	.07	—	—	—	.31	9
10	.05	.05	—	—	—	.33	—	—	—	.06	.08	.35	10
11	.17	.10	.19	—	.11	.01	—	.08	—	1.17	.07	.10	11
12	.09	.01	.02	—	.09	.04	—	.02	—	.41	.03	.29	12
13	.03	.10	—	—	.08	—	—	.01	.05	.03	.31	.17	13
14	—	.41	—	.58	—	—	—	—	.21	—	.01	.58	14
15	.06	.02	—	.09	—	—	.01	—	—	—	.03	.50	15
16	.07	.13	.08	.14	—	—	—	—	—	.16	—	.12	16
17	.13	.32	.08	.01	.07	—	.01	.07	—	.15	—	.06	17
18	.04	.26	.08	.05	.35	—	—	.21	—	.14	—	.01	18
19	—	.01	—	.04	.02	—	—	—	—	.18	.05	—	19
20	—	.48	—	—	—	—	.19	.03	—	.03	.01	.13	20
21	—	.02	—	.21	—	—	.02	—	—	—	—	.28	21
22	.04	.29	—	—	—	.27	.10	—	—	—	.01	.01	22
23	.36	.06	—	.08	—	.11	—	—	—	—	.61	.01	23
24	.11	.30	—	.01	—	.31	.09	—	—	.04	.04	.03	24
25	—	.12	—	.30	—	.16	.13	—	—	.04	—	—	25
26	—	—	—	.05	—	—	—	—	—	—	.02	.02	26
27	.55	—	—	—	—	.17	.01	—	.01	.51	.82	—	27
28	.15	.20	—	.40	.09	—	.09	—	.01	.05	—	.01	28
29	—	—	—	.03	.03	.12	—	—	—	—	.01	—	29
30	—	—	—	—	.09	.01	—	—	—	—	.41	—	30
31	—	—	—	—	.10	—	—	.95	—	.30	—	—	31
Total	2.06	3.56	.93	1.99	1.71	5.20	1.91	1.83	.29	3.40	3.19	4.36	TOTAL for Year 30.43
No. of Rain Days	18	(27)	12	(19)	17	16	15	(19)	5	16	20	25	(209)

Bedford

RADCLIFFE OBS

OXFORD

1908-1910

in the County of

by Dr. A. A. R.

NOTE.—Rain should be measured of rain and particulars as to the to Dr. H. R. MILL, 62, Cambridge

0.8

g.

n

e in.

above Ground ft.

Sea Level

Full instructions for the measurement of "Observers," sent post-free on application

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.04							.01	.005	.001	
2		.01	.009	.12						.01	.008	.002	
3		.03	.025	.301	.018	.041				.01	.006	.004	
4				.01	.013	.016		.37		.10	.01	.005	.100
5	.03		.351	.211	.126		.05	.05			.01	.004	.090
6	.04		.106	.002	.200						.01	.004	.001
7	.38	.01	.03		.05	.02	.03			.01	.008		
8	.05		.028		.012		.16			.05	.024		
9			.03	.034			.39			.02	.290		.142
10			.01	.011			.13	.04		.02	.018	.004	.136
11			.002		.035	.028	.001			.15	.002	.155	
12					.07	.23	.03				.028	.14	
13			.03	.030		.02	.01	.03			.004	.080	
14		.002			.280		.212			.04	.036	.001	.021
15		.07	.04		.08		.02			.16	.154		.008
16		.29	.01			.39	.38			.05	.045	.116	.001
17	.002	.076		.002		.703	.126			.01	.002	.006	
18	.01	.08	.009							.30	.005	.161	
19	.004	.002		.004						.03	.030	.006	
20		.003		.005				.277	.054	.38	.003	.059	
21	.004	.011						.182		.11	.110	.229	.020
22	.003	.086	.091	.058	.165			.150		.07		.056	.002
23	.01	.006	.001	.652				.826	.070	.01	.004		
24	.01	.008	.351	.200	.002			.016	.001	.15	.012	.152	
25	.02	.01	.45	.166	.01				.03	.03	.026	.006	
26	.01	.06	.003					.420		.06	.060		
27	.003	.029	.174	.435				.140	.045	.05	.053		.031
28	.05	.07		.55				.149		.04	.064	.106	
29	.03		.08	.34	.04			.091		.18	.180	.3	
30	.01	.008	.350	.091				.031	.003	.01	.005	.006	
31	.001		.008	X	.081			.613		.01	.005		
Total	1.65	.85	2.58	4.27	1.47	1.63	2.11	3.05	1.57	1.24	1.221	1.194	
No. of Rain Days	12	14	15	19	22	31	15	7	12	15	16	18	

REGISTER OF RAINFALL IN 1908

Bedford (Radcliffe Obs.)

in the County of

by Dr. A. A. Rambaut F.R.S.

Lat. Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft.

Sea Level.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	D
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.04	—	—	.40	—	—	.12	.01	—	—	
2	—	.01	.12	.01	.39	—	—	—	.08	.01	—	—	
3	—	.03	.30	.02	.04	—	—	—	.38	.01	—	—	
4	—	—	—	.01	.02	—	.37	—	.10	.01	—	—	
5	.03	—	.35	.21	.13	—	.05	.05	—	—	—	—	
6	.04	—	.11	—	.20	—	—	—	—	—	—	—	
7	.38	.01	.03	—	.05	.02	.03	—	—	—	—	—	
8	.05	—	.03	—	.01	—	.16	—	.05	.03	—	—	
9	—	—	.03	—	—	—	.39	—	.02	.29	—	—	
10	—	—	.01	—	—	—	.13	.04	.02	.02	.02	.14	
11	—	—	—	.03	.03	.03	—	.15	.15	.03	.03	.15	
12	—	—	—	—	—	.07	.23	.03	—	—	.03	.14	
13	—	—	—	.03	—	.02	.01	.03	—	—	—	.14	
14	—	—	—	—	.28	—	.2	—	.04	.04	.04	.14	
15	—	.07	.04	—	.08	—	.02	—	.16	.16	.16	.16	
16	—	.29	.01	—	—	.39	.38	—	.05	.12	.12	.12	
17	—	.08	—	—	—	.70	.13	—	.50	.01	.01	.01	
18	—	.08	.01	—	—	—	—	—	.50	.01	.01	.01	
19	—	—	—	—	—	—	—	—	—	.03	.03	.03	
20	—	.01	—	—	—	—	—	.18	.05	.38	.03	.06	
21	—	.09	.09	.06	.17	—	.15	—	.07	—	.06	.06	
22	—	.01	—	—	—	—	—	—	—	.15	.15	.15	
23	—	.01	.35	.20	—	—	.02	—	.03	.03	.03	.03	
24	—	.01	.45	1.66	.02	—	—	—	.03	.03	.03	.03	
25	—	.01	—	—	—	—	—	—	—	.06	.06	.06	
26	—	.03	.17	.43	—	—	—	—	.14	.05	.05	.05	
27	—	.07	.55	—	—	—	—	—	.15	.04	.06	.11	
28	—	.08	.36	.04	—	—	—	—	.09	.01	.18	.38	
29	—	.35	.09	—	—	—	—	—	.61	.01	.01	.01	
30	—	.01	—	—	—	—	—	—	—	—	—	—	
31	—	—	—	—	—	—	—	—	—	—	—	—	
Total	1.65	.85	2.58	4.27	1.49	1.63	2.11	3.05	1.55	1.24	1.19	1.19	
No. of Rain Days	12	14	19	13	14	7	12	15	16	18	10	10	

Section

A

for the entry of Daily Observations

Station No. 1052

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1909

Kept at

Oxford Radcliffe Obs.

copy

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		01				56		53	02	18		22		1
2	02		13			07				07	02	34		2
3	01		04			02	01			29	01	15		3
4		01				56			23	04		31		4
5			07			18	04			03		15		5
6			75			19	17		06			16		6
7	05		07				01		15	09				7
8			02						09					8
9	06	06	02				39			02	01	17		9
10	14	20	02			10	01		03	50		46		10
11		01	04			06	14		04	05				11
12	04			03		10			11	04	01	02		12
13	09		19	14	04		01		09	11	01			13
14	05	02	01	01							28			14
15	21		01				14		09	12	02	01		15
16				01	39		14	03	06	27	01	08		16
17	02				01			146	102	03		21		17
18	07		06				02	21						18
19			01	36				05		04	01	05		19
20			01			03	05	27		27				20
21			09			40	01		03	01		36		21
22			06	19		18	01	16		04				22
23				05		57	06	18	11	19		19		23
24			32		73	19		10	33		01	03		24
25			11	04	20	12	32	09	13	02		04		25
26		05		01	19	11	03			75				26
27		03	21	28	23		55		08	04	04	09		27
28			22	11	07	08			40	14				28
29	02	X	01	69		27	03	13	02		14			29
30		X	02	11			20		14		07	01		30
31	07	X	03	X	14	X	01		X	12	X	03		31
TOTAL	85	39	252	203	200	379	235	321	323	346	64	308	Year's Total	2758
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

REGISTER OF RAINFALL IN 1909

FORM A.
BRITISH RAINFALL.

- 2 FEB 1910
1052

Kept at Oxford Radcliffe Get Obs.
in the County of Oxon
by D. A. Rambaut

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.01				.56		.52	.02	.13		.22	1
2	.02		.13			.07				.07	.02	.34	2
3	.01		.04			.02	.01			.29	.01	.15	3
4		.01				.56			.23	.02		.31	4
5	.04	.03	.07			.18	.04		.06	.03		.15	5
6	.03		.75			.19	.17		.06		.03	.16	6
7	.05		.07				.01		.15	.09			7
8			.02						.09				8
9	.06	.06	.02				.39			.02	.01	.17	9
10	.14	.20	.02			.10	.01		.03	.50		.46	10
11		.01	.04			.06	.14		.04	.05			11
12	.04			.03		.10			.11	.04	.01	.02	12
13	.09		.19	.14	.04		.01		.09	.11	.01		13
14	.05	.02	.01	.01							.28		14
15	.21		.01				.14		.09	.12	.02	.01	15
16				.01	.39		.14	.03	.06	.27	.01	.08	16
17	.02				.01			.146	.102	.03		.21	17
18	.07		.06				.02	.25	.02	.03			18
19			.01	.36				.05		.04	.01	.05	19
20			.01			.03	.05	.27		.27			20
21			.09			.40	.01		.03	.01		.36	21
22			.06	.19		.18	.01	.16		.04		.004	22
23			.03	.05		.57	.06	.18	.11	.19		.19	23
24			.32		.13	.19		.10	.33		.01	.03	24
25		.002	.11	.04	.26	.12	.32	.09	.13	.02		.04	25
26		.05		.01	.19	.11	.03		.75			.002	26
27		.03	.21	.28	.23	.23	.55	.04	.09	.04	.04	.09	27
28		.004	.22	.11	.07	.08		.40	.14		.002	.001	28
29	.02		.01	.69		.27	.03	.13	.02	.14	.14		29
30			.02	.11			.20		.14		.07	.01	30
31	.07		.03		.14		.01		.12		.03	.03	31
Total	.85	.39	2.52	2.03	2.00	3.79	2.35	3.21	3.23	3.46	.64	3.09	TOTAL for year
No. of Rain Days	13	8	22	13	9	18	19	11	20	23	13	20	27

Section

A

for the entry of Daily Observations

Station No. 1052

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1910

Kept at Oxford Radcliffe
in the County of

copy

Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	09				02	07	07		28	02	31		1
2		29			01		47			09		35		2
3					09		21	06			38	47		3
4		01		23	10							09		4
5		07	01	14	04	01	61	06						5
6		14	01	05	04		01				16	02		6
7		02			01	65	02		01		07	03		7
8	07	01			02						01	15		8
9	09		26	01	20	87		21				07		9
10	05	02			01	36			01	07	05	10		10
11	23	01	16	02	24			05		162	02	02		11
12	07		06	15	04	08		02		39	01	20		12
13		11		12	02			03	01	01	42	24		13
14		32		10					34	01		96		14
15	09	01		10					02		03	72		15
16	13	05	03	87						09		20		16
17	06	25	03		05		05			14		03		17
18	07	17	03	03	22			19		18				18
19		01		02	06					08	05			19
20		27					14	01				32		20
21		02		17	02							50		21
22	03	44				04	11	01			01	01		22
23	13	03		01		16		14			56			23
24	09	28		05		16	10	11		03		02		24
25		17		14		29	03	13		05	04			25
26		05		03				09			01	03		26
27	43	01				05	02			44	86			27
28	07	05		41	07	02	19	52	03	11				28
29		X		05		14		22			01			29
30		X			03	06		02			42			30
31		X		X	66	X			X	21	X			31
TOTAL	164	290	59	270	193	291	203	194	42	380	313	484	Year's Total	2883
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) (P.T.O.)

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL.

28 JAN 1911
1052

Kept at Radcliffe Observatory
in the County of Oxford
by W. Rickham Esq

RAIN GAUGE
Pattern
Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.63 229	.09 285	.204		.003 219	.07 268	.07 266			.28 281	.02 220	.31 309	1
2		.29 288			.01 214	.47 265	.005			.09 290	.38 283	.35 300	2
3			.01 201		.09 289	.21 212	.06 260					.47 267	3
4		.01 208	.02 202	.23 233	.10 296							.09 289	4
5		.07 273	.01 205	.14 138	.04 241	.01 210	.61 610	.06 258				.002	5
6	.002	.14 141	.01 208	.05 254	.04 241		.01 208			.01 204	.16 160	.02 223	6
7	.001	.02 223	.02 202		.01 208	.65 649	.02 221		.01 214		.07 266	.03 229	7
8	.07 266	.01 212	.005		.02 223		.003	.003			.01 206	.15 152	8
9	.09 285	.02 210	.26 260	.01 206	.20 198	.87 869		.21 209			.05 252	.10 296	9
10	.05 247	.02 210	.16 158	.02 217	.24 240	.36 359		.05 251	.01 209	.07 269	.02 224	.02 220	10
11	.23 233	.01 215	.06 259	.15 155	.04 243	.08 280		.02 217	.02 202	.16 1620	.01 213	.20 197	11
12	.07 274			.12 116	.02 222			.03 231	.01 206	.31 395	.42 418	.24 240	12
13	.004	.11 106		.10 104				.02 221	.02 202	.01 212	.01 212	.96 962	13
14		.32 322						.34 344	.02 221	.01 205	.03 230	.71 717	14
15	.09 287	.01 213	.01 201	.10 102	.002				.02 221	.004	.030	.717	15
16	.13 132	.05 255	.03 232	.83 866						.09 288		.26 199	16
17	.06 256	.25 247	.03 227		.05 257		.05 251			.14 138	.002	.03 231	17
18	.07 266	.17 169	.03 233	.03 235	.22 223			.19 186		.18 180		.002	18
19		.01 207		.02 216	.06 260					.08 282	.046	.002	19
20		.27 268					.14 137	.01 211			.002	.32 321	20
21		.02 222		.17 175	.02 222							.50 500	21
22	.03 231	.44 436				.04 240	.11 108	.01 211		.002	.01 205	.01 209	22
23	.13 129	.03 233		.01 214		.16 160		.14 140			.52 560	.004	23
24	.09 287	.28 277		.05 245		.16 156	.10 107	.11 111		.03 230	.003	.02 221	24
25		.17 156		.14 138		.29 288	.03 230	.13 128	.004	.05 247	.044	.002	25
26		.05 245		.03 235				.09 288			.09 211	.03 230	26
27	.43 428	.01 205	.001			.05 257	.02 220			.44 440	.86 860		27
28	.07 266	.05 250		.41 406	.07 267	.02 219	.19 187	.52 520	.03 233	.11 107		.004	28
29				.05 253	.002	.14 140		.22 221			.01 209	.003	29
30				.001	.03 229	.06 263	.003	.02 219			.42 420		30
31					.69 657			.001		.21 205			31
Total	1.64	2.90	.59	2.70	1.93	2.91	2.03	1.94	.42	3.80	3.13	4.84	TOTAL for year
No. of Rain Days	15	24	7	19	19	14	13	17	6	16	17	23	190

REGIST

RADCLIFFE
OBSERVATORY
OXON

Kept at The Radcliffe Observatory
in the County of Oxon
by The Staff, for A.A. Rambaut

NOTE.—Full instructions respecting the
of the Rainfall," which is sent post-free on

1901-10

h. m. s.
6 N Lon. 0 5 2.6
Observation midnight
11 3/4 in.
ft inches
top above Ground 2 4
Sea Level 210 feet

Systematic Observation and Record
Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	^{in.} 0.082	^{in.} 0.06	^{in.} 0.320	^{in.} 0.013	^{in.} 0.043	^{in.} 0.01	^{in.} 0.020	^{in.} 0.01	^{in.} 0.003	^{in.} 0.003	^{in.} 0.005	^{in.} 0.011	1
2		0.058	0.259	0.58		0.006	0.104		0.003				2
3			0.01	0.013	0.579	0.09	0.030				0.005		3
4		0.05	0.07	0.12						0.241	0.005		4
5		0.39	0.09								0.01	0.015	5
6			0.13	0.20	0.04			0.107		0.155			6
7	0.07	0.01	0.15	0.08	0.05						0.01	0.02	7
8	0.09	0.07	0.05	0.08	0.83				0.43	0.01		0.22	8
9	0.05			0.11	0.16				0.12			0.01	9
10				0.11	0.01							0.13	10
11		0.01		0.33					0.06	0.01	0.04		11
12	0.01	0.012				0.11		0.36			0.17	0.84	12
13				0.23			0.11				0.14	0.56	13
14				0.03				0.56			0.06	0.04	14
15				0.20				0.14					15
16				0.14		0.03			0.53	0.33		0.03	16
17	0.12	0.02				0.031			0.27	0.05			17
18	0.13								0.16			0.04	18
19	0.15	0.07	0.14			0.07			0.01				19
20			0.15			0.14			0.39				20
21		0.04				0.05			0.11		0.06		21
22		0.042				0.14			0.18		0.04		22
23						0.05				0.179	0.040	0.33	23
24						0.02	1.64		0.08			0.40	24
25	0.02		0.03			0.019	1.501	0.09		0.081		0.03	25
26	0.01	0.03			0.03		0.09	0.47			0.03		26
27	0.24	0.29		0.03			1.20	0.33					27
28	0.07						0.05					0.29	28
29						0.09			0.04			0.01	29
30			0.29		0.21	0.84			0.02			0.25	30
31			0.058		0.014			0.20				0.06	31
Totals	1.04	1.04	1.75	2.17	1.34	1.64	4.74	2.26	1.91	1.28	0.58	3.47	23.22
Total from Jan. 1	1.050	1.033	1.735	2.164	1.342	1.630	4.746	2.267	1.905	1.287	0.576	3.446	23.181

Arthur A. Rambaut

REGISTER OF RAINFALL

Kept at *The Radcliffe Observatory, Oxford*

in the County of *Oxford*

by *The Staff, for A.A. Rambaut, M.A. Sec. D. & R.S.*

RAIN GAUGE.

Lat. *51° 46' N* Lon. *0° 5' 2.6"*

Time of Observation *midnight*

Diameter *11 3/16 in.* ft inches

Height of top above Ground *2 1/4 ft*

Sea Level *210 feet*

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>in.</i> <i>0.082</i>	<i>in.</i> <i>0.06</i>	<i>in.</i> <i>0.320</i>	<i>in.</i> <i>0.013</i>	<i>in.</i> <i>0.043</i>	<i>in.</i> <i>0.01</i>	<i>in.</i> <i>0.020</i>	<i>in.</i> <i>0.107</i>	<i>in.</i> <i>0.003</i>	<i>in.</i> <i>0.003</i>	<i>in.</i> <i>0.005</i>	<i>in.</i> <i>0.011</i>	1
2		<i>0.058</i>	<i>0.259</i>	<i>0.58</i>		<i>0.006</i>	<i>0.104</i>		<i>0.003</i>				2
3			<i>0.013</i>	<i>0.579</i>		<i>0.091</i>	<i>0.030</i>				<i>0.005</i>		3
4		<i>0.047</i>	<i>0.070</i>	<i>0.117</i>						<i>0.241</i>	<i>0.005</i>		4
5		<i>0.385</i>	<i>0.085</i>								<i>0.015</i>	<i>0.011</i>	5
6			<i>0.131</i>	<i>0.197</i>	<i>0.043</i>			<i>0.107</i>		<i>0.155</i>			6
7	<i>0.07</i>	<i>0.013</i>	<i>0.148</i>		<i>0.052</i>						<i>0.006</i>	<i>0.016</i>	7
8	<i>0.093</i>	<i>0.065</i>	<i>0.045</i>	<i>0.077</i>	<i>0.834</i>				<i>0.435</i>	<i>0.010</i>		<i>0.216</i>	8
9	<i>0.053</i>			<i>0.109</i>	<i>0.156</i>				<i>0.120</i>			<i>0.006</i>	9
10				<i>0.106</i>	<i>0.005</i>							<i>0.127</i>	10
11		<i>0.012</i>		<i>0.332</i>					<i>0.057</i>	<i>0.012</i>	<i>0.036</i>		11
12	<i>0.008</i>					<i>0.112</i>		<i>0.360</i>			<i>0.170</i>	<i>0.844</i>	12
13				<i>0.235</i>			<i>0.107</i>				<i>0.143</i>	<i>0.559</i>	13
14				<i>0.027</i>				<i>0.564</i>			<i>0.060</i>	<i>0.038</i>	14
15				<i>0.204</i>				<i>0.144</i>					15
16				<i>0.142</i>		<i>0.031</i>			<i>0.534</i>	<i>0.333</i>		<i>0.025</i>	16
17	<i>0.116</i>	<i>0.020</i>							<i>0.266</i>	<i>0.051</i>			17
18	<i>0.128</i>									<i>0.156</i>		<i>0.039</i>	18
19	<i>0.155</i>	<i>0.066</i>	<i>0.138</i>			<i>0.066</i>				<i>0.005</i>			19
20			<i>0.147</i>			<i>0.138</i>			<i>0.385</i>				20
21		<i>0.042</i>				<i>0.048</i>			<i>0.108</i>		<i>0.062</i>		21
22						<i>0.139</i>				<i>0.179</i>	<i>0.040</i>		22
23						<i>0.053</i>						<i>0.332</i>	23
24						<i>0.019</i>	<i>1.640</i>			<i>0.081</i>		<i>0.402</i>	24
25	<i>0.017</i>		<i>0.029</i>				<i>1.501</i>	<i>0.094</i>				<i>0.029</i>	25
26	<i>0.014</i>	<i>0.032</i>			<i>0.026</i>		<i>0.093</i>	<i>0.469</i>			<i>0.034</i>		26
27	<i>0.240</i>	<i>0.293</i>		<i>0.026</i>			<i>1.198</i>	<i>0.330</i>					27
28	<i>0.069</i>						<i>0.053</i>					<i>0.285</i>	28
29						<i>0.087</i>				<i>0.038</i>		<i>0.209</i>	29
30			<i>0.292</i>		<i>0.212</i>	<i>0.840</i>				<i>0.020</i>		<i>0.251</i>	30
31			<i>0.058</i>		<i>0.014</i>			<i>0.199</i>				<i>0.057</i>	31
Totals	<i>1.050</i>	<i>1.033</i>	<i>1.735</i>	<i>2.164</i>	<i>1.342</i>	<i>1.630</i>	<i>4.746</i>	<i>2.267</i>	<i>1.905</i>	<i>1.287</i>	<i>0.576</i>	<i>3.446</i>	<i>23.22</i>
Total from Jan. 1													

Arthur A. Rambaut

2005.
REGISTER OF RAINFALL IN 1902

Kept at Radcliffe Observatory, Oxford
in the County of Oxfordshire
by The Staff, for A. A. Rambaut M. A. Sc. D. F. R. S.

RAIN GAUGE.

h. m. s.
Lat. 51° 46' N Long. 0° 52' 6" W.
Time of Observation *Midnight*
Diameter *11.2 inches*
Height of top above Ground *2 ft. 4 in.*
" " Sea Level *210 feet*

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	⁰⁶ 0.056	^{in.} in.	⁰⁶ 0.063	⁰³ 0.025	¹⁰ 0.103	¹⁰ 0.098	¹¹ 0.110	^{in.} in.	⁰¹ 0.015	^{in.} in.	^{in.} in.	²¹ 0.214	1
2	²² 0.219		¹⁸ 0.181		⁰³ 0.028			⁰² 0.017	⁰¹ 0.006				2
3		⁰⁵ 0.054		⁰¹ 0.012	²⁴ 0.239				¹¹ 0.110				3
4	¹⁴ 0.138	⁰² 0.017			⁰¹ 0.007	⁰³ 0.034				~~0.004~~			4
5				²¹ 0.208	⁰² 0.018					⁰⁷ 0.071	⁰⁹ 0.085		5
6			⁰¹ 0.006		⁰² 0.019	²¹ 0.205		⁴⁶ 0.464			⁰⁸ 0.082		6
7					¹³ 0.128	⁴⁹ 0.487		²³ 0.229			⁰⁵ 0.045		7
8		¹⁴ 0.143			⁰³ 0.031	⁰⁵ 0.053		²³ 0.233			¹⁵ 0.153		8
9	⁰³ 0.035		⁰² 0.016				¹⁸ 0.184	⁰¹ 0.005		³⁴ 0.341	¹⁰ 0.097		9
10			⁰¹ 0.013				⁰⁴ 0.037	⁰³ 0.026	⁵⁸ 0.577	⁰⁵ 0.052	⁰² 0.004		10
11	⁰² 0.018			⁰² 0.018				⁰¹ 0.011	⁴² 0.420	¹⁵ 0.153	⁰² 0.024		11
12			⁰¹ 0.008	⁰⁹ 0.086	⁰² 0.019	²³ 0.228		⁰⁶ 0.060	⁰⁴ 0.042		⁰¹ 0.010	⁰⁸ 0.002	12
13					⁰⁴ 0.044	³⁴ 0.338		⁰¹ 0.011		⁰⁵ 0.051		⁰¹ 0.082	13
14			³³ 0.334		⁰² 0.017	²⁸ 0.276		⁰¹ 0.009		¹⁰ 0.102		⁰¹ 0.005	14
15			⁰⁵ 0.050	⁷⁰ 0.699	¹¹ 0.107	¹⁰ 0.097				¹⁷ 0.170		¹⁵ 0.147	15
16					⁰⁷ 0.065	⁰³ 0.026			⁰¹ 0.012			¹³ 0.126	16
17					⁰⁷ 0.065	⁰¹ 0.005		¹¹ 0.112		⁰⁴ 0.044		³⁶ 0.364	17
18		⁰¹ 0.008			⁰⁹ 0.094			³⁹ 0.388		²⁶ 0.256		⁰¹ 0.006	18
19				⁰¹ 0.015	⁰⁴ 0.039		⁰⁵ 0.049	⁰⁴ 0.037		⁰¹ 0.013			19
20			⁰⁸ 0.076	⁰³ 0.025		²¹ 0.208	⁰² 0.019	⁰² 0.024		¹⁵ 0.146			20
21			⁰³ 0.003	⁰³ 0.025									21
22		²³ 0.226	⁰¹ 0.005	¹³ 0.129	³³ 0.327	⁰¹ 0.005	⁰³ 0.033			¹² 0.117			22
23	⁰¹ 0.009	¹² 0.123			⁰² 0.021			²⁷ 0.268	⁰⁵ 0.050				23
24	⁰² 0.023	²⁵ 0.255	²⁴ 0.240	⁰¹ 0.006				⁰² 0.016			²⁷ 0.269		24
25		⁰⁵ 0.045	⁰¹ 0.007				⁰¹ 0.007				¹² 0.118		25
26	⁰⁸ 0.083	¹⁴ 0.142	²⁰ 0.203				²² 0.216			⁰⁴ 0.042	⁰³ 0.025		26
27	¹⁵ 0.145	⁰⁷ 0.087	⁰² 0.018				⁰⁴ 0.037						27
28		⁰¹ 0.005								⁰⁷ 0.068	¹⁹ 0.190	³¹ 0.309	28
29			⁰⁷ 0.069		⁰⁷ 0.070			⁰² 0.017			¹⁸ 0.178	⁰⁶ 0.064	29
30			⁰⁴ 0.039		²⁴ 0.236	⁰⁷ 0.073	⁰¹ 0.006	⁰⁷ 0.066		⁰¹ 0.012	⁴⁰ 0.401	¹¹ 0.114	30
31	⁰¹ 0.005				¹⁵ 0.146			³⁹ 0.393				⁰¹ 0.009	31
Totals	⁷⁴ 0.735	^{1.11} 1.105	^{1.34} 1.331	^{1.27} 1.248	^{1.85} 1.823	^{2.16} 2.133	^{2.71} 2.698	^{2.40} 2.386	^{1.23} 1.232	^{1.63} 1.642	^{2.29} 2.281	^{1.44} 1.442	18.17
Total from Jan. 1													18.056

12/11/403
RADCLIFFE
OBSERVATORY.
OXFORD.
Arthur A. Rambaut

S.M.A

REGISTER OF RAINFALL IN 1903

Lat. $51^{\circ}46'N$ Long. $0^{\circ}52'6''W$

Nearest Railway Station

Kept at Radcliffe Observatory, Oxford

in the County of Oxfordshire

by The Staff, for A. A. Rambaut, M.A. Sec. R. S. S.

RAIN GAUGE.

Time of Observation *Midnight*

Diameter *11.2* in.

Height of top above Ground *2* ft. *14* in.

Sea Level *210* ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<i>05</i>	<i>38</i>	<i>10</i>	<i>38</i>			<i>03</i>		<i>06</i>			1
		<i>0.045</i>	<i>0.381</i>	<i>0.098</i>	<i>0.387</i>			<i>0.026</i>		<i>0.063</i>			
2	<i>21</i>		<i>44</i>		<i>02</i>			<i>06</i>	<i>24</i>		<i>26</i>		2
	<i>0.210</i>		<i>0.1436</i>		<i>0.023</i>			<i>0.057</i>	<i>0.239</i>		<i>0.264</i>		
3	<i>36</i>		<i>02</i>	<i>05</i>	<i>51</i>			<i>29</i>		<i>01</i>	<i>01</i>	<i>04</i>	3
	<i>0.363</i>		<i>0.019</i>	<i>0.049</i>	<i>0.508</i>			<i>0.290</i>		<i>0.009</i>	<i>0.011</i>	<i>0.028</i>	
4	<i>26</i>			<i>11</i>	<i>29</i>					<i>29</i>		<i>04</i>	4
	<i>0.261</i>			<i>0.110</i>	<i>0.287</i>					<i>0.288</i>	<i>0.003</i>	<i>0.041</i>	
5	<i>70</i>		<i>20</i>	<i>02</i>	<i>35</i>		<i>01</i>		<i>15</i>	<i>51</i>			5
	<i>0.704</i>		<i>0.205</i>	<i>0.019</i>	<i>0.345</i>		<i>0.005</i>		<i>0.145</i>	<i>0.515</i>			
6		<i>03</i>			<i>11</i>					<i>35</i>			6
		<i>0.037</i>			<i>0.106</i>					<i>0.253</i>	<i>0.007</i>		
7	<i>07</i>		<i>16</i>							<i>04</i>		<i>08</i>	7
	<i>0.071</i>		<i>0.160</i>							<i>0.044</i>		<i>0.080</i>	
8	<i>02</i>			<i>01</i>					<i>04</i>	<i>37</i>		<i>06</i>	8
	<i>0.019</i>			<i>0.008</i>					<i>0.039</i>	<i>0.372</i>		<i>0.057</i>	
9	<i>20</i>		<i>17</i>		<i>23</i>	<i>26</i>		<i>44</i>	<i>09</i>		<i>03</i>	<i>26</i>	9
	<i>0.204</i>		<i>0.175</i>		<i>0.231</i>	<i>0.263</i>		<i>0.444</i>	<i>0.086</i>		<i>0.037</i>	<i>0.261</i>	
10	<i>19</i>		<i>15</i>		<i>03</i>	<i>86</i>		<i>26</i>	<i>28</i>			<i>20</i>	10
	<i>0.186</i>		<i>0.145</i>		<i>0.026</i>	<i>0.864</i>		<i>0.245</i>	<i>0.276</i>			<i>0.200</i>	
11					<i>07</i>	<i>09</i>		<i>31</i>	<i>16</i>	<i>75</i>			11
					<i>0.072</i>	<i>0.092</i>		<i>0.315</i>	<i>0.164</i>	<i>0.753</i>			
12				<i>03</i>			<i>02</i>	<i>03</i>	<i>13</i>	<i>57</i>	<i>01</i>	<i>28</i>	12
				<i>0.025</i>			<i>0.017</i>	<i>0.030</i>	<i>0.127</i>	<i>0.566</i>	<i>0.005</i>	<i>0.282</i>	
13						<i>28</i>				<i>13</i>		<i>01</i>	13
						<i>0.278</i>				<i>0.126</i>		<i>0.005</i>	
14			<i>19</i>			<i>93</i>		<i>35</i>		<i>15</i>	<i>13</i>		14
			<i>0.1947</i>			<i>0.925</i>		<i>0.349</i>		<i>0.150</i>	<i>0.137</i>		
15				<i>05</i>	<i>08</i>	<i>246</i>		<i>09</i>		<i>30</i>			15
				<i>0.045</i>	<i>0.083</i>	<i>2.464</i>		<i>0.095</i>		<i>0.296</i>			
16	<i>01</i>				<i>20</i>		<i>11</i>			<i>03</i>			16
	<i>0.012</i>				<i>0.196</i>	<i>0.107</i>	<i>0.111</i>	<i>0.007</i>		<i>0.033</i>			
17	<i>08</i>		<i>17</i>		<i>16</i>	<i>02</i>	<i>22</i>	<i>35</i>		<i>04</i>	<i>05</i>		17
	<i>0.080</i>		<i>0.175</i>		<i>0.164</i>	<i>0.023</i>	<i>0.220</i>	<i>0.348</i>		<i>0.041</i>	<i>0.051</i>		
18	<i>06</i>		<i>10</i>				<i>54</i>	<i>15</i>		<i>01</i>	<i>01</i>		18
	<i>0.063</i>		<i>0.1017</i>				<i>0.542</i>	<i>0.150</i>		<i>0.012</i>	<i>0.013</i>		
19	<i>02</i>					<i>67</i>	<i>19</i>			<i>27</i>		<i>04</i>	19
	<i>0.024</i>					<i>0.673</i>	<i>0.192</i>			<i>0.273</i>		<i>0.041</i>	
20	<i>01</i>					<i>13</i>		<i>18</i>		<i>05</i>	<i>01</i>		20
	<i>0.015</i>					<i>0.129</i>	<i>0.001</i>	<i>0.181</i>		<i>0.051</i>	<i>0.005</i>	<i>0.003</i>	
21		<i>02</i>					<i>26</i>	<i>10</i>		<i>03</i>		<i>01</i>	21
		<i>0.017</i>					<i>0.257</i>	<i>0.097</i>		<i>0.026</i>		<i>0.014</i>	
22	<i>14</i>	<i>04</i>					<i>40</i>		<i>02</i>	<i>07</i>			22
	<i>0.144</i>	<i>0.039</i>					<i>0.400</i>		<i>0.016</i>	<i>0.069</i>			
23	<i>01</i>	<i>10</i>	<i>65</i>				<i>51</i>			<i>004</i>			23
	<i>0.014</i>	<i>0.102</i>	<i>0.652</i>				<i>0.513</i>			<i>0.004</i>			
24	<i>01</i>	<i>38</i>	<i>02</i>				<i>07</i>	<i>62</i>	<i>01</i>	<i>45</i>	<i>04</i>	<i>03</i>	24
	<i>0.008</i>	<i>0.283</i>	<i>0.019</i>				<i>0.065</i>	<i>0.619</i>	<i>0.008</i>	<i>0.445</i>	<i>0.040</i>	<i>0.033</i>	
25	<i>01</i>		<i>03</i>				<i>21</i>	<i>13</i>	<i>17</i>	<i>66</i>			25
	<i>0.006</i>		<i>0.031</i>				<i>0.213</i>	<i>0.135</i>	<i>0.173</i>	<i>0.657</i>			
26		<i>09</i>		<i>69</i>			<i>55</i>			<i>21</i>	<i>05</i>		26
		<i>0.285</i>		<i>0.691</i>			<i>0.551</i>			<i>0.214</i>	<i>0.048</i>		
27	<i>24</i>		<i>31</i>	<i>45</i>	<i>01</i>		<i>31</i>	<i>09</i>	<i>02</i>	<i>07</i>	<i>64</i>		27
	<i>0.239</i>		<i>0.313</i>	<i>0.451</i>	<i>0.015</i>		<i>0.307</i>	<i>0.088</i>	<i>0.019</i>	<i>0.066</i>	<i>0.640</i>		
28	<i>01</i>	<i>01</i>	<i>17</i>	<i>28</i>	<i>43</i>				<i>06</i>	<i>102</i>	<i>17</i>	<i>03</i>	28
	<i>0.010</i>	<i>0.007</i>	<i>0.169</i>	<i>0.276</i>	<i>0.432</i>				<i>0.058</i>	<i>1.016</i>	<i>0.466</i>	<i>0.032</i>	
29			<i>01</i>	<i>33</i>	<i>10</i>		<i>24</i>	<i>07</i>	<i>30</i>	<i>08</i>	<i>18</i>		29
			<i>0.006</i>	<i>0.327</i>	<i>0.107</i>		<i>0.247</i>	<i>0.067</i>	<i>0.301</i>	<i>0.080</i>	<i>0.176</i>		
30			<i>06</i>	<i>30</i>	<i>102</i>								30
			<i>0.056</i>	<i>0.300</i>	<i>1.016</i>								
31	<i>01</i>		<i>01</i>					<i>01</i>		<i>26</i>			31
	<i>0.013</i>		<i>0.006</i>					<i>0.009</i>		<i>0.256</i>			
Totals	<i>2.64</i>	<i>1.80</i>	<i>3.24</i>	<i>2.42</i>	<i>4.60</i>	<i>5.81</i>	<i>3.64</i>	<i>3.55</i>	<i>1.67</i>	<i>6.68</i>	<i>1.59</i>	<i>1.08</i>	37.72
	<i>2.666</i>	<i>0.798</i>	<i>3.239</i>	<i>2.399</i>	<i>4.593</i>	<i>5.818</i>	<i>3.636</i>	<i>3.547</i>	<i>1.651</i>	<i>6.678</i>	<i>1.588</i>	<i>1.087</i>	
Total from Jan. 1													

REGISTER OF RAINFALL IN 1904

Kept at Radcliffe Observatory, Oxford.

in the County of Oxfordshire

by The Staff, for A. A. Rambaut, M.A. & D. F.R.S.

Lat. 51° 46' N. Long. 0° 5' 2.78" W.

Nearest Railway Station

Time of Observation Midnight

Diameter 11 3/16 in.

Height of top above Ground 2 ft. 4 in.

Sea Level 210 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.015		0.166	0.057		0.058	0.208	0.051		1
2		0.115	0.135		0.405	0.012				0.010	0.008	0.039	2
3	0.090	0.536	0.129	0.041			0.339		0.178			0.011	3
4	0.122	0.026	0.046	0.021				0.145				0.172	4
5		0.012		0.004	0.008			0.024		0.088		0.078	5
6	0.006	0.084	0.006	0.087	0.059						0.164	0.508	6
7	0.242	0.039	0.276		0.013				0.033	0.122	0.611		7
8		0.379	0.006	0.011					0.146	0.032		0.007	8
9		0.671	0.006	0.089		0.018					0.062	0.110	9
10	0.277	0.491			0.080	0.178					0.338	0.152	10
11		0.015						0.180			0.061	0.044	11
12	0.038	0.266			0.010				0.314			0.226	12
13	0.236	0.100		0.076		0.062						0.026	13
14	0.263	0.053	0.057	0.021		0.323		0.092	0.352		0.006	0.381	14
15		0.013	0.005	0.373		0.070		0.041					15
16		0.045								0.027		0.010	16
17	0.013	0.096						0.292		0.203			17
18	0.072	0.012			0.019							0.032	18
19		0.116	0.062				0.006						19
20					0.001		0.083						20
21	0.038	0.001	0.014		0.586			0.005		0.013	0.227		21
22		0.001		0.108				0.344	0.026	0.035	0.016		22
23					0.025					0.145	0.042		23
24					0.071	0.227	0.009		0.035	0.018			24
25			0.029		0.009	0.040	0.734	0.008	0.006				25
26	0.064	0.060			0.488	0.013	1.242	0.015				0.007	26
27	0.082				1.466		0.468						27
28	0.250		0.088		0.016		0.076						28
29			0.096	0.007			0.215						29
30	0.700		0.037	0.019			0.251	0.467	0.147		0.004	0.092	30
31	0.785		0.162		0.049								31
Totals	3.278	3.071	1.150	0.872	3.305	1.109	3.480	1.609	1.295	0.901	1.590	1.895	23.61
Total from Jan. 1	3.278	6.349	7.499	8.371	11.676	12.785	16.265	17.874	19.169	20.070	21.660	23.555	

REGISTER OF RAINFALL IN 1905.

FORM A.
BRITISH RAINFALL.

Kept at The Radcliffe Observatory, Oxford.

in the County of Oxfordshire.

by the Staff, for the Radcliffe Observer.

Lat. 51° 46' N. Long. 0° 5' 26' W.

Nearest Railway Station

Time of Observation Midnight.

Diameter 11.2 in.

Height of top above Ground 2 ft. 4 in.

Sea Level 210 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.039		0.034	0.136	0.590	0.003	0.019		0.623		1
2	0.040		0.018	0.016	0.214	0.031			0.005	0.014	0.159		2
3				0.027	0.115			0.653			0.075	0.003	3
4			0.013					0.027		0.273	0.122	0.003	4
5	0.297		0.282	0.006		0.335		0.097		0.016	0.234	0.118	5
6	0.012					0.517	0.006		0.249			0.040	6
7		0.057	0.044	0.182		0.042		0.057	0.040	0.029		0.103	7
8			0.006	0.012		0.140			0.134	0.003	0.019	0.231	8
9	0.218		0.205	0.114					0.180				9
10		0.048	0.252	0.408			0.007						10
11	0.063		0.177	0.285		0.517				0.006	0.713		11
12			0.413			0.035					0.199		12
13			0.088	0.052					0.006	0.012	0.012		13
14			0.388	0.139	0.003				0.006				14
15			0.424			0.169				0.165	0.013		15
16	0.082		0.079	0.044			0.019	0.012					16
17	0.026	0.007	0.097			0.841							17
18		0.006	0.075			0.026		0.204				0.030	18
19		0.012		0.008	0.020	0.049						0.004	19
20						0.006		0.039					20
21				0.007									21
22								0.318					22
23		0.023	0.132				0.056	0.011			0.146		23
24		0.014	0.123										24
25			0.047	0.138				0.114	0.188		0.037		25
26	0.202	0.093	0.054			0.010		0.012	0.105	0.020	0.638		26
27	0.018	0.124	0.036					0.051	0.038	0.014			27
28			0.020					1.230	0.110		0.014	0.229	28
29			0.018			0.105	0.005	0.457	0.185	0.279	0.006	0.100	29
30			0.022	0.371	0.381	0.842				0.307	0.233	0.047	30
31					0.061					0.043			31
Totals	0.738	0.387	3.441	1.937	0.828	3.801	0.683	3.285	1.265	1.181	3.243	0.908	31 41
Total from Jan. 1	0.738	1.125	4.266	6.203	7.031	10.832	11.515	14.800	16.065	17.246	20.489	21.397	

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.

Kept at The Radcliffe Observatory,

in the County of Oxford.

by the Staff for the Radcliffe Observer

Lat. 51° 46' N. Long. 0° 55' 56" W.

Nearest Railway Station ...

Time of Observation midnight of each Civil Day

Diameter of Rain Gauge 11.2 in.

Height of top of Gauge above Ground 2 ft. 4 in.

" " " Sea Level 210 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	...	0.006	...	...	0.277	...	...	...	0.138	...	...	1
2	0.284	...	0.025	...	0.151	0.016	...	0.260	...	0.138	0.003	...	2
3	0.035	0.120	...	...	0.015	...	...	0.067	...	0.001	...	0.041	3
4	0.413	...	...	...	0.023	...	...	0.006	...	0.273	0.238	...	4
5	0.080	...	...	...	0.145	...	...	...	0.016	0.009	0.012	0.160	5
6	0.577	...	...	...	0.061	...	...	...	...	...	0.617	0.065	6
7	0.366	...	...	...	...	...	...	...	...	0.115	0.120	...	7
8	...	0.130	0.163	...	...	...	...	...	...	0.193	0.295	0.057	8
9	0.072	0.035	...	...	...	...	...	...	...	0.192	0.142	0.069	9
10	...	0.259	0.353	...	0.007	...	...	0.152	...	0.339	...	...	10
11	0.033	0.076	0.195	...	...	...	...	...	...	...	...	0.033	11
12	0.299	...	0.016	...	...	...	0.059	...	0.033	...	...	0.141	12
13	0.313	0.055	0.025	0.067	0.013	...	0.206	0.141	0.422	0.133	...	0.075	13
14	...	...	0.045	...	...	...	...	...	0.030	...	...	0.081	14
15	0.142	0.075	0.068	...	...	0.138	0.009	0.056	0.401	...	0.059	0.025	15
16	0.133	0.149	0.027	...	0.061	0.276	...	...	0.068	0.006	0.175	0.321	16
17	0.002	0.227	...	0.064	...	0.018	...	0.043	...	0.088	0.132	...	17
18	0.346	0.071	0.054	0.008	...	...	...	...	0.006	0.629	0.013	0.072	18
19	...	0.048	...	...	...	...	0.044	...	0.003	0.138	0.058	...	19
20	0.039	...	0.019	...	0.439	...	...	...	...	...	0.065	...	20
21	0.090	...	0.053	...	0.007	...	0.039	...	...	0.009	0.316	...	21
22	...	...	0.010	...	...	...	0.006	...	...	0.074	...	...	22
23	...	0.058	...	0.006	0.264	...	0.036	...	...	0.003	...	...	23
24	...	...	0.107	0.010	0.033	0.481	...	0.019	...	0.013	...	0.053	24
25	0.289	0.065	0.006	...	0.057	...	...	0.252	...	...	...	0.074	25
26	...	...	0.064	...	0.255	...	...	...	...	...	...	0.360	26
27	...	0.228	...	0.025	0.165	0.275	0.264	...	...	0.008	...	0.056	27
28	...	...	...	0.140	0.006	0.584	...	...	...	0.116	...	0.039	28
29	...	...	...	0.019	...	1.359	0.390	...	...	0.269	...	...	29
30	...	...	...	0.013	0.069	...	...	...	...	0.249	...	0.159	30
31	...	...	...	...	...	...	...	...	...	...	...	...	31
Total	3.513	1.590	1.266	0.352	1.771	3.424	1.053	0.996	0.982	4.133	3.245	1.904	TOTAL for year 24.229
No. of Rain Days													

REGISTER OF RAINFALL IN 1907

FORM
BRITISH RAINFALL.

Kept at The Radcliffe Observatory,
in the County of Oxford.
by the Staff, for the Radcliffe Observer.

Lat. 51° 46' N. Long. 0° 5' 26' W.
Nearest Railway Station _____
Time of Observation Midnight of each Civil Day.
Diameter of Rain Gauge 11.2 in.
Height of top of Gauge above Ground 2 ft. 4 in.
" " " Sea Level 210 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	23 in. 0.233	in. ...	in. ...	in. ...	01 in. 0.009	1.31 in. 1.314	in. ...	in. ...	in. ...	23 in. 0.229	02 in. 0.015	in. ...	1
2	13 0.128	...	...	01 0.006	11 0.114	13 0.126	10 0.104	18 0.178	25 0.254	...	...	33 0.327	2
3	01 0.007	01 0.010	...	...	19 0.195	...	19 0.195	26 0.256	19 0.193	...	...	31 0.305	3
4	...	01 0.008	15 ...	...	...	...	25 0.254	...	15 0.150	...	...	17 0.174	4
5	...	01 0.007	15 0.151	...	...	25 0.251	20 0.203	01 0.007	05 0.046	...	01 0.008	63 0.627	5
6	...	...	07 0.003	19 0.190	...	...	05 0.048	06 0.057	03 0.026	17 0.174	...	...	6
7	...	...	07 0.074	01 0.005	06 0.063	...	...	...	...	38 0.380	...	40 0.401	7
8	...	...	01 0.011	54 0.538	05 0.052	01 0.006	03 0.032	...	...	08 0.083	02 0.020	35 0.347	8
9	...	29 0.295	12 0.119	12 0.118	01 0.013	03 0.027	01 0.008	...	...	09 0.095	...	08 0.084	9
10	11 0.109	09 ...	01 0.007	...	...	02 0.020	30 0.298	09 0.092	...	34 0.338	...	14 0.140	10
11	01 0.005	09 0.091	01 0.005	...	...	03 0.031	...	...	...	11 0.115	...	...	11
12	...	32 0.383	03 0.034	19 0.193	...	39 0.395	...	04 0.037	...	...	02 0.021	71 0.707	12
13	...	01 0.012	11 0.105	09 0.085	36 0.358	01 0.012	...	02 0.020	...	03 0.026	06 0.055	38 0.380	13
14	...	01 0.010	08 0.082	...	34 0.338	07 0.071	...	01 0.007	...	77 0.770	...	05 0.045	14
15	...	04 0.036	02 0.018	...	...	23 0.232	...	02 0.018	...	02 0.023	...	...	15
16	...	...	12 0.118	...	...	...	...	...	...	86 0.863	...	...	16
17	...	...	02 0.019	04 0.044	...	...	...	05 0.051	...	25 0.253	02 0.024	...	17
18	...	02 0.024	00 0.003	...	...	00 0.004	...	36 0.357	...	21 0.205	42 0.422	01 0.006	18
19	01 0.005	11 0.107	...	...	...	...	...	02 0.023	...	05 0.054	...	01 0.009	19
20	...	08 0.080	08 0.082	11 0.105	07 0.075	01 0.014	...	15 0.146	...	55 0.546	01 0.003	...	20
21	00 0.002	06 0.064	...	53 0.532	14 0.138	...	06 0.056	...	00 0.004	04 0.041	01 0.015	01 0.006	21
22	...	...	...	...	02 0.018	12 0.122	18 1.851	03 0.031	...	01 0.007	08 0.080	13 0.134	22
23	...	...	...	...	26 0.264	03 0.003	...	04 0.036	...	06 0.062	19 0.185	14 0.136	23
24	01 0.007	...	...	...	09 0.085	18 0.176	...	...	...	01 0.011	03 0.032	01 0.007	24
25	...	...	...	...	19 0.188	03 0.032	01 0.010	...	...	07 0.073	32 0.321	...	25
26	...	...	...	15 0.149	27 0.268	...	10 0.100	05 0.049	03 0.034	...	53 0.525	...	26
27	01 0.008	...	...	15 0.155	...	06 0.060	03 0.026	...	...	...	06 0.463	...	27
28	09 0.094	...	...	...	...	03 0.031	07 0.065	...	...	...	07 0.073	...	28
29	01 0.007	...	...	...	...	01 0.010	12 0.118	...	...	27 0.268	...	...	29
30	...	...	...	09 0.088	11 0.107	01 0.013	01 0.010	01 0.007	...	73 0.725	...	01 0.007	30
31	...	...	...	...	06 0.060	...	...	00 0.004	...	...	...	...	31
Total	62 0.605	142 1.127	83 0.831	227 2.258	334 2.345	293 2.950	338 3.378	140 1.376	70 0.707	533 5.343	226 2.262	387 3.842	TOTAL for year 27.05
No. of Rain Days	6	13	12	13	17	19	15	17	5	22	15	17	27.024

REGISTER OF RAINFALL IN 1908

IN General Table FORM A. BRITISH RAINFALL.

Lat. 51° 46' N. Long. 0° 5' 26' W.

Nearest Railway Station

Time of Observation Midnight of each Civil Day.

Diameter of Rain Gauge 11.2 in.

Height of top of Gauge above Ground 2 ft. 4 in.

Sea Level 210 ft.

Kept at The Radcliffe Observatory, Oxford.
in the County of
by the Staff, for the Radcliffe Observer.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	...	0.030	...	...	0.132	...	...	0.188	0.004	0.001	...	1
2	...	...	...	0.005	...	0.303	...	...	0.086	0.006	...	...	2
3	...	0.029	0.263	0.006	0.431	...	...	...	0.293	0.006	...	...	3
4	...	...	0.160	0.004	0.011	...	0.363	...	0.205	0.006	0.007	0.103	4
5	...	...	...	0.175	0.107	...	0.041	0.035	...	0.005	0.003	...	5
6	0.063	...	0.476	0.051	0.234	...	0.002	0.004	...	...	...	0.091	6
7	0.996	0.009	...	...	0.057	0.006	...	...	...	0.007	...	0.006	7
8	0.445	...	0.049	...	...	0.019	0.172	...	0.057	...	...	0.073	8
9	0.019	...	0.010	...	0.007	...	0.409	...	0.023	0.308	...	0.005	9
10	...	...	0.047	...	...	...	0.127	0.041	...	0.012	0.007	0.207	10
11	...	...	0.005	...	0.016	...	...	...	0.161	...	0.119	0.074	11
12	...	...	...	...	0.020	0.101	...	...	...	...	0.031	0.006	12
13	...	...	...	...	...	0.011	0.245	0.052	...	...	0.035	0.170	13
14	...	...	...	0.030	0.277	0.003	0.219	...	...	...	0.075	0.217	14
15	...	0.076	0.007	...	0.092	...	0.024	...	0.198	...	...	0.006	15
16	...	...	0.033	...	...	0.145	0.385	...	0.045	0.012	0.008	0.004	16
17	...	0.370	...	...	...	0.970	0.112	...	...	0.099	...	0.097	17
18	0.002	0.097	0.009	...	...	...	0.036	...	0.199	0.006	0.050	...	18
19	0.011	...	...	0.004	...	...	...	...	...	0.024	0.109	0.124	19
20	...	...	...	...	...	...	...	0.265	0.048	0.089	...	0.042	20
21	...	0.011	...	...	...	...	...	0.094	...	0.427	0.213	0.052	21
22	...	0.089	0.098	0.063	0.172	...	...	0.144	...	...	0.058	...	22
23	0.002	...	...	0.679	...	...	...	0.878	0.072	...	0.010	...	23
24	0.006	0.006	0.132	0.022	...	...	...	0.065	...	0.013	0.004	...	24
25	0.006	0.010	0.697	1.839	0.010	...	...	0.011	...	...	0.152	...	25
26	0.010	0.066	0.010	...	...	...	...	0.077	0.031	0.055	...	...	26
27	0.004	0.001	0.010	0.335	...	...	...	0.368	0.035	0.056	...	0.033	27
28	0.053	0.083	0.177	0.651	...	...	...	0.297	0.013	0.033	...	...	28
29	0.034	0.025	0.082	0.005	...	...	...	0.093	...	...	0.234	0.488	29
30	0.003	...	0.265	0.440	0.037	...	...	0.032	...	...	0.005	...	30
31	0.002	...	0.097	...	...	...	...	0.576	...	0.001	...	0.161	31
Total	1.656	0.872	2.657	4.309	1.471	1.690	2.135	3.032	1.654	1.169	1.121	1.959	TOTAL for year
No. of Rain Days	10	12	20	12	13	8	11	15	15	16	15	17	

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.

Waterlow and Sons Limited, Printers, London Wall, London.

6,000, XI, '08.

for the Rad. Observer 13/1/1909

REGISTER OF RAINFALL IN 1909

Kept at The Radcliffe Observatory,
Oxford.
 in the County of Oxford.
 by the Staff, for the Radcliffe Observer.

Pattern Beckley Self-Registering
 Diameter of top 11.2 in.
 Height of top above Ground 2 ft. 4 in.
 " " " Sea Level 210 ft.
 Time of Observation Midnight of each Civil Day.
 Nearest Railway Station { Name _____
 Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	0.017	...	0.006	0.047	0.695	...	0.544	0.030	0.312	0.033	0.231	1
2	...	...	0.125	...	...	0.094	...	...	...	...	0.013	0.343	2
3	0.022	...	0.037	...	...	...	...	...	...	0.355	0.001	0.029	3
4	...	...	...	...	...	0.575	0.010	...	0.225	0.042	...	0.446	4
5	...	0.021	...	...	...	0.161	...	...	...	0.030	...	0.136	5
6	0.004	...	0.722	...	...	0.196	0.221	...	0.062	...	...	0.165	6
7	0.030	...	0.211	...	...	0.009	0.013	...	0.158	0.075	...	0.004	7
8	0.019	...	...	...	...	...	...	...	0.096	0.019	...	...	8
9	...	0.066	0.029	...	...	...	0.281	...	...	0.017	...	0.135	9
10	0.188	0.183	0.013	...	...	0.004	0.137	...	0.024	0.102	...	0.523	10
11	...	0.025	0.044	...	...	0.160	0.145	...	0.045	0.467	...	...	11
12	...	...	0.011	0.026	...	0.110	...	...	...	0.025	...	0.021	12
13	0.090	...	0.014	0.116	...	...	...	0.002	0.200	0.136	0.006	...	13
14	0.027	...	0.186	0.031	0.036	...	...	...	0.006	...	0.211	...	14
15	0.164	0.025	0.016	...	...	...	...	...	...	0.018	0.099	0.015	15
16	0.107	...	...	0.006	...	...	0.286	0.031	0.148	0.126	0.002	0.062	16
17	...	...	...	0.005	0.403	...	...	1.180	0.985	0.280	...	0.198	17
18	0.020	...	0.066	...	...	...	0.002	0.544	...	...	...	0.012	18
19	0.067	...	0.016	0.355	...	...	0.013	0.022	...	...	...	0.043	19
20	...	...	0.007	0.006	...	0.039	...	0.308	...	0.316	0.007	...	20
21	...	...	0.093	...	...	...	0.063	0.003	0.025	0.006	...	0.010	21
22	...	...	0.039	0.202	...	0.594	...	0.152	...	0.030	...	0.354	22
23	...	...	0.022	...	...	0.163	0.065	0.155	0.111	0.189	...	0.187	23
24	...	...	0.301	0.041	...	0.582	...	0.119	0.147	...	0.005	...	24
25	...	...	0.113	0.037	0.922	0.149	0.339	0.098	0.332	...	...	0.018	25
26	...	0.051	...	...	0.182	0.025	0.033	...	...	0.763	...	0.037	26
27	...	...	...	0.281	0.242	0.087	0.554	0.003	...	0.041	0.037	0.089	27
28	...	0.037	0.338	0.041	0.066	...	0.030	...	0.392	0.045	...	...	28
29	0.015	...	0.055	0.730	...	0.347	...	0.018	0.130	0.102	0.155	...	29
30	0.005	...	0.019	0.098	...	...	0.225	0.111	...	...	0.067	...	30
31	0.061	...	0.026	...	...	...	...	...	...	0.074	...	0.027	31
Total	0.819	0.425	2.503	1.981	1.898	3.990	2.417	3.290	3.116	3.570	0.636	3.085	TOTAL for year 1909 27.730
No. of Rain Days	14	8	23	15	7	17	16	15	17	23	12	22	189

Susa made

REGISTER OF RAINFALL IN 1910.

For General Table
FORM A2.
BRITISH RAINFALL
21/1/1911

Kept at The Radcliffe Observatory,
Oxford.
in the County of Oxford.
by the Staff, for the Radcliffe Observer.

Pattern Beckley's Self-Registering
RAIN GAUGE Diameter of top 11.2 in.
Height of top above Ground 2 ft. 4 in.
" " " Sea Level 210 ft.
Time of Observation Midnight of each Civil Day.
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	^{in.} 0.020	^{in.} ...	^{in.} 0.004	^{in.} ...	^{in.} ...	^{in.} ...	^{in.} 0.068	^{in.} ...	^{in.} ...	^{in.} 0.280	^{in.} 0.081	^{in.} 0.431	1
2	...	0.312	...	...	0.021	0.015	0.367	0.064	...	0.089	0.010	0.343	2
3	...	0.056	...	...	0.093	...	0.300	0.064	...	0.003	0.389	0.384	3
4	...	...	0.005	0.095	0.013	...	...	...	...	...	...	0.211	4
5	...	0.052	0.003	0.288	0.103	0.009	0.587	0.061	...	...	...	...	5
6	...	0.089	...	0.062	0.089	...	0.033	...	...	...	0.144	0.017	6
7	...	0.070	0.007	...	0.013	0.619	0.021	...	...	0.005	0.065	...	7
8	0.070	0.029	0.007	...	0.028	0.021	0.009	0.005	0.018	...	0.005	0.169	8
9	...	...	0.263	...	0.202	0.609	0.002	0.199	...	...	...	0.035	9
10	0.099	0.015	...	0.011	...	0.654	...	...	...	...	0.043	0.091	10
11	0.265	0.017	...	...	...	...	...	...	0.008	1.601	0.027	0.045	11
12	0.065	...	0.218	0.080	0.300	0.080	...	0.050	...	0.480	0.012	0.077	12
13	...	...	...	0.234	0.006	...	...	0.036	...	0.007	0.382	0.368	13
14	0.004	0.168	...	0.023	0.026	...	...	...	0.345	0.004	0.036	0.525	14
15	0.082	0.296	...	0.203	...	...	...	...	0.033	...	0.025	0.628	15
16	0.090	0.038	...	0.916	0.002	...	...	...	...	0.005	...	0.728	16
17	0.046	0.192	0.037	...	...	...	0.048	...	...	0.219	...	0.031	17
18	0.111	0.185	0.058	0.026	0.099	...	...	...	...	0.156	...	...	18
19	...	0.080	0.004	0.006	0.257	...	...	0.173	...	0.068	...	...	19
20	...	0.272	...	0.013	0.004	...	0.091	0.012	...	0.039	0.054	0.014	20
21	...	0.018	...	...	0.025	...	0.040	...	...	...	...	0.805	21
22	...	0.479	...	0.179	...	0.059	0.097	0.013	...	...	0.006	...	22
23	0.146	0.007	...	0.006	...	0.040	0.011	0.116	...	...	0.574	0.002	23
24	0.097	0.141	...	0.065	...	0.254	0.020	0.141	...	...	0.004	0.017	24
25	...	0.326	...	0.139	...	0.332	0.106	0.009	...	0.072	...	...	25
26	...	0.038	...	0.039	...	...	0.004	0.199	0.004	...	0.051	0.032	26
27	0.031	...	...	...	...	0.031	...	...	...	...	0.894	...	27
28	0.459	0.060	...	0.431	0.063	0.043	0.209	0.520	...	0.555	0.012	...	28
29	...	...	...	0.056	0.019	0.161	0.005	0.220	0.031	...	...	0.005	29
30	...	...	...	...	...	0.056	...	0.013	...	...	0.273	...	30
31	...	...	...	...	0.710	...	...	...	...	0.139	...	...	31
Total	1.585	2.940	0.606	2.872	2.073	2.983	2.018	1.895	0.439	3.722	3.087	4.958	TOTAL for year
No. of Rain Days	13	22	7	19	17	15	15	16	5	13	19	19	29.178

Walter Richardson
for the Radcliffe Observer
21/1/1911

Good
W.H.P. Sa

REGISTE

OXFORD.
SARSDEN.

FORM A.
BRITISH RAINFALL

Kept at *Sarsden*
in the County of *Oxford*
by *Ja^s. M. Blair*

1° 34' 55" W
Shipping Norton Junction
a.m.

1904-1910

ad *1* ft. *3* in.
level *4.90* ft.

NOTE. Full instructions respecting the measurement of rain as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.07	.04		.25	.10					.01		1
2	.02	.33	.23	.06	.03		.18		.23			.06	2
3	.07	.31	.20				.04					.02	3
4	.09	.10	.02					.14				.19	4
5			.03	.06						.10	.02	.08	5
6	.01	.10	.01		.02			.01		.05	.30	.26	6
7	.17	.49	.35	.02					.21	.05	.27	.02	7
8	.03	.39		.01					.12	.03	.10	.03	8
9		.66			.10	.28				.02	.01	.30	9
10	.26	.22						.07		.09	.46	.06	10
11	.05	.01			.01			.14				.20	11
12	.16	.62		.15					.48				12
13	.21	.22		.04		.02						.24	13
14	.10	.06	.04			.39		.15	.40			.06	14
15		.02		.29		.08						.02	15
16	.01	.18			.01			.09		.19	.02		16
17	.12	.09						.14				.03	17
18	.02	.02							.01		.01		18
19		.11	.09				.15						19
20	.02				.57								20
21		.04	.02		.05			.20				.02	21
22				.17			.04	.61	.02	.03	.21		22
23					.08		.04	.01	.06	.05	.07		23
24			.06		.02	.04		.06	.06	.02		.03	24
25	.01	.14	.03			.01	1.01						25
26	.14	.10			.26		.11				.03	.01	26
27	.35				<u>1.81</u>		.10			.01			27
28	.05		.24				.08						28
29	.52		.02	.02			.62					.03	29
30	.26		.01		.07	.02	.04		.50	.02			30
31	.65		.08					.03		.04			31
Totals	3.34	4.28	1.47	.82	3.28	.94	2.41	1.65	2.09	.70	1.51	1.66	
Total from Jan. 1		7.62	9.09	9.91	13.19	14.13	16.54	18.19	20.28	20.98	22.49	24.15	

62d
W.H.B. Sa

REGISTE

FORM A.
BRITISH RAINFALL

Kept at *Sarsden*
in the County of *Oxford*
by *Jas. M. Blair*

RAIN GAUGE.

Lat. *51° 54' 14" N* Long. *1° 34' 55" W*
Nearest Railway Station *Blipping Norton Junction*
Time of Observation *9 a.m.*
Diameter *8"* in.
Height of top above Ground *1* ft. *3* in.
" " Sea Level *490* ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.07	.04		.25	.10					.01		1
2	.02	.33	.23	.06	.03		.18		.23			.06	2
3	.07	.31	.20				.04					.02	3
4	.09	.10	.02					.14				.19	4
5			.03	.06						.10	.02	.08	5
6	.01	.10	.01		.02			.01		.05	.30	.26	6
7	.17	.49	.35	.02					.21	.05	.27	.02	7
8	.03	.39		.01					.12	.03	.10	.03	8
9		.66			.10	.28				.02	.01	.30	9
10	.26	.22						.07		.09	.46	.06	10
11	.05	.01			.01			.14				.20	11
12	.16	.62		.15					.48				12
13	.21	.22		.04		.02						.24	13
14	.10	.06	.04			.39		.15	.40			.06	14
15		.02		.29		.08						.02	15
16	.01	.18			.01			.09		.19	.02		16
17	.12	.09						.14				.03	17
18	.02	.02							.01		.01		18
19		.11	.09				.15						19
20	.02				.57								20
21		.04	.02		.05			.20				.02	21
22				.17			.04	.61	.02	.03	.21		22
23					.08		.04	.01	.06	.05	.07		23
24			.06		.02	.04		.06	.06	.02		.03	24
25	.01	.14	.03			.01	1.01						25
26	.14	.10			.26		.11				.03	.01	26
27	.35				<u>1.81</u>		.10			.01			27
28	.05		.24				.08						28
29	.52		.02	.02			.62					.03	29
30	.26		.01		.07	.02	.04		.50	.02			30
31	.65		.08					.03		.04			31
Totals	3.34	4.28	1.47	.82	3.28	.94	2.41	1.65	2.09	.70	1.51	1.66	
Total from Jan. 1		7.62	9.09	9.91	13.19	14.13	16.54	18.19	20.28	20.98	22.49	24.15	

REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL

Kept at Sarsden
in the County of Oxford
by Jas. M. Blair

Lat. 51°54'14"N Long. 1°34'55"W
Nearest Railway Station Chipping Norton Junction
Time of Observation 9 a.m.
Diameter 8 in.
Height of top above Ground 3 ft. — in.
" " Sea Level 492 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03		.13	.06	.03	.13	.01	.01	.57		1
2	.06		.08		.10			.38		.01	.02		2
3				.09		.01		.98		.01	.01	.01	3
4	.18		.04					.06			.29	.02	4
5	.03		.16	.03		.17		.21	.01	.16	.03	.12	5
6			.01	.10		.82		.10	.26	.01	.01	.06	6
7	.01	.08	.06	.17		.14		.07	.06	.03		.19	7
8	.25		.22	.03					.09	.02	.01	.02	8
9	.05	.01	.01	.28					.20		.01		9
10		.03	.40	.16		.04	.12				.76	.01	10
11	.02		.28	.27	.04	.22	.04				.20		11
12			.35			.01					.22	.01	12
13			.49	.25		.04			.05		.08		13
14			.26	.05	.04								14
15			.41			.30		<i>a little spelt</i> 1.41(?)		.13	.02		15
16	.32	.02	.04	.06		.61							16
17		.01	.05			.07		.23				.04	17
18		.02		.03		.04	.01	.05	.01			.08	18
19		.10		.09		.09		.06			.01		19
20													20
21								.11		.01			21
22							.04	.11			.24		22
23		.04	.24										23
24													24
25		.28	.08	.11				.06	.12		.16	.01	25
26		.10	.07					.02		.07	.78		26
27		.01	.05	.09				.43	.04	.01	.01	.09	27
28		.04	.01	.05				.61	.08	.08	.13	.14	28
29			.01	.01		.50		.01	.07	.17	.01	.16	29
30	.07		.01	.28	.02	.83					.15		30
31	.01									.28			31
Totals	1.00	.74	3.36	2.15	.33	3.95	.24	5.03	1.00	1.00	3.72	.96	
Total from Jan. 1	1.00	1.74	5.10	7.25	7.58	11.53	11.77	16.80	17.80	18.80	22.52	23.48	1/8

REGISTER OF RAINFALL IN 1956

Kept at *Barsden*

in the County of *Oxford*

by *Jas. M. Blair*

Lat. *51°54'14"N* Long. *1°34'55"W*

Nearest Railway Station *Chipping Norton Junction*

Time of Observation *9 a.m.*

Diameter of Rain Gauge *8"* in.

Height of top of Gauge above Ground *3* ft. — in.

" " " Sea Level *492* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>0.25</i>		<i>.02</i>		<i>.01</i>	<i>.09</i>		<i>.03</i>		<i>.34</i>	<i>.01</i>	<i>.01</i>	1
2	<i>.43</i>	<i>.06</i>	<i>.02</i>		<i>.09</i>			<i>.15</i>		<i>1.02</i>	<i>.01</i>	<i>.06</i>	2
3	<i>.07</i>				<i>.09</i>			<i>.27</i>			<i>.06</i>	<i>.02</i>	3
4	<i>.52</i>									<i>.81</i>	<i>.12</i>		4
5	<i>.70</i>				<i>.13</i>		<i>.01</i>			<i>.01</i>		<i>.25</i>	5
6	<i>.04</i>						<i>.02</i>			<i>.04</i>	<i>.82</i>	<i>.03</i>	6
7	<i>.33</i>		<i>.03</i>		<i>.03</i>					<i>.34</i>	<i>.45</i>	<i>.01</i>	7
8	<i>.04</i>	<i>.22x</i>	<i>.16</i>							<i>.17</i>	<i>1.06</i>	<i>.10</i>	8
9	<i>.07</i>	<i>.16</i>					<i>.05</i>			<i>.40</i>	<i>.02</i>		9
10		<i>.12</i>	<i>.35</i>				~~<i>.05</i>~~	<i>.03</i>		<i>.23</i>			10
11	<i>.17</i>	<i>.04</i>	<i>.23</i>							<i>.02</i>	<i>.01</i>	<i>.08</i>	11
12	<i>.33</i>		<i>.03</i>	<i>.11</i>					<i>.05</i>	<i>.11</i>		<i>.05</i>	12
13	<i>.07</i>	<i>.05x</i>	<i>.02</i>	<i>.07</i>		<i>.07</i>	<i>.36</i>		<i>.33</i>			<i>.11</i>	13
14	<i>.01</i>	<i>.15</i>	<i>.06</i>			<i>.02</i>		<i>.11</i>	<i>.30</i>				14
15	<i>.16</i>	<i>.16</i>	<i>.03</i>		<i>.05</i>	<i>.23</i>	<i>.01</i>	<i>.03</i>			<i>.06</i>	<i>.46</i>	15
16	<i>.23</i>	<i>.19</i>			<i>.23</i>	<i>.35</i>		<i>.04</i>	<i>.10</i>	<i>.12</i>	<i>.12</i>	<i>.02</i>	16
17	<i>.30</i>		<i>.06</i>	<i>.09</i>				<i>.01</i>		<i>.09</i>	<i>.08</i>		17
18	<i>.16</i>	<i>.18</i>	<i>.02</i>				<i>.02</i>		<i>.04</i>	<i>.70</i>	<i>.03</i>	<i>.07</i>	18
19		<i>.14</i>							<i>.03</i>		<i>.02</i>		19
20	<i>.10</i>				<i>.21</i>					<i>.04</i>	<i>.43</i>		20
21	<i>.03</i>		<i>.07</i>	<i>.05</i>			<i>.01</i>						21
22		<i>.05x</i>			<i>.01</i>					<i>.03</i>			22
23			<i>.07</i>	<i>.04</i>	<i>.24</i>	<i>.50</i>							23
24	<i>.29</i>	<i>.07</i>	<i>.06</i>	<i>.02</i>				<i>.25</i>		<i>.06</i>	<i>.01</i>	<i>.08x</i>	24
25	<i>.01</i>		<i>.03</i>		<i>.16</i>						<i>.02</i>	<i>.23x</i>	25
26		<i>.12</i>	<i>.01</i>		<i>.16</i>		<i>.01</i>			<i>.02</i>		<i>.06x</i>	26
27		<i>.24</i>	<i>.01</i>	<i>.09</i>	<i>.03</i>	<i>.14</i>	<i>.45</i>					<i>.06x</i>	27
28				<i>.01</i>		<i>1.14</i>	<i>.28</i>			<i>.20</i>		<i>.00</i>	28
29				<i>.14</i>		<i>.04</i>				<i>.05</i>	<i>.01</i>	<i>.08x</i>	29
30				<i>.02</i>	<i>.06</i>					<i>.06</i>		<i>.12x</i>	30
31										<i>.01</i>		<i>.01</i>	31
Total	<i>4.31</i>	<i>1.95</i>	<i>1.28</i>	<i>.64</i>	<i>1.50</i>	<i>2.58</i>	<i>1.22</i>	<i>.92</i>	<i>.85</i>	<i>4.87</i>	<i>3.34</i>	<i>1.91</i>	TOTAL for year <i>25.37</i>
No. of Rain Days	<i>21</i>	<i>15</i>	<i>18</i>	<i>10</i>	<i>14</i>	<i>9</i>	<i>10</i>	<i>9</i>	<i>6</i>	<i>22</i>	<i>18</i>	<i>21</i>	<i>173</i>

REGISTER OF RAINFALL IN 1907

Kept at Barsden Estate Office
in the County of Offord
by Jas. M. Blair

Lat. 51° 54' 14" N Long. 1° 34' 55" W

Nearest Railway Station Chipping Norton Junction

Time of Observation 9 a.m.

Diameter of Rain Gauge 8" in. (Registering)

Height of top of Gauge above Ground 3' ft. = in.

" " " Sea Level 492 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30			.03	.12	.24			.01	.35	.01		1
2	.20		.01	.02	.06			.65	.26			.52	2
3					.16		.55		.12		.01	.02	3
4	.01		.01			.13	.18		.21	.01	.01	.79	4
5		.01	.05	.15		.03		.02	.11	.31		.02	5
6		.05		.14		.05		.09		.28	.01	.11	6
7			.07	.14	.05	.02					.01	.40	7
8		.13	.02	.25	.04		.03			.03	.08	.17	8
9		.07	.18	.08	.02		.02	.06		.18		.18	9
10	.06	.16	.09			.10	.03	.01		.29		.07	10
11		.14				.38				.03		.57	11
12		.17	.09	.80		.05					.04	.12	12
13			.14		.58	.08		.01		.35		.36	13
14		.08	.01		.01	.06		.13		.66	.01	.03	14
15			.02			.21				.03		.01	15
16			.19					.01		~~1.48~~	.02		16
17		.01	.02					.45		.09	.17		17
18	.01	.07								.16	.08	.06	18
19		.11	.14					.09		.20	.01	.0	19
20		.12	.01	.24	.01	.05		.02		.64		.03	20
21				.38			.77			.01	.01		21
22		.03			.17	.20	.38	.05		.07	.28	.18	22
23					.21	.04				.02			23
24		.01				.08				.11	.11	.01	24
25					.13	.05	.11	.06			.31	.01	25
26				.07	.07		.05	.04	.03		.22		26
27				.18		.12	.05	.01		.02	.08	.03	27
28	.06			.07		.01	.01		.01	.03	.11		28
29	.01					.01	.04			.78			29
30				.08	.20	.12		.01		.41	.01		30
31					.19		.01					.02	31
Total	.65	1.16	1.05	2.63	2.02	2.02	2.23	1.71	.75	6.54	1.59	3.71	26.04
No. of Rain Days	7	14	15	14	15	20	13	16	7	24	20	21	186

50.

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL

Kept at Sarsden
in the County of Oxford
by James M. Blair

Lat. 51°54'14"N Long. 1°34'55"W
Nearest Railway Station Chipping Norton Junction
Time of Observation 9.00 A.M.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. = in.
" " " Sea Level 492 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.08			.35			.03				1
2			.08	.01	.26								2
3		.01	.19		.11				.45		.01		3
4				.11	.05				.05			.14	4
5	.06	.01	.48	.25	.10		.30					.06	5
6	.06	.01	.09		.05				.01			.01	6
7	.81		.01	.01	.08	.01	.04			.01		.02	7
8	.08		.14		.01		.14		.03	.13		.24	8
9			.10		.01		.49			.13		.38	9
10	.01	.01	.01					.03				.16	10
11						.06					.10		11
12			.01	.03		.07	.01	.03			.03	.13	12
13					.01	.03	.11	.06			.06	.05	13
14					.40		.03			.01	.03	.11	14
15		.06	.05		.12		.01		.07		.01	.01	15
16						.32	.49		.05	.02		.09	16
17	.01	.27				.59	.20			.01		.01	17
18	.01	.01	.01						.10	.08	.15	.02	18
19	.02	.01				.01						.15	19
20								.29	.03	.66		.02	20
21		.01						.13		.11	.31	.04	21
22	.01	.13	.12	.14	.03			.12			.02		22
23		.03		.40				.71	.10	.01			23
24		.01	.58	.21						.02	.08		24
25	.03	.01	.33	.74				.05	.10	.03			25
26	.02	.03						.44	.01	.10	.01		26
27		.02	.16	.38				.03	.04	.03		.10	27
28	.11	.07		.55	.02			.07			.04	.05	28
29		.02	.07	.44				.03			.10	.21	29
30	.01		.20	.05				.05				.16	30
31	.01				.10			1.27				.03	31
Total	1.25	.71	2.71	3.32	1.35	1.44	1.82	3.31	1.07	1.35	.95	2.14	TOTAL for year 21.4
No. of Rain Days	14	16	18	13	14	8	10	14	13	14	13	22	169

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL.
15 JAN 1910

Kept at *Sarsden Estate Office*

in the County of *Oxfordshire*

by *Jas. M. Blair*

RAIN GAUGE
Pattern *Registering*
Diameter of top *8* in.
Height of top above Ground *3* ft.
" " " Sea Level *492* ft.
Time of Observation *9-0 AM*
Nearest Railway Station { Name *Kingham*
Distance *2 1/2* Direction *W*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					0.01	0.62		0.62	0.05	0.07	0.01	0.17	1
2	0.03		0.07							0.08	0.06	0.48	2
3			0.04				0.01			0.24	0.03	0.08	3
4		0.02	0.01			0.55			0.21	0.10		0.17	4
5			0.07			0.10	0.01			0.06	0.01	0.23	5
6			1.24			0.44	0.15		0.05			0.11	6
7	0.11		0.01				0.01		0.05	0.33			7
8									0.02				8
9	0.02	0.07	0.01				0.41		0.01	0.01	0.01	0.21	9
10	0.13	0.26	0.01			0.05				0.32	0.02	0.28	10
11		0.01	0.03	0.03		0.02	0.04		0.03	0.10		0.02	11
12	0.02		0.01			0.11			0.15	0.18	0.01	0.04	12
13	0.08		0.27	0.13	0.11				0.13	0.01			13
14	0.14		0.01							0.02	0.17		14
15	0.22						0.16		0.05	0.17			15
16					0.06		0.05	0.05	0.13	0.15		0.20	16
17		0.02						0.85	0.07	0.04		0.42	17
18	0.09		0.29				0.01		0.01				18
19		0.01	0.06	0.30				0.03	0.01	0.10		0.08	19
20			0.04			0.52	0.10	0.08		0.13			20
21	0.01		0.09			0.33		0.05	0.01	0.10		0.83	21
22			0.08	0.30		0.20	0.01	0.23		0.03			22
23				0.26		1.83	0.05	0.08	0.03	0.68	0.01	0.24	23
24			0.27		0.74	0.03		0.12	0.45	0.01	0.04	0.06	24
25			0.06	0.04	0.05	0.19	0.15	0.05		0.02		0.05	25
26		0.01	0.02	0.02	0.30	0.20	0.06		0.01	0.60			26
27		0.02	0.06	0.03		0.07	0.48	0.03	0.23	0.04	0.07	0.11	27
28		0.01	0.24	0.06	0.05	0.12	0.01		0.61	0.06	0.03	0.01	28
29	0.02			0.70		0.02	0.01	0.22			0.17		29
30				0.05	0.04		0.12		0.19		0.06	0.01	30
31	0.02		0.04		0.33					0.06			31
Total	0.89	0.43	2.94	1.92	1.69	5.40	1.84	2.39	2.50	3.71	0.70	3.80	28.21
No. of Rain Days	12	9	23	11	9	17	18	12	21	26	14	20	192

REG. 23. II. 11

W. H. B. B.

REGISTER OF RAINFALL IN 1910

Kept at Sarsden Estate Office
in the County of Oxfordshire
by James M. Blair

Pattern Registering
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 3 ft. — in.
" " " Sea Level 492 ft.
Time of Observation 9 AM
Nearest Railway Station { Name Kingham
Distance 2 m Direction W

FORM A2.
BRITISH RAINFALL.
20 FEB 1911

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	<u>.05</u>	<u>.25</u>	<u>-</u>	<u>-</u>	<u>.04</u>	<u>-</u>	<u>-</u>	<u>.09</u>	<u>-</u>	<u>.49</u>	<u>.28</u>	<u>.55</u>	1
2	<u>-</u>	<u>.09</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.67</u>	<u>.02</u>	<u>-</u>	<u>.12</u>	<u>-</u>	<u>.20</u>	2
3	<u>.01</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.06</u>	<u>-</u>	<u>.15</u>	<u>.11</u>	<u>-</u>	<u>-</u>	<u>.58</u>	<u>.46</u>	3
4	<u>-</u>	<u>.04</u>	<u>-</u>	<u>.24</u>	<u>.06</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.16</u>	4
5	<u>.01</u>	<u>.02</u>	<u>-</u>	<u>.07</u>	<u>.05</u>	<u>.01</u>	<u>.62</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.05</u>	<u>.01</u>	5
6	<u>.01</u>	<u>.12</u>	<u>.02</u>	<u>.05</u>	<u>.14</u>	<u>-</u>	<u>.09</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.33</u>	<u>.01</u>	6
7	<u>.01</u>	<u>.07</u>	<u>-</u>	<u>-</u>	<u>.03</u>	<u>3.19</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.12</u>	<u>.06</u>	7
8	<u>.05</u>	<u>.04</u>	<u>.02</u>	<u>-</u>	<u>.05</u>	<u>.15</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>.17</u>	8
9	<u>.09</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>.05</u>	<u>.89</u>	<u>-</u>	<u>.06</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.25</u>	9
10	<u>.35</u>	<u>.08</u>	<u>.23</u>	<u>-</u>	<u>-</u>	<u>.25</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.03</u>	<u>.26</u>	10
11	<u>.26</u>	<u>.05</u>	<u>.10</u>	<u>-</u>	<u>.22</u>	<u>-</u>	<u>-</u>	<u>.06</u>	<u>.03</u>	<u>-</u>	<u>.10</u>	<u>.05</u>	11
12	<u>.22</u>	<u>-</u>	<u>.10</u>	<u>.05</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.06</u>	<u>-</u>	<u>.71</u>	<u>.06</u>	<u>.39</u>	12
13	<u>.01</u>	<u>.08</u>	<u>-</u>	<u>.03</u>	<u>.04</u>	<u>-</u>	<u>-</u>	<u>.06</u>	<u>.03</u>	<u>-</u>	<u>.55</u>	<u>.16</u>	13
14	<u>-</u>	<u>.52</u>	<u>-</u>	<u>.10</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.34</u>	<u>.34</u>	<u>-</u>	<u>.02</u>	<u>.67</u>	14
15	<u>.09</u>	<u>.05</u>	<u>-</u>	<u>.15</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>.08</u>	<u>.78</u>	15
16	<u>.04</u>	<u>.08</u>	<u>.03</u>	<u>.25</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.10</u>	<u>-</u>	<u>.29</u>	16
17	<u>.03</u>	<u>.06</u>	<u>.04</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.33</u>	<u>.03</u>	<u>-</u>	<u>.10</u>	<u>-</u>	<u>.06</u>	17
18	<u>.08</u>	<u>.35</u>	<u>.06</u>	<u>.03</u>	<u>.11</u>	<u>-</u>	<u>-</u>	<u>.27</u>	<u>-</u>	<u>.14</u>	<u>-</u>	<u>-</u>	18
19	<u>.01</u>	~~.05~~	~~.05~~	<u>-</u>	<u>.09</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.44</u>	<u>.06</u>	<u>-</u>	19
20	<u>.01</u>	<u>.21</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.19</u>	<u>.10</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.30</u>	20
21	<u>-</u>	<u>.06</u>	<u>-</u>	<u>.31</u>	<u>.05</u>	<u>-</u>	<u>-</u>	<u>.06</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.25</u>	21
22	<u>.02</u>	<u>.30</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.14</u>	<u>.01</u>	<u>.02</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.03</u>	22
23	<u>.26</u>	<u>.05</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.06</u>	<u>-</u>	<u>.41</u>	<u>-</u>	<u>.01</u>	<u>.67</u>	<u>-</u>	23
24	<u>.11</u>	<u>.36</u>	<u>-</u>	<u>.09</u>	<u>-</u>	<u>.15</u>	<u>.10</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.02</u>	24
25	<u>-</u>	<u>.28</u>	<u>-</u>	<u>.06</u>	<u>-</u>	<u>.35</u>	<u>.03</u>	<u>.15</u>	<u>.01</u>	<u>.05</u>	<u>-</u>	<u>-</u>	25
26	<u>-</u>	<u>.07</u>	<u>-</u>	<u>.02</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.03</u>	<u>.01</u>	<u>-</u>	<u>.15</u>	<u>.09</u>	26
27	<u>.58</u>	<u>.02</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>.12</u>	<u>.01</u>	<u>.01</u>	<u>-</u>	<u>.26</u>	<u>.56</u>	<u>-</u>	27
28	<u>.05</u>	<u>.05</u>	<u>-</u>	<u>.29</u>	<u>.12</u>	<u>-</u>	<u>.09</u>	<u>.70</u>	<u>.02</u>	<u>.15</u>	<u>-</u>	<u>.01</u>	28
29	<u>-</u>	<u>-</u>	<u>-</u>	<u>.02</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>.34</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	29
30	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.07</u>	<u>-</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>.37</u>	<u>.01</u>	30
31	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.14</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.30</u>	<u>-</u>	<u>-</u>	31
Total	<u>2.35</u>	<u>3.31</u>	<u>.61</u>	<u>1.77</u>	<u>1.25</u>	<u>5.39</u>	<u>2.31</u>	<u>2.92</u>	<u>0.46</u>	<u>2.87</u>	<u>4.02</u>	<u>5.24</u>	TOTAL 32.50
No. of Rain Days	<u>22</u>	<u>25</u>	<u>9</u>	<u>16</u>	<u>15</u>	<u>12</u>	<u>13</u>	<u>19</u>	<u>8</u>	<u>12</u>	<u>17</u>	<u>24</u>	<u>192</u>

REGIS

OXFORD.

Kept at *Sarsden*
in the County of *Oxford*
by *John Vine*

SARSDEN GARDENS.

1907-1910

Long. $1^{\circ} 34' 35''$ W
Station *Chipping Norton Junction*
ion *9 a.m.*
in.
ve Ground *538* ft. *10* in.
Sea Level *538* ft.

NOTE: Full instructions respecting the "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28			.01	.12	.28				.34	.01		1
2	.19			.02	.09			.71	.29			.52	2
3	.01	.02		.01	.15		.61		.13		.01	.02	3
4						.16	.18		.23		.01	.80	4
5		.05		.78		.02		.02	.09	.26			5
6			.02	.21	.02			.10		.28			6
7			.10	.12	.07						.02	.43	7
8		.17		.20		.08	.05	.05		.02	.11	.20	8
9		.10	.23	.08						.20		.18	9
10	.08	.13	.09			.11				.31		.04	10
11		.14				.40		.07		.02		.56	11
12		.23	.10	.87		.06						.12	12
13			.13		.65	.10				.34		.38	13
14		.10	.02			.07		.73		.60		.01	14
15			.03			.23				.02			15
16			.20							<u>1.36</u>	.08		16
17			.03					.48		.10	.19		17
18						.01				.21	.10	.10	18
19		.04	.18					.14		.20			19
20	.01	.07		.26		.05		.03		.72		.04	20
21		.02		.38			.68			.02			21
22					.18	.20	.35			.07	.28	.19	22
23					.21	.04						.02	23
24					.02	.12				.14	.11	.04	24
25					.14	.05		.05	.02		.40		25
26				.07	.08		.14	.05			.37		26
27				.19		.13	.06			.01	.07	.06	27
28	.72						.01			.02	.10		28
29						.01	.04			.83			29
30			.10	.14	.13			.01		.44		.01	30
31					.20			.02					31
Totals	.69	1.07	1.13	2.70	2.07	2.25	2.12	1.86	.76	6.51	1.86	3.32	
Total from Jan. 1	~~26.55~~											~~26.74~~	155

REGI

Kept at *Barsden Gardens*

in the County of *Oxford*

by *John Vine, Gardener*

Lat. *51° 54' 24" N* Long. *1° 34' 35" W*

Nearest Railway Station *Chipping Norton Junction*

Time of Observation *9 am*

Diameter *5* in.

Height of top above Ground *10* ft.

Sea Level *538* ft.

RAIN GAUGE.

NOTE. Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28			.01	.12	.28				.34	.01		1
2	.19			.02	.09			.71	.29			.52	2
3	.01	.02		.01	.15		.61		.13		.01	.02	3
4						.16	.18		.23		.01	.80	4
5		.05		.18		.02		.02	.09	.26			5
6			.02	.21	.02			.10		.28			6
7			.10	.12	.07						.02	.43	7
8		.17		.20		.08	.05	.05		.02	.11	.20	8
9		.10	.23	.08						.20		.18	9
10	.08	.13	.09			.11				.31		.04	10
11		.14				.40		.07		.02		.56	11
12		.23	.10	.87		.06						.12	12
13			.13		.65	.10				.34		.38	13
14		.10	.02			.07		.13		.60		.01	14
15			.03			.23				.02			15
16			.20							<u>1.36</u>	.08		16
17			.03					.48		.10	.19		17
18						.01				.21	.10	.10	18
19		.04	.18					.14		.20			19
20	.01	.07		.26		.05		.03		.72		.04	20
21		.02		.38			.68			.02			21
22					.18	.20	.35			.07	.28	.19	22
23					.21	.04						.02	23
24					.02	.12				.14	.11	.04	24
25					.14	.05		.05	.02		.40		25
26				.07	.08		.14	.05			.37		26
27				.19		.13	.06			.01	.07	.06	27
28	.72						.01			.02	.10		28
29						.01	.04			.83			29
30				.10	.14	.13		.01		.44		.01	30
31					.20			.02					31
Totals	.69	1.07	1.13	2.70	2.07	2.25	2.12	1.86	.76	6.51	1.86	3.32	
Total from Jan. 1	~~26.55~~											~~26.74~~	155

REGISTER OF RAINFALL IN 1908

Kept at *Sarsden Gardens.*

in the County of *Gloucester.*

by *John Vine*

Lat. *51° 54' 24" N* Long. *1° 34' 35" W.*

Nearest Railway Station *Chipping Norton Junction*

Time of Observation *9 a.m.*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *10* ft.

" " " Sea Level *538* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			<i>.05</i>			<i>.35</i>			<i>.05</i>				1
2			<i>.10</i>		<i>.26</i>								2
3		<i>.02</i>	<i>.15</i>		<i>.11</i>				<i>.53</i>				3
4			<i>.03</i>	<i>.10</i>	<i>.10</i>				<i>.06</i>			<i>.14</i>	4
5	<i>.08</i>		<i>.53</i>	<i>.25</i>	<i>.11</i>		<i>.28</i>					<i>.06</i>	5
6	<i>.05</i>	<i>.02</i>	<i>.10</i>	<i>.01</i>									6
7	<i>.83</i>		<i>.02</i>		<i>.12</i>	<i>.02</i>	<i>.06</i>			<i>.03</i>			7
8	<i>.08</i>		<i>.10</i>		<i>.01</i>		<i>.18</i>		<i>.04</i>	<i>.12</i>		<i>.26</i>	8
9			<i>.11</i>				<i>.51</i>			<i>.13</i>		<i>.39</i>	9
10							<i>.06</i>	<i>.04</i>			<i>.02</i>	<i>.16</i>	10
11						<i>.07</i>							11
12						<i>.08</i>	<i>.04</i>	<i>.03</i>			<i>.14</i>	<i>.14</i>	12
13					<i>.01</i>	<i>.04</i>	<i>.14</i>	<i>.08</i>			<i>.03</i>	<i>.04</i>	13
14	<i>.02</i>	<i>.01</i>			<i>.40</i>		<i>.02</i>				<i>.06</i>	<i>.12</i>	14
15	<i>.01</i>	<i>.07</i>	<i>.06</i>		<i>.12</i>		<i>.03</i>		<i>.10</i>				15
16		<i>.27</i>	<i>.01</i>			<i>.34</i>	<i>.51</i>		<i>.08</i>	<i>.04</i>		<i>.10</i>	16
17		<i>.10</i>				<i>.61</i>	<i>.21</i>		<i>.12</i>				17
18		<i>.04</i>								<i>.10</i>		<i>.04</i>	18
19				<i>.02</i>						<i>.01</i>	<i>.16</i>	<i>.13</i>	19
20	<i>.01</i>							<i>.31</i>	<i>.04</i>	<i>.76</i>			20
21	<i>.01</i>	<i>.01</i>						<i>.14</i>		<i>.04</i>	<i>.30</i>	<i>.05</i>	21
22	<i>.03</i>	<i>.17</i>	<i>.17</i>	<i>.13</i>	<i>.08</i>			<i>.16</i>			<i>.02</i>		22
23		<i>.03</i>		<i>.26</i>				<i>.66</i>	<i>.12</i>				23
24			<i>.68</i>	<i>.32</i>				<i>.01</i>			<i>.10</i>		24
25	<i>.03</i>		<i>.31</i>	<i>.75</i>				<i>.04</i>	<i>.08</i>	<i>.05</i>		<i>.03</i>	25
26	<i>.02</i>	<i>.06</i>						<i>.49</i>		<i>.12</i>		<i>.03</i>	26
27		<i>.04</i>	<i>.17</i>	<i>.32</i>				<i>.03</i>	<i>.06</i>	<i>.02</i>	<i>.07</i>	<i>.09</i>	27
28	<i>.15</i>	<i>.10</i>		<i>.63</i>	<i>.02</i>			<i>.08</i>		<i>.06</i>		<i>.02</i>	28
29	<i>.01</i>	<i>.02</i>	<i>.07</i>	<i>.42</i>				<i>.04</i>			<i>.05</i>	<i>.17</i>	29
30			<i>.21</i>					<i>.06</i>		<i>.01</i>	<i>.02</i>	<i>.21</i>	30
31					<i>.13</i>			<i>1.33</i>		<i>.01</i>		<i>.04</i>	31
Total	<i>1.33</i>	<i>.96</i>	<i>2.87</i>	<i>3.21</i>	<i>1.47</i>	<i>1.51</i>	<i>2.04</i>	<i>3.50</i>	<i>1.28</i>	<i>1.50</i>	<i>.97</i>	<i>2.22</i>	TOTAL for year <i>22.86</i>
No. of Rain Days	<i>13</i>	<i>14</i>	<i>17</i>	<i>11</i>	<i>12</i>	<i>7</i>	<i>11</i>	<i>15</i>	<i>11</i>	<i>14</i>	<i>11</i>	<i>19</i>	<i>155</i>

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL
10 JAN 1910

Kept at Sarsden Gardens.
in the County of Oxon.
by John Vine

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 10 ft.
" " " Sea Level 538 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Kingham
Distance 2 1/2 miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						.61		.61	.05	.08	.08	.15	1
2	.01	.02	.14							.11	.06	.51	2
3			.10							.18	.02	.23	3
4		.02				.53			.22	.10		.03	4
5	.01		.17			.27			.01	.08		.21	5
6	.01		1.28			.38	.19		.03	.35		.14	6
7	.10		.01						.04				7
8			.02						.04				8
9	.01	.10	.02				.45			.01		.20	9
10	.13	.27	.01			.05			.02	.33	.03	.27	10
11	.01						.05			.11			11
12	.02		.03	.04		.18	.02		.12	.13		.04	12
13			.22	.14	.10				.13		.04		13
14	.24	.01								.09	.20		14
15	.20						.20		.05	.18		.02	15
16	.01			.01	.08		.03	.07	.10	.16		.18	16
17			.01	.02				.86	.07	.06		.33	17
18	.09		.23					.01			.02	.02	18
19			.08	.31				.03		.11			19
20			.02			.52	.13	.11		.14			20
21			.10			.35		.05	.01	.10		.82	21
22			.09	.33		.22	.02	.26		.04		.03	22
23			.02	.26		1.69	.05	.11	.03	.70		.24	23
24			.29		.72	.05		.13	.43	.03		.68	24
25			.07	.04	.04	.16	.13	.04	.01	.03		.06	25
26		.02		.04	.32	.20	.06			.58		.01	26
27		.03	.12		.02	.08	.57	.04	.24	.05	.12	.17	27
28			.21	.07	.07	.14			.58	.06	.04	.02	28
29				.72		.02	.02	.23			.16		29
30	.03			.05			.12		.24		.05	.01	30
31			.05		.30		.01			.09			31
Total	.87	.47	3.29	2.03	1.65	5.45	2.05	2.55	2.42	3.90	.82	3.77	29.27
No. of Rain Days	13	7	22	12	8	16	15	13	19	25	11	22	183

TOTAL for year

REGISTER OF RAINFALL IN 1910

Kept at Sarsden Gardens
in the County of Gloucester
by John Edward Viner

RAIN GAUGE
Pattern _____
Diameter of top 5 in.
Height of top above Ground 10 ft.
" " " Sea Level 538 ft.
Time of Observation 9 am
Nearest Railway Station { Name Kingham
Distance about 2 1/2 miles Direction SW

FORM A2.
BRITISH RAINFALL
28 FEB 1911

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.24				.01	.03	.13		.38		.57	1
2		.09			.01		.61	.03		.18		.28	2
3					.05		.16	.10				.48	3
4				.26	.08	.01	.68					.18	4
5	.01	.05	.01	.07	.07		.13				.02	.03	5
6		.12	.01		.13						.43	.01	6
7	.01	.10	.02		.02	3.15	.02				.08	.08	7
8	.05		.03		.07							.19	8
9	.17		.24		.06	1.09		.07				.31	9
10	.48	.10				.24			.01	.06	.06	.29	10
11	.23	.04	.10		.20			.08	.04	.17	.10	.03	11
12	.17		.13	.17	.04			.07		.52	.06	.45	12
13		.10		.05				.06	.04		.59	.20	13
14		.53		.10				.34	.35		.03	.64	14
15	.14	.04		.14						.01		.74	15
16	.04	.09	.04	.32				.01	.02	.13		.31	16
17	.04	.07	.03		.11		.38			.11		.13	17
18	.10	.34	.05	.06	.13			.32		.15			18
19		.03			.06			.01		.47	.13		19
20		.21					.22	.11				.31	20
21		.17		.24	.05			.05					21
22	.02	.27				.15	.01	.01				.26	22
23	.14	.07		.01		.07		.39			.70	.01	23
24	.09	.38		.14		.11	.10			.01		.03	24
25		.26		.10		.36		.16	.02	.05	.03		25
26		.08				.14	.04	.07			.13	.12	26
27	.58	.01		.01			.01			.29	.61		27
28		.05		.38	.14		.11	.76	.01	.13		.02	28
29				.02		.01		.33					29
30					.04	.05					.42		30
31	.03				.15					.34			31
Total	2.35	3.44	.66	2.07	1.41	5.39	2.50	3.10	.49	3.00	3.39	5.67	33.47
No. of Rain Days	14	23	10	15	17	12	13	19	7	15	14	23	185

REGIST

SIBFORD FERRIS

Kept at

Sibford

in the County of

Gloucester

by

Joshua Lamb

OXON

1901-10

Lon.

servation

9.9m.

5m

p above Ground

18'

„

Sea Level

5/57'

NOTE.—Full instructions respecting the of the Rainfall," which is sent post-free on a

Systematic Observation and Record
anden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	"	"	"	"01	"	"02	"	"	"	"04	"	"	2
3	"	"15	"20	"02	"	"	"93	"	"	"	"	"	3
4	"	"	"	"59	"	"	"	"	"	"07	"	"	4
5	"	"57	"17	"	"	"	"	"01	"	"17	"	"	5
6	"	"	"12	"	"	"	"	"	"	"27	"	"01	6
7	"	"	"31	"06	"07	"	"	"07	"	"	"	"	7
8	"08	"	"13	"16	"14	"	"	"	"03	"	"	"18	8
9	"12	"	"	"28	"47	"	"	"	"28	"02	"	"	9
10	"	"	"	"18	"04	"	"	"	"03	"	"	"	10
11	"	"	"	"16	"	"	"	"	"18	"	"	"	11
12	"	"	"	"40	"	"	"	"12	"07	"	"	"16	12
13	"	"	"	"04	"	"29	"	"16	"	"	"46	"149	13
14	"	"	"	"22	"	"04	"18	"	"	"	"23	"18	14
15	"	"	"	"20	"	"03	"	"42	"	"	"	"01	15
16	"	"08	"	"04	"	"	"	"08	"	"	"	"	16
17	"	"	"	"04	"	"	"	"	"38	"14	"	"12	17
18	"16	"	"	"	"	"	"	"	"18	"13	"	"01	18
19	"	"09	"	"	"	"	"	"	"02	"40	"	"02	19
20	"37	"	"21	"	"	"07	"	"	"11	"	"	"	20
21	"	"	"	"	"	"20	"	"	"07	"	"01	"	21
22	"	"07	"	"	"	"02	"	"	"	"	"07	"	22
23	"	"	"	"	"	"03	"	"	"	"	"	"	23
24	"	"	"	"	"	"	"12	"	"03	"	"	"50	24
25	"06	"	"	"	"	"03	"48	"	"	"	"	"	25
26	"	"	"05	"	"	"	"67	"25	"	"10	"	"24	26
27	"	"18	"02	"01	"	"	"37	"49	"	"	"	"	27
28	"51	"01	"03	"	"	"	"35	"27	"	"	"	"	28
29	"	"37	"01	"	"	"	"	"01	"	"	"	"75	29
30	"	"	"03	"	"35	"03	"	"01	"	"05	"	"16	30
31	"	"	"53	"	"18	"20	"	"01	"03	"	"	"05	31
Totals	1.30	1.52	1.92	2.41	1.25	1.96	3.10	1.98	1.41	1.39	.77	4.04	
Total from Jan. 1	1.30	2.82	4.74	7.15	8.40	10.36	13.46	15.44	16.85	18.24	19.01	23.05	

REGISTER OF RAINFALL IN 1901

Kept at Libford Series
in the County of Cesford
by Arthur Lamb

RAIN GAUGE.

Lat. _____ Lon. _____
Time of Observation 9 am.
Diameter 5 in.
Height of top above Ground 1 ft.
" " Sea Level 575 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	"	"	"	'01	"	'02	"	"	"	'04	"	"	2
3	"	'15	'20	'02	"	"	'93	"	"	"	"	"	3
4	"	"	"	'59	"	"	"	"	"	'07	"	"	4
5	"	'57	'17	"	"	"	"	'01	"	'17	"	"	5
6	"	"	'12	"	"	"	"	"	"	'27	"	'01	6
7	"	"	'31	'06	'07	"	"	'07	"	"	"	"	7
8	'08	"	'13	'16	'14	"	"	"	03	"	"	'18	8
9	'12	"	"	'28	'47	"	"	"	28	'02	"	"	9
10	"	"	"	'18	'04	"	"	"	'03	"	"	"	10
11	"	"	"	'16	"	"	"	"	'18	"	"	"	11
12	"	"	"	'40	"	"	"	'12	'07	"	"	'16	12
13	"	"	"	'04	"	'29	"	'16	"	"	'46	1'49	13
14	"	"	"	'22	"	'04	'18	"	"	"	'23	'18	14
15	"	"	"	20	"	'03	"	'42	"	"	"	'01	15
16	"	'08	"	'04	"	"	"	'08	"	"	"	"	16
17	"	"	"	'04	"	"	"	"	'38	'14	"	'12	17
18	'16	"	"	"	"	"	"	"	'18	'13	"	'01	18
19	"	'09	"	"	"	"	"	"	'02	'40	"	'02	19
20	'37	"	'21	"	"	'07	"	"	'11	"	"	"	20
21	"	"	"	"	"	'20	"	"	'07	"	'01	"	21
22	"	'07	"	"	"	'02	"	"	"	"	'07	"	22
23	"	"	"	"	"	'03	"	"	"	"	"	"	23
24	"	"	"	"	"	"	'12	"	'03	"	"	'50	24
25	'06	"	"	"	"	'03	'48	"	"	"	"	"	25
26	"	"	'05	"	"	"	'67	'25	"	'10	"	'24	26
27	"	'18	'02	'01	"	"	'37	49	"	"	"	"	27
28	'51	'01	'03	"	"	"	'35	'27	"	"	"	"	28
29	"	'37	'01	"	"	"	"	'01	"	"	"	'75	29
30	"	~~'03~~	'03	"	'35	'03	"	'01	"	'05	"	'16	30
31	"	~~'53~~	'11	~~'03~~	'18	1'20	"	'01	'03	"	"	'05	31
Totals	1'30	1'52	1'92	2'41	1'25	1'96	3'10	1'98	1'41	1'39	'77	4'04	
Total from Jan. 1	1'30	2'82	4'74	7'15	8'40	10'36	13'46	15'44	16'85	18'24	19'01	23'05	

REGISTER OF RAINFALL IN 1902

Kept at Salford Lewis
in the County of Cseford
by John Lamb

RAIN GAUGE.

Lat. _____ Long. _____
Time of Observation 9 am
Diameter 5 inch
Height of top above Ground 1 ft 1 in
" " Sea Level 570

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	"	.07	"	"	.16	"	"	.02	"	"	.33	1
2	.02	"	"	"	.18	"	.07	.07	.04	"	"	"	2
3	.21	.20	"	.16	.24	"	"	"	.07	"	"	"	3
4	.16	"	"	"	"	.03	"	"	.06	"	"	"	4
5	"	"	"	.02	"	"	"	.25	"	"	.24	"	5
6	"	"	"	"	"	.35	"	.33	"	"	.14	"	6
7	"	"	"	"	.18	.12	"	.04	"	"	"	"	7
8	"	.05	.02	"	"	"	"	.18	"	"	.25	"	8
9	.01	"	.03	"	.02	"	.21	.06	.46	.70	"	"	9
10	"	"	"	"	"	"	.04	.04	1.04	.04	"	"	10
11	.03	"	"	.14	"	.07	"	.03	.07	"	.16	"	11
12	"	"	"	"	"	.26	"	.08	"	.04	"	"	12
13	"	"	"	"	"	.21	"	.42	"	.61	"	.12	13
14	"	"	.63.03	"	"	.26	"	.07	.03	.04	"	.24	14
15	"	"	"	1.09	.07	.06	"	.02	.01	.25	"	.14	15
16	"	"	"	"	.09	.06	"	.05	.01	"	"	.05	16
17	"	"	"	"	.33	.04	"	.13	"	.23	"	.22	17
18	"	"	"	"	.11	"	.02	.20	"	"	"	"	18
19	"	"	"	.02	.06	.12	"	.02	"	.19	"	.02	19
20	"	"	.03	.03	"	"	.01	.01	.01	"	"	"	20
21	"	"	.02	.26	"	"	"	"	"	.01	"	"	21
22	"	.15	"	.26	.50	.04	"	.05	.03	"	"	"	22
23	"	.27	"	.03	"	"	.14	.07	.03	"	"	"	23
24	.05	.17	.45	"	"	"	"	.04	"	"	.28	"	24
25	"	"	"	"	"	"	.24	"	"	.02	.14	"	25
26	.18	.26	.17	"	"	"	.10	"	"	"	.02	"	26
27	"	.07	"	"	"	"	.07	"	"	"	.20	"	27
28	"	.03	"	"	"	"	"	.37	"	.07	.48	.31	28
29	"	X	.05	"	.12	"	"	.22	"	.01	.28	"	29
30	"	X	.02	"	.20	.02	"	.02	.02	"	.15	"	30
31	"	X	"	X	.20	X	"	.21	X	"	X	.12	31
Totals	.75	1.20	1.49	2.01	2.30	1.80	.90	2.98	1.90	2.21	2.34	1.55	
Total from Jan. 1	.75	1.95	3.44	5.45	7.75	9.55	10.45	13.43	15.33	17.54	19.88	21.43	

50

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at Sibford Ferris
in the County of Cambridgeshire
by J. Ashburn

Lat. Long.
Nearest Railway Station Northampton
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground 1 ft. in.
" " Sea Level 575 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>.19</u>	<u>"</u>	<u>.41</u>	<u>.15</u>	<u>.26</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.01</u>	<u>.01</u>	<u>"</u>	1
2	<u>.16</u>	<u>"</u>	<u>.01</u>	<u>"</u>	<u>.44</u>	<u>"</u>	<u>"</u>	<u>.37</u>	<u>.10</u>	<u>.05</u>	<u>.15</u>	<u>"</u>	2
3	<u>.22</u>	<u>"</u>	<u>"</u>	<u>.07</u>	<u>.42</u>	<u>"</u>	<u>"</u>	<u>.02</u>	<u>.02</u>	<u>.25</u>	<u>"</u>	<u>.09</u>	3
4	<u>.79</u>	<u>"</u>	<u>.22</u>	<u>.03</u>	<u>.10</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.12</u>	<u>.49</u>	<u>"</u>	<u>"</u>	4
5	<u>.19</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.17</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.03</u>	<u>.02</u>	<u>"</u>	<u>"</u>	5
6	<u>.06</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.17</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.15</u>	<u>"</u>	<u>"</u>	6
7	<u>.08</u>	<u>.02</u>	<u>.13</u>	<u>"</u>	<u>.24</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.09</u>	<u>"</u>	<u>.28</u>	7
8	<u>.08</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.10</u>	<u>.43</u>	<u>"</u>	<u>.25</u>	8
9	<u>.01</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>1.87</u>	<u>.47</u>	<u>"</u>	<u>"</u>	<u>.05</u>	<u>.02</u>	<u>.05</u>	<u>.05</u>	9
10	<u>.05</u>	<u>"</u>	<u>.20</u>	<u>"</u>	<u>.20</u>	<u>.51</u>	<u>"</u>	<u>.09</u>	<u>.45</u>	<u>.07</u>	<u>"</u>	<u>.05</u>	10
11	<u>.01</u>	<u>"</u>	<u>"</u>	<u>.01</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.23</u>	<u>"</u>	<u>.79</u>	<u>.02</u>	<u>"</u>	11
12	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.02</u>	<u>"</u>	<u>.15</u>	<u>"</u>	<u>"</u>	<u>.44</u>	<u>.04</u>	<u>.36</u>	12
13	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.01</u>	<u>.27</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.04</u>	<u>"</u>	<u>.03</u>	13
14	<u>"</u>	<u>"</u>	<u>.37</u>	<u>.05</u>	<u>"</u>	<u>1.00</u>	<u>.10</u>	<u>.43</u>	<u>"</u>	<u>.48</u>	<u>.03</u>	<u>"</u>	14
15	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.03</u>	<u>.80</u>	<u>"</u>	<u>.12</u>	<u>"</u>	<u>.01</u>	<u>.09</u>	<u>"</u>	15
16	<u>"</u>	<u>.02</u>	<u>"</u>	<u>"</u>	<u>.21</u>	<u>.02</u>	<u>.05</u>	<u>.25</u>	<u>"</u>	<u>.07</u>	<u>.02</u>	<u>"</u>	16
17	<u>"</u>	<u>"</u>	<u>.45</u>	<u>"</u>	<u>.28</u>	<u>"</u>	<u>.21</u>	<u>.17</u>	<u>"</u>	<u>.01</u>	<u>.03</u>	<u>.05</u>	17
18	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.18</u>	<u>.34</u>	<u>.01</u>	<u>.20</u>	<u>"</u>	<u>"</u>	18
19	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.57</u>	<u>.23</u>	<u>.03</u>	<u>"</u>	<u>.02</u>	<u>"</u>	<u>.04</u>	19
20	<u>"</u>	<u>"</u>	<u>.03</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.38</u>	<u>"</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	20
21	<u>.11</u>	<u>.03</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.51</u>	<u>"</u>	<u>.01</u>	<u>.03</u>	<u>.03</u>	<u>"</u>	21
22	<u>.16</u>	<u>.13</u>	<u>.34</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.31</u>	<u>"</u>	<u>.05</u>	<u>.05</u>	<u>.09</u>	<u>.01</u>	22
23	<u>"</u>	<u>.20</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.41</u>	<u>.40</u>	<u>"</u>	<u>.02</u>	<u>"</u>	<u>.01</u>	23
24	<u>.01</u>	<u>.45</u>	<u>.03</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>.35</u>	<u>.17</u>	<u>.36</u>	<u>"</u>	<u>.06</u>	24
25	<u>"</u>	<u>.22</u>	<u>"</u>	<u>.15</u>	<u>"</u>	<u>"</u>	<u>.41</u>	<u>.15</u>	<u>"</u>	<u>.37</u>	<u>"</u>	<u>.02</u>	25
26	<u>"</u>	<u>.32</u>	<u>.37</u>	<u>.30</u>	<u>"</u>	<u>.01</u>	<u>"</u>	<u>.02</u>	<u>"</u>	<u>.26</u>	<u>"</u>	<u>"</u>	26
27	<u>.40</u>	<u>"</u>	<u>.10</u>	<u>.16</u>	<u>"</u>	<u>"</u>	<u>.33</u>	<u>.05</u>	<u>"</u>	<u>.91</u>	<u>1.01</u>	<u>.04</u>	27
28	<u>"</u>	<u>"</u>	<u>.17</u>	<u>.61</u>	<u>.82</u>	<u>"</u>	<u>.05</u>	<u>.15</u>	<u>.23</u>	<u>.22</u>	<u>.24</u>	<u>"</u>	28
29	<u>"</u>	~~X~~	<u>.17</u>	<u>.10</u>	<u>.24</u>	<u>"</u>	<u>.33</u>	<u>"</u>	<u>.24</u>	<u>.08</u>	<u>"</u>	<u>"</u>	29
30	<u>"</u>	~~X~~	<u>.21</u>	<u>.06</u>	<u>.72</u>	<u>"</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>"</u>	<u>"</u>	30
31	<u>.11</u>	~~X~~	<u>"</u>	~~X~~	<u>"</u>	~~X~~	<u>"</u>	<u>"</u>	~~X~~	<u>.18</u>	~~X~~	<u>"</u>	31
Totals	<u>2.62</u>	<u>1.39</u>	<u>3.21</u>	<u>1.69</u>	<u>6.20</u>	<u>3.65</u>	<u>3.28</u>	<u>3.26</u>	<u>1.59</u>	<u>6.14</u>	<u>1.82</u>	<u>1.35</u>	
Total from Jan. 1		<u>4.01</u>	<u>7.22</u>	<u>8.91</u>	<u>15.11</u>	<u>18.76</u>	<u>22.04</u>	<u>25.30</u>	<u>26.89</u>	<u>33.03</u>	<u>34.85</u>	<u>36.20</u>	

REGISTER OF RAINFALL IN 1904

BRITISH RAINFALL

Kept at *Sibford Ferris*
in the County of *Oxford*
by *W. Lusham*

Lat. Long.
Nearest Railway Station *Widchington*
Time of Observation *9 a.m.*
Diameter *5* in.
Height of top above Ground *1* ft. in.
" " Sea Level *575* ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	<i>06</i>	"	"	<i>23</i>	"	"	"	"	"	<i>01</i>	<i>05</i>	1
2	<i>04</i>	<i>06</i>	<i>20</i>	<i>03</i>	<i>03</i>	"	<i>15</i>	"	<i>15</i>	"	"	"	2
3	"	<i>80</i>	<i>25</i>	"	"	"	<i>12</i>	"	<i>07</i>	"	"	"	3
4	<i>15</i>	"	<i>01</i>	<i>03</i>	"	"	"	<i>15</i>	"	"	"	<i>09</i>	4
5	<i>03</i> <i>02</i>	<i>12</i>	"	<i>03</i>	"	"	"	<i>02</i>	"	"	"	<i>12</i>	5
6	"	<i>13</i>	<i>02</i>	"	"	"	"	"	"	"	<i>31</i>	<i>33</i>	6
7	<i>15</i>	<i>44</i>	<i>45</i>	"	"	"	"	"	"	<i>07</i>	<i>34</i>	"	7
8	<i>03</i>	<i>45</i>	"	"	"	"	"	"	<i>27</i>	<i>03</i>	"	"	8
9	"	<i>69</i>	"	"	"	<i>14</i>	"	<i>09</i>	"	<i>03</i>	<i>10</i>	<i>24</i>	9
10	<i>31</i>	<i>32</i>	"	"	<i>13</i>	"	"	"	"	"	<i>31</i>	<i>21</i>	10
11	"	<i>03</i>	"	"	<i>03</i>	"	"	<i>18</i>	"	"	"	<i>16</i>	11
12	<i>10</i>	<i>72</i>	"	<i>20</i>	"	"	"	"	<i>38</i>	"	"	"	12
13	<i>30</i>	<i>15</i>	"	"	"	"	"	"	"	"	"	<i>26</i>	13
14	<i>01</i>	<i>08</i>	<i>05</i>	<i>08</i>	"	<i>25</i>	"	<i>36</i>	<i>30</i>	"	"	"	14
15	<i>15</i>	"	"	<i>28</i> <i>15</i>	"	<i>05</i>	"	<i>01</i>	"	"	"	<i>03</i>	15
16	"	"	"	"	"	"	"	"	"	<i>16</i>	"	"	16
17	"	<i>25</i>	"	"	"	<i>10</i>	"	<i>17</i>	"	"	"	"	17
18	<i>12</i>	"	"	"	"	"	"	"	"	"	"	"	18
19	"	<i>12</i>	<i>08</i>	"	"	"	<i>08</i>	<i>03</i>	"	"	"	"	19
20	<i>01</i>	"	"	"	<i>64</i> <i>15</i>	"	"	"	"	"	"	"	20
21	"	<i>02</i>	"	"	"	"	"	<i>30</i>	"	<i>07</i>	<i>24</i>	"	21
22	"	"	<i>03</i>	<i>13</i>	<i>02</i>	"	"	<i>56</i>	"	"	<i>12</i>	"	22
23	"	"	"	"	<i>05</i>	"	<i>35</i>	"	<i>37</i>	<i>04</i>	<i>18</i>	"	23
24	"	"	"	"	<i>03</i> <i>15</i>	<i>07</i>	"	"	<i>01</i>	"	"	"	24
25	"	"	<i>08</i>	"	"	<i>02</i>	<i>170</i>	<i>07</i>	"	"	"	"	25
26	"	<i>18</i>	"	"	<i>29</i>	"	<i>04</i>	"	"	"	"	"	26
27	<i>25</i>	"	"	"	<i>151</i>	"	<i>17</i>	"	"	"	"	"	27
28	<i>07</i>	"	<i>28</i>	"	<i>01</i>	"	<i>14</i>	"	"	"	"	"	28
29	<i>22</i>	"	<i>08</i>	"	"	"	<i>36</i>	"	"	"	"	"	29
30	<i>57</i>	~~X~~	<i>11</i>	"	"	"	<i>02</i>	"	<i>55</i>	"	"	<i>19</i>	30
31	<i>89</i>	~~X~~	"	~~X~~	<i>07</i>	~~X~~	"	<i>07</i>	~~X~~	<i>07</i>	~~X~~	"	31
Totals	<i>340</i>	<i>462</i>	<i>164</i>	<i>78</i>	<i>304</i>	<i>63</i>	<i>313</i>	<i>201</i>	<i>210</i>	<i>47</i>	<i>161</i>	<i>168</i>	
Total from Jan. 1													

25.10.126

REGISTER OF RAINFALL IN 1905

Kept at Sibford Ferris
in the County of Gloucester
by Arthur Lamb

Lat. Long.
Nearest Railway Station Wotton Bassett
Time of Observation 9 am
Diameter 5 in.
Height of top above Ground 1 ft. in.
" " Sea Level 570 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	"	.09	"	.06	.06	.62	"	.02	"	.70	"	1
2	"	"	"	"	.10	.02	"	"	"	"	"	"	2
3	.02	"	"	"	"	.01	"	1.05	"	.11	.05	"	3
4	.09	"	.02	"	"	"	"	.08	"	.14	.42	"	4
5	.10	"	.10	.21	"	.05	"	.32	"	"	"	.09	5
6	"	"	"	.14	"	.65	"	.03	.19	"	"	.09	6
7	"	.14	.07	.16	"	.25	"	"	.17	.08	"	.25	7
8	"	"	.12	"	"	"	.78	"	.19	"	"	"	8
9	"	"	.06	.29	.01	"	"	"	.15	"	"	"	9
10	.26	.05	.25	.21	"	.02	"	"	"	"	.82	"	10
11	"	"	.33	.25	"	.15	"	"	"	"	.32	"	11
12	"	"	.26	"	"	.02	"	"	"	"	.22	"	12
13	"	"	.50	.04	"	"	"	"	"	"	.05	"	13
14	"	"	.27	.20	.01	"	"	"	"	"	"	.14	14
15	"	"	.45	.01	"	.17	"	.56	"	.13	"	"	15
16	.16	.03	.03	.03	"	.45	"	"	"	"	"	"	16
17	"	"	.13	"	"	.02	.07	.05	"	"	"	"	17
18	"	"	.02	.03	"	"	"	.29	"	"	"	"	18
19	"	.02	"	.08	"	.12	"	"	"	"	"	"	19
20	"	"	"	"	"	.03	"	"	"	"	"	"	20
21	"	"	"	.03	"	"	"	.12	"	.01	"	"	21
22	"	"	"	"	"	"	"	.19	"	"	.15	"	22
23	"	.03	.16	.02	"	"	.11	"	"	"	"	"	23
24	.20	"	.01	"	"	"	"	"	"	"	"	"	24
25	"	.40	.06	.44	"	"	"	.30	"	"	.09	"	25
26	"	.06	.10	.05	"	"	"	.01	"	.02	.45	"	26
27	"	"	"	"	"	"	"	.25	.02	"	.33	.20	27
28	"	"	"	.06	"	"	"	1.04	.07	.18	.19	.15	28
29	"	X	.05	"	"	.08	"	.15	.24	.25	"	"	29
30	.04	X	"	.36	.01	.50	"	"	"	.05	.14	"	30
31	"	X	"	X	.03	X	"	"	X	.17	X	"	31
Totals	.88	.73	3.08	2.61	.22	2.60	1.58	4.34	1.05	1.14	3.93	.92	
Total from Jan. 1													23.08 130

REGISTER OF RAINFALL IN 1906

Kept at Sibford Tenuis
in the County of Cambridgeshire
by Isobel Lamb

Lat. Long.
Nearest Railway Station Northampton
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground 1 ft. in.
" " Sea Level 570 ft.

RAIN GAUGE.

FORM A.
BRITISH RAINFALL.

15 JAN 1907

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	<u>08</u>	<u>07</u>	"	<u>10</u>	"	"	<u>04</u>	"	<u>36</u>	"	<u>09</u>	1
2	"	"	"	"	<u>05</u>	"	"	<u>05</u>	"	<u>93</u>	<u>04</u>	<u>09</u>	2
3	<u>56</u>	"	"	"	<u>15</u>	"	"	<u>25</u> ~~05~~	"	"	<u>11</u>	<u>03</u>	3
4	<u>23</u>	"	"	"	"	"	"	<u>02</u>	"	<u>78</u>	<u>16</u>	<u>08</u>	4
5	<u>73</u>	"	<u>01</u>	"	<u>18</u>	"	"	"	"	<u>01</u>	"	<u>10</u>	5
6	"	"	"	"	"	"	<u>02</u>	"	"	<u>01</u>	<u>73</u>	"	6
7	<u>20</u>	"	<u>06</u>	"	"	"	"	"	"	<u>25</u>	<u>43</u>	<u>07</u>	7
8	<u>14</u>	<u>40</u>	<u>03</u>	"	"	"	"	"	"	<u>05</u>	<u>86</u>	"	8
9	"	<u>02</u>	"	"	<u>03</u>	"	"	"	"	<u>45</u>	<u>01</u>	"	9
10	"	<u>03</u>	<u>31</u>	"	"	"	<u>02</u>	<u>04</u>	"	<u>15</u>	"	"	10
11	"	<u>18</u>	<u>16</u>	"	"	"	"	"	<u>01</u>	<u>01</u>	"	"	11
12	<u>73</u>	"	"	<u>04</u>	"	"	<u>04</u>	"	"	<u>15</u>	"	"	12
13	"	"	"	<u>15</u>	"	<u>09</u>	<u>46</u>	"	<u>30</u>	<u>02</u>	"	<u>12</u>	13
14	"	"	<u>06</u>	"	"	<u>06</u>	"	<u>02</u>	<u>36</u>	"	"	<u>02</u>	14
15	"	<u>32</u>	"	"	<u>09</u>	<u>50</u>	"	"	<u>14</u>	"	<u>07</u>	<u>36</u>	15
16	<u>53</u>	<u>20</u>	"	"	<u>23</u>	<u>65</u>	"	<u>05</u>	<u>23</u>	<u>09</u>	<u>20</u>	<u>03</u>	16
17	"	"	<u>04</u>	<u>04</u>	<u>03</u>	"	"	"	"	"	<u>16</u>	"	17
18	"	<u>15</u>	<u>04</u>	"	"	"	<u>06</u>	"	<u>03</u>	<u>66</u>	"	<u>07</u>	18
19	"	<u>07</u>	<u>03</u>	<u>01</u>	"	"	"	"	<u>02</u>	<u>01</u>	<u>05</u>	"	19
20	<u>52</u>	"	<u>06</u>	"	<u>36</u>	"	"	"	<u>09</u>	<u>04</u>	<u>41</u>	"	20
21	"	"	<u>02</u>	<u>13</u>	"	<u>02</u>	<u>04</u>	"	"	"	<u>06</u>	"	21
22	"	<u>03</u>	<u>06</u>	<u>17</u>	"	"	"	"	"	<u>02</u>	"	"	22
23	"	<u>01</u>	<u>01</u>	"	<u>37</u>	<u>40</u>	"	"	"	<u>04</u>	"	"	23
24	<u>23</u>	<u>05</u>	<u>02</u>	"	"	"	"	<u>25</u>	"	<u>03</u>	<u>01</u>	<u>11</u>	24
25	"	<u>11</u>	<u>15</u>	"	"	"	<u>16</u>	"	"	"	"	<u>24</u>	25
26	"	<u>22</u>	"	"	<u>48</u>	"	<u>06</u>	"	"	"	"	<u>08</u>	26
27	"	"	"	<u>22</u>	<u>04</u>	<u>18</u>	"	"	"	<u>01</u>	"	<u>03</u>	27
28	"	<u>02</u>	"	"	"	<u>11</u>	<u>36</u>	"	"	<u>22</u>	"	<u>02</u>	28
29	"	~~X~~	"	"	"	<u>03</u>	"	"	"	<u>03</u>	"	"	29
30	"	~~X~~	"	<u>16</u>	<u>12</u>	"	"	"	"	<u>11</u>	"	"	30
31	"	~~X~~	"	~~X~~	<u>85</u>	~~X~~	"	"	~~X~~	"	~~X~~	<u>09</u>	31
Totals	<u>3.87</u>	<u>1.89</u>	<u>1.13</u>	<u>.92</u>	<u>3.08</u>	<u>3.04</u>	<u>1.22</u>	<u>.72</u>	<u>1.18</u>	<u>4.43</u>	<u>3.30</u>	<u>1.63</u>	
Total from Jan. 1												<u>26.41</u>	

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL
1 JAN 1908

Lat. _____ Long. _____
Nearest Railway Station Hoch holm
Time of Observation 9. am.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 570 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. ²⁹ ~~18~~	in.	in.	in.	in. '18	in. '85	in.	in.	in. '01	in. '35	in. '01	in. '07	1
2	'43	"	"	"	"	"	'33	'65	'19	'01	"	'55	2
3	"	"	"	"	'27	"	'48	"	'07	"	'01	"	3
4	'01	"	"	'01	"	'15	'22	"	'20	"	'01	'96	4
5	"	"	"	'11	"	'01	'18	'02	'01	'20	"	'07	5
6	"	"	'13	'23	'03	'03	'01	'14	'02	'44	"	"	6
7	"	"	⁰⁶ ~~13~~	⁰⁴ ~~23~~	'17	'01	'01	'01	'01	'02	'01	'27	7
8	"	"	'02	'24	"	"	"	"	"	'02	'07	'11	8
9	"	'33	'21	'02	'08	~~18~~	'02	'02	"	'01	"	'22	9
10	'11	"	"	"	"	'50	'24	'05	"	'67	"	'07	10
11	"	"	'04	'03	"	'54	"	'02	"	'05	"	'27	11
12	"	'54	'14	'75	"	'04	"	¹⁶ ~~02~~	"	"	'03	'38	12
13	"	"	'09	'08	'95	'24	'01	'02	"	'36	"	'43	13
14	"	"	'01	"	'08	'04	"	'02	"	'30	"	'02	14
15	"	"	'02	"	"	'29	"	'14	"	"	"	"	15
16	"	'07	'12	"	"	"	"	'02	"	<u>1.21</u>	"	"	16
17	"	"	'02	"	"	"	"	'49	"	'16	'19	'02	17
18	"	'12	"	"	"	'02	"	'03	"	'10	'07	'07	18
19	"	"	'12	"	"	"	"	"	"	'06	"	'01	19
20	'03	'14	"	'17	'08	'04	"	'21	"	'73	"	'03	20
21	"	"	"	'52	'18	"	'68	"	"	'03	"	"	21
22	"	'10	"	"	'18	'04	'04	'07	"	'10	"	'14	22
23	"	"	"	"	'20	'03	"	"	"	'03	'03	"	23
24	"	"	"	"	⁰⁸ ~~18~~	'12	"	"	"	"	'13	"	24
25	"	"	"	"	'19	'03	'14	'10	"	'12	'32	"	25
26	"	"	"	'03	'14	"	'02	"	'02	'02	'42	'05	26
27	"	"	"	'09	"	'20	'01	'01	"	'02	'03	"	27
28	"	"	"	"	"	"	'09	"	"	'01	"	"	28
29	"	~~X~~	"	'12	"	'02	'10	"	"	'74	"	"	29
30	"	~~X~~	"	²⁰ ~~20~~	'28	'12	"	'01	"	'51	"	"	30
31	"	~~X~~	"	~~X~~	'13	~~X~~	"	'09	~~X~~	'01	~~X~~	"	31
Total	1.30	'98	2.64	3.22	3.32	2.58	2.18	'53	6.28	1.33	3.74	TOTAL for year 28.97	
	6	12	15	16	20	16	20	8	26	13	18	175	

REGISTER OF RAINFALL IN 1908

Kept at Leobard Fenis
in the County of Bedford
by Joshua Lamb.

Lat. _____ Long. _____
Nearest Railway Station Woburn
Time of Observation _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft. _____ in.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	"	.09	.01	"	.30	"	"	.45	"	"	"	1
2	"	"	.03	.01	.01	.02	"	"	.04	"	"	"	2
3	"	"	.12	.01	.45	"	"	"	.39	"	"	.09	3
4	"	.01	.05	.09	.03	"	"	"	18 ~~WA~~	"	"	"	4
5	"	"	.48	29 ~~WA~~	.07	"	"	.01	"	"	"	.08	5
6	.07	"	.19	.02	.06	"	"	"	"	"	"	"	6
7	.92	"	.02	"	.03	"	.02	"	"	"	"	"	7
8	"	"	.19	"	.01	"	.18	"	.05	"	"	.35	8
9	.05	"	.05	"	"	"	.05	"	"	.15	"	.22	9
10	"	"	.04	"	"	"	.59	.03	"	"	"	.12	10
11	"	"	"	"	"	"	"	"	.18	"	.07	"	11
12	"	"	"	.03	"	.09	.08	.05	"	"	.25	"	12
13	"	"	"	.02	"	.03	.09	.06	"	"	.07	.03	13
14	"	"	"	"	.31	"	.03	"	"	"	.14	.21	14
15	.10	.05	.09	"	.21	"	"	"	.12	"	"	04 ~~WA~~	15
16	"	.21	.02	"	"	.24	.54	"	.10	"	"	.03	16
17	"	.11	"	"	"	.68	.10	"	"	.02	"	.19	17
18	.02	.02	"	"	"	"	.02	"	.19	.06	.22	.03	18
19	"	"	"	"	"	"	"	"	"	.30	"	.12	19
20	"	"	"	"	"	"	"	.30	"	"	"	.12	20
21	"	.11	"	"	"	"	"	.33	"	.03	.22	"	21
22	"	"	.32	.07	.09	"	"	.04	.02	"	"	.07	22
23	"	"	"	.68	"	"	"	.62	"	.06	"	"	23
24	"	.03	.57	18 ~~WA~~	.02	"	"	.03	.01	.03	.03	"	24
25	.03	"	.41	.70	"	"	"	"	.10	"	"	"	25
26	.03	"	"	"	"	"	"	.34	"	"	"	"	26
27	"	.07	.23	.31	"	"	"	.01	"	.20	"	.27	27
28	"	.09	"	.78	"	"	"	.07	"	"	.15	"	28
29	.07	.03	"	"	"	"	"	.04	"	"	.04	.49	29
30	"	~~X~~	"	.50	"	"	"	.07	"	"	"	"	30
31	"	~~X~~	"	~~X~~	"	~~X~~	"	.65	~~X~~	"	~~X~~	.09	31
Total	1.29	.73	2.90	3.70	1.29	1.36	1.70	2.65	1.83	.85	1.49	2.55	
No. of Rain Days	8	10	16	15	11	6	10	15	12	8	9	17	

22.04

2.04

REGISTER OF RAINFALL IN 1909

Kept at Sibford Ferris
 in the County of Bedford
 by Joshua Lamb

Pattern Standard
 RAIN GAUGE Diameter of top 5 in.
 Height of top above Ground 1 ft. in. 0
 " " " Sea Level 570 ft.
 Time of Observation 9 a.m.
 Nearest Railway Station { Name Hook Norton
 Distance 3 miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. "	in. "	in. "	in. "	in. 07	in. 94	in. "	in. 57	in. 14	in. 03	in. "	in. 22	1
2	"	"	05	"	"	"	"	01	"	09	09	43	2
3	"	"	19	"	"	"	03	"	02	14	03	"	3
4	"	06	12	"	"	45	"	"	15	03	"	16	4
5	"	"	"	"	"	18	03	"	02	07	"	31	5
6	21	"	1.61	"	"	19	26	"	06	"	"	09	6
7	"	"	"	"	"	"	02	"	01	28	"	"	7
8	"	"	"	"	"	"	"	"	02	10	"	"	8
9	"	11	"	"	"	"	44	"	"	03	"	36	9
10	15	38	"	"	"	11	02	"	"	33	05	"	10
11	"	"	16	01	"	01	10	"	03	14	"	30	11
12	"	"	"	02	"	12	"	"	09	03	02	"	12
13	"	"	12	14	04	"	13	"	27	14	"	"	13
14	13	"	13	"	"	"	"	"	02	01	11	"	14
15	"	"	"	"	"	"	28	"	03	06	13	"	15
16	"	"	07	"	28	"	07	05	04	08	"	05	16
17	16	"	"	03	01	"	10	89	30	19	01	03	17
18	11	"	19	"	"	"	"	05	"	01	"	"	18
19	"	"	12	38	"	05	"	04	"	06	"	07	19
20	"	"	09	"	"	16	11	12	"	30	"	"	20
21	"	"	05	"	"	35	"	"	01	06	"	1.19	21
22	"	"	"	29	"	21	"	10	10	07	"	"	22
23	"	"	"	31	"	70	01	06	02	71	"	17	23
24	"	"	33	"	64	26	"	17	28	02	03	10	24
25	"	01	09	"	06	35	26	19	10	03	05	09	25
26	"	01	"	02	21	57	"	01	01	49	"	"	26
27	"	01	07	11	07	21.42	72	01	12	07	03	11	27
28	"	05	21	06	"	80	"	"	98	04	"	"	28
29	"	X	02	86	"	06	07	13	07	02	17	02	29
30	"	X	"	15	"	"	20	"	29	01	"	03	30
31	05	X	02	X	16	X	"	"	X	02	X	"	31
Total	81	63	3.64	2.38	1.54	5.65	2.85	2.40	3.18	3.66	72	3.73	TOTAL 31.19
No. of Rain Days	6	7	18	12	9	18	17	14	24	30	11	17	183

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL
19 JAN 1911

Kept at Sibford Tenois
in the County of Oxford
by Arthur Lamb

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 590 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Witchampton
Distance 3 miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. '05	in. '47	in. "	in. "	in. "	in. '05	in. '01	in. '08	in. "	in. '12	in. "	in. '51	1
2	"	'05	"	"	'04	"	'23	'03	"	'12	"	'49	2
3	"	"	"	"	'11	"	'20	'13	"	"	'47	'60	3
4	'03	"	"	'27	'09	"	"	'02	"	"	"	'14	4
5	"	'07	'02	~~'04~~	'04	"	'65	'01	"	"	"	'06	5
6	"	'15	'03	"	'15	"	'10	"	"	"	'67	'02	6
7	"	"	'02	"	'03	1.63	'12	"	"	"	'07	'01	7
8	'04	"	'02	"	'03	"	"	'02	"	"	"	'26	8
9	"	"	'21	"	'06	'69	"	'09	"	"	"	'28	9
10	'33	'07	"	'04	"	'19	"	"	'02	'02	'11	'45	10
11	"	"	'02	"	'20	'31	"	'06	"	'27	'13	'06	11
12	'31	"	'15	'09	'04	"	"	'05	"	'40	'10	'55	12
13	"	'15	"	'11	'02	"	"	'05	"	"	'47	'19	13
14	"	59.47	"	'09	'03	"	"	20.80	'38	"	"	'62	14
15	'14	'07	"	'11	"	"	'02	"	'02	"	"	'67	15
16	"	'06	'08	'61	"	"	"	'01	"	'12	"	'15	16
17	'16	'11	'03	"	'33	"	'38	'02	"	'15	"	'15	17
18	'12	'31	'09	'03	'15	"	"	'66	"	'08	"	'01	18
19	"	'04	"	'05	'05	"	"	'01	"	'13	"	"	19
20	"	'40	"	"	"	"	'40	'04	"	"	'06	'21	20
21	"	'05	"	'27	'38	"	"	"	"	"	"	'24	21
22	'05	'21	"	"	"	'17	'10	'03	"	"	"	"	22
23	'12	'06	"	'03	"	'12	"	'44	"	"	'54	'01	23
24	"	'39	"	'10	"	'06	'06	"	"	"	"	'02	24
25	"	'17	"	'11	"	'22	'06	'05	'01	'07	"	'02	25
26	"	'02	"	'04	"	"	"	'19	'03	"	'27	'12	26
27	"	'09	"	"	"	'06	'01	"	"	'40	'77	"	27
28	'50	'10	"	'26	'02	'02	'15	'70	'03	'07	"	"	28
29	"	~~"~~	"	'04	"	"	"	'40	"	"	"	"	29
30	"	~~"~~	"	'01	"	'50	"	'12	"	"	'19	'02	30
31	"	~~"~~	"	~~"~~	'35	~~"~~	"	"	~~"~~	'45	~~"~~	"	31
Total	1.85	3.63	.67	2.30	2.12	4.02	2.49	3.41	.49	2.40	3.85	5.86	TOTAL for year
No. of Rain Days	11	21	10	18	18	12	14	23	6	13	12	25	183

REGIS

STEEPLE ASTON

12

Kept at The Grange
in the County of Oxfo
by Mrs Bradsha

THE GRANGE

OXON

Lon.

Observation

of top above Ground

Sea Level

NOTE.—Full instructions respecting
of the Rainfall," which is sent post-free

1902, 06, 08-10

the Systematic Observation and Record
2, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	—	.30	.02	.05	—	.16	—	.06	.02	—	34	1
2	—	.02	—	—	.15	.08	—	.06	.12	—	.02	✓	2
3	—	.07	—	.08	.37	.03	—	.06	.01	.01	—	05	3
4	.10	—	—	.05	.02	.05	—	.04	.22	.01	—	—	4
5	—	—	—	.04	.05	.02	—	.25	—	—	.14	—	5
6	—	—	—	—	.02	.20	—	.08	—	.04	.13	—	6
7	—	.09	—	—	.05	.16	—	.20	—	—	—	—	7
8	—	.01	—	—	.04	.03	—	.06	—	.02	.23	02	8
9	.02	—	—	—	—	.04	.24	.04	.16	.60	—	—	9
10	.01	—	.02	—	—	—	.18	.05	.69	.03	—	—	10
11	.02	—	—	.13	.03	.09	—	.07	.23	—	.14	—	11
12	—	—	.03	—	—	.14	—	.04	.01	.02	—	06	12
13	—	—	—	—	—	.10	—	.11	—	.28	—	06	13
14	—	—	.53	.15	—	.40	—	.62	—	.01	—	34	14
15	.01	—	—	.73	.05	.04	—	—	.22	.08	—	12	15
16	—	—	—	—	.10	.03	.01	.04	.11	—	—	05	16
17	—	—	—	—	.08	—	.19	.09	.01	.30	—	26	17
18	—	.08	.02	—	.10	—	—	.33	—	—	—	—	18
19	—	—	.08	—	.02	.16	.05	.12	—	.19	—	06	19
20	—	—	.08	—	—	—	—	—	—	—	—	—	20
21	—	—	.02	.21	—	—	—	—	—	.02	—	02	21
22	—	.27	—	.06	.35	.01	.10	.05	.07	—	.01	—	22
23	.01	.26	—	.03	—	—	.05	—	.02	—	—	—	23
24	.05	.24	.25	—	—	—	—	.06	—	—	.28	—	24
25	—	.15	—	—	—	—	.21	—	—	.07	.07	—	25
26	.20	.07	.20	—	—	—	.19	—	—	—	.09	—	26
27	.04	.20	—	—	—	—	.03	—	—	—	.07	02	27
28	—	.23	—	—	—	—	—	.02	—	.07	.42	13	28
29	—	—	.07	—	—	—	—	.08	—	.02	.34	34	29
30	—	—	.03	.03	.19	.06	—	.02	.02	—	.10	24	30
31	—	—	—	—	.14	—	—	.28	—	—	—	—	31
Totals	.58	1.69	1.63	1.53	1.81	1.64	1.41	2.77	1.95	1.79	2.04	2.11	
Total from Jan. 1	.58	2.27	3.90	5.43	7.24	8.88	10.29	13.06	15.01	16.80	18.84	20.97	

REGISTER OF RAINFALL IN 1902

Kept at The Grange Steeple Aston
in the County of Oxfordshire
by Mrs Bradshaw

RAIN GAUGE.

Lat. Lon.
Time of Observation
Diameter
Height of top above Ground
" " Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	—	.30	.02	.05	—	.16	—	.06	.02	—	34	1
2	—	.02	—	—	.15	.08	—	.06	.12	—	.02	✓	2
3	—	.07	—	.08	.37	.03	—	.06	.01	.01	—	05	3
4	.10	—	—	.05	.02	.05	—	.04	.22	.01	—	—	4
5	—	—	—	.04	.05	.02	—	.25	—	—	.14	—	5
6	—	—	—	—	.02	.20	—	.08	—	.04	.13	—	6
7	—	.09	—	—	.05	.16	—	.20	—	—	—	—	7
8	—	.01	—	—	.04	.03	—	.06	—	.02	.23	02	8
9	.02	—	—	—	—	.04	.24	.04	.16	.60	—	—	9
10	.01	—	.02	—	—	—	.18	.05	.69	.03	—	—	10
11	.02	—	—	.13	.03	.09	—	.07	.23	—	.14	—	11
12	—	—	.03	—	—	.14	—	.04	.01	.02	—	06	12
13	—	—	—	—	—	.10	—	.11	—	.28	—	06	13
14	—	—	.53	.15	—	.40	—	.62	—	.01	—	34	14
15	.01	—	—	.73	.05	.04	—	—	.22	.08	—	12	15
16	—	—	—	—	.10	.03	.01	.04	.11	—	—	05	16
17	—	—	—	—	.08	—	.19	.09	.01	.30	—	26	17
18	—	.08	.02	—	.10	—	—	.33	—	—	—	—	18
19	—	—	.08	—	.02	.16	.05	.12	—	.19	—	06	19
20	—	—	.08	—	—	—	—	—	—	—	—	—	20
21	—	—	.02	.21	—	—	—	—	—	.02	—	02	21
22	—	.27	—	.06	.35	.01	.10	.05	.07	—	.01	—	22
23	.01	.26	—	.03	—	—	.05	—	.02	—	—	—	23
24	.05	.24	.25	—	—	—	—	.06	—	—	.28	—	24
25	—	.15	—	—	—	—	.21	—	—	.07	.07	—	25
26	.20	.07	.20	—	—	—	.19	—	—	—	.09	—	26
27	.04	.20	—	—	—	—	.03	—	—	—	.07	02	27
28	—	.23	—	—	—	—	—	.02	—	.07	.42	13	28
29	—	—	.07	—	—	—	—	.08	—	.02	.34	34	29
30	—	—	.03	.03	.19	.06	—	.02	.02	—	.10	24	30
31	—	—	—	—	.14	—	—	.28	—	—	—	—	31
Totals	.58	1.69	1.63	1.53	1.81	1.64	1.41	2.77	1.95	1.79	2.04	2.11	
Total from Jan. 1	.58	2.27	3.90	5.43	7.24	8.88	10.29	13.06	15.01	16.80	18.84	20.95	

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.

Kept at The Grange Steeple Aston
in the County of Oxfordshire
by Mr R. Bradshaw

Lat. _____ Long. _____
Nearest Railway Station Heyford G.
Time of Observation 9.0 A.M.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 400 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05		.05	—	.09	.36	—	.01	—	.33	—	—	1
2	.44	.02	.01	—	.14	—	—	.17	—	1.23	.01	.04	2
3	.13	.06	—	—	.02	—	—	.10	—	—	.09	.03	3
4	.48	.02	—	—	.03	—	—	.01	—	.78	.13	.03	4
5	—	—	.01	—	.18	—	.02	—	—	.01	—	.16	5
6	.74	—	.03	—	—	—	.01	—	—	.03	.62	.03	6
7	.02	—	—	—	—	—	—	.08	—	.31	.40	—	7
8	.37	—	.20	—	—	—	—	—	—	.22	1.16	.07	8
9	.06	.12	—	—	.02	—	—	—	—	.29	.01	—	9
10	.11	.20	.32	—	—	—	.01	.03	.01	.03	—	—	10
11	—	.11	.17	.01	—	—	—	.01	.06	—	—	—	11
12	.16	.06	.05	—	—	—	.04	—	.32	.11	—	.03	12
13	.44	—	.01	—	—	.01	.30	—	.29	—	—	.19	13
14	.07	.08	.05	—	—	.04	—	.01	.06	—	—	.02	14
15	.14	.11	.03	—	.04	.13	.01	.04	.20	—	.05	.37	15
16	.27	.17	.05	—	—	.27	—	.02	.02	.10	.22	.15	16
17	.30	.20	.04	.13	.08	.01	—	.02	.04	.11	.12	—	17
18	.16	—	.01	—	—	—	.03	—	.01	.76	—	.07	18
19	—	.14	—	—	.02	—	—	—	—	—	.10	—	19
20	.08	.12	—	—	.42	—	—	—	—	.03	.37	.10	20
21	.01	—	—	.08	—	.01	.01	—	—	.01	.01	—	21
22	—	—	—	.02	.34	—	—	—	—	.05	—	—	22
23	—	.03	.09	.05	.01	.57	.07	—	—	—	.01	—	23
24	.27	—	.07	.02	.17	—	—	.36	—	—	—	.12	24
25	—	.10	.02	—	.22	—	—	—	—	.01	.01	.29	25
26	.01	—	.02	—	.04	—	.10	—	—	.04	—	—	26
27	—	.12	—	.14	.04	.14	—	—	—	—	—	.02	27
28	—	.22	—	.04	—	1.67	.40	—	—	.33	—	.03	28
29	.01	.02	—	.03	.07	.07	—	—	—	.09	—	—	29
30	.01	—	—	.04	.02	—	.01	—	—	.14	—	.15	30
31	—	—	—	—	—	—	—	—	—	—	—	.03	31
Total	4.33	1.92	1.25	.56	1.95	3.28	1.01	.86	1.03	5.21	3.31	1.93	26.64
No. of Rain Days	22	18	18	10	18	11	12	12	9	21	15	19	185

Copied by ARP REGISTER OF RAINFALL IN 1908

3/176
BRITISH FORM A.
RAINFALL

Kept at *Steeple Aston (The Grange)*

in the County of *Warwick*

by *Mrs Bradshaw*

Lat. _____ Long. _____

Nearest Railway Station _____

Time of Observation _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.07	—	—	.42	—	—	.04	—	—	—	1
2	—	.02	.07	—	.31	—	—	—	.04	—	—	—	2
3	—	.02	.16	.03	.20	—	—	—	.43	—	.01	—	3
4	—	—	.01	.01	.08	—	—	—	.05	—	—	.13	4
5	.09	—	.42	.17	.11	.02	—	.04	—	—	—	.07	5
6	.06	—	.08	.03	.14	—	—	—	—	—	—	—	6
7	.80	—	.03	—	.06	.01	.03	—	—	.02	—	—	7
8	—	—	.08	—	.03	—	.13	—	.03	.11	—	.17	8
9	—	—	.08	—	—	—	.55	+	.04	.15	—	.32	9
10	—	—	.04	—	—	—	.07	.03	—	.03	.02	.08	10
11	—	—	.01	.01	.02	.12	—	—	.04	—	.17	—	11
12	—	—	—	.02	—	.06	—	.05	—	—	.04	.15	12
13	—	—	—	.02	.06	.06	.02	.03	—	—	.03	.09	13
14	.02	—	—	—	.28	—	.40	—	—	—	.11	.18	14
15	—	.06	.09	—	.40	—	.03	—	.13	—	.01	.01	15
16	.01	.23	.01	—	—	.30	.38	—	.07	.12	—	.09	16
17	—	.07	.02	—	—	1.17	.18	—	—	—	—	.04	17
18	—	.06	—	—	—	—	—	—	.17	.02	.16	.02	18
19	—	—	—	—	—	—	—	—	—	—	—	.14	19
20	—	—	—	.01	—	—	—	.35	.07	.14	—	.02	20
21	—	—	—	—	.01	—	—	.03	—	.11	.21	.06	21
22	.02	.13	.14	.05	.07	—	—	.09	.01	.04	—	.02	22
23	—	.01	—	.49	—	—	—	.61	.13	—	—	—	23
24	—	.02	.47	.20	—	—	—	.01	—	—	.09	—	24
25	.04	.01	.41	1.10	—	—	.01	.04	.05	.03	—	—	25
26	.02	.04	.01	—	—	—	—	.48	—	.09	—	—	26
27	—	.03	.24	.40	—	—	—	.03	.07	.04	—	.04	27
28	.25	.03	—	.60	—	—	—	.20	.04	.04	.08	.05	28
29	—	.01	.06	.40	—	—	—	.07	—	—	.11	.17	29
30	.05	—	.15	.11	—	—	—	.14	—	—	—	.18	30
31	—	—	—	X	.04	—	—	1.21	—	—	—	.10	31
Total	1.35	.74	2.65	3.65	1.81	2.16	1.80	3.41	1.41	.94	1.04	2.05	TOTAL for year 23.81
No. of Rain Days	10	14	21	16	14	8	10	16	16	13	12	21	171

50' *Com. by comp. 16.11.10.*
REGISTER OF RAINFALL IN 1909

176
FORM A.
BRITISH RAINFALL.

Kept at *Steeple Aston*
in the County of *Oxon*
by *Mr Bradshaw*

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					06	54		63	12	06		18	1
2	02		07			01		01		11	07	45	2
3		01	06				02			37	03	24	3
4						54			58	15	01	09	4
5			05			27	07			07		15	5
6	02		95			52	20		04		02	14	6
7	14		02				03		08	36			7
8		12	01						02	01			8
9	04	30	03				47			03		23	9
10	14					12			02	44	03	30	10
11			03			07	16		02	09		18	11
12	02			05	02	11			14	12		02	12
13	10	02	14	13	10		05	01	09	22	02		13
14	08								04	01	16		14
15	26						28	01	08	16			15
16				01	31		05	04		12		10	16
17	02			01				138	95	02		13	17
18	06		15				01	03		06		02	18
19			02	30				04		08		05	19
20			02			93	12	09		12		04	20
21			10			43			06	06			21
22			05	16		12		13	14	05		02	22
23			01	19		59	04	13	24	64		30	23
24			33		79	15		09	32	02	03	08	24
25			17	06	07	12	12	23	14	05		05	25
26				02	31	19				48			26
27			15	14	06	02	54		26	07	04	14	27
28		06	40	06	11	45			59	07			28
29		04		45	07	15	04	12	02		20		29
30				11			18		17	01	02	02	30
31	17		05		13		01			05			31
Total	1.07	55	2.81	1.69	2.03	5.33	2.39	2.94	4.12	4.10	63	2.93	TOTAL for year 30.59
No. of Rain Days	12	6	20	13	11	18	17	14	21	29	10	21	192

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL
28 JAN 1911

Kept at The Grange, Steeple Aston
in the County of Oxford 3
by Miss Bradshaw

Pattern _____
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft.
" " " Sea Level 400 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	17			02	04		05		27		54	1
2		27				01	27	03		11	04	28	2
3	01	01			09		17	39			45	45	3
4		01		34	10							10	4
5		07	01	09	06		69	12			08	03	5
6	02	14	02	01	14	08	05				34	03	6
7		06			09	70	05				08	04	7
8	05	03	02		10							13	8
9	16		28	01	09	53		12				33	9
10	41	07		01	01	35				06	07	23	10
11	18	09	13	01	23			12		56	12	01	11
12	07		03	20	06			03		34	05	22	12
13	02	10		06	05			03	01	02	60	28	13
14		55		17				19	28		05	73	14
15	12	07		08					01		03	74	15
16	02	08	10	31				01		10		19	16
17	03	04	01		26		28	02		09	01	12	17
18	09	18	08	03	21			20		17			18
19		08	01	03	07			03		09	10		19
20		25		03			24	09				48	20
21		08		22	03							34	21
22	03	42				12						02	22
23	23	11		01		18		54			55	01	23
24	08	30		15		12	14	11		03	02	03	24
25		32		15		72	03	09	01	02	05		25
26		09		01				06		02	02	09	26
27	52			01		12	02			39	78		27
28	02	05		36	04		17	34		08		06	28
29				03		01		26					29
30					09	27		01			32		30
31					32					29			31
Total	2.09	3.64	69	2.32	2.06	3.25	2.11	2.84	31	2.64	3.76	5.48	31.19
No. of Rain Days	18	25	10	22	19	13	11	21	4	16	19	24	202

S. a.

REC

OXFORD.

901

t. 51° 58' 35" N Lon. 1° 28' 30" W

ne of Observation

meter 5 inches

ight of top above Ground 1 foot

Sea Level 500 feet

Kept at Swerford
in the County of
by Mr. William

SWERFORD.

1901-1910

NOTE.—Full instructions respecting the Systematic Observation and Record of the Rainfall, which is sent post-free on application to MR. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12		.04				.01			.13			1
2		.19	.30	.14		.03	.70						2
3	.03		.02	.50		.13				.16			3
4		.45	.14					.01		.09	.03		4
5		.02	.18			.01		.10			.01	.03	5
6			.30	.07	.13			.02		.15	.01	.01	6
7	.03		.10	.11	.23				.03	.01		.21	7
8	.09		.01	.38	.30				.35	.02		.06	8
9	.01	.04		.26	.07							.14	9
10	.01	.01		.27	.01					.01			10
11	.01			.38				.09	.09		.08	.08	11
12	.02		.01	.03		.17		.29			.43	.16	12
13				.20		.02	.58				.14	.10	13
14		.04		.20		.03		.54		.02		.01	14
15				.08				.06				.05	15
16	.05			.03		.11			.56	.14		.03	16
17	.12	.03				.01			.15	.09	.01	.06	17
18	.03	.05							.01	.55	.01		18
19	.33	.04	.30			.06			.02	.01			19
20	.01					.19			.01				20
21		.04				.03			.12		.08		21
22	.03					.04				.02	.04		22
23		.01				.06	.05		.04	.02		.50	23
24	.07					.03	.67			.13		.23	24
25	.03		.09				.53	.18				.02	25
26	.02	.26	.03				.25	.41			.02		26
27	.19	.01		.04			.37	.35				.03	27
28	.12	.39					.02	.01	.01	.01		.91	28
29	.03		.16		.36	.02				.11		.23	29
30			.32		.23	.87		.03	.02			.03	30
31			.03					.08				.11	31
Totals	1.35	1.58	2.03	2.69	1.33	1.81	3.20	2.17	1.41	1.67	.86	4.00	
Total from Jan. 1	1.35	2.93	4.96	7.65	8.98	10.79	13.99	16.16	17.57	19.24	20.1	24.1	

S. a.

RE

901

Kept at *Swerford*
in the County of *Oxford*
by *M^r William Hall*

RAIN GAUGE.

Lat. *51° 58' 35" N* Lon. *1° 28' 30" W*
Time of Observation
Diameter *5 inches*
Height of top above Ground *1 foot*
Sea Level *500 feet*

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.12</i>		<i>.04</i>				<i>.01</i>			<i>.13</i>			1
2		<i>.19</i>	<i>.30</i>	<i>.14</i>		<i>.03</i>	<i>.70</i>						2
3	<i>.03</i>		<i>.02</i>	<i>.50</i>		<i>.13</i>				<i>.16</i>			3
4		<i>.45</i>	<i>.14</i>					<i>.01</i>		<i>.09</i>	<i>.03</i>		4
5		<i>.02</i>	<i>.18</i>			<i>.01</i>		<i>.10</i>			<i>.01</i>	<i>.03</i>	5
6			<i>.30</i>	<i>.07</i>	<i>.13</i>			<i>.02</i>		<i>.15</i>	<i>.01</i>	<i>.01</i>	6
7	<i>.03</i>		<i>.10</i>	<i>.11</i>	<i>.23</i>				<i>.03</i>	<i>.01</i>		<i>.21</i>	7
8	<i>.09</i>		<i>.01</i>	<i>.38</i>	<i>.30</i>				<i>.35</i>	<i>.02</i>		<i>.06</i>	8
9	<i>.01</i>	<i>.04</i>		<i>.26</i>	<i>.07</i>							<i>.14</i>	9
10	<i>.01</i>	<i>.01</i>		<i>.27</i>	<i>.01</i>					<i>.01</i>			10
11	<i>.01</i>			<i>.38</i>				<i>.09</i>	<i>.09</i>		<i>.08</i>	<i>.08</i>	11
12	<i>.02</i>		<i>.01</i>	<i>.03</i>		<i>.17</i>		<i>.29</i>			<i>.43</i>	<i>1.16</i>	12
13				<i>.20</i>		<i>.02</i>	<i>.58</i>				<i>.14</i>	<i>.10</i>	13
14		<i>.04</i>		<i>.20</i>		<i>.03</i>		<i>.54</i>		<i>.02</i>		<i>.01</i>	14
15				<i>.08</i>				<i>.06</i>				<i>.05</i>	15
16	<i>.05</i>			<i>.03</i>		<i>.11</i>			<i>.56</i>	<i>.14</i>		<i>.03</i>	16
17	<i>.12</i>	<i>.03</i>				<i>.01</i>			<i>.15</i>	<i>.09</i>	<i>.01</i>	<i>.06</i>	17
18	<i>.03</i>	<i>.05</i>							<i>.01</i>	<i>.55</i>	<i>.01</i>		18
19	<i>.33</i>	<i>.04</i>	<i>.30</i>			<i>.06</i>			<i>.02</i>	<i>.01</i>			19
20	<i>.01</i>					<i>.19</i>			<i>.01</i>				20
21		<i>.04</i>				<i>.03</i>			<i>.12</i>		<i>.08</i>		21
22	<i>.03</i>					<i>.04</i>				<i>.02</i>	<i>.04</i>		22
23		<i>.01</i>				<i>.06</i>	<i>.05</i>		<i>.04</i>	<i>.02</i>		<i>.50</i>	23
24	<i>.07</i>					<i>.03</i>	<i>.67</i>			<i>.13</i>		<i>.23</i>	24
25	<i>.03</i>		<i>.09</i>				<i>.55</i>	<i>.18</i>				<i>.02</i>	25
26	<i>.02</i>	<i>.26</i>	<i>.03</i>				<i>.25</i>	<i>.41</i>			<i>.02</i>		26
27	<i>.19</i>	<i>.01</i>		<i>.04</i>			<i>.37</i>	<i>.35</i>				<i>.03</i>	27
28	<i>.12</i>	<i>.39</i>					<i>.02</i>	<i>.01</i>	<i>.01</i>	<i>.01</i>		<i>.91</i>	28
29	<i>.03</i>		<i>.16</i>		<i>.36</i>	<i>.02</i>				<i>.11</i>		<i>.23</i>	29
30			<i>.32</i>		<i>.23</i>	<i>.87</i>		<i>.03</i>	<i>.02</i>			<i>.03</i>	30
31			<i>.03</i>					<i>.08</i>				<i>.11</i>	31
Totals	<i>1.35</i>	<i>1.58</i>	<i>2.03</i>	<i>2.69</i>	<i>1.33</i>	<i>1.81</i>	<i>3.20</i>	<i>2.17</i>	<i>1.41</i>	<i>1.67</i>	<i>.86</i>	<i>4.00</i>	
Total from Jan. 1	<i>1.35</i>	<i>2.93</i>	<i>4.96</i>	<i>7.65</i>	<i>8.98</i>	<i>10.79</i>	<i>13.99</i>	<i>16.16</i>	<i>17.57</i>	<i>19.24</i>	<i>20.1</i>	<i>24.1</i>	

REGISTER OF RAINFALL IN 1902

Kept at Silverford
in the County of Oxford
by Mr. William Hall

RAIN GAUGE.

Lat. 51° 58' 35" N Long. 1° 28' 30" W
Time of Observation 7 A.M.
Diameter 5 inches
Height of top above Ground 1 foot
" " Sea Level 500 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24		.11	.03	.05	.11	.29		.08	.04	.	.20	1
2	.01	.04	.02		.16			.05	.10		.04		2
3		.07		.12	.33				.21	.01		.03	3
4	.14			.03	.02	.03		.01	.01				4
5				.16	.02			.24			.18		5
6			.01		.02	.26		.43		.03	.10		6
7					.17	.13		.08		.01			7
8		.06			.03	.01		.14			.20		8
9	.09		.02				.22	.10	.31	.58			9
10	.02						.15	.10	.84	.04	.01		10
11	.04			.15		.07		.03	.13	.02	.15		11
12	.01		.01			.19		.07	.02	.03		.05	12
13						.19		.06		.56	.01	.07	13
14			.74	.03	.03	.28		.04		.01		.23	14
15				.95	.06	.02				.09		.13	15
16					.11	.21	.05	.02	.10			.06	16
17					.35	.05		.45	.01	.30		.26	17
18					.19			.23		.01			18
19		.01	.01	.02	.08	.06	.07	.06		.17		.02	19
20		.02	.26	.01		.10	.01	.07		.01		.02	20
21		.05	.03	.22						.09			21
22		.23		.19	.42	.02	.03	.04	.06	.01			22
23	.04	.22		.04	.01		.03	.07	.03				23
24	.07	.24	.44					.08			.23		24
25	.01	.05					.22			.08	.08		25
26	.22	.26	.23				.23	.02		.02	.06	.01	26
27	.06	.22					.03				.08	.02	27
28		.10						.38		.07	.39	.31	28
29			.07		.13			.27		.03	.28	.01	29
30			.05	.07	.27	.03		.04	.05		.08	.14	30
31					.16			.21				.01	31
Totals	.95	1.57	2.00	2.02	2.61	1.76	1.33	3.29	1.95	2.21	1.89	1.57	
Total from Jan. 1	.95	2.52	4.52	6.54	9.15	10.91	12.24	15.53	17.48	19.69	21.58	23.15	

REGISTER OF RAINFALL IN 1903

Kept at Silverford
in the County of Oxford
by William Hall

Lat. 51° 58' 35" N Long. 1° 28' 30" W
Nearest Railway Station Hook Norton
Time of Observation 9 A.M.
Diameter 5 in.
Height of top above Ground 1 ft. in.
Sea Level 50.0 ft.

RAIN GAUGE.

FORM A.
BRITISH RAINFALL.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.01	.35	.13	.37			.02	.03	.01	.01		1
2	.26		.24		.48			.36	.16	.05	.17		2
3	.34		.02	.10	.46			.01	.09	.22	.01	.12	3
4	.54		.17	.08	.18				.23	.44			4
5	.32		.03		.49				.01	.07	.01	.01	5
6	.05	.01	.08		.06					.19			6
7	.02	.01	.03	.02	.05					.20	.01	.20	7
8	.07								.15	.37	.01	.31	8
9			.23		.52	.48		.03	.06	.02	.04	.09	9
10	.03		.03		.07	1.04		.19	.47	.12	.01	.06	10
11				.03	.03		.03	.19	.01	.82			11
12							.01		.05	.44	.02	.31	12
13				.01		.19		.36		.13	.06	.04	13
14			.32	.07		1.27	.08	.18		.52	.04		14
15			.01		.07	.69		.01		.05			15
16		.04			.31	.08	.16	.27		.07	.01	.02	16
17	.01		.41		.10	.11	.02	.21		.01	.07	.01	17
18	.05		.01				.07	.76	.02	.16	.01	.02	18
19	.08		.01			.58	.58	.08	.01	.04		.03	19
20	.07						.02	.38		.01		.01	20
21	.02	.07					.61		.05	.07	.04		21
22	.14	.12					.08	.02	.03	.02	.01	.01	22
23	.01	.08	.34				.43	.12		.02	.07		23
24	.01	.44	.03					.49	.17	.35		.06	24
25		.18	.01	.27		.01	.47		.01	.41			25
26		.32	.37	.35			.08	.02	.01	.37	.08	.02	26
27	.32	.01	.14	.37	.05		.24	.05		.90	1.18	.05	27
28	.01		.08	.61	.49		.15	.06	.27	.17	.21	.02	28
29			.15	.08	.23		.18	.01	.25	.05			29
30			.17	.09	.21		.02	.02	.01	.01			30
31	.08		.01				.01			.22			31

Totals 2.55 1.29 3.24 2.21 4.17 4.45 3.24 3.84 2.09 6.53 2.07 1.39

Total from Jan. 1 2.55 3.84 7.08 9.29 13.46 17.91 21.15 24.99 27.08 33.61 35.68 37.07

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.

Kept at SWERFORD
in the County of Oxford
by William Hall

Lat. 51° 58' 35" N Long. 1° 28' 30" W
Nearest Railway Station Hook Norton
Time of Observation 9 A.M.
Diameter 5 in.
Height of top above Ground 1 ft. in.
Sea Level 50.0 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.06	.02	.01	.17	.15				.02	.02		1
2	.05	.33	.18	.03	.04	.01	.17		.27			.04	2
3	.06	.54	.23	.02	.03		.06		.01			.02	3
4	.09	.15	.04	.04			.02	.05				.13	4
5	.01	.01	.02	.02	.02		.01			.09	.01	.07	5
6		.15	.01		.12			.02		.09	.36	.33	6
7	.14	.48	.37		.01				.29	.01	.27	.01	7
8	.02	.37	.03	.02	.01				.13	.07	.07		8
9	.03	.86		.04	.07	.16		.03	.01	.03	.04	.25	9
10	.30	.32			.03	.01				.02	.35	.15	10
11	.04	.01			.03			.24			.01	.20	11
12	.05	.34		.14	.01			.01	.41			.02	12
13	.19	.19		.10		.03			.01		.01	.26	13
14	.04	.07	.05	.04		.37		.18	.40		.01	.05	14
15		.01		.23		.07			.01			.01	15
16	.03	.08			.01			.05		.19			16
17	.10	.18				.01		.20		.01	.01	.03	17
18	.01				.01			.01			.01		18
19		.10	.06				.12			.01		.01	19
20	.01	.01	.01		.53					.01			20
21		.02	.02		.07			.14		.05	.15		21
22			.01	.18			.08	.56	.03		.05		22
23					.07		.29	.03	.11	.07	.08		23
24			.06		.03	.09			.14	.02			24
25	.01	.09	.06		.01		1.45	.08	.01				25
26	.11	.11		.01	.33		.15					.07	26
27	.37				2.48		.22			.01	.01	.03	27
28	.02		.18				.06					.01	28
29	.45		.05	.01			.59				.07	.03	29
30	.35		.08		.14	.01	.04	.01	.56	.02	.01		30
31	.71		.04		.03			.08		.06			31
Totals	3.19	4.68	1.52	.89	4.25	.91	3.26	1.69	2.39	.78	1.54	1.72	
Total from Jan. 1	3.19	7.87	9.39	10.28	14.53	15.44	18.70	20.39	22.78	23.56	25.10	26.82	206

REGISTER OF RAINFALL IN 1905

Kept at Silverford
in the County of Oxford
by William Hall

Lat. 51° 58' 35" Long. 1° 28' 30"
Nearest Railway Station Hack Marton
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground 1 ft. in.
Sea Level 500 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			06		13	05	09	02	03	02	60	01	1
2	06	01	08		10	03	02	37	01	02	05	01	2
3	01		01	06	01	02		78		03	01		3
4	20		03	06				71		21	40	01	4
5	04		14	04		15		14	03	02	06	12	5
6	01	09	01	12		72		09	19	01		07	6
7		04	04	09		21		06	07	05	01	24	7
8	20	01	17	05		01			22	01	01	03	8
9	10		02	25			22		20	01	01		9
10	01	06	40	20		10	04		01		89		10
11	05		16	31	05	10				02	16		11
12	01	01	31	01		01					21		12
13		01	53	25					04	02	09	02	13
14			22	06	03					01	01		14
15			40			16	03	83		17	02		15
16	20	01	03	02		43							16
17			05			05	04	25	01			05	17
18		01	01	02		01		05				08	18
19		07		08		11		04	02				19
20		01		01		01		01				01	20
21								15	01	04			21
22							04	17			16		22
23		03	20	02			03			01	01		23
24	09	01	02	01					01				24
25		19	06	23				13	17		23		25
26		17	11	09				05	01	13	75	02	26
27		02	04	01				26	06		01	14	27
28		03	01	08				81	14	12	16	16	28
29	01		03	02	01	35	02	04	10	19	01	12	29
30	02		02	26	04	89		01	01	09	16		30
31	02		03		03					33			31
Totals	103	78	319	235	40	341	53	437	134	157	402	199	214
Total from Jan. 1	103	181	500	735	775	1116	1169	1606	1740	1891	2293	2402	

50
REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL
JAN 1907

Kept at Silverford
in the County of Oxford
by Mr William Hall

Lat. 51° 58' 35" Long. 1° 28' 30"
Nearest Railway Station Hook Norton
Time of Observation 9 A.M.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 500 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	.02	.04		.02	.41		.03		.31	.01		1
2	.48	.07	.01		.11	.01		.28		1.21	.01	.03	2
3	.07	.02			.08			.17		.01	.08	.03	3
4	.30							.01		.95	.14		4
5	.76		.01		.14					.01	.01	.16	5
6	.05	.01	.03		.01					.03	.75	.04	6
7	.38		.03		.04					.35	.42		7
8	.03	.13	.13		.10					.22	.80	.12	8
9	.10	.17	.01		.01					.38	.02	.01	9
10	.01	.17	.33				.03	.03		.16			10
11	.09	.06	.14					.01	.02	.02		.09	11
12	.23		.04	.03				.01	.03	.13		.07	12
13	.05	.06	.02	.09		.06	.36		.34	.02		.16	13
14	.02	.19	.05			.05	.01	.06	.35		.01	.02	14
15	.15	.16	.02		.05	.37	.03	.08	.01		.15	.30	15
16	.22	.19			.14	.38		.09	.18	.11	.18	.06	16
17	.29		.05	.10	.01	.01		.04	.02	.11	.12	.01	17
18	.09	.15	.01				.04		.02	.68	.03	.08	18
19	.01	.15							.01	.01	.07	.01	19
20	.14		.03	.01	.25		.02		.05	.04	.23		20
21	.04			.06		.02	.03		.01	.03	.02		21
22	.01	.05		.02	.02					.06			22
23			.06	.05	.32	.22	.02	.01		.01			23
24	.22	.08	.04	.02	.02			.20		.07	.01	.11	24
25	.03	.02	.02	.01	.12			.01				.34	25
26	.01	.15	.02		.34		.05			.03	.01	.03	26
27		.10	.02	.12	.04	.14	.17			.02		.04	27
28		.04		.01		1.16	.20			.17		.03	28
29	.01			.06		.04	.01			.06	.01		29
30				.12	.11					.11		.23	30
31	.2				.01					.01		.01	31
Total	4.80	2.08	1.11	.70	1.94	3.07	1.06	1.12	1.04	5.32	3.37	1.97	TOTAL for year
No. of Rain Days	26	20	21	13	20	12	12	14	11	28	20	22	

Total number of rain

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

days 219

26.98
Price 2d.

REGISTER OF RAINFALL IN 1907.

FORM A.
BRITISH RAINFALL.

Kept at Swerford
in the County of Oxford
by William Hall

Lat. 51° 58' 35" Long. 1° 28' 30"

Nearest Railway Station Hock Norton

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 500 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>.40</u>				<u>.09</u>	<u>.44</u>	<u>.01</u>		<u>.03</u>	<u>.39</u>	<u>.02</u>		1
2	<u>.29</u>			<u>.01</u>	<u>.12</u>	<u>.02</u>	<u>.16</u>	<u>.20</u>	<u>.34</u>	<u>.04</u>		<u>.43</u>	2
3	<u>.01</u>			<u>.01</u>	<u>.12</u>		<u>.57</u>	<u>.01</u>	<u>.12</u>		<u>.01</u>	<u>.01</u>	3
4	<u>.01</u>	<u>.01</u>			<u>.01</u>	<u>.16</u>	<u>.20</u>		<u>.23</u>		<u>.02</u>	<u>.92</u>	4
5	<u>.01</u>		<u>.10</u>	<u>.13</u>		<u>.03</u>	<u>.01</u>	<u>.02</u>	<u>.05</u>	<u>.22</u>			5
6	<u>.02</u>		<u>.01</u>	<u>.21</u>	<u>.02</u>	<u>.03</u>	<u>.09</u>	<u>.18</u>		<u>.38</u>	<u>.01</u>	<u>.13</u>	6
7				<u>.09</u>	<u>.20</u>	<u>.02</u>		<u>.02</u>	<u>.02</u>		<u>.02</u>	<u>.41</u>	7
8		<u>.15</u>	<u>.02</u>	<u>.30</u>	<u>.11</u>		<u>.03</u>	<u>.01</u>		<u>.09</u>	<u>.08</u>	<u>.13</u>	8
9		<u>.17</u>	<u>.19</u>	<u>.05</u>	<u>.04</u>	<u>.02</u>	<u>.05</u>	<u>.09</u>		<u>.15</u>	<u>.01</u>	<u>.16</u>	9
10	<u>.14</u>	<u>.18</u>	<u>.04</u>	<u>.01</u>		<u>.09</u>	<u>.12</u>	<u>.01</u>		<u>.45</u>		<u>.07</u>	10
11		<u>.14</u>				<u>.56</u>		<u>.08</u>		<u>.02</u>	<u>.02</u>	<u>.55</u>	11
12		<u>.33</u>	<u>.13</u>	<u>.61</u>		<u>.04</u>		<u>.02</u>			<u>.06</u>	<u>.13</u>	12
13			<u>.09</u>	<u>.01</u>	<u>.97</u>	<u>.28</u>	<u>.02</u>	<u>.06</u>		<u>.52</u>		<u>.38</u>	13
14		<u>.07</u>	<u>.03</u>		<u>.06</u>	<u>.06</u>		<u>.16</u>		<u>.38</u>	<u>.02</u>	<u>.03</u>	14
15		<u>.01</u>	<u>.02</u>			<u>.26</u>		<u>.05</u>		<u>.06</u>			15
16			<u>.18</u>		<u>.04</u>			<u>.02</u>		<u>1.20</u>	<u>.05</u>		16
17		<u>.03</u>	<u>.03</u>					<u>.42</u>		<u>.08</u>	<u>.22</u>	<u>.01</u>	17
18		<u>.11</u>	<u>.02</u>			<u>.04</u>		<u>.06</u>		<u>.18</u>	<u>.13</u>	<u>.12</u>	18
19			<u>.09</u>		<u>.02</u>			<u>.29</u>		<u>.25</u>		<u>.02</u>	19
20	<u>.03</u>	<u>.07</u>		<u>.26</u>	<u>.04</u>	<u>.06</u>		<u>.06</u>		<u>.45</u>	<u>.04</u>	<u>.04</u>	20
21	<u>.01</u>	<u>.02</u>		<u>.36</u>	<u>.11</u>		<u>.75</u>			<u>.04</u>			21
22				<u>.01</u>	<u>.18</u>	<u>.07</u>	<u>.19</u>	<u>.08</u>		<u>.11</u>	<u>.32</u>	<u>.21</u>	22
23					<u>.19</u>	<u>.04</u>		<u>.01</u>		<u>.02</u>	<u>.02</u>	<u>.02</u>	23
24		<u>.01</u>			<u>.02</u>	<u>.14</u>					<u>.10</u>	<u>.01</u>	24
25					<u>.13</u>	<u>.07</u>	<u>.12</u>		<u>.02</u>	<u>.16</u>	<u>.37</u>		25
26				<u>.08</u>	<u>.15</u>	<u>.01</u>	<u>.07</u>	<u>.04</u>		<u>.02</u>	<u>.45</u>		26
27	<u>.01</u>			<u>.09</u>	<u>.01</u>	<u>.14</u>	<u>.04</u>	<u>.01</u>		<u>.01</u>	<u>.08</u>		27
28	<u>.18</u>			<u>.08</u>			<u>.02</u>			<u>.02</u>	<u>.16</u>		28
29	<u>.02</u>			<u>.01</u>		<u>.19</u>	<u>.08</u>	<u>.01</u>		<u>.88</u>	<u>.01</u>		29
30				<u>.20</u>	<u>.23</u>	<u>.14</u>		<u>.02</u>	<u>.02</u>	<u>.45</u>	<u>.01</u>		30
31					<u>.04</u>			<u>.03</u>		<u>.01</u>			31
Total	<u>1.73</u>	<u>1.30</u>	<u>.95</u>	<u>2.52</u>	<u>2.90</u>	<u>2.96</u>	<u>2.53</u>	<u>2.46</u>	<u>.83</u>	<u>6.58</u>	<u>2.23</u>	<u>3.78</u>	TOTAL for year <u>30.17</u>
No. of Rain Days	<u>12</u>	<u>13</u>	<u>13</u>	<u>18</u>	<u>22</u>	<u>23</u>	<u>17</u>	<u>25</u>	<u>8</u>	<u>26</u>	<u>23</u>	<u>19</u>	<u>219</u>

Swerford. Oxford.

Rainfall for the year ending 31st December 1907 was 30.17 inches this being 3.26 inches above the average of the 10 previous years. The "rain" days 219 were 29 above the average for the same period.

January Highest reading of barometer 30.789 on 23rd lowest 29.123 on 2nd range 1.666. February 30.483 on the 2nd and 29.045 on 12th range 1.438. March 30.442 on the 12th and 29.537 on 17th and 18th range .905. April 30.278 on the 24th and 29.264 on 4th range 1.009. May 30.204 on the 18th and 29.428 on 2nd and 3rd range .776.

June 30.133 on the 17th and 29.554 on 1st range .579

July 30.370 on 11th and 12th and 29.651 on 4th range .719

August 30.312 on the 22nd and 29.684 on 15th range .628

September 30.413 on the 22nd and 29.649 on 3rd range .764

October 30.064 on the 12th and 29.159 on 17th range .905

November 30.359 on the 30th and 29.234 on 27th range 1.125

December 30.246 on the 24th and 28.785 on 13th range 1.461

Highest for the year 30.789 in January and lowest 28.785 in December range 2.004.

Maximum shade temperature 77 degrees on May 12th

Minimum " " " 17 " " January 17th

The thermometers hang on the north wall of a thatched building where the sun does not reach them bulbs 4 ft. from the ground. They have not been verified at Kew. Makers name on barometer Bennett 65 Cheapside.

William Hall

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Kept at Swerford
in the County of Oxford
by William Hall

Lat 51° 58' 35" Long. 1° 28' 30"

Nearest Railway Station Hock Norton

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 500 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40				.09	.44	.01		.03	.39	.02		1
2	.29			.01	.12	.02	.16	.70	.34	.04		.43	2
3	.01			.01	.12		.37	.01	.12		.01	.01	3
4	.01	.01			.01	.16	.20		.23		.02	.92	4
5	.01		.10	.13		.03	.01	.02	.05	.22			5
6	.02		.01	.21	.02	.03	.09	.18		.38	.01	.13	6
7				.09	.20	.02		.02	.02		.02	.41	7
8		.15	.02	.30	.11		.03	.01		.09	.08	.13	8
9		.17	.19	.05	.04	.02	.05	.09		.15	.01	.16	9
10	.14	.18	.04	.01		.09	.12	.01		.45		.07	10
11		.14				.56		.08		.02	.02	.55	11
12		.33	.13	.61		.04		.02			.06	.13	12
13			.09	.01	.97	.28	.02	.06		.52		.38	13
14		.07	.03		.06	.06		.16		.38	.02	.03	14
15		.01	.02			.26		.05		.06			15
16			.18		.04			.02		~~1.20~~	.05		16
17		.03	.03					.42		.08	.22	.01	17
18		.11	.02			.04		.06		.18	.13	.12	18
19			.09		.02			.29		.25		.02	19
20	.03	.07		.26	.04	.06		.06		.45	.04	.04	20
21	.01	.02		.36	.11		.75			.04			21
22				.01	.18	.07	.19	.08		.11	.32	.21	22
23					.19	.04		.01		.02	.02	.02	23
24		.01			.02	.14					.10	.01	24
25					.13	.07	.12		.02	.16	.37		25
26				.08	.15	.01	.07	.04		.02	.45		26
27	.01			.09	.01	.14	.04	.01		.01	.08		27
28	.18			.08			.02			.02	.16		28
29	.02			.01		.19	.08	.01		.88	.01		29
30				.20	.23	.19		.02	.02	.45	.01		30
31					.04			.03		.01			31
Total	1.13	1.30	.95	2.52	2.90	2.96	2.53	2.46	.83	6.58	2.23	3.78	TOTAL for year
No. of Rain Days	12	13	13	18	22	23	17	25	8	26	23	19	30.17

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

Kept at Swerford
in the County of Oxfordshire
by William Hall

Lat. 51° 58' 35" Long. 1° 28' 30" W

Nearest Railway Station Hook Norton

Time of Observation 9 A.M.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 500 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			'05			'37			'05			'01	1
2		'01	'15		'31				'12				2
3		'02	'16	'01	'11				'48		'02		3
4			'05	'08	'10				'06	'02		'15	4
5	'10		'56	'13	'12	'02	'03	'02	'01			'07	5
6	'12	'01	'13	'02	'07							'01	6
7	'88		'02		'05	'02	'03			'02		'01	7
8	'10		'08		'02		'22		'03	'13		'24	8
9			'10		'02		'66		'04	'15		'39	9
10			'05				'06	'06		'01	'02	'09	10
11					'02	'07	'01	'02	'18		'12	'03	11
12				'04		'08		'05	'01	'02	'08	'15	12
13				'02	'06	'04	'03	'07		'01	'06	'09	13
14	'02		'01		'42		'02				'10	'17	14
15	'01	'05	'12		'24		'03		'12		'02	'03	15
16	'01	'27	'02		'01	'32	'57		'11	'03		'17	16
17	'01	'09				'79	'24			'02		'01	17
18		'08					'01		'18	'10	'18	'04	18
19	'03									'01	'01	'13	19
20								'32	'07	'25	'01	'02	20
21	'01	'01						'15		'12	'23	'05	21
22	'01	'11	'24	'14	'14			'11	'02		'02	'04	22
23	'01	'04	'01	'61	'01			'63	'06	'02			23
24	'01	'02	'55	'19				'03	'01	'04	'07		24
25	'02	'02	'36	'66	'01			'01	'10	'04	'01		25
26	'02	'05	'01					'44	'01	'12		'03	26
27		'04	'21	'41				'07	'06	'02		'13	27
28	'17	'04	'01	'60				'15	'01	'06	'09	'10	28
29	'02	'02	'09	'44				'10	'01		'08	'29	29
30	'02		'17	'10				'03		'02	'02	'22	30
31	'01		'01		'03			'28		'01		'04	31
Total	1'58	'88	3'16	3'45	1'74	1'71	1'91	3'54	1'74	1'22	1'14	2'71	TOTAL for year 24'78
No. of Rain Days	19	16	23	14	17	8	12	17	21	21	17	26	212

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

Kept at Swerford
in the County of Oxfordshire
by William Hall

Lat. 51° 58' 35" Long. 1° 28' 30"

Nearest Railway Station Hock Norton

Time of Observation 9 A.M.

Diameter 5 in.

Height of top above Ground 1 ft. in.

" " Sea Level 500 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			<u>'05</u>			<u>'37</u>			<u>'05</u>			<u>'01</u>	1
2		<u>'01</u>	<u>'15</u>		<u>'31</u>				<u>'12</u>				2
3		<u>'02</u>	<u>'16</u>	<u>'01</u>	<u>'11</u>				<u>'48</u>		<u>'02</u>		3
4			<u>'05</u>	<u>'08</u>	<u>'10</u>				<u>'06</u>	<u>'02</u>		<u>'15</u>	4
5	<u>'10</u>		<u>'56</u>	<u>'13</u>	<u>'12</u>	<u>'02</u>	<u>'03</u>	<u>'02</u>	<u>'01</u>			<u>'07</u>	5
6	<u>'12</u>	<u>'01</u>	<u>'13</u>	<u>'02</u>	<u>'07</u>							<u>'01</u>	6
7	<u>'88</u>		<u>'02</u>		<u>'05</u>	<u>'02</u>	<u>'03</u>			<u>'02</u>		<u>'01</u>	7
8	<u>'10</u>		<u>'08</u>		<u>'02</u>		<u>'22</u>		<u>'03</u>	<u>'13</u>		<u>'24</u>	8
9			<u>'10</u>		<u>'02</u>		<u>'66</u>		<u>'04</u>	<u>'15</u>		<u>'34</u>	9
10			<u>'05</u>				<u>'06</u>	<u>'06</u>		<u>'01</u>	<u>'02</u>	<u>'09</u>	10
11					<u>'02</u>	<u>'07</u>	<u>'01</u>	<u>'02</u>	<u>'18</u>		<u>'12</u>	<u>'03</u>	11
12				<u>'04</u>		<u>'08</u>		<u>'05</u>	<u>'01</u>	<u>'02</u>	<u>'08</u>	<u>'15</u>	12
13				<u>'02</u>	<u>'06</u>	<u>'04</u>	<u>'03</u>	<u>'07</u>		<u>'01</u>	<u>'06</u>	<u>'09</u>	13
14	<u>'02</u>		<u>'01</u>		<u>'42</u>		<u>'02</u>				<u>'10</u>	<u>'17</u>	14
15	<u>'01</u>	<u>'05</u>	<u>'12</u>		<u>'24</u>		<u>'03</u>		<u>'12</u>		<u>'02</u>	<u>'03</u>	15
16	<u>'01</u>	<u>'27</u>	<u>'02</u>		<u>'01</u>	<u>'32</u>	<u>'57</u>		<u>'11</u>	<u>'03</u>		<u>'17</u>	16
17	<u>'01</u>	<u>'09</u>				<u>'74</u>	<u>'24</u>			<u>'02</u>		<u>'01</u>	17
18		<u>'08</u>					<u>'01</u>		<u>'18</u>	<u>'10</u>	<u>'18</u>	<u>'04</u>	18
19	<u>'03</u>									<u>'01</u>	<u>'01</u>	<u>'13</u>	19
20								<u>'32</u>	<u>'07</u>	<u>'25</u>	<u>'01</u>	<u>'02</u>	20
21	<u>'01</u>	<u>'01</u>						<u>'15</u>		<u>'12</u>	<u>'23</u>	<u>'05</u>	21
22	<u>'01</u>	<u>'11</u>	<u>'24</u>	<u>'14</u>	<u>'14</u>			<u>'11</u>	<u>'02</u>		<u>'02</u>	<u>'04</u>	22
23	<u>'01</u>	<u>'04</u>	<u>'01</u>	<u>'61</u>	<u>'01</u>			<u>'63</u>	<u>'06</u>	<u>'02</u>			23
24	<u>'01</u>	<u>'02</u>	<u>'55</u>	<u>'19</u>				<u>'03</u>	<u>'01</u>	<u>'04</u>	<u>'07</u>		24
25	<u>'02</u>	<u>'02</u>	<u>'36</u>	<u>'66</u>	<u>'01</u>			<u>'01</u>	<u>'10</u>	<u>'04</u>	<u>'01</u>		25
26	<u>'02</u>	<u>'05</u>	<u>'01</u>					<u>'44</u>	<u>'01</u>	<u>'12</u>		<u>'03</u>	26
27		<u>'04</u>	<u>'21</u>	<u>'41</u>				<u>'07</u>	<u>'06</u>	<u>'02</u>		<u>'13</u>	27
28	<u>'17</u>	<u>'04</u>	<u>'01</u>	<u>'60</u>				<u>'15</u>	<u>'01</u>	<u>'06</u>	<u>'04</u>	<u>'10</u>	28
29	<u>'02</u>	<u>'02</u>	<u>'09</u>	<u>'44</u>				<u>'10</u>	<u>'01</u>		<u>'08</u>	<u>'29</u>	29
30	<u>'02</u>		<u>'17</u>	<u>'10</u>				<u>'03</u>		<u>'02</u>	<u>'02</u>	<u>'22</u>	30
31	<u>'01</u>		<u>'01</u>		<u>'03</u>			<u>'28</u>		<u>'01</u>		<u>'04</u>	31
Totals	<u>1'58</u>	<u>'88</u>	<u>3'16</u>	<u>3'45</u>	<u>1'74</u>	<u>1'71</u>	<u>1'91</u>	<u>3'54</u>	<u>1'74</u>	<u>1'22</u>	<u>1'14</u>	<u>2'71</u>	<u>24'20</u>
Total from 1st	<u>19</u>	<u>16</u>	<u>23</u>	<u>14</u>	<u>17</u>	<u>8</u>	<u>12</u>	<u>17</u>	<u>21</u>	<u>21</u>	<u>17</u>	<u>26</u>	<u>211</u>



RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS,

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by William Hall
Time of Observation 9 a.m.

YEAR
1909.

At Swerford
County Oxfordshire

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Inches	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.													
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									
31																									
Totals	1'11	'64	3'64	2'47	1'60	4'73	2'73	2'53	3'33	3'78	'87	3'86													

MONTHLY TOTALS

Days 17 9 23 15 9 20 22 16 24 30 19 22

226

31 29

Total Rainfall for the year 31'29 inches, 4'19 inches above the average of the past 14 years
December rainfall 1'20 above average

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL.
3 JAN 1910

Kept at Swerford
in the County of Oxfordshire
by William Hall

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 500 in.
" " " Sea Level 500 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Hook Norton
Distance 2 1/2 miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.02			.04	.61		.66	.08	.11	.01	.17	1
2	.04		.10			.01				.08	.08	.47	2
3		.01	.06				.03		.01	.17	.05	.15	3
4		.05				.50			.19	.09		.04	4
5		.01	.07			.29	.03		.01	.02		.19	5
6	.03		1.45			.22	.32		.06		.01	.16	6
7	.12		.02				.03		.05	.39		.03	7
8	.02								.03	.01			8
9	.03	.10	.08				.41			.03	.02	.21	9
10	.14	.38	.01			.11	.01		.02	.29	.01	.31	10
11	.02	.02	.05			.01	.12		.03	.12		.02	11
12	.02			.03		.02			.12	.20	.01	.04	12
13	.16		.25	.15	.05		.09	.03	.14	.06	.02		13
14	.13			.01			.01			.02	.26		14
15	.16						.31	.02	.06	.09		.02	15
16	.01		.02	.01	.19		.02	.04	.03	.12	.03	.23	16
17	.01		.02	.02				.79	.08	.08	.02	.15	17
18	.08		.26			.01	.02	.04		.02	.01	.02	18
19			.06	.32		.01		.06		.07			19
20			.08			.38	.13	.09		.36	.01		20
21			.13			.33		.01	.03	.07		.89	21
22			.05	.31		.19	.02	.17	.77	.03		.12	22
23			.02	.30		.68	.02	.14	.04	.66		.28	23
24			.30	.01	.65	.17		.17	.32	.03	.07	.14	24
25			.14	.02	.06	.18	.14	.12	.07	.04	.01	.05	25
26				.12	.28	.24	.01		.01	.43			26
27		.04	.20	.07	.03	.13	.79	.01	.26	.06	.07	.16	27
28		.01	.22	.07	.08	.62	.02		.52	.06	.02	.01	28
29	.04		.01	.92		.02	.03	.17	.02	.01	.15		29
30				.11			.16	.01	.36	.02	.01		30
31	.09		.04		.22		.01			.04			31
Total	1.11	.64	3.64	2.47	1.60	4.73	2.73	2.53	3.33	3.78	.87	3.86	31.29
No. of Rain Days	17	9	23	15	9	20	22	16	24	30	19	22	226

REGISTER OF RAINFALL IN 1910

Kept at Swersford
in the County of Oxfordshire
by William Hall

Pattern Snowdon
RAIN Diameter of top 5 in.
GAUGE Height of top above Ground 1 ft. in.
" " " Sea Level 500 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Hauk Norton
Distance 2 1/2 miles Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. '04	in. '30	in. '01	in.	in. '02	in. '02	in.	in. '10	in.	in. '24	in. '02	in. '61	1
2		'15			'02	'07	'48	'03	'01	'12	'03	'47	2
3					'13		'16	'22			'56	'59	3
4	'01	'02		'28	'10			'02				'16	4
5	'01	'07	'01	'06	'05		'67				'06	'04	5
6	'02	'15	'02	'04	'19	'01	'12			'01	'66	'04	6
7		'06	'02		'05	<u>1.26</u>	'03				'02	'10	7
8	'06	'02	'04		'04							'21	8
9	'09		'28	'03	'07	'83		'05				'39	9
10	'37	'02				'48			'01	'13	'08	'64	10
11	'29	'04	'14		'18			'09	'01	'25	'14	'03	11
12	'02		'09	'18	'04	'03		'07		'42	'06	'57	12
13	'02	'13		'10	'06			'03	'03		'66	'27	13
14		'66		'10			'01	'31	'30		'02	'66	14
15	'16	'05		'09					'03		'06	'68	15
16	'07	'09	'15	'40				'01		'16		'22	16
17	'09	'06	'04		'35		'58	'02		'23		'14	17
18	'12	'30	'12	'05	'17			'40		'11	'01	'01	18
19		'06		'04	'11			'02		'32	'13	'01	19
20		'29				'01	'25	'11				'36	20
21		'11		'26	'03			'03				'22	21
22	'02	'39				'12		'01				'01	22
23	'16	'10				'10		'38			'68		23
24	'15	'47		'08		'12	'13			'01	'02	'03	24
25		'37		'26		'98	'03	'07	'01	'03	'05		25
26		'07		'02				'14	'04		'07	'18	26
27	'62	'03		'01		'10	'03			'52	'79		27
28	'06	'13		'34	'04	'01	'12	'70	'43	'09		'06	28
29				'03		'04		'37			'01		29
30					'05	'36		'01			'33		30
31	'02				'19					'36			31
Total	2.40	4.14	.92	2.37	1.89	4.54	2.61	3.19	4.7	3.00	4.46	6.70	36.69
No. of Rain Days	20	25	11	18	19	16	12	22	9	15	21	25	213

OXFORD.

REGIS

Kept at

Tythrop Ho

THAME.

by

Miss W. R. Rham

Latitude

Time

"TYTHROP HOUSE"

ove Ground

14 4 in.

Longitude

,,

Sea Level

250 ft.

1902-1903, 1909-1910

NOTE.—Full instructions respecting the Systematic Observation and Record of the Rainfall of the British Isles, which is sent post-free on application to Mr. G. J. SIMONS, 62, Camden Square, London, N.W.

Date.	Jan. in.	Feb. in.	March. in.	April. in.	May. in.	June. in.	July. in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date.
1	.07				.03	.06	.42		.36				1
2	.12		.04				.16					.15	2
3		.07	.16		.09			.09			.04		3
4		.03	.05		.46	.10			.10	.03			4
5	.11			.13	.06	.06				.07			5
6				.10	.03	.11		.42			.15		6
7					.04	.21		.12			.19		7
8						.15		.18					8
9					.03			.03					9
10		.40						.03	.03	.40			10
11	.03						.26	.01	.60	.14			11
12				.09		.09		.05	.20				12
13						.33			.04				13
14						.49		.08		.13		.10	14
15			.38	.34	.04	.24		.03		.02		.05	15
16				.22	.09	.08				.16			16
17					.11	.04		.14					17
18					.11			.63		.43		.24	18
19					.05			.34		.15		.27	19
20				.04	.10	.30	.05						20
21							.09						21
22				.13			.13						22
23				.10	.43			.13				.02	23
24		.27						.32				.03	24
25		.10	.28								.20		25
26										.10	.11		26
27		.13	.21				.14	.14		.04	.05	.29	27
28		.17					.19				.15	.05	28
29				.07							.27	.25	29
30			.14		.18						.30	.02	30
31			.07		.03			.09				.15	31
Totals	.33	1.17	1.33	1.22	1.88	2.26	1.44	2.83	1.33	1.67	1.46	1.62	
Total from Jan. 1	18.54												

REGISTER OF RAINFALL IN 1802

Kept at *Tythesop House* in the County of *Barn.* by *Thos W. Reham*
 Latitude *Thame* Diameter *8 in*
 Time of Observation *10.1.4.* Height of top above Ground *14 4 in.*
 Longitude " " " Sea Level *250 ft.*

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07				.03	.06	.42		.36				1
2	.12		.04				.16					.15	2
3		.07	.16		.09			.09			.04		3
4		.03	.05		.46	.10			.10	.03			4
5	.11			.13	.06	.06				.07			5
6				.10	.03	.11		.42			.15		6
7					.04	.21		.12			.19		7
8						.15		.18					8
9					.03			.03					9
10		.40						.03	.03	.40			10
11	.03						.26	.01	.60	.14			11
12				.09		.09		.05	.20				12
13						.33			.04				13
14						.49		.08		.13		.10	14
15			.38	.34	.04	.24		.03		.02		.05	15
16				.22	.09	.08				.16			16
17					.11	.04		.14					17
18					.11			.63		.43		.24	18
19					.05			.34		.15		.27	19
20				.04	.10	.30	.05						20
21							.09						21
22				.13			.13						22
23				.10	.43			.13				.02	23
24		.27						.32				.03	24
25		.10	.28								.20		25
26										.10	.11		26
27		.13	.21				.14	.14		.04	.05	.29	27
28		.17					.19				.15	.05	28
29				.07							.27	.25	29
30			.14		.18						.30	.02	30
31			.07		.03			.09				.15	31
Totals	.33	1.17	1.33	1.22	1.88	2.26	1.44	2.83	1.33	1.67	1.46	1.62	
Total from Jan. 1	18.54												

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at *Tythrop House*
in the County of *Devonshire*
by *Miss W. K. Ham*

Lat. Long.
Nearest Railway Station *Tham*
Time of Observation *10. A.M.*
Diameter *8* in.
Height of top above Ground *1* ft. *2* in.
" " Sea Level *260* ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<i>.04</i>		<i>.03</i>	<i>.08</i>						<i>.13</i>		1
2			<i>.30</i>		<i>.15</i>							<i>.10</i>	2
3	<i>.09</i>		<i>.22</i>		<i>.45</i>				<i>.15</i>	<i>.09</i>			3
4	<i>.03</i>									<i>.41</i>		<i>.04</i>	4
5	<i>1.02</i>								<i>.13</i>	<i>.35</i>		<i>.09</i>	5
6	<i>.13</i>				<i>.35</i>		<i>.03</i>			<i>.05</i>		<i>.03</i>	6
7			<i>.18</i>		<i>.05</i>					<i>.27</i>		<i>.10</i>	7
8			<i>.09</i>		<i>.04</i>					<i>.13</i>	<i>.04</i>	<i>.57</i>	8
9	<i>.12</i>		<i>.08</i>			<i>.25</i>		<i>.12</i>	<i>.06</i>	<i>.75</i>		<i>.27</i>	9
10	<i>.05</i>					<i>.30</i>		<i>.32</i>	<i>(.50)</i>		<i>.09</i>	<i>.13</i>	10
11					<i>.14</i>	<i>.33</i>		<i>.51</i>	<i>.03</i>	<i>.14</i>	<i>.20</i>	<i>.04</i>	11
12						<i>.09</i>	<i>.04</i>	<i>.14</i>		<i>.74</i>		<i>.34</i>	12
13						<i>.03</i>	<i>.03</i>			<i>.15</i>	<i>.30</i>		13
14						<i>.55</i>				<i>.13</i>	<i>.04</i>	<i>.05</i>	14
15						<i>1.81</i>		<i>.25</i>		<i>.47</i>			15
16						<i>1.02</i>					<i>.09</i>		16
17					<i>.35</i>	<i>.05</i>	<i>.08</i>	<i>.37</i>	<i>.25</i>			<i>.04</i>	17
18	<i>.10</i>						<i>1.09</i>	<i>.05</i>		<i>.09</i>	<i>.15</i>		18
19							<i>.03</i>	<i>.10</i>		<i>.15</i>	<i>.08</i>		19
20										<i>.20</i>		<i>.07</i>	20
21	<i>.09</i>							<i>.27</i>			<i>.06</i>		21
22		<i>.02</i>					<i>.29</i>			<i>.03</i>	<i>.07</i>	<i>.03</i>	22
23	<i>.16</i>	<i>.07</i>					<i>.16</i>			<i>.21</i>	<i>.30</i>		23
24	<i>.24</i>	<i>.03</i>	<i>.70</i>				<i>.47</i>	<i>.25</i>	<i>.50</i>	<i>.15</i>	<i>.02</i>	<i>.10</i>	24
25		<i>.32</i>	<i>.09</i>				<i>.03</i>	<i>.83</i>	<i>.14</i>	<i>.26</i>			25
26		<i>.08</i>		<i>.44</i>			<i>.54</i>	<i>.03</i>		<i>.51</i>		<i>.04</i>	26
27		<i>.15</i>	<i>.20</i>	<i>.30</i>			<i>.09</i>			<i>.13</i>	<i>1.13</i>		27
28		<i>.13</i>		<i>.15</i>			<i>.16</i>	<i>.15</i>	<i>.07</i>	<i>1.28</i>	<i>.07</i>		28
29			<i>.10</i>	<i>.50</i>			<i>.26</i>	<i>.10</i>		<i>.05</i>	<i>.05</i>	<i>.07</i>	29
30			<i>.11</i>				<i>.04</i>		<i>.09</i>	<i>.07</i>			30
31			<i>.09</i>		<i>.82</i>								31
Totals	<i>2.13</i>	<i>.84</i>	<i>2.16</i>	<i>1.42</i>	<i>2.43</i>	<i>4.43</i>	<i>3.34</i>	<i>3.49</i>	<i>(1.92)</i>	<i>6.81</i>	<i>2.82</i>	<i>2.11</i>	<i>33.90</i>
Total from Jan. 1	<i>2.13</i>	<i>.84</i>	<i>2.16</i>	<i>1.42</i>	<i>2.43</i>	<i>4.43</i>	<i>3.34</i>	<i>3.49</i>	<i>1.42</i>	<i>6.81</i>	<i>2.82</i>	<i>2.11</i>	<i>33.90</i>

Sum
made

Cor. month. 15. II. 10

REGISTER OF RAINFALL IN 1909

FORM A.
BRITISH RAINFALL
- 3 JAN 1910

Kept at Lythorpe
in the County of Oxfordshire
by A. W. Smith

Lat. _____ Long. _____
Nearest Railway Station Raddeham
Time of Observation 10 a.m.
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					0.03	0.71		0.50	0.09	0.10		0.17	1
2						0.03				0.09	0.05	0.23	2
3						0.09	0.02			0.68		0.07	3
4						0.59			0.11	0.05		0.25	4
5						0.10	0.03					0.10	5
6						0.14	0.47		0.05	0.02		0.07	6
7							0.04		0.05	0.22			7
8									0.17				8
9							0.39			0.02		0.14	9
10						0.09	0.01		0.06	0.19	0.03	0.22	10
11						0.16	0.21			0.08			11
12				0.14					0.15	0.22		0.04	12
13					0.12				0.04	0.02	0.10		13
14										0.02	0.16		14
15							0.26		0.07	0.10	0.03		15
16					0.21		0.03	0.02	0.02	0.40		0.07	16
17				0.06	0.07			0.82	0.03	0.05		0.08	17
18					0.01			0.10					18
19				0.40						0.07		0.06	19
20							0.08	0.23		0.14			20
21						0.17				0.01		0.45	21
22				0.16		0.04	0.01	0.02		0.05		0.02	22
23				0.03		0.68	0.17	0.09	0.08	0.27		0.12	23
24					0.60	0.15		0.17	0.22			0.05	24
25					0.03	0.12		0.69	0.04	0.02		0.06	25
26				0.16	0.26	0.16	0.04		0.02	0.38			26
27				0.24	0.15		0.58		0.22	0.08		0.07	27
28				0.08	0.04				0.31	0.55	0.01		28
29				0.30		0.03	0.09	0.15			0.26		29
30				0.11			0.12		0.07		0.18	0.03	30
31					0.24					0.16		0.03	31
Total	0.65	0.58	2.08	1.68	1.78	3.26	2.55	2.79	1.80	2.09	0.82	2.33	TOTAL for year
No. of Rain Days				10	11	15	16	10	18	25	8	20	243

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL
-2 JAN 1911

Kept at Lythorpe House Thame
in the County of Oxfordshire
by Arthur W Smith

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.
Time of Observation 10 a.m.
Nearest Railway Station { Name Raddeham
Distance 1 mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	0.02				0.05	0.07			0.15		0.46	1
2		0.19			0.10		0.41	0.02		0.05		0.32	2
3					0.12		0.23				0.50	0.37	3
4				0.35	0.05			0.05				0.10	4
5		0.07	0.01	0.08	0.09		0.58	0.13		0.06			5
6		0.16	0.03				0.10			0.18	0.01		6
7			0.02			0.19	0.02			0.02	0.03		7
8	0.04	0.06			0.11							0.21	8
9	0.06		0.28	0.01	0.11	0.46		0.13				0.28	9
10	0.10	0.07				0.59			0.01	0.08	0.15	0.25	10
11	0.14	0.05	0.27	0.01	0.18			0.05		0.80	0.09	0.02	11
12			0.06	0.15	0.03					0.35	0.03	0.43	12
13	0.01	0.10		0.07	0.02			0.04	0.15		0.27	0.03	13
14		0.36		0.02					0.18			0.65	14
15	0.07	0.02		0.06					0.01		0.01	0.35	15
16	0.06	0.04	0.05	0.25						0.08	0.05	0.15	16
17	0.13	0.05	0.06		0.23		0.06			0.05		0.04	17
18	0.06	0.12	0.07	0.01	0.34			0.40		0.22		0.05	18
19		0.01		0.03						0.45	0.09		19
20		0.42					0.18	0.01				0.17	20
21		0.02		0.20								0.16	21
22	0.13	0.34				0.01	0.03						22
23	0.07	0.09				0.10		0.08			0.55	0.05	23
24	0.10	0.25				0.12	0.07			0.04		0.02	24
25		0.12		0.03		0.68		0.18		0.04	0.05		25
26		0.05										0.06	26
27	0.43					0.08				0.46	0.90		27
28	0.08	0.11		0.42	0.10		0.10	0.27	0.03	0.02			28
29						0.06		0.33					29
30					0.10	0.14		0.03			0.40		30
31					0.55					0.22		0.01	31
Total	1.51	2.72	0.85	1.69	2.23	2.48	1.85	1.72	0.38	3.01	3.35	4.22	TOTAL for year
No. of Rain Days	15	22	9	14	14	11	13	5	14	15	23		166
Total for year													

REGISTE

Toot BALDON

Kept at *Portland, Dorset*
in the County of *Dorset*
by *David*

POTLANDS

OXON

1901-05, 08-10

Lon.
vation *A. 30*
7 Fathoms
bove Ground *12 In*
Sea Level *288 ft 3 In*

NOTE.—Full instructions respecting the method of the Rainfall," which is sent post-free on application.

stematic Observation and Record
den Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07	"	"	0.01	"	"	"	"	"	0.01	"	"	1
2	"	0.03	0.36	0.06	"	0.01	0.11	"	"	"	"	"	2
3	"	"	0.06	0.54	"	0.11	"	"	"	0.22	"	"	3
4	"	0.48	0.09	"	"	"	"	0.03	"	"	"	"	4
5	"	"	0.14	"	"	"	"	0.12	"	"	"	0.01	5
6	"	"	0.10	0.36	0.06	"	"	"	0.01	0.11	"	"	6
7	0.14	"	0.14	0.06	0.58	"	"	"	0.02	"	"	0.18	7
8	0.12	"	"	0.18	0.26	"	"	"	0.33	0.04	"	0.07	8
9	"	0.01	"	0.12	0.32	"	"	"	"	"	"	0.19	9
10	"	0.09	"	0.19	"	"	"	0.04	"	0.03	"	"	10
11	"	"	"	0.25	"	"	"	0.33	0.10	"	0.08	0.15	11
12	0.01	"	"	0.08	"	0.08	"	0.08	"	0.06	0.12	1.04	12
13	"	"	"	0.23	"	"	"	0.05	"	"	"	0.12	13
14	"	"	"	0.06	"	0.01	"	0.86	"	"	"	"	14
15	"	"	"	0.13	"	"	"	"	"	"	"	"	15
16	0.20	"	"	0.04	"	0.03	"	"	0.68	0.34	"	"	16
17	0.25	0.02	"	"	"	"	"	"	0.63	0.04	"	0.02	17
18	0.11	0.06	"	"	"	"	"	"	"	0.18	"	0.01	18
19	0.06	0.02	0.26	"	"	0.14	"	"	0.01	"	"	0.04	19
20	"	"	"	"	"	0.11	"	"	0.41	"	"	"	20
21	"	0.07	"	"	"	0.04	"	"	0.14	"	0.26	"	21
22	"	"	"	"	"	0.04	0.03	"	"	0.15	0.02	"	22
23	"	"	"	"	"	"	0.04	"	"	"	"	0.39	23
24	"	"	0.02	"	"	"	0.48	"	"	0.11	"	0.64	24
25	0.05	0.01	0.02	"	0.01	"	0.83	0.18	"	"	0.04	0.02	25
26	0.03	0.09	"	0.02	"	"	0.53	0.26	"	"	"	"	26
27	0.15	"	"	0.04	"	"	0.50	0.30	"	"	"	0.02	27
28	0.02	0.20	0.01	"	"	"	0.19	"	"	0.01	"	0.43	28
29	"	—	0.10	"	0.26	0.12	"	"	"	0.10	"	0.29	29
30	"	"	0.53	—	0.10	0.69	"	0.08	—	"	—	0.02	30
31	"	"	0.10	—	—	—	"	0.20	—	—	—	0.05	31
Totals	1.21	1.08	1.93	2.37	1.59	1.38	2.71	2.53	2.33	1.40	0.52	3.68	
Total from Jan. 1		2.29	4.22	6.59	8.18	9.56	12.27	14.80	17.13	18.53	19.05	22.73	

REGISTER OF RAINFALL IN 1907

Kept at *Putland, Toot Baldon*
in the County of *Worcestershire*
by *David Chirkard*

RAIN GAUGE.

Lat. _____ Lon. _____
Time of Observation *A. 30*
Diameter *5-7 inches*
Height of top above Ground *12 In*
Sea Level *288 ft 3 In*

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N. W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07	"	"	0.01	"	"	"	"	"	0.01	"	"	1
2	"	0.03	0.36	0.06	"	0.01	0.11	"	"	"	"	"	2
3	"	"	0.06	0.54	"	0.11	"	"	"	0.22	"	"	3
4	"	0.48	0.09	"	"	"	"	0.03	"	"	"	"	4
5	"	"	0.14	"	"	"	"	0.12	"	"	"	0.01	5
6	"	"	0.10	0.36	0.06	"	"	"	0.01	0.11	"	"	6
7	0.14	"	0.14	0.06	0.58	"	"	"	0.02	"	"	0.18	7
8	0.12	"	"	0.18	0.26	"	"	"	0.33	0.04	"	0.07	8
9	"	0.01	"	0.12	0.32	"	"	"	"	"	"	0.19	9
10	"	0.09	"	0.19	"	"	"	0.04	"	0.03	"	"	10
11	"	"	"	0.25	"	"	"	0.33	0.10	"	0.08	0.15	11
12	0.01	"	"	0.08	"	0.08	"	0.08	"	0.06	0.12	1.04	12
13	"	"	"	0.23	"	"	"	0.05	"	"	"	0.12	13
14	"	"	"	0.06	"	0.01	"	0.86	"	"	"	"	14
15	"	"	"	0.13	"	"	"	"	"	"	"	"	15
16	0.20	"	"	0.04	"	0.03	"	"	0.68	0.34	"	"	16
17	0.25	0.02	"	"	"	"	"	"	0.63	0.04	"	0.02	17
18	0.11	0.06	"	"	"	"	"	"	"	0.18	"	0.11	18
19	0.06	0.02	0.26	"	"	0.14	"	"	0.01	"	"	0.04	19
20	"	"	"	"	"	0.11	"	"	0.41	"	"	"	20
21	"	0.07	"	"	"	0.04	"	"	0.14	"	0.26	"	21
22	"	"	"	"	"	0.04	0.03	"	"	0.15	0.02	"	22
23	"	"	"	"	"	"	0.04	"	"	"	"	0.39	23
24	"	"	0.02	"	"	"	0.48	"	"	0.11	"	0.64	24
25	0.05	0.01	0.02	"	0.01	"	0.83	0.18	"	"	0.04	0.02	25
26	0.03	0.09	"	0.02	"	"	0.53	0.26	"	"	"	"	26
27	0.15	"	"	0.04	"	"	0.50	0.30	"	"	"	0.02	27
28	0.02	0.20	0.01	"	"	"	0.19	"	"	0.01	"	0.43	28
29	"	—	0.10	"	0.26	0.12	"	"	"	0.10	"	0.29	29
30	"	"	0.53	—	0.10	0.69	"	0.08	—	"	—	0.02	30
31	"	"	0.10	"	—	—	"	0.20	—	—	"	0.05	31
Totals	1.21	1.08	1.93	2.37	1.59	1.38	2.71	2.53	2.33	1.40	0.52	3.68	
Total from Jan. 1		2.29	4.22	6.59	8.18	9.56	12.27	14.80	17.13	18.53	19.05	22.73	

REGISTER OF RAINFALL IN 1902

Kept at Portland Fort Baldon
 in the County of Cornwall
 by David Chiphard

RAIN GAUGE.

Lat. 50° 30' Lon. 5° 30'
 Time of Observation 5.30
 Diameter 5 Inch
 Height of top above Ground 12 In
 Sea Level 288 ft 3 in

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.20	"	0.17	0.01	0.02	0.05	0.12	"	0.01	"	"	0.15	1
2	"	0.02	0.27	"	0.06	"	"	0.04	0.14	"	"	"	2
3	"	0.04	"	0.03	0.17	0.02	"	0.02	"	"	"	0.02	3
4	0.17	"	"	0.17	0.02	0.04	"	"	"	0.07	"	"	4
5	"	"	"	0.13	0.01	0.03	"	0.32	"	"	0.15	"	5
6	"	0.02	"	0.05	"	0.28	"	0.16	"	0.02	0.14	"	6
7	"	"	"	"	0.09	0.23	"	0.14	"	"	"	"	7
8	"	0.11	0.01	"	0.02	0.02	"	0.17	"	"	0.28	"	8
9	"	"	0.02	"	"	"	0.16	"	0.06	0.34	0.02	"	9
10	"	"	"	"	0.04	"	0.05	0.08	0.77	0.13	0.02	"	10
11	0.02	"	"	0.05	"	0.07	"	0.05	0.43	"	0.03	"	11
12	"	"	"	"	0.01	0.17	"	0.01	0.01	"	"	0.05	12
13	"	"	"	"	0.04	0.48	"	0.02	"	0.09	"	0.03	13
14	"	"	"	0.13	0.12	0.32	"	"	"	0.01	"	0.11	14
15	"	"	"	0.38	0.06	0.15	"	"	0.05	0.11	"	0.06	15
16	"	"	"	"	0.10	0.16	"	0.15	"	"	"	0.03	16
17	"	"	"	"	0.15	"	0.02	0.35	"	0.50	"	0.48	17
18	"	"	0.43	"	0.05	"	"	0.39	"	"	"	0.01	18
19	"	"	0.01	"	0.02	0.21	0.06	0.03	"	0.16	"	"	19
20	"	"	"	0.01	"	0.01	"	"	"	"	"	"	20
21	"	"	"	0.07	"	0.02	"	"	0.01	0.13	"	"	21
22	"	0.19	"	0.11	0.40	"	0.06	0.08	0.02	"	"	"	22
23	0.01	0.09	0.03	"	"	"	"	0.28	"	"	"	"	23
24	0.04	0.14	0.19	"	"	"	"	"	"	"	0.21	"	24
25	0.01	0.05	"	"	"	"	0.20	"	"	0.02	0.13	0.01	25
26	0.25	0.14	0.24	"	"	"	0.14	"	"	0.03	0.03	"	26
27	0.02	0.10	"	"	"	"	"	"	0.01	0.02	0.10	0.02	27
28	"	0.03	"	"	"	"	"	"	"	0.05	0.59	0.30	28
29	"	"	0.11	"	0.14	"	"	0.02	"	0.04	0.38	"	29
30	0.01	"	0.07	0.09	0.21	0.06	"	0.04	"	"	0.07	0.12	30
31	"	"	"	"	0.04	"	"	0.51	"	"	"	"	31
Totals	0.73	0.96	1.55	1.23	1.77	2.25	0.81	2.86	1.51	1.72	2.15	1.39	
Total from Jan. 1		1.69	3.24	4.47	6.24	8.49	9.30	12.16	13.67	15.39	17.54	18.93	

5a

Encls.

REGISTER OF RAINFALL IN 1903

Kept at Portland Toot Baldon
 in the County of Oxford
 by David Clinkard

RAIN GAUGE.

Lat. _____ Long. _____
 Time of Observation 8.30
 Diameter 5.8 in
 Height of top above Ground 12 in
 " " Sea Level 288 ft 3 in

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11		0.25	0.10	0.30	..	..	0.02	0.01	0.01	..	..	1
2	0.17		0.27	..	0.36	..	..	0.40	0.30	0.01	0.39	..	2
3	0.10		..	0.06	0.48	..	..	..	..	0.25	0.02	0.05	3
4	0.81		0.24	0.05	0.03	..	..	..	..	0.24	..	..	4
5	0.17		0.02	..	0.30	..	0.01	..	0.02	0.04	..	..	5
6	..	0.02	0.06	..	0.38	..	..	..	0.10	0.20	..	0.02	6
7	0.01	..	0.04	..	..	..	..	..	..	0.10	..	0.09	7
8	0.08	..	..	..	..	0.21	..	0.01	0.07	0.45	0.03	0.26	8
9	0.01	..	0.17	..	0.18	0.37	..	0.53	0.04	0.05	0.01	0.34	9
10	0.34	..	..	..	0.09	..	..	0.17	0.44	0.09	..	0.07	10
11	0.01	..	..	..	0.11	0.28	0.04	0.46	..	1.10	0.01	..	11
12	..	..	0.05	0.02	..	..	..	..	..	0.67	0.01	0.22	12
13	..	..	..	0.02	..	0.49	..	0.14	..	0.12	0.03	..	13
14	..	..	0.23	0.04	..	1.67	..	0.14	..	0.25	0.13	..	14
15	..	0.02	0.01	..	0.07	0.82	..	0.12	..	0.13	..	..	15
16	..	..	..	..	0.25	0.07	..	0.29	..	0.08	..	..	16
17	0.18	..	0.19	..	0.07	0.02	0.09	0.07	..	..	0.04	0.04	17
18	0.01	..	..	..	..	..	0.84	0.02	..	0.16	0.03	0.01	18
19	0.08	..	0.01	..	..	0.68	0.10	..	..	0.15	..	0.05	19
20	0.01	..	..	..	..	..	0.01	0.18	..	0.08	..	0.02	20
21	..	0.01	..	..	..	..	0.21	..	0.05	0.13	0.01	..	21
22	0.12	0.07	..	..	..	..	0.16	..	..	0.06	..	..	22
23	..	0.02	0.60	..	..	..	0.52	0.22	..	0.01	0.03	0.02	23
24	0.02	0.34	..	..	..	..	..	0.54	0.63	0.24	..	0.02	24
25	..	0.22	0.06	0.35	..	..	0.37	0.01	..	0.39	..	0.01	25
26	..	0.26	0.20	0.48	..	..	0.02	0.01	0.06	0.20	0.15	..	26
27	0.30	0.17	0.05	0.28	0.02	..	0.19	0.11	0.01	0.83	0.66	0.07	27
28	..	0.01	0.08	0.45	0.52	..	0.21	0.13	0.17	0.21	0.19	0.02	28
29	..	..	0.07	0.16	0.10	..	0.04	..	0.30	0.01	..	..	29
30	..	..	0.05	0.07	0.10	..	..	0.05	..	..	..	..	30
31	0.07	..	..	..	..	..	0.01	..	..	0.35	..	..	31
Totals	2.60	1.14	2.65	2.08	3.36	4.61	2.82	3.62	2.20	6.61	1.74	1.31	
Total from Jan. 1		3.74	6.39	8.47	11.83	16.44	19.26	22.88	25.08	31.69	33.43	34.74	

REGISTER OF RAINFALL IN 1904

Kept at Potland Foot Baldon
 in the County of Oxford
 by David Clinchard

Lat. Long.
 Nearest Railway Station
 Time of Observation 8-30
 Diameter 5 in.
 Height of top above Ground 12 ft. in.
 " " Sea Level 286 ft 3 in. ft.

FORM A.
 BRITISH RAINFALL.
 12 JAN 1905

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..	0.07	0.04	0.02	0.32	0.14	0.09	..	..	0.09	0.04	0.02	1
2	0.01	0.24	0.14	0.01	0.04	..	0.09	..	0.19	0.01	0.01	0.11	2
3	0.05	0.27	0.17	0.04	..	..	0.01	..	..	..	..	0.02	3
4	0.10	0.04	0.01	0.03	..	..	..	0.23	..	..	..	0.12	4
5	..	..	..	0.10	0.02	..	..	..	..	0.09	..	0.07	5
6	0.01	0.08	0.01	..	0.12	..	..	..	..	0.13	0.38	0.49	6
7	0.07	0.36	0.16	0.02	..	..	..	..	0.25	0.05	0.41	0.03	7
8	0.01	0.06	..	0.01	..	..	..	..	0.05	..	0.05	0.02	8
9	..	0.54	..	0.03	0.09	0.10	..	..	..	..	0.01	0.13	9
10	0.17	0.46	..	..	0.03	..	..	..	..	0.08	0.31	0.15	10
11	0.01	..	..	..	0.02	..	..	0.20	..	..	..	0.30	11
12	0.10	0.24	..	0.10	..	..	..	..	0.26	..	..	0.03	12
13	0.38	0.09	..	0.02	..	0.07	..	..	..	..	0.02	0.23	13
14	0.13	0.04	0.05	0.13	..	0.31	..	0.14	0.48	..	..	0.16	14
15	..	0.03	..	..	..	0.02	..	0.02	..	..	..	0.02	15
16	0.01	0.10	..	..	..	..	..	0.13	..	0.25	..	..	16
17	0.07	0.06	..	..	..	..	..	..	..	..	..	..	17
18	..	0.02	..	..	..	..	..	..	..	..	..	0.30	18
19	0.01	0.10	..	..	..	..	0.05	..	..	..	0.02	0.03	19
20	0.06	..	0.06	..	0.53	..	..	0.20	..	..	..	0.23	20
21	..	..	0.03	..	0.05	..	..	..	..	0.11	0.12	0.01	21
22	..	..	..	0.29	..	..	..	0.36	0.02	..	0.08	0.02	22
23	..	..	..	..	0.15	..	0.04	..	0.02	0.15	0.09	..	23
24	..	..	0.02	..	0.07	0.22	..	..	..	..	..	0.01	24
25	..	0.03	..	..	0.02	0.08	0.56	0.05	0.01	..	..	0.02	25
26	0.06	0.02	..	0.07	0.46	0.02	0.29	..	..	..	..	0.03	26
27	0.21	..	..	..	1.24	..	0.69	..	..	..	..	..	27
28	0.10	..	0.16	..	..	..	0.05	..	0.06	..	0.02	0.02	28
29	0.24	—	0.07	0.04	..	..	0.32	..	..	..	..	0.10	29
30	0.46	..	0.12	—	0.05	0.01	0.14	0.51	0.30	0.05	0.01	..	30
31	0.57	..	0.13	..	—	—	—	—	—	0.02	—	—	31
Totals	2.83	2.85	1.17	0.91	3.21	0.97	2.33	1.84	1.64	1.03	1.57	2.67	
Total from Jan. 1		5.68	6.85	7.76	10.97	11.94	14.27	16.11	17.75	18.78	20.35	23.02	172

REGISTER OF RAINFALL IN 1905

Kept at Portland Foot Baldon
in the County of Oxfordshire
by David Clinkard

Lat. Long.
Nearest Railway Station
Time of Observation 8.30 a.m.
Diameter 5 in.
Height of top above Ground 12 ft.
Sea Level 288 ft 3 in.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..	..	0.03	..	0.13	0.05	0.02	0.01	..	0.02	0.47	..	1
2	0.07	..	0.06	0.02	0.11	..	..	0.20	..	0.01	0.02	..	2
3	..	..	..	0.04	0.06	..	..	0.38	..	0.01	0.05	0.01	3
4	0.25	..	0.04	0.02	..	..	..	0.04	..	0.17	0.38	..	4
5	0.04	..	0.27	..	..	0.62	..	0.12	0.04	0.01	0.01	0.13	5
6	..	0.05	0.01	0.11	..	0.45	..	0.07	0.16	..	..	0.08	6
7	..	..	0.03	0.08	..	0.14	..	..	0.10	0.03	..	0.24	7
8	..	..	0.11	0.02	..	..	..	..	..	..	0.01	0.06	8
9	0.18	..	0.03	0.33	..	..	0.38	..	0.23	..	0.01	..	9
10	..	0.07	0.26	0.28	..	0.12	0.05	..	0.02	..	0.57	..	10
11	0.03	..	0.14	0.26	..	0.24	..	..	..	0.74	0.14	..	11
12	..	0.01	0.25	..	..	..	..	..	..	..	0.19	..	12
13	..	..	0.40	0.07	..	0.10	..	..	0.02	..	0.05	0.01	13
14	..	..	0.26	0.05	0.02	0.13	..	0.04	..	..	0.01	..	14
15	..	..	0.39	..	..	0.40	..	0.02	..	0.15	0.02	..	15
16	0.10	0.05	0.03	0.05	..	0.05	0.04	..	..	..	..	..	16
17	..	..	0.24	..	..	..	..	0.11	..	..	..	0.04	17
18	..	..	..	..	0.02	..	..	0.08	..	..	..	0.02	18
19	..	0.01	..	0.10	..	0.17	..	0.10	..	..	..	0.01	19
20	..	0.02	..	0.01	..	..	..	0.03	..	..	..	..	20
21	..	..	..	..	..	..	..	0.33	0.01	0.05	..	..	21
22	..	..	..	..	..	..	0.05	0.04	..	..	0.13	..	22
23	0.02	0.03	0.26	..	..	..	0.09	..	..	..	0.02	..	23
24	..	..	..	..	..	..	..	..	..	..	..	..	24
25	..	0.04	0.08	0.13	..	..	..	..	0.40	..	0.05	..	25
26	..	0.13	0.11	0.11	..	..	..	0.13	0.04	0.04	0.32	0.01	26
27	..	..	0.08	..	..	..	..	0.52	0.04	..	..	0.09	27
28	..	..	..	..	..	..	..	0.70	0.29	0.16	0.03	0.08	28
29	..	..	0.02	..	0.16	0.68	0.03	0.09	..	0.38	0.01	0.19	29
30	..	..	..	0.27	0.53	0.60	..	..	..	0.04	0.30	..	30
31	0.02	..	..	..	0.03	..	..	..	..	0.31	..	..	31
Totals	0.71	0.41	2.31	1.95	1.06	4.05	0.66	3.01	1.35	2.12	2.79	0.97	
Total from Jan. 1		0.112	0.422	2.617	2.723	11.28	11.94	14.95	16.30	18.42	21.21	22.18	

Copied ARR

REGISTER OF RAINFALL IN 1908

Kept at Foot Baldon (Potland)

in the County of Oxon.

by D Blinkard

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.08	—	—	.50	—	—	.03	—	.01	—	1
2	—	.02	.14	—	.22	—	—	—	.15	—	.02	—	2
3	—	.04	.36	.01	.01	—	—	—	.51	—	—	—	3
4	—	.02	.01	.06	.09	—	.21	—	.08	—	—	.11	4
5	.05	—	.33	.33	.08	—	.02	—	—	—	—	.10	5
6	.03	—	.08	.02	—	—	—	—	—	—	—	.01	6
7	1.19	—	.05	—	.06	.03	.04	—	—	.02	—	—	7
8	.09	—	.04	—	.02	—	.32	—	.06	.05	—	.04	8
9	.02	—	.02	—	.01	.17	.50	—	.11	.23	—	.28	9
10	.01	—	—	—	—	—	.07	—	.01	—	.03	.19	10
11	—	—	—	.01	.03	.04	.02	—	.10	—	.14	.01	11
12	—	—	—	—	—	.06	.01	.03	—	—	.06	.14	12
13	—	—	—	—	.05	—	.01	.02	—	—	.11	.14	13
14	—	—	—	—	.31	—	.22	—	.02	—	—	.28	14
15	—	.10	.09	—	.07	—	.04	—	.25	—	.04	.01	15
16	—	.26	.03	—	—	.31	.49	—	.06	.09	—	.06	16
17	—	.07	—	—	—	.22	.16	—	—	—	—	—	17
18	—	.09	.04	—	—	—	.02	—	.14	.06	.21	.03	18
19	—	.01	—	.09	—	—	—	—	—	.01	—	.08	19
20	—	—	—	.02	—	—	—	.26	.06	.42	—	.16	20
21	—	.01	—	—	—	—	—	.13	—	.07	.25	—	21
22	—	.13	.12	.12	.02	—	—	.28	—	—	.08	—	22
23	—	—	—	.76	—	—	—	.80	.06	—	—	.03	23
24	—	—	.51	.18	.01	—	—	.15	—	.01	—	—	24
25	.05	.02	.37	(1.67)	.03	—	—	.03	.13	.03	—	—	25
26	.01	.09	—	—	—	—	—	.28	.03	.08	—	—	26
27	.10	.05	.12	.38	—	—	—	.07	.08	.02	—	.06	27
28	.02	.04	—	.39	—	—	—	.19	—	—	—	.12	28
29	.01	.02	.08	.35	.05	—	—	.04	—	.01	.17	.24	29
30	—	—	.14	.01	.01	—	—	.06	—	.02	—	.14	30
31	.01	—	—	X	.04	—	—	.78	—	—	—	.06	31
Total	1.59	.97	2.61	4.40	1.11	1.33	2.13	3.12	1.88	1.12	1.12	2.29	TOTAL for year
No. of Rain Days	12	15	18	15	17	7	14	14	17	14	11	21	175

REGISTER OF RAINFALL IN 1909

Kept at Tonbridge

in the County of Kent

by J. H. H. H. H.

Lat. _____ Long. _____
 Nearest Railway Station _____
 Time of Observation _____
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " Sea Level _____ ft.

FORM A.
 BRITISH RAINFALL.

2 FEB 1910

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					—	5.3		4.3	1.0			2.4	1
2	0.4		1.3			0.7		0.1		0.7	0.3	3.6	2
3			0.6			0.6	0.2			8.6	0.2	1.5	3
4		0.2				6.3			2.1	0.4		2.4	4
5	0.1		0.9			1.7	0.4		0.3	0.2		1.2	5
6			6.5			2.6	2.1		1.6			2.1	6
7			0.1				0.3		0.7	3.0		0.1	7
8			0.2						0.5				8
9	1.0	0.3	0.3				4.3		0.1	0.5		1.9	9
10	1.7	2.3	0.4			0.9	0.1		0.8	3.9		4.2	10
11		0.3	0.3			0.5	1.3		0.1	0.7		0.1	11
12	0.2			0.3		0.3	0.2		1.4	0.3		0.4	12
13	0.3		2.4	1.5	0.4				0.6	4.3	0.8		13
14	0.7	0.2	0.3							0.1	2.1		14
15	0.8		0.2				2.7	0.3	0.8	0.6	0.3	0.2	15
16				0.7	4.3		0.3	0.3	0.2	1.8		0.7	16
17	0.1			0.1	0.2			1.19	1.4	0.6		1.8	17
18	0.9		0.9	0.1			0.1	3.7	0.2				18
19			0.2	3.8				0.8		0.7		0.6	19
20							0.5	2.1		3.5			20
21			1.3			4.6			0.3	0.4		3.7	21
22			0.8	1.5		0.7	0.2	2.3		0.7		0.1	22
23				0.8		5.6	1.0	1.0	1.8	1.3		1.3	23
24					7.4	1.4		1.7	2.1		0.3	0.3	24
25		0.1	2.6		0.7	2.0	0.3	3.0	0.3	0.5		0.3	25
26		0.4	1.0	0.2	2.1	1.8				2.9		0.2	26
27		0.3	2.3	2.2	2.7	0.9	7.4		1.9	0.7	0.3	0.8	27
28			0.8	0.4	0.9	1.5			4.1	3.5	0.2		28
29	0.6		0.7	5.1		1.1	0.7	1.5	0.8		2.3		29
30			0.2	0.6			2.2		1.4	0.1	0.7		30
31	1.2		0.4		2.5		0.1			1.3		0.3	31
Total	8.0	4.1	2.47	1.73	2.12	3.85	2.44	3.30	2.45	4.13	7.5	3.02	TOTAL for year
No. of Rain Days	12	8	23	13	9	18	19	13	23	25	10	23	196

Sh
50

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL.
28 JAN 1911

Kept at Tot-Baldon Pottand

in the County of Oxford 4

by D. Clinkard Esq

Pattern
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	05			03	10		06		29	13	27	1
2		14			03		41	02		12	11	19	2
3					10		39	04			31	46	3
4	01	01		30	12							10	4
5		07	01	13	07	02	77	18				01	5
6		20	05	07	04		04				16	04	6
7	01	02	01		05		02				05	04	7
8	03				09	49		08	01			17	8
9	05		19	01	22	81		19				16	9
10	06	05		03		39				08	04	12	10
11	17	04	24		21			12	01	1.17	05	01	11
12	08		05	15	04			02		50	05	40	12
13	02	09		07	03			04	04	02	35	24	13
14		41		10					31		02	61	14
15	02	01		11					03			47	15
16	09	04	04	29						12		18	16
17	15	25	05		08		05			09	03	02	17
18	09	16	03	06	12			39		25		01	18
19		03		03	02					26	04	01	19
20		31					21					16	20
21		06		20	03			01				27	21
22	02	35				22		02				01	22
23	21	03		02		16	02	17			51		23
24	05	34		12		15	06	19				04	24
25		28		04		35	16	33	01	01	05	01	25
26		05						05				03	26
27	38	02				10				58	90		27
28	06	09		39	45		12	39	11	04	01	01	28
29				03		09		21					29
30					07	08					49		30
31					31			01		19			31
Total	1.52	3.10	.67	2.15	2.11	2.96	2.25	2.52	.52	3.72	3.30	4.04	28.86
No. of Rain Days	18	24	9	18	19	12	11	19	7	14	17	26	194

REGIST

OXFORD.

Kept at *Waterstock*
in the County of *Oxford*
by *H. A. Ash*

WATERSTOCK.

1901, 1910.

Lon. *1.*
Observation *9 a.m.*
8 in
top above Ground *3 ft*
,, Sea Level *206 T.*

NOTE.—Full instructions respecting the
of the Rainfall," which is sent post-free on application to MR. SOWERBY WALLIS or DR. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07		0.19	0.08			0.72		0.18				1
2	0.05	0.02	0.05	0.02						0.03			2
3		0.01	0.29	0.06			0.11						3
4	0.01		0.04	0.60		0.05				0.19			4
5			0.07	~~0.13~~				0.02		0.01	0.62		5
6			0.07	0.13		0.01		0.11			0.01	0.01	6
7			0.11	0.12	0.06				0.01	0.08	0.01		7
8			0.16	0.07	0.64				0.04			0.23	8
9			0.01	0.17	0.29				0.21	0.03		0.03	9
10	0.07	0.02		0.17	0.19							0.04	10
11		0.02		0.21				0.01		0.03			11
12				0.26				0.12	0.18		0.03	0.17	12
13			0.01	0.04		0.15		0.09		0.10	0.08	0.95	13
14				0.23		0.01		0.03			0.23	0.14	14
15				0.10				0.66				0.01	15
16				0.19								0.01	16
17	0.09			0.12					0.65	0.35			17
18	0.17					0.02			0.70	0.02		0.02	18
19	0.09									0.21			19
20	0.05	0.07	0.27			0.11							20
21						0.11			0.53				21
22		0.67				0.04			0.17		0.05		22
23		0.01				0.04	0.06			0.08	0.04		23
24	0.01						0.09					0.30	24
25	0.01		0.02			0.02	0.28			0.11		0.35	25
26	0.02		0.02				0.28	0.23			0.02		26
27	0.04	0.09		0.03			0.82	0.40					27
28	0.20			0.01			0.17	0.30		0.01		0.05	28
29	0.02		0.03				0.46	0.01				0.40	29
30			0.09		0.22	0.21				0.06		0.29	30
31			0.55		0.07			0.02				0.01	31
Totals	0.90	0.31	1.98	2.60	1.47	0.77	2.99	2.00	2.77	1.31	0.49	2.99	
Total from Jan. 1			1.98	2.61								3.01	

20.61

REGIST

Kept at Watrstock WATERSTOCK
in the County of Oxford
by H. D. Ashmole

RAIN GAUGE.

Lat. _____ Lon. _____
Time of Observation 9 a.m.
Diameter 8 in.
Height of top above Ground 3 ft.
" " Sea Level 206 T.

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N. W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07		0.19	0.08			0.72		0.18				1
2	0.05	0.02	0.05	0.02						0.03			2
3		0.01	0.29	0.06			0.11						3
4	0.01		0.04	0.60		0.05				0.19			4
5			0.07	0.17				0.02		0.01	0.62		5
6			0.07	0.13		0.01		0.11			0.01	0.01	6
7			0.11	0.12	0.06				0.01	0.08	0.01		7
8			0.16	0.07	0.64				0.04			0.23	8
9			0.01	0.17	0.29				0.21	0.03		0.03	9
10	0.07	0.02		0.17	0.19							0.04	10
11		0.02		0.21				0.01		0.03			11
12				0.26				0.12	0.18		0.03	0.17	12
13			0.01	0.04		0.15		0.09		0.10	0.08	0.95	13
14				0.23		0.01		0.03			0.23	0.14	14
15				0.10				0.66				0.01	15
16				0.19								0.01	16
17	0.09			0.12					0.65	0.35			17
18	0.17					0.02			0.70	0.02		0.02	18
19	0.09									0.21			19
20	0.05	0.07	0.27			0.11							20
21						0.11			0.53				21
22		0.07				0.04			0.17		0.05		22
23		0.01				0.04	0.06			0.08	0.04		23
24	0.01						0.09					0.30	24
25	0.01		0.02			0.02	0.28			0.11		0.35	25
26	0.02		0.02				0.28	0.23			0.02		26
27	0.04	0.09		0.03			0.82	0.40					27
28	0.20			0.01			0.17	0.20		0.01		0.05	28
29	0.02		0.03				0.46	0.01				0.40	29
30			0.09		0.22	0.21				0.06		0.29	30
31			0.55		0.07			0.02				0.01	31
Totals	0.90	0.31	1.98	2.68	1.47	0.77	2.99	2.00	2.77	1.31	0.49	2.99	
Total from Jan. 1			1.98	2.61								3.01	

S.M.A.

Cor. for auth. & wrong day 10.10.11. H.W.

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL

Kept at Watersloot, Wheatley So.
in the County of Oxford
by H. H. Ashhurst.

PATTERN Regatta & Zambdy
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 3 ft. 2 in.
" " " Sea Level _____ ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Tiddington f. 6.0
Distance/Direction 5 E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	0.03	0.07	0.09		0.05	0.20	0.15	0.03		0.39	0.24	0.38	2
3					0.06	0.08	0.48	0.01		0.05	0.02	0.24	3
4		0.19			0.11		0.19	0.07			0.01	0.23	4
5		0.02		0.21	0.13						0.22	0.09	5
6		0.08	0.01	0.11	0.07	0.01	0.54	0.51				0.01	6
7	0.01	0.15	0.07	0.02	0.04		0.03	0.01			0.17	0.02	7
8		0.02	0.02		0.01	0.32	0.04		0.01		0.04	0.01	8
9	0.05	0.03	0.01		0.13							0.16	9
10	0.05		0.23	0.01	0.10	3.93		0.14				0.17	10
11	0.03	0.04				0.37			0.01	0.09	0.10	0.16	11
12	0.21	0.03	0.22	0.04	0.20			0.09		0.86	0.05		12
13	0.02		0.04	0.14	0.03		0.01	0.01		0.38	0.02	0.38	13
14	0.01	0.11		0.09	0.04			0.04	0.08	0.01	0.33	0.20	14
15		0.41		0.05				0.03	0.29		0.04	0.59	15
16	0.10	0.01		0.06	0.01				0.02	0.01	0.03	0.52	16
17	0.11	0.04	0.05	0.10				0.01		0.06		0.33	17
18	0.08	0.24	0.06		0.35		0.06	0.01		0.09		0.03	18
19	0.05	0.14	0.02	0.03	0.29			0.23		0.25		0.01	19
20		0.03		0.02	0.01			0.01		0.26	0.06		20
21		0.28					0.18	0.02				0.16	21
22		0.08		0.16				0.01				0.29	22
23		0.37		0.01		0.10	0.10						23
24	0.18	0.02		0.01		0.12		0.17			0.56	0.01	24
25	0.07	0.31		0.02		0.09	0.08	0.02		0.03		0.02	25
26		0.15		0.07		0.34	0.03	0.37	0.01		0.08		26
27		0.07		0.04				0.10				0.04	27
28	0.33	0.01		0.01		0.09	0.01			0.21	0.95		28
29	0.07			0.40	0.10	0.01	0.12	0.27	0.03	0.05			29
30				0.02		0.10		0.24	0.01				30
31					0.09		0.01	0.02					31
Total	1.39	2.90	0.82	1.75	1.82	5.90	2.03	2.42	0.46	2.94	3.12	4.59	TOTAL 30.14
No. of Rain Days	16	24	11	21	18	14	15	23	8	14	17	22	2033

Copied ARP
S.A.

REGISTER

WARNEFORD

ASYLUM

OXON

1908-10

3/17/1
FORM A.
BRITISH RAINFALL.

Kept at Oxford (Warneford)
in the County of Oxon.

by James Neil

NOTE.—Rain should be measured daily at 9
of rain and particulars as to the British Rainfall
to Dr. H. R. MILL, 62, Camden Square, London.

in.
1 ft. 0 in.
level 300 ft.
tions for the measurement
at post-free on application

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.04	—	—	.40	—	—	—	—	—	—	1
2	—	—	.14	—	.50	—	—	—	.10	—	—	—	2
3	—	—	.26	—	—	—	—	—	.43	—	—	—	3
4	—	—	—	.05	.06	—	.22	—	.05	—	—	.10	4
5	—	—	.32	.39	.05	—	.40	.02	—	—	—	.07	5
6	.10	—	.12	—	.10	—	—	—	—	—	—	—	6
7	1.30	—	.03	—	.07	.02	—	—	—	—	—	—	7
8	.04	—	.03	—	—	—	.29	—	.05	.07	—	.08	8
9	—	—	.02	—	—	—	.37	—	—	.25	—	.13	9
10	—	—	—	—	—	—	.12	.03	.04	—	.02	.09	10
11	—	—	—	—	.03	.03	—	—	.13	—	.14	.01	11
12	—	—	—	—	—	.08	.32	.03	—	—	.06	.14	12
13	—	—	—	—	.02	.03	—	.02	—	—	.05	.08	13
14	—	—	—	—	.22	—	.15	—	.04	—	.04	.30	14
15	—	.06	.05	—	.07	—	.03	—	.18	—	.02	—	15
16	—	.37	—	—	—	.34	.40	—	.04	.10	—	.11	16
17	—	.08	—	—	—	.34	.15	—	—	—	—	—	17
18	—	.07	.03	—	—	—	—	—	.15	.03	.15	.02	18
19	—	—	—	.05	—	—	—	—	—	—	—	.13	19
20	—	—	—	—	—	—	—	.24	.05	.30	—	.07	20
21	—	—	—	—	—	—	—	.21	—	.08	.22	.03	21
22	—	.09	.10	.07	.12	—	—	.17	—	—	.05	—	22
23	—	—	—	.71	—	—	—	.71	.03	—	—	—	23
24	—	—	.47	.23	—	—	—	—	—	.01	.09	—	24
25	.06	—	.34	(1.67)	—	—	—	.06	.04	.04	—	—	25
26	—	.10	—	—	—	—	—	.35	—	.07	—	—	26
27	—	.02	.15	.42	—	—	—	.07	.06	.03	—	.03	27
28	—	.05	—	.52	—	—	—	.16	—	.04	.06	.07	28
29	.04	—	.05	.37	.04	—	—	.09	—	—	.11	.42	29
30	—	—	.23	—	—	—	—	.06	—	—	—	.13	30
31	—	—	—	X	.03	—	—	.63	—	—	—	.03	31
Total	1.54	.84	2.38	4.48	1.34	1.24	2.45	2.84	1.39	1.02	1.01	2.04	223
No. of Rain Days	5	8	16	10	12	7	10	15	14	11	12	19	134

Copied ARP
S.O.

REGISTER OF RAINFALL IN 1908

3/17/1
FORM A.
BRITISH RAINFALL.

Kept at Oxford (Oxford Asylum)

in the County of Oxon.

by James Neil M.D.

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " Sea Level 300 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.04	—	—	.40	—	—	—	—	—	—	1
2	—	—	.14	—	.50	—	—	—	.10	—	—	—	2
3	—	—	.26	—	—	—	—	—	.43	—	—	—	3
4	—	—	—	.05	.06	—	.22	—	.05	—	—	.10	4
5	—	—	.32	.39	.05	—	.40	.02	—	—	—	.07	5
6	.10	—	.12	—	.10	—	—	—	—	—	—	—	6
7	1.30	—	.03	—	.07	.02	—	—	—	—	—	—	7
8	.04	—	.03	—	—	—	.29	—	.05	.07	—	.08	8
9	—	—	.02	—	—	—	.37	—	—	.25	—	.13	9
10	—	—	—	—	—	—	.12	.03	.04	—	.02	.09	10
11	—	—	—	—	.03	.03	—	—	.13	—	.14	.01	11
12	—	—	—	—	—	.08	.32	.03	—	—	.06	.14	12
13	—	—	—	—	.02	.03	—	.02	—	—	.05	.08	13
14	—	—	—	—	.22	—	.15	—	.04	—	.04	.30	14
15	—	.06	.05	—	.07	—	.03	—	.18	—	.02	—	15
16	—	.37	—	—	—	.34	.40	—	.04	.10	—	.11	16
17	—	.08	—	—	—	.34	.15	—	—	—	—	—	17
18	—	.07	.03	—	—	—	—	—	.15	.03	.15	.02	18
19	—	—	—	.05	—	—	—	—	—	—	—	.13	19
20	—	—	—	—	—	—	—	.24	.05	.30	—	.07	20
21	—	—	—	—	—	—	—	.21	—	.08	.22	.03	21
22	—	.09	.10	.07	.12	—	—	.17	—	—	.05	—	22
23	—	—	—	.71	—	—	—	.71	.03	—	—	—	23
24	—	—	.47	.23	—	—	—	—	—	.01	.09	—	24
25	.06	—	.34	(1.67)	—	—	—	.06	.04	.04	—	—	25
26	—	.10	—	—	—	—	—	.35	—	.07	—	—	26
27	—	.02	.15	.42	—	—	—	.07	.06	.03	—	.03	27
28	—	.05	—	.52	—	—	—	.16	—	.04	.06	.07	28
29	.04	—	.05	.37	.04	—	—	.09	—	—	.11	.42	29
30	—	—	.23	—	—	—	—	.05	—	—	—	.13	30
31	—	—	—	X	.03	—	—	.63	—	—	—	.03	31
Total	1.54	.84	2.38	4.48	1.34	1.24	2.45	2.84	1.39	1.02	1.01	2.04	TOTAL for year 22.3
No. of Rain Days	5	8	16	10	12	7	10	15	14	11	12	19	134

REGISTER OF RAINFALL IN 1909

FORM A.
BRITISH RAINFALL.

Kept at Oxford The Ward
in the County of Oxon Exgaff
by A. J. Neil

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					—	.53		.46	.03	.14		.23	1
2	.03		.15			.04		.02		.10	.03	.35	2
3			.04			.04				.46		.19	3
4		.03				.56			.16	.04		.25	4
5			.06			.12	.03					.10	5
6			.56			.19	.25		.09			.15	6
7	.03		.04						.12	.14			7
8			.04						.05				8
9	.05	.05					.50			.04		.17	9
10	.14	.22	.03			.10			.05	.56		.51	10
11		.04		.03		.06	.15			.05			11
12	.03			.14		.03			.18	.14		.01	12
13	.05		.25		.03				.04	.03	.08		13
14	.04										.26		14
15	.18		.02				.24	.02	.08	.11	.03	.01	15
16					.34		.01	.03	.02	.18		.06	16
17								1.65	.38	.02		.17	17
18	.07		.09	.35				.21					18
19			.03					.03		.10		.08	19
20							.05	.23		.19			20
21			.08	.17		.37				.04		.31	21
22			.04	.04		.11		.14		.02		.01	22
23						.70	.12	.23	.16	.16		.11	23
24			.31		.70	.11		.10	.29			.03	24
25		.06	.06		.14	.14	.27	.03	.12	.05		.05	25
26				.18	.22	.06	.02			.59			26
27		.03	.29	.10	.43		.62		.10	.06	.06	.08	27
28			.27		.06	.07			.37	.17			28
29	.05		.04	.49		.10	.04	.12			.18		29
30				.06			.17		.14		.12	.02	30
31	.11		.03		.17					.11			31
Total	.78	.43	2.43	1.56	2.09	3.33	2.47	3.27	2.38	3.50	.76	2.89	TOTAL for year 25.89
No. of Rain Days	11	6	19	9	8	17	13	13	17	23	7	20	163

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL.
28 JAN 1911

Kept at Warneford Asylum
in the County of Oxford
by Dr. J. Neil

Pattern _____
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	08			02	03	07	05		24		30	1
2		17			02		35			10		35	2
3					08		11	05			43	48	3
4				27	10							08	4
5		08		11	04		61	08				02	5
6		14		04	03						15	08	6
7		02	02			60	03		02		07	03	7
8	09				08							15	8
9	07		24		10	1.14		15				10	9
10	13	02				31				08	06	13	10
11	11	02	17	04	25			07		1.62		04	11
12	05		05	10	04			02		40	05	34	12
13		08		10	02			04	05		33	08	13
14		28		14					32			83	14
15	10	01		11								45	15
16	06	05	02	52						10		18	16
17	06	33	04		10		04			09		03	17
18	05	15	02	03	26			18		26			18
19					02					12	06		19
20		25					14					28	20
21		03		18								40	21
22	02	33				09	12						22
23	14	03		02		15		09			35	03	23
24	04	25		02		14	06	04		06		02	24
25		16		08		24	05	10			07		25
26		03		03				07			03	04	26
27	37					05				45	76		27
28	03	06		35	06	03	14	37		08			28
29				03		19		17					29
30					06	06					43		30
31					23					18			31
Total	1.35	2.57	.56	2.17	1.51	3.03	1.72	1.48	.39	3.78	2.79	4.44	25.79
No. of Rain Days	15	21	7	17	17	12	11	14	3	13	12	22	164

S.C.O.

REGIS

OXFORD.

Kept at The School, W

in the County of Oxon

by Mr R. Leysdon

WHEATLEY.

"THE SCHOOL HOUSE"

1909-1910

9
ular funnel
75 in.
Ground 1 ft. 4 1/2 in.
Sea Level 230 ft.
Name Wheatley G.W.R.
Distance Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			.000	.012	.031	.638	.005	.532	.128	.145	.000	.295	1	
2			.112	.000	.005	.082	.000	.007	.000	.162	.136	.416	2	
3			.046	.000	.002	.042	.022	.000	.000	.508	.079	.184	3	
4			.000	.004	.000	.668	.000	.004	.174	.075	.000	.278	4	
5			.112	.000	.000	.186	.053	.000	.007	.000	.019	.111	5	
6			.509	.000	.000	.257	.266	.000	.084	.031	.009	.246	6	
7			.030	.000	.000	.007	.053	.000	.045	.000	.007	.005	7	
8		.000	.022	.000	.000	.000	.005	.079	.041	.290	.000	.000	8	
9		.067	.024	.000	.000	.000	.499	.000	.000	.079	.024	.208	9	
10		.252	.021	.000	.000	.099	.005	.000	.079	.586	.000	.610	10	
11		.014	.031	.000	.000	.068	.201	.000	.074	.072	.000	.000	11	
12		.004	.003	.033	.002	.029	.004	.000	.157	.302	.000	.029	12	
13		.000	.217	.171	.108	.000	.000	.014	.055	.096	.181	.000	13	
14		.028	.043	.009	.006	.000	.000	.000	.000	.009	.164	.000	14	
15		.000	.024	.000	.000	.000	.290	.048	.121	.118	.024	.072	15	
16		.000	.007	.024	.307	.000	.026	.000	.048	.228	.024	.130	16	
17		.004	.000	.007	.012	.000	.002	1.167	.133	.074	.000	.123	17	
18		.011	.084	.009	.004	.000	.004	.031	.000	.005	.000	.012	18	
19		.000	.016	.436	.000	.007	.000	.043	.000	.107	.000	.051	19	
20		.007	.000	.009	.000	.000	.060	.261	.034	.248	.026	.000	20	
21		.002	.094	.000	.000	.421	.000	.000	.000	.024	.000	.291	21	
22		.004	.036	.198	.000	.063	.002	.108	.000	.038	.000	.062	22	
23		.000	.002	.135	.000	.678	.220	.217	.205	.198	.000	.645	23	
24		.000	.450	.007	.702	.131	.000	.157	.363	.000	.002	.056	24	
25		.003	.145	.000	.133	.305	.087	.045	.055	.055	.000	.060	25	
26		.044	.000	.026	.240	.334	.014	.000	.000	.435	.000	.092	26	
27		.027	.324	.237	.240	.007	.707	.031	.217	.048	.079	.096	27	
28		.000	.082	.082	.072	.046	.000	.007	.368	.333	.000	.000	28	
29			.058	.532	.009	.167	.055	.121	.043	.000	.235	.014	29	
30			.007	.116	.000	.005	.186	.000	.097	.074	.159	.017	30	
31			.048		.242		.036	.000		.084		.000	31	
Total			.467	2.538	2.047	2.113	4.246	2.802	2.812	2.468	4.191	0.948	4.444	29.4
No. of Rain Days			22	12	10	17	17	14	20	25	12	22		

REGIS

Kept at The School, Wheatley S.O

in the County of Oxon

by Mr R. Beyshon

RAIN
GAUGE

Pattern

Diameter of top 5.75 in.

Height of top above Ground 1 ft. 4 1/2 in.

" " " Sea Level 230 ft.

Time of Observation 9 a.m.

Nearest Railway Station

Name Wheatley G.W.R.

Distance Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			.000	.012	.031	.638	.005	.532	.128	.145	.000	.295	1	
2			.112	.000	.005	.082	.000	.007	.000	.162	.136	.416	2	
3			.046	.000	.002	.048	.022	.000	.000	.508	.019	.184	3	
4			.000	.004	.000	.668	.000	.004	.174	.075	.000	.278	4	
5			.112	.000	.000	.186	.053	.000	.007	.000	.019	.111	5	
6			.509	.000	.000	.257	.266	.000	.084	.031	.009	.246	6	
7			.030	.000	.000	.007	.053	.000	.045	.000	.007	.005	7	
8		.000	.022	.000	.000	.000	.005	.079	.041	.290	.000	.000	8	
9		.067	.024	.000	.000	.000	.499	.000	.000	.079	.024	.208	9	
10		.252	.021	.000	.000	.099	.005	.000	.079	.586	.000	.610	10	
11		.014	.031	.000	.000	.068	.201	.000	.074	.072	.000	.000	11	
12		.004	.003	.033	.002	.029	.004	.000	.157	.302	.000	.029	12	
13		.000	.217	.171	.108	.000	.000	.014	.055	.096	.181	.000	13	
14		.028	.043	.009	.004	.000	.000	.000	.000	.009	.164	.000	14	
15		.000	.024	.000	.000	.000	.290	.048	.121	~~.110~~	.024	.072	15	
16		.000	.007	.024	.307	.000	.026	.000	.078	.228	.024	.130	16	
17		.004	.000	.007	.012	.000	.002	1.167	.133	.074	.000	.123	17	
18		.011	.084	.009	.004	.000	.004	.031	.000	.005	.000	.012	18	
19		.000	.016	.436	.000	.007	.000	.043	.000	.107	.000	.051	19	
20		.007	.000	.009	.000	.000	.060	.261	.034	.248	.026	.000	20	
21		.002	.094	.000	.000	.421	.000	.000	.000	.024	.000	.291	21	
22		.004	.036	.198	.000	.063	.002	.108	.000	.038	.000	.062	22	
23		.000	.002	.135	.000	.678	.220	.217	.205	.198	.000	~~.645~~	23	
24		.000	.450	.007	.702	.131	.000	.157	.363	.000	.002	~~.056~~	24	
25		.003	.145	.000	.133	.305	.087	.045	.055	.055	.000	.060	25	
26		.044	.000	.026	.240	.334	.014	.000	.000	.435	.000	~~.092~~	26	
27		.027	.324	.237	.240	.007	.707	.031	.217	.048	.079	~~.096~~	27	
28		.000	.082	~~.082~~	.072	.046	.000	.007	.368	.333	.000	~~.000~~	28	
29			.058	.532	.009	.167	.055	.121	.073	.000	.235	~~.014~~	29	
30			.007	.116	.000	.005	.186	.000	.097	.074	.159	~~.017~~	30	
31			.048		.242		.036	.000		.084		.000	31	
Total			~~.467~~	~~2.538~~	~~2.047~~	2.113	4.246	2.802	2.812	2.468	4.191	0.948	~~4.444~~	29.06
No. of Rain Days			22	12	10	17	17	14	20	25	12	22		

REGISTER OF RAINFALL IN 1910

Kept at The School House, Wheatley S.O.

in the County of Oxon 4

by P. Keyshon

Pattern Glass Funnel
 RAIN GAUGE Diameter of top 5 $\frac{3}{4}$ in.
 Height of top above Ground 1 ft. 3 in.
 " " " Sea Level ft.
 Time of Observation 9 a.m.
 Nearest Railway Station { Name Wheatley (S.W.R.)
 Distance 150 yds Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.026	.075	.000	.000	.048	.097	.138	.048	.000	.387	.019	.350	1
2	.000	.179	.000	.000	.058	.000	.508	.019	.000	.055	.000	.298	2
3	.000	.017	.019	.000	.130	.000	.186	.116	.000	.002	.426	.451	3
4	.000	.029	.019	.319	.148	.000	.000	.000	.009	.002	.009	.094	4
5	.000	.063	.000	.121	.072	.012	.660	.678	.000	.005	.080	.016	5
6	.014	.136	.057	.034	.043	.000	.109	.000	.000	.012	.110	.035	6
7	.000	.024	.015	.000	.181	.363	.019	.005	.000	.002	.075	.023	7
8	.065	.034	.010	.000	.065	.004	.000	.000	.000	.000	.007	.125	8
9	.077	.019	.269	.005	.169	5.491	.000	.181	.019	.000	.004	.141	9
10	.135	.056	.000	.000	.016	.397	.000	.000	.000	.073	.068	.127	10
11	.150	.034	.203	.060	.249	.000	.000	.104	.000	1.394	.070	.005	11
12	.017	.000	.048	.164	.041	.000	.000	.019	.009	.416	.025	.385	12
13	.000	.097	.000	.077	.058	.000	.000	.041	.048	.012	.380	.247	13
14	.000	.456	.007	.097	.000	.000	.000	.005	.358	.000	.025	.731	14
15	.110	.000	.009	.097	.000	.000	.014	.000	.009	.017	.016	.564	15
16	.110	.073	.038	.148	.000	.000	.000	.000	.000	.089	.000	.181	16
17	.073	.394	.048	.007	.259	.000	.060	.022	.000	.109	.005	.030	17
18	.056	.133	.024	.036	.321	.000	.000	.220	.016	.293	.000	.002	18
19	.000	.022	.000	.024	.026	.000	.000	.000	.014	.251	.070	.014	19
20	.000	.354	.000	.000	.000	.000	.171	.021	.014	.002	.000	.189	20
21	.000	.058	.000	.073	.005	.000	.000	.000	.012	.000	.000	.409	21
22	.012	.443	.007	.000	.000	.138	.074	.000	.009	.014	.000	.021	22
23	.177	.034	.000	.034	.000	.217	.000	.127	.000	.000	.566	.018	23
24	.089	.387	.000	.019	.000	.165	.104	.036	.000	.031	.004	.005	24
25	.000	.172	.000	.087	.000	.236	.024	.414	.019	.029	.000	.000	25
26	.000	.060	.000	.038	.000	.005	.000	.014	.007	.000	.081	.049	26
27	.324	.012	.014	.000	.000	.084	.014	.000	.014	.532	.850	.000	27
28	.073	.114	.000	.435	.084	.021	.123	.338	.048	.043	.007	.007	28
29	.000	—	.007	.043	.007	.080	.000	.210	.012	.000	.009	.000	29
30	.000	—	.000	.005	.091	.293	.000	.007	.012	.000	.435	.004	30
31	.000	—	.000	—	.217	—	.000	.000	—	.220	—	.000	31
Total	1.508	3.475	0.794	2.023	2.288	7.603	2.204	2.625	0.629	3.990	3.341	4.521	TOTAL for year 35.001
No. of Rain Days	16	26	12	18	19	13	14	17	12	18	16	22	203

Copied ARR. S.M.
Kept at Witney (R)
in the County of
by J 10 a

REC

OXFORD.

WITNEY.

"RINGWOOD FARM"

1908-1910

08.
g.
n.
e. in.
above Ground ft. in.
Sea Level ft.
Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

3/173
BRITISH RAINFALL.
16 FEB 1909

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.02	.20	-	-	.31	-	-	.28	-	-	-	1
2	-	-	-	-	.33	-	-	-	.10	-	-	-	2
3	-	-	.05	-	.08	-	-	-	.42	-	-	-	3
4	-	-	-	.15	.09	-	.25	-	.10	-	-	.12	4
5	-	-	.34	.16	.09	-	.29	-	-	-	-	.06	5
6	.07	-	.10	.04	.17	-	-	-	-	-	-	-	6
7	.71	-	.07	-	.07	-	.04	-	-	-	-	-	7
8	.07	-	.05	-	.03	-	.22	-	.06	.06	-	.17	8
9	-	-	.05	-	-	.04	.48	-	.10	.15	-	.18	9
10	-	-	.02	-	-	-	.15	-	-	-	.02	.15	10
11	-	-	-	-	-	.05	-	.02	-	-	.15	-	11
12	-	-	-	.04	-	.05	-	-	-	-	.01	.12	12
13	-	-	-	-	-	-	-	.05	-	-	.05	.15	13
14	-	-	-	-	.37	-	.02	-	.02	-	.07	.16	14
15	-	.17	.06	-	.36	-	-	-	.10	.02	-	.02	15
16	-	.27	.02	-	-	.35	.52	-	.05	.03	-	.08	16
17	-	.11	-	-	-	.37	.25	-	-	-	-	.03	17
18	-	.03	-	-	-	-	-	-	.16	.12	.18	-	18
19	-	-	-	-	-	-	-	-	-	-	-	.19	19
20	-	.01	-	-	-	-	-	.38	.05	.88	-	.06	20
21	-	-	-	-	-	-	-	.07	-	.12	.29	.02	21
22	-	.15	.11	-	.06	-	-	.20	-	-	.12	.03	22
23	-	-	.04	.52	-	-	-	.83	-	-	-	-	23
24	-	.02	.50	.15	-	-	-	-	-	-	.15	-	24
25	.15	-	.36	1.04	.02	-	-	.04	-	-	-	-	25
26	-	.04	-	-	-	-	-	.56	-	.05	-	-	26
27	.01	.04	.14	.45	-	-	-	.02	.05	.10	-	.04	27
28	-	.06	-	.60	-	-	-	.15	.01	.05	.10	.26	28
29	.02	-	.07	.40	-	-	-	.09	-	-	.13	-	29
30	-	-	.29	.16	-	-	-	.04	-	.03	-	.20	30
31	-	-	.01	X	.14	-	-	.75	-	-	-	-	31
Total	1.03	.92	2.48	3.71	1.81	1.17	2.22	3.20	1.50	1.61	1.27	2.02	22.96
No. of Rain Days	6	11	17	11	12	6	9	18	13	11	11	18	138

Copied ARR
S.M.

REC

08.

3/173
FORM A.
BRITISH RAINFALL.

Kept at Witney (Ringwood Farm)
in the County of Uxon
by J W Abraham

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.02	.20	—	—	.31	—	—	.28	—	—	—	1
2	—	—	—	—	.33	—	—	—	.10	—	—	—	2
3	—	—	.05	—	.08	—	—	—	.42	—	—	—	3
4	—	—	—	.15	.09	—	.25	—	.10	—	—	.12	4
5	—	—	.34	.16	.09	—	.29	—	—	—	—	.06	5
6	.07	—	.10	.04	.17	—	—	—	—	—	—	—	6
7	.71	—	.07	—	.07	—	.04	—	—	—	—	—	7
8	.07	—	.05	—	.03	—	.22	—	.06	.06	—	.17	8
9	—	—	.05	—	—	.04	.48	—	.10	.15	—	.18	9
10	—	—	.02	—	—	—	.15	—	—	—	.02	.15	10
11	—	—	—	—	—	.05	—	.02	—	—	.15	—	11
12	—	—	—	.04	—	.05	—	—	—	—	.01	.12	12
13	—	—	—	—	—	—	—	.05	—	—	.05	.15	13
14	—	—	—	—	.37	—	.02	—	.02	—	.07	.16	14
15	—	.17	.06	—	.36	—	—	—	.10	.02	—	.02	15
16	—	.27	.02	—	—	.35	.52	—	.05	.03	—	.08	16
17	—	.11	—	—	—	.37	.25	—	—	—	—	.03	17
18	—	.03	—	—	—	—	—	—	.16	.12	.18	—	18
19	—	—	—	—	—	—	—	—	—	—	—	.19	19
20	—	.01	—	—	—	—	—	.38	.05	.88	—	.06	20
21	—	—	—	—	—	—	—	.07	—	.12	.29	.02	21
22	—	.15	.11	—	.06	—	—	.20	—	—	.12	.03	22
23	—	—	.04	.52	—	—	—	.83	—	—	—	—	23
24	—	.02	.50	.15	—	—	—	—	—	—	.15	—	24
25	.15	—	.36	1.04	.02	—	—	.04	—	—	—	—	25
26	—	.04	—	—	—	—	—	.56	—	.05	—	—	26
27	.01	.04	.14	.45	—	—	—	.02	.05	.10	—	.04	27
28	—	.06	—	.60	—	—	—	.15	.01	.05	.10	.26	28
29	.02	—	.07	.40	—	—	—	.09	—	—	.13	—	29
30	—	—	.29	.16	—	—	—	.04	—	.03	—	.20	30
31	—	—	.01	X	.14	—	—	.75	—	—	—	—	31
Total	1.03	.92	2.48	3.71	1.81	1.17	2.22	3.20	1.50	1.61	1.27	2.04	22.96
No. of Rain Days	6	11	17	11	12	6	9	13	13	11	11	18	138

REGISTER OF RAINFALL IN 1909

FORM A.
BRITISH RAINFALL.
- 2 FEB 1910

Kept at Witney Ringwood Farm
in the County of Oxon
by J. S. Abraham

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		02			—	70		60	09	12		17	1
2			20			05				13	03	50	2
3							06			42		17	3
4		02				56			26	22		28	4
5			35			20	04		01	13		20	5
6	02		68			52	19		07			11	6
7	14		03				01		06	10			7
8		08	04						05	01			8
9	03	25	08				55			02	03	23	9
10	15					07			01	44		32	10
11	02		06				05		04	11			11
12				02		02			10	10		06	12
13	14		10	18	09		06	03	15	30	08		13
14	11		18							01	21		14
15	36						09	03	08	26		02	15
16				02	17		12		47	21		38	16
17				02				90	25	16		28	17
18	14		14					09		03	02		18
19			02	35				05		05		08	19
20			03			66	06	14	02	27			20
21			11			27		02		03		42	21
22			05	20		26		23		06			22
23				20		108		15	03	56		28	23
24			35		67	02		12	36	02		04	24
25			16	09	04	10	12	14	03	04		08	25
26				12	26	06	02			62	10		26
27		08	22	07			67	02	13	08	07	14	27
28			22	08	16	06			50	08	10	02	28
29	04			63		07	03	20			06		29
30				08			12		20		12	02	30
31	03		10		20		03			07			31
Total	1.18	45	3.12	2.06	1.59	4.70	2.22	2.72	2.91	4.65	82	3.80	TOTAL for year 30.22
No. of Rain Days	11	5	19	13	7	16	16	14	20	28	10	20	179

REGISTER OF RAINFALL IN 1910

BRITISH RAINFALL FORM A. 174
28 JAN 1911

Kept at Ringwood Farm, Wiltney
in the County of Oxford
by J. W. Abraham Esq

PATTERN
RAIN GAUGE Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station Name Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	18					02	10		32	03	40	1
2		18					33	02		05		31	2
3					05		20	16			50	48	3
4				23	08		60	08				11	4
5		08	01	07	06	03						03	5
6		16	02	08	05		03				39	03	6
7		04	02		07	1.90	02				11		7
8	09	04	03		08							17	8
9	12		20		10	1.06		04				29	9
10	20	03				30				06	10	37	10
11	30	03	12	01	17			06		34	09		11
12	10		09	17	01	17		03		42	07	22	12
13	05	09		12	02			04	03		47	30	13
14		35		11				30	20			58	14
15	17			08					03		03	70	15
16	08	10	04	22	08					17		30	16
17	07	03	04		02		10	06				10	17
18	11	20	09	05	07			30		18			18
19		02		04	14					20	09		19
20		25						11				43	20
21		03		27								33	21
22	03	42				13		02				02	22
23	12	05		13		28	10	46			61	01	23
24	05	31		07		29	02	25		02		04	24
25		16		07		56	01	05		06	07		25
26		11						05			05	08	26
27	42	01				15	02			35	70		27
28	05	07	01	34		01	15	62		12			28
29								45					29
30					02	08					36		30
31	01				17					28			31
Total	2.00	2.94	.67	2.06	1.19	4.96	1.60	3.20	.26	2.57	3.67	5.30	30.42
No. of Rain Days	17	24	11	16	16	12	12	19	3	13	15	21	179

Copied ARP
Go.

REGIS

OXFORD.

28

3/175
BRITISH FORM A.
RAINFALL.

Kept at Woodstock (H
in the County of Ox
by Rev S J Gu

WOODSTOCK.

"HAMPTON PYLE REC."

1908-1910

in.
ve Ground ft. in.
Sea Level ft.

NOTE.—Rain should be measured da
of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application
to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	.07	—	—	.385	—	—	.025	—	—	—	1	
2	—	—	—	—	.73	—	—	—	.05	—	—	—	2	
3	—	.04	.35	.03	—	—	—	—	—	—	—	—	3	
4	—	—	—	—	.06	—	—	—	.02	—	—	.17	4	
5	—	—	.35	.12	.17	—	—	.06	—	—	—	—	5	
6	.04	—	.06	.01	.02	—	—	—	—	—	—	—	6	
7	.94	—	.04	—	.11	.025	.07	—	—	—	—	—	7	
8	—	—	.045	—	—	—	—	—	.08	—	—	.15	8	
9	.04	—	.05	—	—	.02	—	—	.17	.36	—	.20	9	
10	—	—	.03	—	—	—	.02	.03	.01	—	.025	.12	10	
11	—	—	—	—	—	.07	.20	—	.14	—	.155	—	11	
12	—	—	—	.01	.05	.11	.06	—	—	—	.04	.19	12	
13	—	—	—	.04	—	.01	.78	.07	—	—	.07	.07	13	
14	—	—	—	—	.22	—	.03	—	—	—	.11	.13	14	
15	.02	.105	.06	—	.35	—	.10	—	.20	—	—	.02	15	
16	.02	—	.01	—	—	.36	.62	—	.06	—	.015	.10	16	
17	—	.29	.01	—	—	.88	.05	—	—	.21	—	—	17	
18	—	.09	.01	—	—	—	—	—	.18	—	.22	.10	18	
19	.01	—	—	—	—	—	—	—	—	.01	—	.10	19	
20	.01	—	—	—	—	—	—	.28	.06	.31	—	.20	20	
21	.01	—	—	.01	—	—	.05	.12	—	—	.23	.02	21	
22	—	.15	.085	.17	—	—	—	.265	—	.11	—	—	22	
23	—	.03	—	.59	—	—	—	.60	.12	—	.02	—	23	
24	—	.01	.62	1.75		—	—	—	—	.02	.10	—	24	
25	—	—	.26			.03	—	.035	.05	—	—	—	25	
26	.06	.10	—	.01	—	—	—	.39	.02	.08	—	—	26	
27	—	—	.225	.43	—	—	—	.05	.02	.04	—	—	27	
28	.12	—	—	.425	—	—	—	.14	—	—	.10	—	28	
29	.04	.04	.07	.42	.02	—	—	.05	.085	—	.11	—	29	
30	—	—	.34	.02	—	—	—	.01	—	.06	—	.21	30	
31	.01	—	—	X	.05	—	—	1.06	—	—	—	.03	31	
Total	1.92	.855	2.685	4.035	1.81	1.860	1.98	3.16	1.21	1.20	1.195	1.81	TOTAL for year 23.12	
No. of Rain Days	12	9	18	15	11	8	10	14	15	16	9	12	15	149

Copied ARP
So.

REGIS

28

3/175
FORM A.
BRITISH RAINFALL.

Kept at Woodstock (Hampton Ryk Rec)

in the County of Oxon

by Rev. S. J. Guillian

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.07	—	—	.385	—	—	.025	—	—	—	1
2	—	—	—	—	.73	—	—	—	.05	—	—	—	2
3	—	.04	.35	.03	—	—	—	—	—	—	—	—	3
4	—	—	—	—	.06	—	—	—	.02	—	—	.17	4
5	—	—	.35	.12	.17	—	—	.06	—	—	—	—	5
6	.04	—	.06	.01	.02	—	—	—	—	—	—	—	6
7	.94	—	.04	—	.11	.025	.07	—	—	—	—	—	7
8	—	—	.045	—	—	—	—	—	.08	—	—	.15	8
9	.04	—	.05	—	—	.02	—	—	.17	.36	—	.20	9
10	—	—	.03	—	—	—	.02	.03	.01	—	.225	.12	10
11	—	—	—	—	—	.07	.20	—	.14	—	.155	—	11
12	—	—	—	.01	.05	.11	.06	—	—	—	.04	.19	12
13	—	—	—	.04	—	.01	.78	.07	—	—	.07	.07	13
14	—	—	—	—	.22	—	.03	—	—	—	.11	.13	14
15	.02	.105	.06	—	.35	—	.10	—	.20	—	—	.02	15
16	.02	—	.01	—	—	.36	.62	—	.06	—	.015	.10	16
17	—	.29	.01	—	—	.88	.05	—	—	.21	—	—	17
18	—	.09	.01	—	—	—	—	—	.18	—	.22	.10	18
19	.01	—	—	—	—	—	—	—	—	.01	—	.10	19
20	.01	—	—	—	—	—	—	.28	.06	.31	—	.20	20
21	.01	—	—	.01	—	—	.05	.12	—	—	.23	.02	21
22	—	.15	.085	.17	—	—	—	.265	—	.11	—	—	22
23	—	.03	—	.59	—	—	—	.60	.12	—	.02	—	23
24	—	.01	.62	1.75		—	—	—	—	.02	.10	—	24
25	—	—	.26			.03	—	.035	.05	—	—	—	25
26	.06	.10	—	.01	—	—	—	.39	.02	.08	—	—	26
27	—	—	.225	.43	—	—	—	.05	.02	.04	—	—	27
28	.12	—	—	.425	—	—	—	.14	—	—	.10	—	28
29	.04	.04	.07	.42	.02	—	—	.05	.005	—	.11	—	29
30	—	—	.34	.02	—	—	—	.01	—	.06	—	.21	30
31	.01	—	—	X	.05	—	—	1.06	—	—	—	.03	31
Total	1.92	.855	2.685	4.035	1.81	1.860	1.98	3.16	1.21	1.20	1.195	1.81	TOTAL for year 23.12
No. of Rain Days	12	9	18	15	11	8	10	14	15	9	12	15	149

REGISTER OF RAINFALL IN 1909

174
FORM A.
BRITISH RAINFALL.

- 2 FEB 1910

Sh. S.W.
Kept at Hampton Poyle
in the County of Oxon
by Rev S. T. William

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.11			.04	.71		.49	.05	.10		.17	1
2		.02	} .16			.02		.10		.10		.43	2
3							.04			.30		.25	3
4									.16	.18		.24	4
5							.06			.12		.01	5
6	.04		.71			2.10	.33		.01			.11	6
7	.05		.06			.03	.01		.155	.10			7
8		.01	.03			.02			.03				8
9		.08	.02			.01	.405			.01		.20	9
10	.16	.20	.01			.08	.04			.54		.38	10
11	.01	.01	.02	.005		.01	.11			.08		.01	11
12	.07		.01	.065					.16	.25		.03	12
13				.13	.11		.03		.09	.01			13
14	.06		.15			.01					.30		14
15			.02				.280		.12	.23	.01		15
16	.17				.42		.025	.04		.18	.01	.10	16
17	.07				.01			.72	.56	.115	.01	.07	17
18	.07		.065					.10		.04			18
19				.425		.02		.07		.15		.01	19
20			.01			.01	.10	.165		.27			20
21			.08			.02	.025	.02	.05	.09			21
22			.05	.22		.90		.13		.04		.30	22
23				.04		.03		.20	.23	.255		.10	23
24			.37		.75	.09		.28	.19	.005			24
25			.15	.01	.15	.14	.20	.14	.01	.08		.12	25
26		.02		.02	.155		.03		.01	.52		.005	26
27		.03		.11	.08	.13	.58		.18	.05	.05	.10	27
28			.38	.08					.28	.10		.005	28
29	.06			.70		.70	.07		.03		.11		29
30	.01		.01	.05			.12		.18		.15	.02	30
31			.05				.01			.05		.04	31
Total	.77	.48	2.355	1.855	1.715	6.03	2.465	2.455	2.495	3.965	.64	2.700	TOTAL for year 26.925
No. of Rain Days	11	8	20	12	8	28	18	12	18	26	7	19	179

Dr. *See*

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL
28 JAN 1911

Kept at *Hampton Poyle Res, Woodstock*
in the County of *Oxford*
by *Rev. S. J. Guillian*

RAIN GAUGE
Pattern
Diameter of top *5* in.
Height of top above Ground *1* ft.
" " " Sea Level *201* ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<i>15</i>				<i>01</i>	<i>20</i>	<i>06</i>		<i>21</i>	<i>03</i>	<i>50</i>	1
2		<i>18</i>					<i>45</i>	<i>01</i>		<i>12</i>	<i>01</i>	<i>32</i>	2
3					<i>04</i>		<i>07</i>	<i>15</i>			<i>48</i>	<i>55</i>	3
4				<i>31</i>	<i>16</i>							<i>52</i>	4
5	<i>01</i>			<i>11</i>	<i>04</i>	<i>01</i>	<i>68</i>	<i>28</i>				<i>07</i>	5
6	<i>01</i>	<i>25</i>	<i>02</i>	<i>01</i>			<i>04</i>				<i>30</i>	<i>02</i>	6
7		<i>05</i>				<i>23</i>	<i>02</i>				<i>05</i>	<i>015</i>	7
8	<i>07</i>		<i>03</i>		<i>02</i>							<i>10</i>	8
9	<i>12</i>		<i>30</i>		<i>01</i>	<i>124</i>					<i>10</i>	<i>145</i>	9
10	<i>23</i>	<i>04</i>		<i>005</i>	<i>16</i>	<i>22</i>				<i>05</i>		<i>16</i>	10
11	<i>18</i>	<i>02</i>		<i>01</i>		<i>005</i>				<i>137</i>		<i>01</i>	11
12	<i>02</i>	<i>005</i>	<i>16</i>	<i>13</i>	<i>08</i>			<i>32</i>	<i>01</i>	<i>22</i>	<i>07</i>	<i>32</i>	12
13	<i>015</i>			<i>065</i>				<i>02</i>		<i>05</i>	<i>01</i>	<i>11</i>	13
14		<i>41</i>		<i>155</i>					<i>33</i>		<i>40</i>	<i>935</i>	14
15	<i>09</i>	<i>035</i>		<i>09</i>	<i>005</i>				<i>01</i>		<i>02</i>	<i>55</i>	15
16	<i>10</i>	<i>10</i>	<i>06</i>	<i>68</i>						<i>07</i>		<i>16</i>	16
17	<i>05</i>		<i>06</i>		<i>025</i>		<i>06</i>			<i>03</i>	<i>01</i>	<i>035</i>	17
18	<i>06</i>	<i>14</i>		<i>05</i>	<i>39</i>					<i>265</i>			18
19		<i>03</i>		<i>02</i>	<i>13</i>					<i>08</i>	<i>06</i>		19
20		<i>26</i>			<i>02</i>		<i>16</i>				<i>01</i>	<i>83</i>	20
21		<i>01</i>		<i>16</i>								<i>315</i>	21
22		<i>53</i>				<i>06</i>	<i>02</i>						22
23	<i>19</i>	<i>145</i>		<i>11</i>		<i>17</i>		<i>60</i>			<i>52</i>	<i>02</i>	23
24	<i>11</i>	<i>185</i>		<i>05</i>		<i>27</i>	<i>095</i>	<i>09</i>		<i>05</i>	<i>01</i>	<i>03</i>	24
25		<i>16</i>		<i>05</i>		<i>49</i>	<i>04</i>			<i>02</i>			25
26									<i>02</i>		<i>04</i>	<i>06</i>	26
27		<i>05</i>		<i>04</i>		<i>10</i>	<i>03</i>			<i>525</i>	<i>74</i>		27
28	<i>40</i>	<i>05</i>		<i>01</i>	<i>18</i>		<i>22</i>	<i>18</i>		<i>02</i>			28
29				<i>01</i>	<i>005</i>	<i>02</i>		<i>02</i>			<i>01</i>	<i>01</i>	29
30				<i>44</i>	<i>095</i>	<i>11</i>					<i>34</i>		30
31	<i>01</i>				<i>01</i>					<i>24</i>			31
Total	<i>1665</i>	<i>280</i>	<i>63</i>	<i>2505</i>	<i>1370</i>	<i>2935</i>	<i>2085</i>	<i>173</i>	<i>37</i>	<i>3320</i>	<i>321</i>	<i>5785</i>	TOTAL for year
No. of Rain Days	<i>16</i>	<i>20</i>	<i>6</i>	<i>29</i>	<i>15</i>	<i>12</i>	<i>13</i>	<i>10</i>	<i>4</i>	<i>15</i>	<i>19</i>	<i>23</i>	<i>173</i>

S. 2

REGISTER

WOOTTON

Kept at *Wootton Rectory*in the County of *Oxon:*by *Rev. F.R. Marriott*

RECTORY

OXON

1906-10

FORM A.
BRITISH RAINFALL.17 JAN 1907
Woodstock
a.m.

ft. 10 in.

370 ft.

nization are given in
ndon, N.W.NOTE.—Full instructions respecting the measurement
"Rules for Rainfall Observers," sent post-

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08		.04			.45				.57		.05	1
2	.24	.10			.16			.24		1.14		.05	2
3	.26							.14			.10	.02	3
4	.67				.08					.92	.15		4
5	.69		.01		.16							.14	5
6	.03									.08	.65	.03	6
7	.45		.06							.05	.11		7
8	.02	.14	.17		.03					.04	1.42	.15	8
9	.12	.20			.03					.15	.02		9
10	.02	.06	.40							.14			10
11	.17	.07	.18							.04		.10	11
12	.43		.08	.09					.06	.12		.02	12
13	.09	.06	.03			.05	.28		.39	.03		.15	13
14		.20	.04			.02		.03	.37				14
15	.15	.16	.06		.03	.02		.02			.03	.45	15
16	.27	.21			.06	.18		.04	.13	.08	.20	.01	16
17	.34		.07	.15				.02	.03	.10	.13		17
18	.14	.13							.08	.76		.05	18
19		.12					.03						19
20	.14				.43				.04	.01	.40		20
21	.04						.13			.03			21
22				.08									22
23		.05	.09	.05	.29	.51							23
24	.22	.10	.13		.02		.09	.34		.04		.08	24
25			.02		.14		.03					.33	25
26		.14			.21		.37						26
27		.17		.12	.05	.11	.02			.03			27
28		.02				<u>1.75</u>				.21		.02	28
29	.02									.09			29
30				.12	.05					.10		.06	30
31												.05	31
Totals	4.57	1.93	1.38	.61	1.76	3.16	.98	.83	1.10	4.73	3.21	1.76	
Total from Jan. 1		6.50	7.88	8.49	10.25	13.41	14.39	15.22	16.32	21.05	24.26	26.02	

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.
17 JAN 1907

Kept at Wootton Rectory

in the County of Oxon:

by Rev. F.R. Marriott

Lat. Long.

Nearest Railway Station Woodstock

Time of Observation 9 a.m.

Diameter 5 in.

Height of top above Ground ft. 10 in.

Sea Level 370 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08		.04			.45				.57		.05	1
2	.24	.10			.16			.24		1.14		.05	2
3	.26							.14			.10	.02	3
4	.67				.08					.92	.15		4
5	.69		.01		.16							.14	5
6	.03									.08	.65	.03	6
7	.45		.06							.05	.11		7
8	.02	.14	.17		.03					.04	1.42	.15	8
9	.12	.20			.03					.15	.02		9
10	.07	.06	.40							.14			10
11	.17	.07	.18							.04		.10	11
12	.43		.08	.09					.06	.12		.02	12
13	.09	.06	.03			.05	.28		.39	.03		.15	13
14		.20	.04			.02		.03	.37				14
15	.15	.16	.06		.03	.09		.02			.03	.45	15
16	.27	.21			.08	.18		.04	.13	.08	.20	.01	16
17	.34		.07	.15				.02	.03	.10	.13		17
18	.14	.13							.08	.76		.05	18
19		.12					.03						19
20	.14				.43				.04	.01	.40		20
21	.04						.13			.03			21
22				.08									22
23		.05	.09	.05	.29	.51							23
24	.22	.10	.13		.02		.09	.34		.04		.08	24
25			.02		.14		.03					.33	25
26		.14			.21		.37						26
27		.17		.12	.05	.11	.02			.03			27
28		.02				<u>1.75</u>				.21		.02	28
29	.02									.09			29
30				.12	.05					.10		.06	30
31												.05	31
Totals	4.57	1.93	1.38	.61	1.76	3.16	.98	.83	1.10	4.73	3.21	1.76	
Total from Jan. 1		6.50	7.88	8.49	10.25	13.41	14.39	15.22	16.32	21.05	24.26	26.02	

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Kept at The Rectory, Wootton
in the County of Oxfordshire
by Rev. F.R. Marriott

Lat. _____ Long. _____
Nearest Railway Station Woodstock
Time of Observation 9 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft.
" " " Sea Level 370 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.39				.11	.29				.35			1
2	.06			.02	.08		.05	.56	.18	.02		.51	2
3					.16		.38		.14				3
4	.08					.16	.64		.22			.66	4
5			.06	.18		.04	.02		.06	.15			5
6				.24		.03	.06	.13		.32		.17	6
7			.11	.15	.14	.02				.10		.46	7
8		.25	.05	.34	.07					.04	.06	.14	8
9		.26	.16	.03			.06	.08		.11		.15	9
10	.10	.24	.05			.08	.05			.44		.06	10
11		.30				.35				.09		.24	11
12		.24	.16	.53		.03						.51	12
13			.13		.90	.10	.03			.37		.47	13
14		.06	.02		.04	.04		.21		.46		.04	14
15						.13				.07			15
16			.13							1.00			16
17		.02	.02					.54		.02	.07		17
18		.03				.02				.13	.43		18
19		.19	.07		.06			.17		.25		.08	19
20		.08		.27	.02	.05				.30			20
21				.42			.60	.04					21
22					.16	.12	.21	.06			.31	.33	22
23					.14					.03			23
24					.02	.13					.16		24
25					.28	.04	.04		.05	.07	.31		25
26				.18	.16		.05				.62		26
27				.07		.07	.06						27
28				.06							.08		28
29				.05		.03	.13			.68			29
30				.18	.24	.03				.35		.06	30
31					.04								31
Total	.63	1.67	.76	2.72	2.62	1.76	2.38	1.77	.65	5.35	2.04	3.88	TOTAL for year 26.45
No. of Rain Days	4	10	11	14	16	19	14	8	5	21	8	14	148

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

Kept at Wootton Bassett
in the County of Oxfordshire
by Rev. F. R. Marriott

Lat. _____ Long. _____
Nearest Railway Station Woodstock
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " Sea Level 370 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.06			.35			.04				1
2			.07		.47				.02				2
3		.04	.25		.06				.49				3
4				.05	.10		.02		.05			.12	4
5			.34	.13	.22		.05	.04					5
6	.23		.12		.05								6
7	.75				.09	.04							7
8	.05		.07				.23		.07	.12		.18	8
9			.09				.43		.09	.17		.28	9
10			.03				.10	.03				.12	10
11					.04	.06	.03		.05		.22	.02	11
12				.04		.04	.04	.05			.04	.03	12
13					.04	.05	.11	.04			.03	.23	13
14					.26						.05	.11	14
15		.11	.07		.20		.04		.26			.02	15
16		.27				.32	.40		.11			.10	16
17		.04				.60	.15					.03	17
18		.07							.17	.16	.19	.03	18
19								.40				.15	19
20								↓.03	.06	.31		.04	20
21		.04						↓.16		.14	.23	.05	21
22		.15	.16	.04				↓.66				.01	22
23		.03		.60	.02			↓.07	.09				23
24		.02	.53					↓			.15		24
25	.06	.02	.32	1.66	.01			↓.49	.03	.03			25
26								↓.03	.03	.11			26
27	~~.18~~		.22	.24				↓.07	.08	.04			27
28	.18	.03		.84				↓.04	.02	.04			28
29	.06	.11	.03	.42	.04			↓.02			.20		29
30	.04		.25	.05				↓.02					30
31					.04			1.14				.02	31
Total	1.37	.93	2.61	4.07	1.64	1.46	1.60	3.27	1.66	1.12	1.11	1.93	TOTAL for year
No. of Rain Days	7	12	15	11	14	7	11	15	16	9	8	20	145

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL.

Kept at Wootton Rectory
in the County of Oxfordshire
by Rev. F. E. Marriott

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 370 ft. about
Time of Observation 9 a.m.
Nearest Railway Station { Name Woodstock
Distance 2 Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.06	.55		.58	.03	.05		.45	1
2			.10 ^{Shower}			.05				.12	.04	.12	2
3			.06"			.11				.26		.33	3
4		.04				.52			.24	.27			4
5			.12"			.17	.10			.05		.36	5
6			.98			.68	.37		.17			.15	6
7	.08						.03		.07	.13		.01	7
8									.02				8
9	.05	.08	.06"				.53					.23	9
10	.09	.24				.15			.04	.41		.37	10
11	.04	.02	.04"	.02		.07	.13			.08			11
12				.06		.11			.15	.25		.04	12
13	.04		.15	.17			.04		.12	.06			13
14	.02										.26		14
15	.40						.31	.07	.09	.20	.02	.02	15
16					.25		.05		.05	.17		.11	16
17								1.32	.38	.09	.01	.17	17
18	.07		.13	.03				.10		.08		.02	18
19			.02	.30				.06		.12		.05	19
20			.02			.63	.11	.13		.10			20
21			.14			.49			.09	.04		.46	21
22			.03	.26		.09		.19		.07			22
23				.14		.60	.06	.13	.38	.46		.30	23
24			.32		.84	.12		.15	.30	.01	.03	.04	24
25			.08	.08	.06	.16	.19	.04		.06		.10	25
26		.06		.09	.29	.07	.10			.56			26
27		.05	.25	.10	.01		.60	.02	.22	.08	.04	.14	27
28			.24	.04	.10	.44			.33	.07			28
29				.66		.13		.15			.20		29
30				.09			.13		.31	.01			30
31	.12		.07		.19					.04		.02	31
Total	.91	.49	2.81	2.04	1.80	5.14	2.75	2.94	2.99	3.84	.60	3.51	TOTAL for year 29.82
No. of Rain Days	9.	6	17	13	8	18	14	12	17	26	7	20.	167

5 m. a.
S. m. a.

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL
27 MAR 1911

Kept at Wootton - Rechy.

in the County of Oxford

by Rev. F. R. Marnott

RAIN GAUGE
Pattern Common Funnel
Diameter of top 5 in.
Height of top above Ground 10 ft.
" " " Sea Level 370 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Woodstock
Distance 2 Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.03	.16			.01	.02		.06	~~.11~~	.11	.02	.46	1
2		.26			.01	.01	.51	.01	~~.11~~	.10	.02	.36	2
3					.08		.02	.58			.44	.50	3
4				.34	.10							.11	4
5		.07	.01	.10	.06		.69	.04				.03	5
6	.02	.12	.02	.03	.06		.01				.36	.04	6
7		.09	.01		.01	.67					.12	.06	7
8	.06	.02	.02		.06							.16	8
9	.10		.28		.17	.76		.13				.34	9
10	.26	.06				.24				.04	.07	.26	10
11	.21	.11	.15	.01	.23			.10		.62	.07	.01	11
12	.05		.03	.22	.05			.03		.44		.36	12
13	.01	.18		.06	.04			.05			.57	.15	13
14		.40		.11				.20	.32		.02	.64	14
15	.09	.12		.10								.74	15
16	.04	.10	.07	.34						.14		.24	16
17	.04	.08	.01		.23		.23	.04				.09	17
18	.07	.20	.09	.06	.22			.20		.21			18
19		.07		.04	.06			.03		.13	.13		19
20		.21					.21	.10				.58	20
21		.07		.19								.35	21
22		.43		.01		.01	.05	.02					22
23	.19	.09		.04		.20		.40			.68	.03	23
24	.10	.29		.14		.24	.09	.03		.02	.02	.03	24
25	~~.19~~	.19		.14		.30	.03	.13	.03	.04			25
26		.09		.05				.01			.02	.12	26
27	.46	.02		.01		.19	.03			.42	.85		27
28		.05		.40	.38	.03	.10	.37		.08			28
29				.04			.01	.11					29
30					.08	.19		.01			.33	.01	30
31	.02				.12					.31			31
Total	1.75	3.48	.69	2.43	1.97	2.86	1.98	2.65	.35	2.66	3.72	5.67	TOTAL for year 30.21
No. of Rain Days	16	24	10	20	18	12	12	21	2	13	15	23	186